

# Muhammad Aziz Rahman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7978373/publications.pdf>

Version: 2024-02-01

126  
papers

61,896  
citations

71102

41  
h-index

21540

114  
g-index

142  
all docs

142  
docs citations

142  
times ranked

69115  
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychological Distress, Fear and Coping Strategies among Hong Kong People During the COVID-19 Pandemic. <i>Current Psychology</i> , 2023, 42, 2538-2557.	2.8	12
2	Identifying tobacco retailers in the absence of a licensing system: lessons from Australia. <i>Tobacco Control</i> , 2022, 31, 543-548.	3.2	6
3	Electronic Cigarettes or Vaping: Are There Any Differences in the Profiles, Use and Perceptions between a Developed and a Developing Country?. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1673.	2.6	0
4	Prevalence and correlates of diabetes distress and depressive symptoms among individuals with type-2 diabetes mellitus during Ramadan fasting: A cross-sectional study in Bangladesh amid the COVID-19. <i>Diabetes Research and Clinical Practice</i> , 2022, 185, 109210.	2.8	4
5	THE EFFECT OF SMOKING BEHAVIOR ON STROKE CASES IN SURABAYA CITY. <i>Jurnal Berkala Epidemiologi</i> , 2022, 10, 21.	0.1	1
6	Mental health at the COVID-19 frontline: An assessment of distress, fear, and coping among staff and attendees at screening clinics of rural/regional settings of Victoria, Australia. <i>Journal of Rural Health</i> , 2022, 38, 773-787.	2.9	2
7	Psychological Distress among Bangladeshi Dental Students during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 176.	2.6	10
8	Psychological Distress, Fear and Coping Strategies During the Second and Third Waves of the COVID-19 Pandemic in Southern Germany. <i>Frontiers in Psychiatry</i> , 2022, 13, 860683.	2.6	17
9	Association Between Symptoms and Severity of Disease in Hospitalised Novel Coronavirus (COVID-19) Patients: A Systematic Review and Meta-Analysis. <i>Journal of Multidisciplinary Healthcare</i> , 2022, Volume 15, 1101-1110.	2.7	19
10	Psychological impact of COVID-19 on healthcare workers: cross-sectional analyses from 14 countries. <i>Global Mental Health (Cambridge, England)</i> , 2022, 9, 328-338.	2.5	4
11	Pre-existing COPD is associated with an increased risk of mortality and severity in COVID-19: a rapid systematic review and meta-analysis. <i>Expert Review of Respiratory Medicine</i> , 2021, 15, 705-716.	2.5	42
12	Prevalence of and factors associated with anaemia in women of reproductive age in Bangladesh, Maldives and Nepal: Evidence from nationally-representative survey data. <i>PLoS ONE</i> , 2021, 16, e0245335.	2.5	26
13	Changes in Tobacco Use Patterns during COVID-19 and Their Correlates among Older Adults in Bangladesh. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1779.	2.6	23
14	Reliability of the tools used to examine psychological distress, fear of COVID-19 and coping amongst migrants and non-migrants in Australia. <i>International Journal of Mental Health Nursing</i> , 2021, 30, 747-758.	3.8	12
15	The association between preoperative length of hospital stay and deep sternal wound infection: A scoping review. <i>Australian Critical Care</i> , 2021, 34, 620-633.	1.3	5
16	Self-efficacy of direct care workers providing care to older people in residential aged care settings: a scoping review protocol. <i>Systematic Reviews</i> , 2021, 10, 105.	5.3	1
17	Factors influencing place of delivery: Evidence from three south-Asian countries. <i>PLoS ONE</i> , 2021, 16, e0250012.	2.5	28
18	Tobacco retailer density and smoking behavior in a rural Australian jurisdiction without a tobacco retailer licensing system. <i>Tobacco Induced Diseases</i> , 2021, 19, 1-10.	0.6	5

#	ARTICLE	IF	CITATIONS
19	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990â€“2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet Public Health, The, 2021, 6, e482-e499.	10.0	38
20	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990â€“2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	13.7	609
21	The Health Belief Model Predicts Intention to Receive the COVID-19 Vaccine in Saudi Arabia: Results from a Cross-Sectional Survey. Vaccines, 2021, 9, 864.	4.4	51
22	COVID-19 Related Psychological Distress, Fear and Coping: Identification of High-Risk Groups in Bangladesh. Frontiers in Psychiatry, 2021, 12, 718654.	2.6	14
23	SHadow Under the Lamp (SHUL): Smoking behavior of the health professionals in Pakistan. Tobacco Induced Diseases, 2021, 19, .	0.6	0
24	Duration of intervals in the care seeking pathway for lung cancer in Bangladesh: A journey from symptoms triggering consultation to receipt of treatment. PLoS ONE, 2021, 16, e0257301.	2.5	7
25	Global, regional, and national burden of respiratory tract cancers and associated risk factors from 1990 to 2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Respiratory Medicine,the, 2021, 9, 1030-1049.	10.7	86
26	Psychological distress, fear and coping among Malaysians during the COVID-19 pandemic. PLoS ONE, 2021, 16, e0257304.	2.5	43
27	Global, regional, and national burden of stroke and its risk factors, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Neurology, The, 2021, 20, 795-820.	10.2	2,308
28	COVID-19: Factors associated with psychological distress, fear, and coping strategies among community members across 17 countries. Globalization and Health, 2021, 17, 117.	4.9	49
29	Anemia prevalence in women of reproductive age in low- and middle-income countries between 2000 and 2018. Nature Medicine, 2021, 27, 1761-1782.	30.7	60
30	Caring self-efficacy of direct care workers in residential aged care settings: A mixed methods scoping review. Geriatric Nursing, 2021, 42, 1429-1445.	1.9	7
31	Global, regional, and national mortality among young people aged 10â€“24 years, 1950â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	13.7	92
32	Perceived Change in Tobacco Use and Its Associated Factors among Older Adults Residing in Rohingya Refugee Camps during the COVID-19 Pandemic in Bangladesh. International Journal of Environmental Research and Public Health, 2021, 18, 12349.	2.6	1
33	Was there any change in tobacco smoking among adults in Bangladesh during 2009â€“2017? Insights from two nationally representative cross-sectional surveys. BMJ Open, 2021, 11, e057896.	1.9	2
34	Hospitalised exacerbations of chronic obstructive pulmonary disease: adherence to guideline recommendations in an Australian teaching hospital. Internal Medicine Journal, 2020, 50, 453-459.	0.8	9
35	Factors associated with psychological distress, fear and coping strategies during the COVID-19 pandemic in Australia. Globalization and Health, 2020, 16, 95.	4.9	198
36	Global burden of 369 diseases and injuries in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664

#	ARTICLE	IF	CITATIONS
37	Global burden of 87 risk factors in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1223-1249.	13.7	3,928
38	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950â€“2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1160-1203.	13.7	890
39	Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1135-1159.	13.7	335
40	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000â€“17. <i>The Lancet Global Health</i> , 2020, 8, e1038-e1060.	6.3	23
41	Stress of Conscience Questionnaire (SCQ): exploring dimensionality and psychometric properties at a tertiary hospital in Australia. <i>BMC Psychology</i> , 2020, 8, 109.	2.1	8
42	Compliance of smokeless tobacco supply chain actors and products with tobacco control laws in Bangladesh, India and Pakistan: protocol for a multicentre sequential mixed-methods study. <i>BMJ Open</i> , 2020, 10, e036468.	1.9	5
43	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020, 26, i125-i153.	2.4	44
44	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1250-1284.	13.7	330
45	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000â€“17. <i>The Lancet Global Health</i> , 2020, 8, e1162-e1185.	6.3	91
46	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i96-i114.	2.4	103
47	Global Burden of Cardiovascular Diseases and Risk Factors, 1990â€“2019. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2982-3021.	2.8	4,468
48	Defining timeliness in care for patients with lung cancer: protocol for a scoping review. <i>BMJ Open</i> , 2020, 10, e039660.	1.9	3
49	Levels of support for the licensing of tobacco retailers in Australia: findings from the National Drug Strategy Household Survey 2004-2016. <i>BMC Public Health</i> , 2020, 20, 773.	2.9	5
50	Prevalence and attributable health burden of chronic respiratory diseases, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet Respiratory Medicine</i> , the, 2020, 8, 585-596.	10.7	1,049
51	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000â€“17: analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020, 395, 1779-1801.	13.7	72
52	A Scoping Review of Intravenous Opioid Pain Protocols and Their Dose-Time Intervals in the Management of Acute Postoperative Pain in the Postanesthesia Care Unit. <i>Journal of Perianesthesia Nursing</i> , 2020, 35, 374-381.	0.7	0
53	Suicide in Rural Australia: Are Farming-Related Suicides Different?. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2010.	2.6	18
54	Cardiopulmonary resuscitation and endotracheal intubation decisions for adults with advance care directive and resuscitation plans in the emergency department. <i>Australasian Emergency Care</i> , 2020, 23, 247-251.	1.5	5

#	ARTICLE	IF	CITATIONS
55	Wearable activity trackers and health awareness: Nursing implications. International Journal of Nursing Sciences, 2020, 7, 179-183.	1.3	5
56	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.	30.7	47
57	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	2.4	44
58	Organophosphate exposure and the chronic effects on farmers: a narrative review. Rural and Remote Health, 2020, 20, 4508.	0.5	19
59	Global impact of tobacco control policies on smokeless tobacco use: a systematic review protocol. BMJ Open, 2020, 10, e042860.	1.9	10
60	SHadow Under the Lamp (SHUL): Smoking behavior of the health professionals. European Journal of Public Health, 2020, 30, .	0.3	0
61	Association between height and hypertension in the adult Nepalese population: Findings from a nationally representative survey. Health Science Reports, 2019, 2, e141.	1.5	12
62	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017. JAMA Oncology, 2019, 5, 1749.	7.1	1,691
63	Analysis of patient related violence in a regional emergency department in Victoria, Australia. Australasian Emergency Care, 2019, 22, 126-131.	1.5	10
64	Global, regional, and national burden of stroke, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 439-458.	10.2	2,005
65	Global, regional, and national burden of neurological disorders, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	10.2	2,625
66	Global, regional, and national burden of suicide mortality 1990 to 2016: systematic analysis for the Global Burden of Disease Study 2016. BMJ: British Medical Journal, 2019, 364, l94.	2.3	558
67	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	10.2	1,064
68	Paramedic Judgement, Decision-Making and Cognitive Processing: A Review of the Literature. Australasian Journal of Paramedicine, 2019, 16, 1-12.	0.3	26
69	Cholinesterase research outreach project (CROP): point of care cholinesterase measurement in an Australian agricultural community. Environmental Health, 2018, 17, 31.	4.0	23
70	1388â€¦Diabetes, cardiovascular disease, psychosocial distress and other risks among australian farmers and agricultural communities â€“ health surveillance and outcomes. , 2018, , .		0
71	1386â€¦Presenting injuries (farm and other) at a regional hospital in victoria, australia â€“ linking prevention, promotion and place. , 2018, , .		0
72	Global, regional, and national age-sex-specific mortality and life expectancy, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	13.7	716

#	ARTICLE	IF	CITATIONS
73	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	13.7	4,989
74	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	13.7	3,269
75	Population and fertility by age and sex for 195 countries and territories, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	13.7	294
76	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	13.7	8,569
77	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	13.7	335
78	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	13.7	2,123
79	Electronic Cigarettes and Smoking Cessation in the Perioperative Period of Cardiothoracic Surgery: Views of Australian Clinicians. International Journal of Environmental Research and Public Health, 2018, 15, 2481.	2.6	10
80	Incidence and factors associated with substance abuse and patient-related violence in the emergency department: A literature review. Australasian Emergency Care, 2018, 21, 159-170.	1.5	24
81	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. New England Journal of Medicine, 2018, 379, 2429-2437.	27.0	959
82	An evidence-based approach to understanding the competency development needs of the health service management workforce in Australia. BMC Health Services Research, 2018, 18, 976.	2.2	15
83	Global, regional, and national burden of Parkinson's disease, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 939-953.	10.2	1,573
84	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	13.7	638
85	Psychometric evaluation of the English version 14-item resilience scale (RS) in an Australian outpatient population of men with prostate cancer. European Journal of Oncology Nursing, 2018, 35, 73-78.	2.1	5
86	Alcohol use and burden for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	13.7	2,005
87	E-cigarettes or vaping: examining perceptions of use and associated harm among current users in Australia and Bangladesh. Tobacco Induced Diseases, 2018, 16, .	0.6	0
88	E-cigarettes or vaping: is there any difference in perceptions of use and associated harm among the current users between a developed and a developing country?. Tobacco Induced Diseases, 2018, 16, .	0.6	0
89	Use of electronic cigarettes in the perioperative period: A mixed-method study exploring perceptions of cardiothoracic patients in Australia. Tobacco Induced Diseases, 2018, 16, 53.	0.6	0
90	Depression screening and referral in cardiac wards: A 12-month patient trajectory. European Journal of Cardiovascular Nursing, 2017, 16, 157-166.	0.9	8



#	ARTICLE	IF	CITATIONS
91	Systematic Review and Meta-analyses Investigating Whether Risk Stratification Explains Lower Rates of Coronary Angiography Among Women With Nonâ€“ST-Segment Elevation Acute Coronary Syndrome. Journal of Cardiovascular Nursing, 2017, 32, 112-124.	1.1	7
92	Gender difference in the use of coronary interventions for patients with acute coronary syndrome: Experience from a major metropolitan hospital in Melbourne, Australia. Australian Critical Care, 2017, 30, 3-10.	1.3	12
93	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	13.7	1,589
94	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	13.7	1,879
95	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	13.7	284
96	Global, Regional, and National Levels of Maternal Mortality, 1990â€“2015: A Systematic Analysis for the Global Burden of Disease Study 2015. Obstetrical and Gynecological Survey, 2017, 72, 11-13.	0.4	41
97	Patients with thunderstorm asthma or severe asthma in Melbourne: a comparison. Medical Journal of Australia, 2017, 207, 434-435.	1.7	20
98	Exploring Aboriginal patientsâ€™ experiences of cardiac care at a major metropolitan hospital in Melbourne. Australian Health Review, 2016, 40, 696.	1.1	25
99	Global, regional, and national levels of maternal mortality, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1775-1812.	13.7	740
100	Impact of comorbidities and gender on the use of coronary interventions in patients with highâ€“risk nonâ€“ST-segment elevation acute coronary syndrome. Catheterization and Cardiovascular Interventions, 2016, 87, E128-36.	1.7	18
101	Gender Differences in Presentation, Coronary Intervention, and Outcomes of 28,985 Acute Coronary Syndrome Patients in Victoria, Australia. Women's Health Issues, 2016, 26, 14-20.	2.0	57
102	Undiagnosed hypertension in a rural district in Bangladesh: The Bangladesh Population-based Diabetes and Eye Study (BPDES). Journal of Human Hypertension, 2016, 30, 252-259.	2.2	31
103	Is There any Gender Difference for Smoking Persistence or Relapse Following Diagnosis or Hospitalization for Coronary Heart Disease? Evidence From a Systematic Review and Meta-Analysis. Nicotine and Tobacco Research, 2016, 18, 1399-1407.	2.6	9
104	Exploring Aboriginal patientsâ€™ experiences of cardiac care at a major metropolitan hospital in Melbourne. Heart Lung and Circulation, 2015, 24, S441.	0.4	1
105	Assessment of an established dialysis nurse practitioner model of care using mixed methods research. Contemporary Nurse, 2015, 51, 148-162.	1.0	4
106	E-Cigarettes and Smoking Cessation: Evidence from a Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0122544.	2.5	189
107	Gender difference in treatment and mortality of patients with ST-segment elevation myocardial infarction admitted to Victorian public hospitals: A retrospective database study. Australian Critical Care, 2015, 28, 196-202.	1.3	23
108	Why Do Bangladeshi People Use Smokeless Tobacco Products?. Asia-Pacific Journal of Public Health, 2015, 27, NP2197-NP2209.	1.0	34

#	ARTICLE	IF	CITATIONS
109	Health impact of smoking &ndash; an unforgiveable omission in a doctor&#39;s repertoire. International Journal of General Medicine, 2014, 7, 225.	1.8	0
110	Smoking behavior among patients and staff: a snapshot from a major metropolitan hospital in Melbourne, Australia. International Journal of General Medicine, 2014, 7, 79.	1.8	5
111	Electronic cigarettes: patterns of use, health effects, use in smoking cessation and regulatory issues. Tobacco Induced Diseases, 2014, 12, 21.	0.6	54
112	PM139 A systematic review investigating whether the presence of severe co-morbidities explains lower rates of angiography among women compared to men with non-ST elevation acute coronary syndrome. , 2014, 9, e89.		0
113	PM478 Significance of the elements in the CADILLAC and TIMI risk prediction tools in a cohort of women presenting with STEMI. , 2014, 9, e159-e160.		0
114	Implementing a working together model for Aboriginal patients with acute coronary syndrome: an Aboriginal Hospital Liaison Officer and a specialist cardiac nurse working together to improve hospital care. Australian Health Review, 2014, 38, 552.	1.1	19
115	Rose Angina Questionnaire: Validation with cardiologists' diagnoses to detect coronary heart disease in Bangladesh. Indian Heart Journal, 2013, 65, 30-39.	0.5	25
116	Profiling bone and joint problems and health service use in an Australian regional population: The Port Lincoln Health Study. Australian Health Review, 2013, 37, 504.	1.1	4
117	Date Palm Sap Linked to Nipah Virus Outbreak in Bangladesh, 2008. Vector-Borne and Zoonotic Diseases, 2012, 12, 65-72.	1.5	174
118	Is There Any Association between Use of Smokeless Tobacco Products and Coronary Heart Disease in Bangladesh?. PLoS ONE, 2012, 7, e30584.	2.5	21
119	Choice of Controls for a Case-control Study in Bangladesh: Hospital Controls versus Community Controls. Asian Journal of Epidemiology, 2012, 5, 75-86.	0.5	1
120	SP2-2 Community controls vs hospital controls: choice for a case-control study in Bangladesh. Journal of Epidemiology and Community Health, 2011, 65, A406-A406.	3.7	0
121	SP2-1 Rose Angina questionnaire: accuracy for diagnosing coronary heart disease in Bangladesh. Journal of Epidemiology and Community Health, 2011, 65, A406-A406.	3.7	0
122	P2-249 Smokeless tobacco and coronary heart disease in Bangladesh: is there any association?. Journal of Epidemiology and Community Health, 2011, 65, A290-A290.	3.7	0
123	A Novel Low-Cost Approach to Estimate the Incidence of Japanese Encephalitis in the Catchment Area of Three Hospitals in Bangladesh. American Journal of Tropical Medicine and Hygiene, 2011, 85, 379-385.	1.4	38
124	A systematic review of epidemiological studies on the association between smokeless tobacco use and coronary heart disease. Journal of Public Health and Epidemiology, 2011, 3, .	0.3	1
125	Smoking and smokeless tobacco consumption: Possible risk factors for coronary heart disease among young patients attending a tertiary care cardiac hospital in Bangladesh. Public Health, 2008, 122, 1331-1338.	2.9	43
126	COVID-19: Psychol&A&Aogical Distress, Fear, and Coping Strategies&A&A Among Community Members Across 17 Countries. SSRN Electronic Journal, 0, , .	0.4	0