

Enric Espel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7978641/publications.pdf>

Version: 2024-02-01

21
papers

717
citations

840776

11
h-index

794594

19
g-index

23
all docs

23
docs citations

23
times ranked

1191
citing authors

#	ARTICLE	IF	CITATIONS
1	The Mnk2s Are Novel Components in the Control of TNF α Biosynthesis and Phosphorylate and Regulate hnRNP A1. <i>Immunity</i> , 2005, 23, 177-189.	14.3	188
2	The role of the AU-rich elements of mRNAs in controlling translation. <i>Seminars in Cell and Developmental Biology</i> , 2005, 16, 59-67.	5.0	114
3	Role of LFA-1 and ICAM-1 in Cancer. <i>Cancers</i> , 2017, 9, 153.	3.7	86
4	Transcriptional and translational control of TNF α gene expression in human monocytes by major histocompatibility complex class II ligands. <i>European Journal of Immunology</i> , 1996, 26, 2417-2424.	2.9	50
5	Glucocorticoid Hormones Upregulate Interleukin 2 Receptor α Gene Expression. <i>Cellular Immunology</i> , 1993, 151, 437-450.	3.0	41
6	Syndecan-2 and -4 expressed on activated primary human CD4+ lymphocytes can regulate T cell activation. <i>Molecular Immunology</i> , 2008, 45, 2905-2919.	2.2	36
7	Mouse Interleukin-2 Receptor α Gene Expression. <i>Journal of Biological Chemistry</i> , 1995, 270, 10733-10742.	3.4	34
8	A Polymorphism in the 3' Untranslated Region of the Gene for Tumor Necrosis Factor Receptor 2 Modulates Reporter Gene Expression. <i>Endocrinology</i> , 2005, 146, 2210-2220.	2.8	34
9	Characterization of Ocular Surface Epithelial and Progenitor Cell Markers in Human Adipose Stromal Cells Derived from Lipoaspirates. , 2012, 53, 513.		33
10	Anti-proliferative and cytotoxic effect of cannabidiol on human cancer cell lines in presence of serum. <i>BMC Research Notes</i> , 2020, 13, 389.	1.4	22
11	Syndecan α 2 can promote clearance of T α cell receptor/CD3 from the cell surface. <i>Immunology</i> , 2012, 137, 214-225.	4.4	17
12	The PDZ-binding domain of syndecan-2 inhibits LFA-1 high-affinity conformation. <i>Cellular Signalling</i> , 2014, 26, 1489-1499.	3.6	14
13	Wortmannin inhibits translation of tumor necrosis factor- α in superantigen-activated T cells. <i>International Immunology</i> , 1999, 11, 1479-1489.	4.0	10
14	Erk5 contributes to maintaining the balance of cellular nucleotide levels and erythropoiesis. <i>Cell Cycle</i> , 2015, 14, 3864-3876.	2.6	8
15	Dual role of ERK5 in the regulation of T cell receptor expression at the T cell surface. <i>Journal of Leukocyte Biology</i> , 2016, 99, 143-152.	3.3	8
16	Narrow A/T-rich zones present at the distal 5' flanking sequences of the zein genes Zc1 and Zc2 bind a unique 30 kDa HMG-like protein. <i>Plant Molecular Biology</i> , 1994, 26, 1893-1906.	3.9	7
17	Absence of ERK5/MAPK7 delays tumorigenesis in <i>Atm</i> ^{-/-} mice. <i>Oncotarget</i> , 2016, 7, 74435-74447.	1.8	6
18	Epitope-specific engagement of the protein tyrosine phosphatase CD45 induces tumor necrosis factor- α gene expression via transcriptional mechanisms. <i>European Journal of Immunology</i> , 1996, 26, 1475-1480.	2.9	5

#	ARTICLE	IF	CITATIONS
19	Neutralization of Measles Virus Infectivity and Antibody-Dependent Cell-Mediated Cytotoxicity Activity against an Epstein-Barr Virus-Infected Cell Line by Intravenous Administration of Immunoglobulin G. <i>Vaccine Journal</i> , 2003, 10, 751-756.	3.1	3
20	Use of Western blotting filtration to detect UV-cross-linked protein: RNA complexes. <i>Analytical Biochemistry</i> , 2006, 353, 138-140.	2.4	1
21	ATM meets ERK5. <i>Aging</i> , 2017, 9, 299-300.	3.1	0