

Leo I Gordon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7978782/publications.pdf>

Version: 2024-02-01

279
papers

19,307
citations

13865

67
h-index

12597

132
g-index

300
all docs

300
docs citations

300
times ranked

17741
citing authors

#	ARTICLE	IF	CITATIONS
1	Lisocabtagene maraleucel for patients with relapsed or refractory large B-cell lymphomas (TRANSCEND NHL 001): a multicentre seamless design study. <i>Lancet, The</i> , 2020, 396, 839-852.	13.7	1,224
2	Randomized Controlled Trial of Yttrium-90 ⁹⁰ -Labeled Ibritumomab Tiuxetan Radioimmunotherapy Versus Rituximab Immunotherapy for Patients With Relapsed or Refractory Low-Grade, Follicular, or Transformed B-Cell Non-Hodgkin TM s Lymphoma. <i>Journal of Clinical Oncology</i> , 2002, 20, 2453-2463.	1.6	1,069
3	Progressive multifocal leukoencephalopathy after rituximab therapy in HIV-negative patients: a report of 57 cases from the Research on Adverse Drug Events and Reports project. <i>Blood</i> , 2009, 113, 4834-4840.	1.4	829
4	Genetic and Functional Drivers of Diffuse Large B-Cell Lymphoma. <i>Cell</i> , 2017, 171, 481-494.e15.	28.9	804
5	An enhanced International Prognostic Index (NCCN-IPI) for patients with diffuse large B-cell lymphoma treated in the rituximab era. <i>Blood</i> , 2014, 123, 837-842.	1.4	693
6	Treatment With Ibritumomab Tiuxetan Radioimmunotherapy in Patients With Rituximab-Refractory Follicular Non-Hodgkin TM s Lymphoma. <i>Journal of Clinical Oncology</i> , 2002, 20, 3262-3269.	1.6	624
7	Axicabtagene Ciloleucel as Second-Line Therapy for Large B-Cell Lymphoma. <i>New England Journal of Medicine</i> , 2022, 386, 640-654.	27.0	586
8	Phase I/II Trial of IDEC-Y2B8 Radioimmunotherapy for Treatment of Relapsed or Refractory CD20 ⁺ B-Cell Non-Hodgkin's Lymphoma. <i>Journal of Clinical Oncology</i> , 1999, 17, 3793-3803.	1.6	525
9	The genetic landscape of mutations in Burkitt lymphoma. <i>Nature Genetics</i> , 2012, 44, 1321-1325.	21.4	517
10	Genetic heterogeneity of diffuse large B-cell lymphoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1398-1403.	7.1	494
11	Disabling Immune Tolerance by Programmed Death-1 Blockade With Pidilizumab After Autologous Hematopoietic Stem-Cell Transplantation for Diffuse Large B-Cell Lymphoma: Results of an International Phase II Trial. <i>Journal of Clinical Oncology</i> , 2013, 31, 4199-4206.	1.6	433
12	Refinement of the Lugano Classification lymphoma response criteria in the era of immunomodulatory therapy. <i>Blood</i> , 2016, 128, 2489-2496.	1.4	370
13	Comparison of a Second-Generation Combination Chemotherapeutic Regimen (m-BACOD) with a Standard Regimen (CHOP) for Advanced Diffuse Non-Hodgkin's Lymphoma. <i>New England Journal of Medicine</i> , 1992, 327, 1342-1349.	27.0	318
14	Multicenter Analysis of 80 Solid Organ Transplantation Recipients With Post-Transplantation Lymphoproliferative Disease: Outcomes and Prognostic Factors in the Modern Era. <i>Journal of Clinical Oncology</i> , 2010, 28, 1038-1046.	1.6	290
15	Safety of Yttrium-90 Ibritumomab Tiuxetan Radioimmunotherapy for Relapsed Low-Grade, Follicular, or Transformed Non-Hodgkin TM s Lymphoma. <i>Journal of Clinical Oncology</i> , 2003, 21, 1263-1270.	1.6	278
16	Maintenance Rituximab After Cyclophosphamide, Vincristine, and Prednisone Prolongs Progression-Free Survival in Advanced Indolent Lymphoma: Results of the Randomized Phase III ECOG1496 Study. <i>Journal of Clinical Oncology</i> , 2009, 27, 1607-1614.	1.6	264
17	Ibritumomab tiuxetan radioimmunotherapy for patients with relapsed or refractory non-Hodgkin lymphoma and mild thrombocytopenia: a phase II multicenter trial. <i>Blood</i> , 2002, 99, 4336-4342.	1.4	257
18	Randomized Phase III Trial of ABVD Versus Stanford V With or Without Radiation Therapy in Locally Extensive and Advanced-Stage Hodgkin Lymphoma: An Intergroup Study Coordinated by the Eastern Cooperative Oncology Group (E2496). <i>Journal of Clinical Oncology</i> , 2013, 31, 684-691.	1.6	256

#	ARTICLE	IF	CITATIONS
19	Non-Hodgkin's Lymphomas. Journal of the National Comprehensive Cancer Network: JNCCN, 2010, 8, 288-334.	4.9	233
20	Breakthrough fungal infections after allogeneic hematopoietic stem cell transplantation in patients on prophylactic voriconazole. Bone Marrow Transplantation, 2007, 40, 451-456.	2.4	205
21	Monitoring plasma voriconazole levels may be necessary to avoid subtherapeutic levels in hematopoietic stem cell transplant recipients. Cancer, 2007, 109, 1532-1535.	4.1	197
22	Deep sequencing of the small RNA transcriptome of normal and malignant human B cells identifies hundreds of novel microRNAs. Blood, 2010, 116, e118-e127.	1.4	188
23	Tumor-associated macrophages predict inferior outcomes in classic Hodgkin lymphoma: a correlative study from the E2496 Intergroup trial. Blood, 2012, 120, 3280-3287.	1.4	188
24	Durable responses after ibritumomab tiuxetan radioimmunotherapy for CD20+ B-cell lymphoma: long-term follow-up of a phase 1/2 study. Blood, 2004, 103, 4429-4431.	1.4	181
25	Gene Expression-Based Model Using Formalin-Fixed Paraffin-Embedded Biopsies Predicts Overall Survival in Advanced-Stage Classical Hodgkin Lymphoma. Journal of Clinical Oncology, 2013, 31, 692-700.	1.6	176
26	Long-term responses in patients with recurring or refractory B-cell non-Hodgkin lymphoma treated with yttrium 90 ibritumomab tiuxetan. Cancer, 2007, 109, 1804-1810.	4.1	164
27	Phase I Multidose-Escalation Study of the Anti-CD19 Maytansinoid Immunoconjugate SAR3419 Administered by Intravenous Infusion Every 3 Weeks to Patients With Relapsed/Refractory B-Cell Lymphoma. Journal of Clinical Oncology, 2012, 30, 2776-2782.	1.6	162
28	Non-Hodgkin's Lymphomas. Journal of the National Comprehensive Cancer Network: JNCCN, 2011, 9, 484-560.	4.9	161
29	Blockade of the erbB2 Receptor Induces Cardiomyocyte Death through Mitochondrial and Reactive Oxygen Species-dependent Pathways. Journal of Biological Chemistry, 2009, 284, 2080-2087.	3.4	152
30	Primary CNS Posttransplant Lymphoproliferative Disease (PTLD): An International Report of 84 Cases in the Modern Era. American Journal of Transplantation, 2013, 13, 1512-1522.	4.7	150
31	Non-Hodgkin's Lymphomas, Version 4.2014. Journal of the National Comprehensive Cancer Network: JNCCN, 2014, 12, 1282-1303.	4.9	144
32	Phase I/II Study of Galiximab, an Anti-CD80 Antibody, for Relapsed or Refractory Follicular Lymphoma. Journal of Clinical Oncology, 2005, 23, 4390-4398.	1.6	143
33	Treatment-Related Myelodysplastic Syndrome and Acute Myelogenous Leukemia in Patients Treated With Ibritumomab Tiuxetan Radioimmunotherapy. Journal of Clinical Oncology, 2007, 25, 4285-4292.	1.6	142
34	A retrospective multicenter analysis of elderly Hodgkin lymphoma: outcomes and prognostic factors in the modern era. Blood, 2012, 119, 692-695.	1.4	138
35	In Situ Vaccination with a TLR9 Agonist and Local Low-Dose Radiation Induces Systemic Responses in Untreated Indolent Lymphoma. Cancer Discovery, 2018, 8, 1258-1269.	9.4	136
36	Post-Transplantation Lymphoproliferative Disorders: Diagnosis, Prognosis, and Current Approaches to Therapy. Current Oncology Reports, 2010, 12, 383-394.	4.0	133

#	ARTICLE	IF	CITATIONS
37	Updated safety and long term clinical outcomes in TRANSCEND NHL 001, pivotal trial of lisocabtagene maraleucel (JCAR017) in R/R aggressive NHL. Journal of Clinical Oncology, 2018, 36, 7505-7505.	1.6	130
38	Curcumin nanodisks: formulation and characterization. Nanomedicine: Nanotechnology, Biology, and Medicine, 2011, 7, 162-167.	3.3	127
39	Yttrium 90â€“Labeled Ibritumomab Tiuxetan Radioimmunotherapy Produces High Response Rates and Durable Remissions in Patients with Previously Treated B-Cell Lymphoma. Clinical Lymphoma and Myeloma, 2004, 5, 98-101.	2.1	117
40	Plasma Epstein-Barr virus DNA predicts outcome in advanced Hodgkin lymphoma: correlative analysis from a large North American cooperative group trial. Blood, 2013, 121, 3547-3553.	1.4	117
41	Prospective Study of Sequential Reduction in Immunosuppression, Interferon Alpha-2B, and Chemotherapy for Posttransplantation Lymphoproliferative Disorder. Transplantation, 2008, 86, 215-222.	1.0	113
42	Biomimetic, synthetic HDL nanostructures for lymphoma. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 2511-2516.	7.1	112
43	The efficacy and tolerability of adriamycin, bleomycin, vinblastine, dacarbazine and <scp>S</scp>tanford <scp>V</scp> in older <scp>H</scp>odgkin lymphoma patients: a comprehensive analysis from the <scp>N</scp>orth <scp>A</scp>merican intergroup trial <scp>E</scp>2496. British Journal of Haematology, 2013, 161, 76-86.	2.5	111
44	Rituximab, Bevacizumab and CHOP (RA-CHOP) in untreated diffuse large B-cell lymphoma: Safety, biomarker and pharmacokinetic analysis. Leukemia and Lymphoma, 2006, 47, 998-1005.	1.3	108
45	Watchful Waiting in Lowâ€“Tumor Burden Follicular Lymphoma in the Rituximab Era: Results of an F2-Study Database. Journal of Clinical Oncology, 2012, 30, 3848-3853.	1.6	107
46	NCCN Guidelines Insights: Non-Hodgkin's Lymphomas, Version 3.2016. Journal of the National Comprehensive Cancer Network: JNCCN, 2016, 14, 1067-1079.	4.9	107
47	A phase I/II study of galiximab (an anti-CD80 monoclonal antibody) in combination with rituximab for relapsed or refractory, follicular lymphoma. Annals of Oncology, 2007, 18, 1216-1223.	1.2	103
48	Multicenter Phase II Study of Sequential Brentuximab Vedotin and Doxorubicin, Vinblastine, and Dacarbazine Chemotherapy for Older Patients With Untreated Classical Hodgkin Lymphoma. Journal of Clinical Oncology, 2018, 36, 3015-3022.	1.6	102
49	Yttrium-90 Ibritumomab Tiuxetan Doses Calculated to Deliver up to 15 Gy to Critical Organs May Be Safely Combined With High-Dose BEAM and Autologous Transplantation in Relapsed or Refractory B-Cell Non-Hodgkin's Lymphoma. Journal of Clinical Oncology, 2009, 27, 1653-1659.	1.6	101
50	Hodgkin Lymphoma, Version 2.2020, NCCN Clinical Practice Guidelines in Oncology. Journal of the National Comprehensive Cancer Network: JNCCN, 2020, 18, 755-781.	4.9	94
51	PCI-24781 Induces Caspase and Reactive Oxygen Speciesâ€“Dependent Apoptosis Through NF-Î²B Mechanisms and Is Synergistic with Bortezomib in Lymphoma Cells. Clinical Cancer Research, 2009, 15, 3354-3365.	7.0	92
52	Rust and corrosion in hematopoietic stem cell transplantation: the problem of iron and oxidative stress. Bone Marrow Transplantation, 2004, 34, 561-571.	2.4	91
53	Pivotal Safety and Efficacy Results from Transcend NHL 001, a Multicenter Phase 1 Study of Lisocabtagene Maraleucel (liso-cel) in Relapsed/Refractory (R/R) Large B Cell Lymphomas. Blood, 2019, 134, 241-241.	1.4	89
54	Comparative outcome of initial therapy for younger patients with mantle cell lymphoma: an analysis from the NCCN NHL Database. Blood, 2012, 119, 2093-2099.	1.4	88

#	ARTICLE	IF	CITATIONS
55	Mitochondrial-Mediated Apoptosis in Lymphoma Cells by the Diterpenoid Lactone Andrographolide, the Active Component of <i>Andrographis paniculata</i> . <i>Clinical Cancer Research</i> , 2010, 16, 4755-4768.	7.0	87
56	Phase II Study of Rituximab Plus Cyclophosphamide, Doxorubicin, Vincristine, and Prednisone Immunochemotherapy Followed by Yttrium-90 Ibritumomab Tiuxetan in Untreated Mantle-Cell Lymphoma: Eastern Cooperative Oncology Group Study E1499. <i>Journal of Clinical Oncology</i> , 2012, 30, 3119-3126.	1.6	86
57	Pembrolizumab followed by AVD in untreated early unfavorable and advanced-stage classical Hodgkin lymphoma. <i>Blood</i> , 2021, 137, 1318-1326.	1.4	85
58	Treatment with yttrium 90 ibritumomab tiuxetan at early relapse is safe and effective in patients with previously treated B-cell non-Hodgkin's lymphoma. <i>Leukemia and Lymphoma</i> , 2006, 47, 629-636.	1.3	83
59	Hodgkin Lymphoma Version 1.2017, NCCN Clinical Practice Guidelines in Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017, 15, 608-638.	4.9	81
60	Thrombotic Microangiopathy Manifesting as Thrombotic Thrombocytopenic Purpura/Hemolytic Uremic Syndrome in the Cancer Patient. <i>Seminars in Thrombosis and Hemostasis</i> , 1999, 25, 217-221.	2.7	78
61	Lack of benefit of central nervous system prophylaxis for diffuse large B-cell lymphoma in the rituximab era. <i>Cancer</i> , 2012, 118, 2944-2951.	4.1	78
62	Thrombotic Microangiopathy in the Cancer Patient. <i>Acta Haematologica</i> , 2001, 106, 52-56.	1.4	77
63	Diffuse Large B-Cell Lymphoma Version 1.2016. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2016, 14, 196-231.	4.9	76
64	Reduced-dose rasburicase (recombinant xanthine oxidase) in adult cancer patients with hyperuricemia. <i>Bone Marrow Transplantation</i> , 2006, 37, 997-1001.	2.4	75
65	Patients with chemotherapy-refractory mantle cell lymphoma experience high response rates and identical progression-free survivals compared with patients with relapsed disease following treatment with single agent bortezomib: results of a multicentre phase 2 clinical trial. <i>British Journal of Haematology</i> , 2009, 145, 34-39.	2.5	72
66	Motexafin gadolinium generates reactive oxygen species and induces apoptosis in sensitive and highly resistant multiple myeloma cells. <i>Blood</i> , 2005, 105, 1265-1273.	1.4	71
67	G-CSF is not necessary to maintain over 99% dose intensity with ABVD in the treatment of Hodgkin lymphoma: low toxicity and excellent outcomes in a 10-year analysis. <i>British Journal of Haematology</i> , 2007, 137, 545-552.	2.5	71
68	A Phase I/II Multicenter, Open-Label Study of the Oral Histone Deacetylase Inhibitor Abexinostat in Relapsed/Refractory Lymphoma. <i>Clinical Cancer Research</i> , 2016, 22, 1059-1066.	7.0	71
69	Transformed non-Hodgkin lymphoma in the rituximab era: analysis of the NCCN outcomes database. <i>British Journal of Haematology</i> , 2013, 163, 487-495.	2.5	64
70	Arsenic trioxide cytotoxicity in steroid and chemotherapy-resistant myeloma cell lines: enhancement of apoptosis by manipulation of cellular redox state. <i>Clinical Cancer Research</i> , 2002, 8, 566-72.	7.0	64
71	Nano-Encapsulation of Arsenic Trioxide Enhances Efficacy against Murine Lymphoma Model while Minimizing Its Impact on Ovarian Reserve In Vitro and In Vivo. <i>PLoS ONE</i> , 2013, 8, e58491.	2.5	63
72	A Pilot Trial of Rituximab and Alemtuzumab Combination Therapy in Patients with Relapsed and/or Refractory Chronic Lymphocytic Leukemia (CLL). <i>Leukemia and Lymphoma</i> , 2004, 45, 2269-2273.	1.3	61

#	ARTICLE	IF	CITATIONS
73	Stem cell transplantation for follicular lymphoma relapsed/refractory after prior rituximab. <i>Cancer</i> , 2013, 119, 3662-3671.	4.1	61
74	The Role of Cytotoxic Therapy with Hematopoietic Stem Cell Transplantation in the Treatment of Follicular Lymphoma: An Evidence-Based Review. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 443-468.	2.0	60
75	Hypoxia-Inducible Factor-1 \pm Expression Predicts Superior Survival in Patients With Diffuse Large B-Cell Lymphoma Treated With R-CHOP. <i>Journal of Clinical Oncology</i> , 2010, 28, 1017-1024.	1.6	57
76	Yttrium 90 ibritumomab tiuxetan radioimmunotherapy for relapsed or refractory low-grade non-Hodgkin's lymphoma. <i>Seminars in Oncology</i> , 2002, 29, 87-92.	2.2	56
77	CD23+ Mantle Cell Lymphoma. <i>American Journal of Clinical Pathology</i> , 2008, 130, 166-177.	0.7	54
78	Evaluation of the International Prognostic Score (IPS ⁷) and a Simpler Prognostic Score (IPS ³) for advanced Hodgkin lymphoma in the modern era. <i>British Journal of Haematology</i> , 2015, 171, 530-538.	2.5	54
79	Synthetic High-Density Lipoprotein-Like Nanoparticles as Cancer Therapy. <i>Cancer Treatment and Research</i> , 2015, 166, 129-150.	0.5	53
80	Does younger donor age affect the outcome of reduced-intensity allogeneic hematopoietic stem cell transplantation for hematologic malignancies beneficially?. <i>Bone Marrow Transplantation</i> , 2006, 38, 95-100.	2.4	52
81	Safety and Preliminary Efficacy in Patients with Relapsed/Refractory Mantle Cell Lymphoma Receiving Lisocabtagene Maraleucel in Transcend NHL 001. <i>Blood</i> , 2020, 136, 10-11.	1.4	52
82	Clinical, Morphologic, Immunophenotypic, and Molecular Cytogenetic Assessment of CD4 ⁺ /CD8 ⁺ β T-Cell Large Granular Lymphocytic Leukemia. <i>American Journal of Clinical Pathology</i> , 2011, 136, 289-299.	0.7	51
83	MDCT of Chest, Abdomen, and Pelvis Using Attenuation-Based Automated Tube Voltage Selection in Combination With Iterative Reconstruction: An Inpatient Study of Radiation Dose and Image Quality. <i>American Journal of Roentgenology</i> , 2013, 201, 1075-1082.	2.2	50
84	A phase II clinical trial of intensive chemotherapy followed by consolidative stem cell transplant: long-term follow-up in newly diagnosed mantle cell lymphoma. <i>British Journal of Haematology</i> , 2008, 140, 385-393.	2.5	47
85	Curcumin nanodisk-induced apoptosis in mantle cell lymphoma. <i>Leukemia and Lymphoma</i> , 2011, 52, 1537-1543.	1.3	47
86	Outcomes in adolescents and young adults with Hodgkin lymphoma treated on US cooperative group protocols: An adult intergroup (E2496) and Children's Oncology Group (COG AHOD0031) comparative analysis. <i>Cancer</i> , 2018, 124, 136-144.	4.1	47
87	Expression of the candidate MCT-1 oncogene in B- and T-cell lymphoid malignancies. <i>Blood</i> , 2003, 102, 297-302.	1.4	46
88	Imexon-Induced Apoptosis in Multiple Myeloma Tumor Cells Is Caspase-8 Dependent. <i>Clinical Cancer Research</i> , 2004, 10, 1481-1491.	7.0	46
89	A multicenter phase II study incorporating high-dose rituximab and liposomal doxorubicin into the CODOX-M/IVAC regimen for untreated Burkitt's lymphoma. <i>Annals of Oncology</i> , 2013, 24, 3076-3081.	1.2	45
90	Rarity of toxigenic <i>Clostridium difficile</i> infections after hematopoietic stem cell transplantation: implications for symptomatic management of diarrhea. <i>Bone Marrow Transplantation</i> , 2002, 30, 517-519.	2.4	42

#	ARTICLE	IF	CITATIONS
91	Ibrutinib, a Bruton's tyrosine kinase inhibitor used for treatment of lymphoproliferative disorders, eliminates both aeroallergen skin test and basophil activation test reactivity. Journal of Allergy and Clinical Immunology, 2017, 140, 875-879.e1.	2.9	42
92	The novel anti-MEK small molecule AZD6244 induces BIM-dependent and AKT-independent apoptosis in diffuse large B-cell lymphoma. Blood, 2011, 118, 1052-1061.	1.4	41
93	¹⁸ F-FDG PET predicts outcomes for patients receiving total lymphoid irradiation and autologous blood stem cell transplantation for relapsed and refractory Hodgkin lymphoma. British Journal of Haematology, 2014, 165, 793-800.	2.5	41
94	Hypoxia inducible factor- α activation in lymphoma and relationship to the thioredoxin family. British Journal of Haematology, 2008, 141, 676-680.	2.5	40
95	All-trans retinoic acid nanodisks enhance retinoic acid receptor mediated apoptosis and cell cycle arrest in mantle cell lymphoma. British Journal of Haematology, 2010, 150, 158-169.	2.5	40
96	Hodgkin Lymphoma. Journal of the National Comprehensive Cancer Network: JNCCN, 2011, 9, 1020-1058.	4.9	40
97	A phase I/II trial of bortezomib combined concurrently with gemcitabine for relapsed or refractory DLBCL and peripheral T-cell lymphomas. British Journal of Haematology, 2013, 163, 55-61.	2.5	39
98	Adoptive Immunotherapy for Leukemia: Donor Lymphocytes Transduced with the Herpes Simplex Thymidine Kinase Gene for Remission Induction. Human Gene Therapy Research Institute, Des Moines, Iowa, and Northwestern University School of Medicine, Chicago, Illinois. Human Gene Therapy, 1998, 9, 115-134.	2.7	38
99	High rates of surveillance imaging for treated diffuse large B-cell lymphoma: findings from a large national database. Leukemia and Lymphoma, 2012, 53, 1113-1116.	1.3	38
100	Non-Hodgkin's Lymphomas, Version 2.2014. Journal of the National Comprehensive Cancer Network: JNCCN, 2014, 12, 916-946.	4.9	38
101	Blocking tumor escape in hematologic malignancies: The anti-PD-1 strategy. Blood Reviews, 2015, 29, 25-32.	5.7	38
102	Antilymphoma Treatments Given Subsequent to Yttrium 90 Ibritumomab Tiuxetan Are Feasible in Patients with Progressive Non-Hodgkin's Lymphoma: A Review of the Literature. Clinical Lymphoma and Myeloma, 2004, 5, 202-204.	2.1	37
103	Hodgkin Lymphoma, Version 2.2015. Journal of the National Comprehensive Cancer Network: JNCCN, 2015, 13, 554-586.	4.9	37
104	Comparison of referring and final pathology for patients with T-cell lymphoma in the National Comprehensive Cancer Network. Cancer, 2014, 120, 1993-1999.	4.1	36
105	Phase I Trial of the Diphtheria Toxin/Interleukin-2 Fusion Protein DAB486IL-2: Efficacy in Mycosis Fungoides and Other Non-Hodgkin's Lymphomas. Leukemia and Lymphoma, 1993, 11, 369-377.	1.3	35
106	Safety and Efficacy of Yttrium-90 Ibritumomab Tiuxetan in Older Patients With Non-Hodgkin's Lymphoma. Cancer Biotherapy and Radiopharmaceuticals, 2007, 22, 684-691.	1.0	35
107	NCCN Guidelines® Insights: Hodgkin Lymphoma, Version 2.2022. Journal of the National Comprehensive Cancer Network: JNCCN, 2022, 20, 322-334.	4.9	35
108	Inhibition of NK cell-mediated cytotoxicity by oxysterols. Cellular Immunology, 1992, 139, 541-549.	3.0	34

#	ARTICLE	IF	CITATIONS
109	Can the stem cell mobilization technique influence CD34+ cell collection efficiency of leukapheresis procedures in patients with hematologic malignancies?. Bone Marrow Transplantation, 2005, 35, 243-246.	2.4	33
110	Treatment recommendations for radioimmunotherapy in follicular lymphoma: a consensus conference report. Leukemia and Lymphoma, 2011, 52, 1188-1199.	1.3	33
111	Randomized Phase III Trial Comparing ABVD Plus Radiotherapy With the Stanford V Regimen in Patients With Stages I or II Locally Extensive, Bulky Mediastinal Hodgkin Lymphoma: A Subset Analysis of the North American Intergroup E2496 Trial. Journal of Clinical Oncology, 2015, 33, 1936-1942.	1.6	33
112	Functional characterization of NAD dependent de-acetylases SIRT1 and SIRT2 in B-Cell Chronic Lymphocytic Leukemia (CLL). Cancer Biology and Therapy, 2016, 17, 300-309.	3.4	33
113	Rational Targeting of Cellular Cholesterol in Diffuse Large B-Cell Lymphoma (DLBCL) Enabled by Functional Lipoprotein Nanoparticles: A Therapeutic Strategy Dependent on Cell of Origin. Molecular Pharmaceutics, 2017, 14, 4042-4051.	4.6	33
114	A Phase II Trial of 200% ProMACE-CytaBOM in Patients With Previously Untreated Aggressive Lymphomas: Analysis of Response, Toxicity, and Dose Intensity. Blood, 1999, 94, 3307-3314.	1.4	31
115	Optimizing the CD34 + cell dose for reduced-intensity allogeneic hematopoietic stem cell transplantation. Leukemia and Lymphoma, 2009, 50, 1434-1441.	1.3	31
116	Randomized phase 3 study in low-grade lymphoma comparing maintenance anti-CD20 antibody with observation after induction therapy: A trial of the ECOG-ACRIN Cancer Research Group (E1496). Cancer, 2016, 122, 2996-3004.	4.1	31
117	Impact of cachexia on outcomes in aggressive lymphomas. Annals of Hematology, 2017, 96, 951-956.	1.8	30
118	Non-Hodgkin's Lymphomas, Version 3.2012. Journal of the National Comprehensive Cancer Network: JNCCN, 2012, 10, 1487-1498.	4.9	29
119	Follow-Up Results of a Phase II Study of Ibritumomab Tiuxetan Radioimmunotherapy in Patients with Relapsed or Refractory Low-Grade, Follicular, or Transformed B-Cell Non-Hodgkin's Lymphoma and Mild Thrombocytopenia. Cancer Biotherapy and Radiopharmaceutics, 2004, 19, 478-481.	1.0	27
120	Dasatinib therapy results in decreased B cell proliferation, splenomegaly, and tumor growth in a murine model of lymphoma expressing Myc and Epstein-Barr virus LMP2A. Antiviral Research, 2012, 95, 49-56.	4.1	27
121	Phase I/II trial of total lymphoid irradiation and high-dose chemotherapy with autologous stem-cell transplantation for relapsed and refractory Hodgkin's lymphoma. Annals of Oncology, 2007, 18, 679-688.	1.2	26
122	Brentuximab Vedotin plus Chemotherapy in North American Subjects with Newly Diagnosed Stage III or IV Hodgkin Lymphoma. Clinical Cancer Research, 2019, 25, 1718-1726.	7.0	26
123	Synthetic high-density lipoprotein-like nanoparticles for cancer therapy. Expert Review of Anticancer Therapy, 2015, 15, 27-34.	2.4	25
124	Evaluation of the impact of cachexia on clinical outcomes in aggressive lymphoma. British Journal of Haematology, 2019, 186, 45-53.	2.5	25
125	Advanced diffuse non-Hodgkin's lymphoma. Analysis of prognostic factors by the international index and by lactic dehydrogenase in an intergroup study. Cancer, 1995, 75, 865-873.	4.1	24
126	Long term follow-up and late complications of 2-chlorodeoxyadenosine in previously treated, advanced, indolent non-hodgkin's lymphoma. , 1998, 82, 957-964.		24

#	ARTICLE	IF	CITATIONS
127	CR rates in relapsed/refractory (R/R) aggressive B-NHL treated with the CD19-directed CAR T-cell product JCAR017 (TRANSCEND NHL 001).. Journal of Clinical Oncology, 2017, 35, 7513-7513.	1.6	24
128	Targeted reduction of cholesterol uptake in cholesterol-addicted lymphoma cells blocks turnover of oxidized lipids to cause ferroptosis. Journal of Biological Chemistry, 2021, 296, 100100.	3.4	23
129	High durable CR rates and preliminary safety profile for JCAR017 in R/R aggressive b-NHL (TRANSCEND) Tj ETQq1 1 0.784314 rgBT /Ov administration.. Journal of Clinical Oncology, 2018, 36, 120-120.	1.6	23
130	Inhibition of cytolytic T lymphocyte activity by oxysterols. Lipids, 1994, 29, 657-660.	1.7	22
131	Combination of a selective activator of the glucocorticoid receptor Compound A with a proteasome inhibitor as a novel strategy for chemotherapy of hematologic malignancies. Cell Cycle, 2013, 12, 133-144.	2.6	22
132	Molecular Subtyping in Diffuse Large B Cell Lymphoma: Closer to an Approach of Precision Therapy. Current Treatment Options in Oncology, 2017, 18, 11.	3.0	22
133	Aziridinybenzoquinone in recurrent, progressive glioma of the central nervous system. A phase ii study by the illinois cancer council. Cancer, 1985, 56, 1311-1315.	4.1	21
134	Synthetic high-density lipoproteins as targeted monotherapy for chronic lymphocytic leukemia. Oncotarget, 2017, 8, 11219-11227.	1.8	21
135	Pidilizumab in the treatment of diffuse large B-cell lymphoma. Expert Opinion on Biological Therapy, 2014, 14, 1361-1368.	3.1	20
136	GSK-3 β inhibitor, 9-ING-41, reduces cell viability and halts proliferation of B-cell lymphoma cell lines as a single agent and in combination with novel agents. Oncotarget, 2017, 8, 114924-114934.	1.8	20
137	CD34+ cell collection efficiency does not correlate with the pre-leukapheresis hematocrit. Bone Marrow Transplantation, 2001, 28, 597-601.	2.4	19
138	Ibrutinib for chronic lymphocytic leukemia in the setting of respiratory failure from severe COVID-19 infection: Case report and literature review. EJHaem, 2020, 1, 596-600.	1.0	19
139	Burkitt's and Burkitt-like Lymphoma. Current Treatment Options in Oncology, 2002, 3, 291-305.	3.0	18
140	Surface immunoglobulin positive lymphoblastic leukemia in adults; a genetic spectrum. Leukemia and Lymphoma, 2006, 47, 1352-1359.	1.3	18
141	Ideal rather than actual body weight should be used to calculate cell dose in allogeneic hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2006, 37, 553-557.	2.4	18
142	A Randomized Phase III Trial of ABVD Vs. Stanford V +/- Radiation Therapy In Locally Extensive and Advanced Stage Hodgkin's Lymphoma: An Intergroup Study Coordinated by the Eastern Cooperative Oncology Group (E2496). Blood, 2010, 116, 415-415.	1.4	18
143	Paradoxical Regulation of Hypoxia Inducible Factor-1 α (HIF-1 α) by Histone Deacetylase Inhibitor in Diffuse Large B-Cell Lymphoma. PLoS ONE, 2013, 8, e81333.	2.5	18
144	Reassessing the definition of myeloid engraftment after autotransplantation: it is not necessary to see 0.5 $\times 10^9$ /l neutrophils on 3 consecutive days to define myeloid recovery. Bone Marrow Transplantation, 2002, 30, 749-752.	2.4	17

#	ARTICLE	IF	CITATIONS
145	Ideal or actual body weight to calculate CD34+ cell doses for autologous hematopoietic stem cell transplantation?. Bone Marrow Transplantation, 2003, 31, 861-864.	2.4	17
146	Frontline bortezomib and rituximab for the treatment of newly diagnosed high tumour burden indolent non-Hodgkin lymphoma: a multicentre phase II study. British Journal of Haematology, 2014, 166, 514-520.	2.5	17
147	A phase I/II trial of brentuximab vedotin plus rituximab as frontline therapy for patients with immunosuppression-associated CD30+ and/or EBV+ lymphomas. Leukemia and Lymphoma, 2021, 62, 3493-3500.	1.3	17
148	Small-cell carcinoma of the lung: A five-year experience with combined modality therapy. Cancer, 1980, 46, 2550-2556.	4.1	16
149	Glutathione depletion enhances arsenic trioxide-induced apoptosis in lymphoma cells through mitochondrial-independent mechanisms. British Journal of Haematology, 2010, 150, 365-369.	2.5	16
150	Bortezomib may be safely combined with Y-90-ibritumomab tiuxetan in patients with relapsed/refractory follicular non-Hodgkin lymphoma: a phase I trial of combined induction therapy and bortezomib consolidation. Leukemia and Lymphoma, 2013, 54, 497-502.	1.3	16
151	Primary Analysis of ZUMA-7: A Phase 3 Randomized Trial of Axicabtagene Ciloleucel (Axi-Cel) Versus Standard-of-Care Therapy in Patients with Relapsed/Refractory Large B-Cell Lymphoma. Blood, 2021, 138, 2-2.	1.4	16
152	Secondary Acute Myelogenous Leukemia with MLL Gene Rearrangement Following Radioimmunotherapy (RAIT) for Non-Hodgkin's Lymphoma. Leukemia and Lymphoma, 2002, 43, 2145-2149.	1.3	15
153	Motexafin gadolinium induces oxidative stress and apoptosis in hematologic malignancies. Current Treatment Options in Oncology, 2005, 6, 289-296.	3.0	15
154	Adverse Events During Hematopoietic Stem Cell Infusion: Analysis of the Infusion Product. Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, e157-e162.	0.4	15
155	Variations in Surveillance Imaging for Patients with Treated Diffuse Large B-Cell Lymphoma in the National Comprehensive Cancer Network (NCCN) Lymphoma Database.. Blood, 2009, 114, 1387-1387.	1.4	15
156	The Novel Expanded Porphyrin, Motexafin Gadolinium, Combined with [90Y]Ibritumomab Tiuxetan for Relapsed/Refractory Non-Hodgkin's Lymphoma: Preclinical Findings and Results of a Phase I Trial. Clinical Cancer Research, 2009, 15, 6462-6471.	7.0	14
157	Anti-CD20 single chain variable antibody fragment-apolipoprotein A-I chimera containing nanodisks promote targeted bioactive agent delivery to CD20-positive lymphomas. Biochemistry and Cell Biology, 2015, 93, 343-350.	2.0	14
158	Frontline Therapy for Classical Hodgkin Lymphoma by Stage and Prognostic Factors. Clinical Medicine Insights: Oncology, 2017, 11, 117955491773107.	1.3	14
159	Biomimetic Magnetic Nanostructures: A Theranostic Platform Targeting Lipid Metabolism and Immune Response in Lymphoma. ACS Nano, 2019, 13, 10301-10311.	14.6	14
160	Aggressive morphologic variants of mantle cell lymphoma characterized with high genomic instability showing frequent chromothripsis, CDKN2A/B loss, and TP53 mutations: A multi-institutional study. Genes Chromosomes and Cancer, 2020, 59, 484-494.	2.8	14
161	Updated Results from a Phase II Study of Galiximab (Anti-CD80) in Combination with Rituximab for Relapsed or Refractory, Follicular NHL.. Blood, 2005, 106, 2435-2435.	1.4	14
162	Pembrolizumab (PEM) Added to ICE Chemotherapy Results in High Complete Metabolic Response Rates in Relapsed/Refractory Classic Hodgkin Lymphoma (cHL): A Multi-Institutional Phase II Trial. Blood, 2021, 138, 229-229.	1.4	14

#	ARTICLE	IF	CITATIONS
163	Radioimmunotherapy for the treatment of non-Hodgkin lymphoma: current status and future applications. <i>Leukemia and Lymphoma</i> , 2010, 51, 1163-1177.	1.3	13
164	Statin-dependent activation of protein kinase C δ in acute promyelocytic leukemia cells and induction of leukemic cell differentiation. <i>Leukemia and Lymphoma</i> , 2012, 53, 1779-1784.	1.3	13
165	PD-1 blockade in Hodgkin lymphoma: learning new tricks from an old teacher. <i>Expert Review of Hematology</i> , 2016, 9, 939-949.	2.2	13
166	Getting to transplant in Hodgkin lymphoma: BVB. <i>Blood</i> , 2018, 132, 1-3.	1.4	13
167	Phase I Study of TAK-659, an Investigational, Dual SYK/FLT3 Inhibitor, in Patients with B-Cell Lymphoma. <i>Clinical Cancer Research</i> , 2020, 26, 3546-3556.	7.0	13
168	SD-101, a Novel Class C CpG-Oligodeoxynucleotide (ODN) Toll-like Receptor 9 (TLR9) Agonist, Given with Low Dose Radiation for Untreated Low Grade B-Cell Lymphoma: Interim Results of a Phase 1/2 Trial. <i>Blood</i> , 2016, 128, 2974-2974.	1.4	13
169	Safety and preliminary efficacy in patients (pts) with relapsed/refractory (R/R) mantle cell lymphoma (MCL) receiving lisocabtagene maraleucel (Liso-cel) in TRANSCEND NHL 001.. <i>Journal of Clinical Oncology</i> , 2019, 37, 7516-7516.	1.6	13
170	Gemtuzumab Ozogamicin (Mylotarg) and hepatic veno-occlusive disease: take two acetaminophen, andâ€œ.â€œ. <i>Bone Marrow Transplantation</i> , 2001, 28, 811-812.	2.4	12
171	Ideal or actual body weight to calculate CD34+ cell doses for allogeneic hematopoietic stem cell transplantation?. <i>Bone Marrow Transplantation</i> , 2004, 33, 161-164.	2.4	12
172	Patterns of use of 18-fluoro-2-deoxy-D-glucose positron emission tomography for initial staging of grade 1â€“2 follicular lymphoma and its impact on initial treatment strategy in the National Comprehensive Cancer Network Non-Hodgkin Lymphoma Outcomes database. <i>Leukemia and Lymphoma</i> , 2013, 54, 2155-2162.	1.3	12
173	Bronchogenic carcinoma located in the aortic window. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1982, 83, 551-562.	0.8	12
174	Metabolic changes associated with metformin potentiates Bcl-2 inhibitor, Venetoclax, and CDK9 inhibitor, BAY1143572 and reduces viability of lymphoma cells. <i>Oncotarget</i> , 2018, 9, 21166-21181.	1.8	12
175	The impact of fertility preservation on treatment delay and progression-free survival in women with lymphoma: a single-centre experience. <i>British Journal of Haematology</i> , 2018, 180, 901-904.	2.5	11
176	90Y Ibritumomab Tiuxetan (Zevalin [®] ; 90YZ) Doses Higher Than .4 mCi/kg May Be Safely Combined with High-Dose Beam and Autotransplant: The Role for Dosimetry.. <i>Blood</i> , 2004, 104, 1162-1162.	1.4	11
177	Sustained Hematologic and Central Nervous System Remission with Single-Agent Denileukin Diftitox in Refractory Adult T-Cell Leukemia/Lymphoma. <i>Clinical Lymphoma and Myeloma</i> , 2007, 7, 472-474.	1.4	10
178	Spleen Tyrosine Kinase Inhibitor TAK-659 Prevents Splenomegaly and Tumor Development in a Murine Model of Epstein-Barr Virus-Associated Lymphoma. <i>MSphere</i> , 2018, 3, .	2.9	10
179	Cardiovascular Toxicities of CAR T-cell Therapy. <i>Current Oncology Reports</i> , 2021, 23, 78.	4.0	10
180	Scavenging of Superoxide Anion by Phosphorylethanolamine: Studies in Human Neutrophils and in a Cell Free System. <i>Free Radical Research Communications</i> , 1991, 15, 65-71.	1.8	9

#	ARTICLE	IF	CITATIONS
181	Use of total leukocyte and platelet counts to guide stem cell apheresis in healthy allogeneic donors treated with G-CSF. Bone Marrow Transplantation, 2005, 36, 663-666.	2.4	9
182	Recent advances in mantle cell lymphoma: report of the 2012 Mantle Cell Lymphoma Consortium Workshop. Leukemia and Lymphoma, 2013, 54, 1882-1890.	1.3	9
183	Beyond Chemotherapy: Checkpoint Inhibition and Cell-Based Therapy in Non-Hodgkin Lymphoma. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2018, 38, 592-603.	3.8	9
184	Brentuximab Vedotin (BV) Plus Rituximab (R) As Frontline Therapy for Patients (Pts) with Epstein Barr Virus (EBV)+ and/or CD30+ Lymphoma: Phase I Results of an Ongoing Phase I-II Study. Blood, 2014, 124, 3096-3096.	1.4	9
185	Phase 1 Dose-Escalation Study of TAK-659, an Investigational SYK Inhibitor, in Patients (Pts) with Advanced Solid Tumor or Lymphoma Malignancies. Blood, 2015, 126, 2693-2693.	1.4	8
186	Updated Results from a Phase 1 Study of TAK-659, an Investigational and Reversible SYK Inhibitor, in Patients (Pts) with Advanced Solid Tumor or Lymphoma Malignancies. Blood, 2016, 128, 624-624.	1.4	8
187	Yttrium 90 ibritumomab tiuxetan radioimmunotherapy for relapsed or refractory low-grade non-Hodgkin's lymphoma. Seminars in Oncology, 2002, 29, 87-92.	2.2	8
188	Weight-Based Dosing of Yttrium 90 Ibritumomab Tiuxetan in Patients with Relapsed or Refractory B-Cell Non-Hodgkin Lymphoma. Clinical Lymphoma and Myeloma, 2007, 7, 514-517.	1.4	7
189	High Body Mass Index in Elderly Patients With DLBCL Treated With Rituximab-Containing Therapy Compensates for Negative Impact of Male Sex. Journal of the National Comprehensive Cancer Network: JNCCN, 2016, 14, 1274-1281.	4.9	7
190	Impact of treatment variability on survival in immuno-competent and immuno-compromised patients with primary central nervous lymphoma. British Journal of Haematology, 2017, 177, 72-79.	2.5	7
191	A Novel Approach to Safer Glucocorticoid Receptor-Targeted Anti-lymphoma Therapy via REDD1 (Regulated in Development and DNA Damage 1) Inhibition. Molecular Cancer Therapeutics, 2020, 19, 1898-1908.	4.1	7
192	Practical considerations and radiation safety in radioimmunotherapy with yttrium 90 ibritumomab tiuxetan (zevalin). Seminars in Oncology, 2003, 30, 23-28.	2.2	6
193	Actual or ideal body weight to calculate CD34+ cell dose in patients undergoing autologous hematopoietic SCT for myeloma?. Bone Marrow Transplantation, 2009, 43, 301-305.	2.4	6
194	Cachexia is a risk factor for negative clinical and functional outcomes in patients receiving chimeric antigen receptor T-cell therapy for B-cell non-Hodgkin lymphoma. British Journal of Haematology, 2022, 197, 71-75.	2.5	6
195	Immune Checkpoint Blockade for the Treatment of Hodgkin Lymphoma. ImmunoTargets and Therapy, 2022, Volume 11, 1-10.	5.8	6
196	How long after neutrophil recovery should myeloid growth factors be continued in autologous hematopoietic stem cell transplant recipients?. Bone Marrow Transplantation, 2004, 33, 715-719.	2.4	5
197	Revving up the immune engine in cHL. Blood, 2019, 134, 1-2.	1.4	5
198	Multicenter phase II study of romidepsin plus lenalidomide for patients with previously untreated peripheral T-cell lymphoma (PTCL).. Journal of Clinical Oncology, 2021, 39, 7514-7514.	1.6	5

#	ARTICLE	IF	CITATIONS
199	The Role Of Body Mass Index In Survival Outcome For Lymphoma Patients: US Intergroup Experience. Blood, 2013, 122, 3060-3060.	1.4	5
200	Inhibition of Human Polymorphonuclear Leukocyte Respiratory Burst Activity and Aggregation by 6-Ketocholestanol. Free Radical Research Communications, 1990, 8, 185-193.	1.8	4
201	Bacterial Phosphatidylcholine-Preferring Phospholipase C Reversibly Inhibits the Membrane Component of the NADPH Oxidase in Human Polymorphonuclear Leukocytes: Implications for Host Defense. Cellular Immunology, 1993, 152, 582-593.	3.0	4
202	Radioimmunotherapy in Non-Hodgkin's Lymphoma: Trials of Yttrium 90â€“Labeled Ibritumomab Tiuxetan and Beyond. Clinical Lymphoma and Myeloma, 2004, 5, S11-S15.	2.1	4
203	Activity of topotecan 21-day infusion in patients with previously treated large cell lymphoma: long-term follow-up of an Eastern Cooperative Oncology Group study (E5493). Leukemia and Lymphoma, 2012, 53, 1137-1142.	1.3	4
204	University of Chicago phase II consortium trial of selumetinib (<scp>MEK</scp>i) demonstrates low tolerability and efficacy in relapsed DLBCL. British Journal of Haematology, 2018, 181, 264-267.	2.5	4
205	Survival outcomes of diffuse large B-cell lymphoma by association with concurrent or antecedent follicular lymphoma and double hit status. Leukemia and Lymphoma, 2019, 60, 3266-3271.	1.3	4
206	Tri-ethylene glycol modified class B and class C CpG conjugated gold nanoparticles for the treatment of lymphoma. Nanomedicine: Nanotechnology, Biology, and Medicine, 2020, 30, 102290.	3.3	4
207	Brentuximab vedotin (BV) plus chemotherapy in patients with newly diagnosed advanced stage Hodgkin lymphoma (HL): North American results.. Journal of Clinical Oncology, 2018, 36, 7541-7541.	1.6	4
208	Lisocabtagene maraleucel (liso-cel) as second-line (2L) therapy for R/R large B-cell lymphoma (LBCL) in patients (pt) not intended for hematopoietic stem cell transplantation (HSCT): Primary analysis from the phase 2 PILOT study.. Journal of Clinical Oncology, 2022, 40, 7062-7062.	1.6	4
209	Benign hepatic cyst in a patient on antiestrogen therapy for metastatic breast cancer. Cancer, 1982, 50, 1882-1883.	4.1	3
210	A VM 26-based regimen for patients with previously untreated non-Hodgkin lymphoma. Prolonged disease-free survival in patients younger than 60 years of age: A phase II trial of the eastern cooperative oncology group. Cancer, 1993, 71, 464-470.	4.1	3
211	Evaluation of Mitoguazone in Patients with Refractory Chronic Lymphocytic Leukemia: A Phase II Study (P-H482) of the Eastern Cooperative Oncology Group. Leukemia and Lymphoma, 1999, 35, 375-377.	1.3	3
212	Patterns of Failure and Survival Outcomes after Total Lymphoid Irradiation and High-Dose Chemotherapy with Autologous Stem Cell Transplantation for Relapsed or Refractory Classical Hodgkin Lymphoma. International Journal of Radiation Oncology Biology Physics, 2019, 104, 436-446.	0.8	3
213	Long term followâ€“up and late complications of 2â€“chlorodeoxyadenosine in previously treated, advanced, indolent nonâ€“hodgkin's lymphoma. Cancer, 1998, 82, 957-964.	4.1	3
214	Evaluation Of a Novel 3 Factor Prognostic Score (PS-3) For Patients With Advanced Hodgkin Lymphoma (HL) Treated On US Intergroup E2496. Blood, 2013, 122, 4277-4277.	1.4	3
215	Prognosis and Outcomes of Patients with Post-Transplant Lymphoproliferative Disorder: A Single Center Retrospective Review. Blood, 2020, 136, 9-10.	1.4	3
216	Motexafin gadolinium enhances p53-Mdm2 interactions, reducing p53 and downstream targets in lymphoma cell lines. Anticancer Research, 2010, 30, 1131-6.	1.1	3

#	ARTICLE	IF	CITATIONS
217	Inhibition of polymorphonuclear leukocyte oxidative metabolism by exogenous phospholipase C. Cellular Immunology, 1990, 128, 503-515.	3.0	2
218	Treatment of Advanced Refractory Lymphomas with a Combination of Carmustine, Bleomycin, Teniposide, Dexamethasone, and Cisplatin (The BBVDD Regimen). American Journal of Clinical Oncology: Cancer Clinical Trials, 1991, 14, 579.	1.3	2
219	Efficacy and safety of radioimmuno-therapy with yttrium 90 ibritumomab tiuxetan (Zevalin). Seminars in Oncology Nursing, 2004, 20, 8-13.	1.5	2
220	Flu redux and RIT: friendly fire in the treatment of low-grade lymphoma. Blood, 2005, 105, 4543-4544.	1.4	2
221	Off-targeting oft-targeted CD20 in cHL. Blood, 2012, 119, 4095-4096.	1.4	2
222	Bevacizumab for recurrent primary central nervous system lymphoma: a new treatment?. Neuro-Oncology, 2015, 17, 1648-1649.	1.2	2
223	The Novel 2nd Generation Small Molecule MEK Inhibitor, AZD-6244, Induces Cell Death in Lymphoma Cells Lines, Primary Cells, and in a Human Lymphoma Xenograft Model.. Blood, 2009, 114, 285-285.	1.4	2
224	Frontline Treatment with Single Agent Pembrolizumab (PEM) Followed By AVD Chemotherapy for Classic Hodgkin Lymphoma: Updated Results and Correlative Analysis. Blood, 2021, 138, 231-231.	1.4	2
225	TEMPO: A Phase 2, Randomized, Open-Label, 2-Arm Study Comparing 2 Intermittent Dosing Schedules of Duvelisib in Subjects with Indolent Non Hodgkin Lymphoma (iNHL). Blood, 2021, 138, 3545-3545.	1.4	2
226	Enhanced systemic antilymphoma immune response by photothermal therapy with CpG deoxynucleotide coated nanoparticles. Blood Advances, 0, , .	5.2	2
227	Chronic lymphocytic leukemia in association with a second lymphoproliferative disorder: Response to chemotherapy in two cases. Medical and Pediatric Oncology, 1979, 7, 111-116.	1.0	1
228	Indolent lymphoma—why not to sprint at the start of a marathon. Nature Reviews Clinical Oncology, 2013, 10, 251-252.	27.6	1
229	Aziridinybenzoquinone in recurrent, progressive glioma of the central nervous system. A phase ii study by the illinois cancer council. , 1985, 56, 1311.		1
230	Glutathione Depletion Enhances Arsenic Trioxide-Induced Apoptosis in Lymphoma Cells through Mitochondrial and Caspase-Independent Mechanisms.. Blood, 2009, 114, 2708-2708.	1.4	1
231	Multicenter Analysis of Elderly Hodgkin Lymphoma (eHL): Outcomes and Prognostic Factors in the Modern Era. Blood, 2011, 118, 2625-2625.	1.4	1
232	High Body Mass Index (BMI) in North American Elderly Diffuse Large B-Cell Lymphoma (DLBCL) Patients Treated with Rituximab (R)-CHOP Compensates for Negative Impact of Male Gender. Blood, 2014, 124, 3046-3046.	1.4	1
233	Scavenger Receptor Type B1 Is Essential for High Density Lipoprotein Nanoparticle Induced B-Cell Lymphoma Cell Death. Blood, 2015, 126, 2756-2756.	1.4	1
234	Motexafin Gadolinium (MGd) Has Clinical Activity in Relapsed/Refractory Low Grade Lymphomas (LG) and Relapsed/Refractory Chronic Lymphocytic Leukemia (CLL).. Blood, 2005, 106, 4758-4758.	1.4	1

#	ARTICLE	IF	CITATIONS
235	PX-478, a Novel Small Molecule Inhibitor of Hypoxia Inducible Factor-1 (HIF-1) Downregulates HIF and Induces Cytotoxicity in Diffuse Large B Cell Lymphoma Cells.. Blood, 2009, 114, 2713-2713.	1.4	1
236	Natural History of Transformed Non-Hodgkin Lymphoma in the Rituximab Era: Analysis of the National Comprehensive Cancer Network (NCCN) NHL Outcomes Database.. Blood, 2012, 120, 2669-2669.	1.4	1
237	Management of Early-Stage Hodgkin's Lymphoma. American Journal of Clinical Oncology: Cancer Clinical Trials, 1996, 19, 235-240.	1.3	1
238	Strand-Specific Total RNA Sequencing Establishes the Complete Transcriptome and Alternative Splicing Repertoire in Diffuse Large B Cell Lymphoma. Blood, 2014, 124, 864-864.	1.4	1
239	Outcomes in Adolescents and Young Adults (AYA) with Hodgkin Lymphoma (HL) Treated on US Cooperative Group Protocols: An Adult Intergroup (E2496) and Children's Oncology Group (COG) Tj ETQq1 1 0.784314 rgBTi/Overlook	1.4	1
240	Prognostication of older Hodgkin lymphoma (HL) patients (pts): Findings from a multicenter phase II study.. Journal of Clinical Oncology, 2018, 36, 7540-7540.	1.6	1
241	Practice Patterns Pre-CART for Aggressive B-Cell Lymphomas: Patient Selection and Real World Salvage and Bridging Practices. Blood, 2021, 138, 532-532.	1.4	1
242	<i>In Situ</i> Vaccination with Combination of Class B and Class C Toll-like Receptor 9 Agonist CpG Immune Adjuvant Nanoparticles to Induce a Systemic Anti-Lymphoma Response. Blood, 2021, 138, 2265-2265.	1.4	1
243	Outcomes in Patients with Hematologic Malignancies Infected with Sars-Cov-2: The Northwestern University Experience. Blood, 2020, 136, 14-16.	1.4	1
244	Ibrutinib Maintenance (I-M) Following Intensive Induction in Mantle Cell Lymphoma (MCL): Efficacy, Safety and Changes in Minimal Residual Disease. Blood, 2020, 136, 30-31.	1.4	1
245	A green tea component, catechin, rapidly induces apoptosis of myeloid leukemic cells via modulation of reactive oxygen species production in vitro and inhibits tumor growth in vivo. Haematologica, 2005, 90, 290.	3.5	1
246	Lisocabtagene maraleucel (liso-cel) as second-line (2L) treatment (tx) for R/R large B-cell lymphoma (LBCL) in patients (pt) not intended for hematopoietic stem cell transplantation (HSCT): Patient-reported outcomes (PRO) from the phase 2 PILOT study.. Journal of Clinical Oncology, 2022, 40, 6567-6567.	1.6	1
247	The Broad Spectrum HDAC Inhibitor PCI-24781 Induces Caspase- and ROS-Dependent Apoptosis and is Synergistic with Bortezomib in Lymphoma. Nature Precedings, 2008, , .	0.1	0
248	Optimization of Postremission Therapy in Follicular Lymphoma: Efficacy of Rituximab Maintenance. Journal of the National Comprehensive Cancer Network: JNCCN, 2011, 9, 563-571.	4.9	0
249	Strategies for Management of Relapsed or Refractory Hodgkin Lymphoma. Journal of the National Comprehensive Cancer Network: JNCCN, 2017, 15, 716-718.	4.9	0
250	Consolidation and maintenance in follicular lymphoma: radioimmunotherapy revisited?. Lancet Haematology,the, 2018, 5, e96-e97.	4.6	0
251	Lenalidomide and R-CHOP in follicular lymphoma: where do we go from here?. Lancet Haematology,the, 2018, 5, e381-e382.	4.6	0
252	Cachexia is an independent factor for negative clinical and functional outcomes in lymphoma patients receiving CART therapy.. Journal of Clinical Oncology, 2021, 39, e19504-e19504.	1.6	0

#	ARTICLE	IF	CITATIONS
253	Feasibility of Yttrium 90 (90Y) Ibritumomab Tiuxetan (Zevalin®) Radioimmunotherapy for Non-Hodgkinâ€™s Lymphoma in a Patient with Chronic Renal Failure.. Blood, 2004, 104, 4642-4642.	1.4	0
254	Evaluation of Baseline Body-Weight Dosing of Yttrium 90 (90Y) Ibritumomab Tiuxetan (Zevalin®) Radioimmunotherapy in Patients with Relapsed or Refractory B-Cell Non-Hodgkinâ€™s Lymphoma (NHL).. Blood, 2004, 104, 2634-2634.	1.4	0
255	Yttrium 90 (90Y) Ibritumomab Tiuxetan (Zevalin®) Induces Long-Term Responses in Patients with Relapsed or Refractory Follicular Lymphoma (FL).. Blood, 2004, 104, 2629-2629.	1.4	0
256	Dramatic and Sustained Hematologic Complete Remission with Denileukin Diftitox (ONTAK®) in a Patient with Refractory Adult T-Cell Leukemia (ATL).. Blood, 2005, 106, 4638-4638.	1.4	0
257	Combination of Motexafin Gadolinium (MGd) with 90Y Ibritumomab Tiuxetan (Zevalin®); Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Rituximab-Refractory Follicular Non- Hodgkinâ€™s Lymphoma (NHL).. Blood, 2005, 106, 2450-2450.	1.4	0
258	Allogeneic Stem Cell Transplantation (AlloSCT) for Relapsed Hodgkinâ€™s Lymphoma (HL) Following Autologous Stem Cell Transplantation (AuSCT): Improved Progression-Free Survival (PFS) in Patients with Graft vs Host-Disease (GvHD) Suggests a Graft vs Lymphoma (GVL) Effect.. Blood, 2005, 106, 5455-5455.	1.4	0
259	Comparison of Out-of-Pocket Costs and Quality of Life (QOL) for Patients (pts) with Hodgkinâ€™s Disease (HD), Indolent Non-Hodgkinâ€™s Lymphoma (INHL) and Aggressive Non-Hodgkinâ€™s Lymphoma (ANHL).. Blood, 2006, 108, 3332-3332.	1.4	0
260	Motexafin Gadolinium (MGD) Induces Oxidant Stress and Downregulates Both Pro and Anti-Oxidant Genes in the Ramos Lymphoma Cell Line: Signaling through p53 Mediated Pathways.. Blood, 2007, 110, 4429-4429.	1.4	0
261	Hypoxia-Inducible Factor-Alpha (HIF-1 α) Activation in Non-Hodgkinâ€™s Lymphoma (NHL): Relationship to the Thioredoxin Family and Correlation with Survival by Tissue Microarray (TMA).. Blood, 2007, 110, 3587-3587.	1.4	0
262	Triggered Release of Nanoparticulate Arsenic Trioxide for Treatment of Malignant Lymphomas: Preclinical Studies. Blood, 2008, 112, 4989-4989.	1.4	0
263	Ethnicity Significantly Influences Incidence Patterns and Predicts Mortality: Adult Hodgkin Lymphoma (HL) In the United States (US). Blood, 2010, 116, 2683-2683.	1.4	0
264	Busulfan, Cyclophosphamide, and Etoposide (Bu/Cy/VP-16) Is An Effective Conditioning Regimen Prior to Allogeneic or Autologous Stem Cell Transplantation for Primary Refractory or Relapsed Non-Hodgkinâ€™s Lymphoma. Blood, 2011, 118, 4499-4499.	1.4	0
265	An Enhanced International Prognostic Index (IPI) for Patients with Diffuse Large B-Cell Lymphoma (DLBCL) in the Rituximab Era Using the National Comprehensive Cancer Network (NCCN) Database.. Blood, 2012, 120, 2656-2656.	1.4	0
266	Total Lymphoid Irradiation and High-Dose Chemotherapy with Autologous Blood Stem-Cell Transplantation for Relapsed and Refractory Hodgkin Lymphoma: Excellent Disease Control and Long-Term Survival Rates. Blood, 2012, 120, 2024-2024.	1.4	0
267	Frontline bortezomib and rituximab for the treatment of newly diagnosed high tumor burden (HTB) indolent non-Hodgkin lymphoma (iNHL): A multicenter phase II study.. Journal of Clinical Oncology, 2014, 32, 8545-8545.	1.6	0
268	Synthetic High-Density Lipoprotein-like Nanoparticles (HDL NP) Cause Apoptosis and Enhance Killing By B-Cell Receptor and BCL-2 Inhibitors in Chronic Lymphocytic Leukemia (CLL). Blood, 2015, 126, 2949-2949.	1.4	0
269	Selective MEK Inhibition with AZD-6244 (selumetinib) in Patients with Relapsed/Refractory Diffuse Large B-Cell Lymphoma (DLBCL): A University of Chicago Phase II Consortium Trial. Blood, 2015, 126, 3990-3990.	1.4	0
270	Functional Characterization of NAD Dependent De-Acetylases SIRT1 and SIRT2 in B-Cell Chronic Lymphocytic Leukemia (CLL). Blood, 2015, 126, 4141-4141.	1.4	0

#	ARTICLE	IF	CITATIONS
271	Regulatory T Cells Are Depleted in Low-Grade Lymphoma By the Combination of Local Low-Dose Radiation Followed By Intratumoral CpG-ODN. Blood, 2015, 126, 1539-1539.	1.4	0
272	Average Time to Treatment in Lymphoma Patients Undergoing Ovarian Preservation: Experience from a Single Institution. Blood, 2015, 126, 2111-2111.	1.4	0
273	Initial Therapy for Mantle Cell Lymphoma with Abbreviated R-CHOP Followed By Y90-Ibrutinomab Tiuxetan: Ten Year Follow-up of the Phase 2 ECOG-ACRIN Study E1499. Blood, 2015, 126, 2702-2702.	1.4	0
274	Safety and Efficacy of Ibrutinib Maintenance (I-M) Following Frontline Induction in Mantle Cell Lymphoma (MCL) with Sequential Assessment of Changes in NGS-MRD. Blood, 2021, 138, 3530-3530.	1.4	0
275	Phase I Study of Novel SYK Inhibitor TAK-659 in Combination with R-CHOP for Front-Line Treatment of High Risk Diffuse Large B-Cell Lymphoma. Blood, 2021, 138, 3566-3566.	1.4	0
276	PD-L1 Pathway Markers and Chromosome 9p24.1 Alterations in Patients with Classic Hodgkin Lymphoma Treated with Frontline Single Agent Pembrolizumab (PEM) Followed By AVD Chemotherapy. Blood, 2020, 136, 17-18.	1.4	0
277	<i>In Situ</i> Vaccination in Lymphoma Using Photothermal Therapy with CpG Deoxynucleotide Coated Branched Gold Nanoparticles: Analysis of Tumor Growth and Immune Response in a Murine Xenograft Model. Blood, 2020, 136, 20-21.	1.4	0
278	Drug Shortages and Curative Cancer Therapy: The Problem of Dacarbazine and Classical Hodgkin's Lymphoma. JCO Oncology Practice, 2022, , OP2200161.	2.9	0
279	CAR T-cell therapy for relapsed/refractory non-Hodgkin's lymphoma: a comprehensive review.. Clinical Advances in Hematology and Oncology, 2022, 20, 309-318.	0.3	0