

# Qiu-Yue Zhong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7978880/publications.pdf>

Version: 2024-02-01

21  
papers

683  
citations

623188

14  
h-index

713013

21  
g-index

21  
all docs

21  
docs citations

21  
times ranked

1100  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnostic Validity of the Generalized Anxiety Disorder - 7 (GAD-7) among Pregnant Women. PLoS ONE, 2015, 10, e0125096.	1.1	173
2	Using the Patient Health Questionnaire (PHQ-9) and the Edinburgh Postnatal Depression Scale (EPDS) to assess suicidal ideation among pregnant women in Lima, Peru. Archives of Women's Mental Health, 2015, 18, 783-792.	1.2	66
3	Association of poor subjective sleep quality with suicidal ideation among pregnant Peruvian women. General Hospital Psychiatry, 2015, 37, 441-447.	1.2	52
4	Screening pregnant women for suicidal behavior in electronic medical records: diagnostic codes vs. clinical notes processed by natural language processing. BMC Medical Informatics and Decision Making, 2018, 18, 30.	1.5	46
5	Adverse obstetric and neonatal outcomes complicated by psychosis among pregnant women in the United States. BMC Pregnancy and Childbirth, 2018, 18, 120.	0.9	43
6	Association of decreased serum brain-derived neurotrophic factor (BDNF) concentrations in early pregnancy with antepartum depression. BMC Psychiatry, 2015, 15, 43.	1.1	39
7	Use of natural language processing in electronic medical records to identify pregnant women with suicidal behavior: towards a solution to the complex classification problem. European Journal of Epidemiology, 2019, 34, 153-162.	2.5	37
8	Childhood abuse is associated with stress-related sleep disturbance and poor sleep quality in pregnancy. Sleep Medicine, 2015, 16, 1274-1280.	0.8	30
9	Childhood abuse and suicidal ideation in a cohort of pregnant Peruvian women. American Journal of Obstetrics and Gynecology, 2016, 215, 501.e1-501.e8.	0.7	28
10	Childhood physical and sexual abuse experiences associated with post-traumatic stress disorder among pregnant women. Annals of Epidemiology, 2017, 27, 716-723.e1.	0.9	23
11	Adverse obstetric outcomes during delivery hospitalizations complicated by suicidal behavior among US pregnant women. PLoS ONE, 2018, 13, e0192943.	1.1	23
12	Suicidal behavior-related hospitalizations among pregnant women in the USA, 2006-2012. Archives of Women's Mental Health, 2016, 19, 463-472.	1.2	21
13	Causal Model of the Association of Social Support With Antepartum Depression: A Marginal Structural Modeling Approach. American Journal of Epidemiology, 2018, 187, 1871-1879.	1.6	18
14	Suicide risk assessment: examining transitions in suicidal behaviors among pregnant women in Peru. Archives of Women's Mental Health, 2019, 22, 65-73.	1.2	15
15	The psychometric properties of the 16-item version of the Prodromal Questionnaire (PQ-16) as a screening instrument for perinatal psychosis. Archives of Women's Mental Health, 2018, 21, 563-572.	1.2	13
16	Childhood abuse and adult-onset asthma among Peruvian women. Journal of Asthma, 2018, 55, 430-436.	0.9	13
17	Association Between Migraine and Suicidal Behaviors: A Nationwide Study in the USA. Headache, 2018, 58, 371-380.	1.8	13
18	Trauma exposure and post-traumatic stress disorder in a cohort of pregnant Peruvian women. Archives of Women's Mental Health, 2018, 21, 193-202.	1.2	11

#	ARTICLE	IF	CITATIONS
19	Psychometric Evaluation of the Ford Insomnia Response to Stress Test (FIRST) in Early Pregnancy. <i>Journal of Clinical Sleep Medicine</i> , 2016, 12, 579-587.	1.4	10
20	Correlates of early pregnancy serum brain-derived neurotrophic factor in a Peruvian population. <i>Archives of Women's Mental Health</i> , 2017, 20, 777-785.	1.2	6
21	Associations of antepartum suicidal behaviour with adverse infant and obstetric outcomes. <i>Paediatric and Perinatal Epidemiology</i> , 2019, 33, 137-144.	0.8	3