

# Sandy M Smith

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7980797/sandy-m-smith-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59  
papers

1,449  
citations

18  
h-index

37  
g-index

61  
ext. papers

1,706  
ext. citations

3.2  
avg. IF

4.79  
L-index

#	Paper	IF	Citations
59	Global data on earthworm abundance, biomass, diversity and corresponding environmental properties. <i>Scientific Data</i> , <b>2021</b> , 8, 136	8.2	4
58	Fungal endophytes increase biomass production in pale swallow-wort ( <i>Vincetoxicum rossicum</i> (Kleopow) Barbar.). <i>Botany</i> , <b>2021</b> , 99, 337-353	1.3	0
57	The Use of UAS to Release the Egg Parasitoid <i>Trichogramma</i> spp. (Hymenoptera: Trichogrammatidae) Against an Agricultural and a Forest Pest in Canada. <i>Journal of Economic Entomology</i> , <b>2021</b> , 114, 1867-1881	2.2	2
56	Evaluating methods to detect and monitor North American larval parasitoids of the emerald ash borer (Coleoptera: Buprestidae). <i>Canadian Entomologist</i> , <b>2020</b> , 152, 389-398	0.7	
55	The Effects of Photoperiod on Diapause Induction in <i>Hypena opulenta</i> (Lepidoptera: Erebidae), a Biological Control Agent Against Invasive Swallow-Worts in North America. <i>Environmental Entomology</i> , <b>2020</b> , 49, 580-585	2.1	2
54	Stand breakdown and surface fuel accumulation due to spruce budworm ( <i>Choristoneura fumiferana</i> ) defoliation in the boreal mixedwood forest of central Canada. <i>Canadian Journal of Forest Research</i> , <b>2020</b> , 50, 533-541	1.9	1
53	Augmentation of native North American natural enemies for the biological control of the introduced emerald ash borer in central Canada. <i>BioControl</i> , <b>2020</b> , 65, 71-79	2.3	2
52	An experimental application of <i>Hypena opulenta</i> as a biocontrol agent for the invasive vine <i>Vincetoxicum rossicum</i> . <i>Ecological Solutions and Evidence</i> , <b>2020</b> , 1, e12022	2.1	2
51	Establishment of the biological control agent <i>Aphalara itadori</i> is limited by native predators and foliage age. <i>Journal of Applied Entomology</i> , <b>2020</b> , 144, 710-718	1.7	5
50	Global distribution of earthworm diversity. <i>Science</i> , <b>2019</b> , 366, 480-485	33.3	113
49	Reproductive life-history traits of the classical biological control agent <i>Hypena opulenta</i> (Lepidoptera: Erebidae): Using agent biology to support post release monitoring and establishment. <i>Biological Control</i> , <b>2019</b> , 135, 95-101	3.8	1
48	Establishment of <i>Hypena opulenta</i> (Lepidoptera: Erebidae) on <i>Vincetoxicum rossicum</i> in Ontario, Canada. <i>Biocontrol Science and Technology</i> , <b>2019</b> , 29, 917-923	1.7	7
47	Response of saproxylic insect communities to logging history, tree species, stage of decay, and wood posture in the central Nearctic boreal forest. <i>Journal of Forestry Research</i> , <b>2018</b> , 29, 1365-1377	2	5
46	Spruce Budworm ( <i>Choristoneura fumiferana</i> Clem.) Defoliation Promotes Vertical Fuel Continuity in Ontario's Boreal Mixedwood Forest. <i>Forests</i> , <b>2018</b> , 9, 256	2.8	4
45	Factors influencing the dispersal of a native parasitoid, <i>Phasgonophora sulcata</i> , attacking the emerald ash borer: implications for biological control. <i>BioControl</i> , <b>2018</b> , 63, 751-761	2.3	4
44	Tree cover and species composition effects on academic performance of primary school students. <i>PLoS ONE</i> , <b>2018</b> , 13, e0193254	3.7	47
43	Exotic earthworm (Oligochaeta: Lumbricidae) assemblages on a landscape scale in central Canadian woodlands: importance of region and vegetation type. <i>Canadian Journal of Forest Research</i> , <b>2017</b> , 47, 935-945	1.9	3

42	High temperature induces downregulation of polydnavirus gene transcription in lepidopteran host and enhances accumulation of host immunity gene transcripts. <i>Journal of Insect Physiology</i> , <b>2017</b> , 98, 126-133	2.4	10
41	The unseen invaders: introduced earthworms as drivers of change in plant communities in North American forests (a meta-analysis). <i>Global Change Biology</i> , <b>2017</b> , 23, 1065-1074	11.4	77
40	Developmental and reproductive responses of the spruce budworm (Lepidoptera: Tortricidae) parasitoid <i>Tranosema rostrale</i> (Hymenoptera: Ichneumonidae) to temperature. <i>Journal of Insect Physiology</i> , <b>2017</b> , 98, 38-46	2.4	9
39	Is There a Positive Synergistic Effect of Biochar and Compost Soil Amendments on Plant Growth and Physiological Performance?. <i>Agronomy</i> , <b>2017</b> , 7, 13	3.6	28
38	Seasonal Parasitism and Host Instar Preference by the Spruce Budworm (Lepidoptera: Tortricidae) Larval Parasitoid <i>Tranosema rostrale</i> (Hymenoptera: Ichneumonidae). <i>Environmental Entomology</i> , <b>2016</b> , 45, 1123-1130	2.1	9
37	Influence of Nematode Parasitism, Body Size, Temperature, and Diel Period on the Flight Capacity of <i>Sirex noctilio</i> F. (Hymenoptera: Siricidae). <i>Journal of Insect Behavior</i> , <b>2016</b> , 29, 301-314	1.1	7
36	Courtship sequence and evidence of volatile pheromones in <i>Phasgonophora sulcata</i> (Hymenoptera: Chalcididae), a North American parasitoid of the invasive <i>Agrilus planipennis</i> (Coleoptera: Buprestidae). <i>Canadian Entomologist</i> , <b>2016</b> , 148, 151-162	0.7	5
35	Does variable stand structure associated with multi-cohort forests support diversity of ground beetle (Coleoptera, Carabidae) communities in the central Nearctic boreal forest?. <i>Journal of Forestry Research</i> , <b>2016</b> , 27, 1191-1202	2	4
34	Long-Chain Omega-3 Polyunsaturated Fatty Acids Have Developmental Effects on the Crop Pest, the Cabbage White Butterfly <i>Pieris rapae</i> . <i>PLoS ONE</i> , <b>2016</b> , 11, e0152264	3.7	20
33	A history of biological control in Canadian forests, 1882-2014. <i>Canadian Entomologist</i> , <b>2016</b> , 148, S239-S269		13
32	Observations on the life-history traits of the North American parasitoid <i>Phasgonophora sulcata</i> Westwood (Hymenoptera: Chalcididae) attacking <i>Agrilus planipennis</i> (Coleoptera: Buprestidae) in Ontario, Canada. <i>Canadian Entomologist</i> , <b>2016</b> , 148, 294-306	0.7	10
31	Reproductive Biology and Behavior of <i>Tranosema rostrale</i> (Hymenoptera: Ichneumonidae), a Parasitoid of Low-Density Spruce Budworm (Lepidoptera: Tortricidae) Populations. <i>Journal of Insect Behavior</i> , <b>2016</b> , 29, 500-514	1.1	5
30	The distribution of a host-specific canopy parasite is linked with local species diversity in a northern temperate forest. <i>Journal of Vegetation Science</i> , <b>2014</b> , 25, 1015-1023	3.1	1
29	Indirect and direct effects of exotic earthworms on soil nutrient and carbon pools in North American temperate forests. <i>Soil Biology and Biochemistry</i> , <b>2013</b> , 57, 459-467	7.5	42
28	Seasonal occurrence and spatial distribution of resinosis, a symptom of <i>Sirex noctilio</i> (Hymenoptera: Siricidae) injury, on boles of <i>Pinus sylvestris</i> (Pinaceae). <i>Canadian Entomologist</i> , <b>2013</b> , 145, 117-122	0.7	14
27	Multi-cohort stand structure in boreal forests of northeastern Ontario: Relationships with forest age, disturbance history, and deadwood features. <i>Forestry Chronicle</i> , <b>2013</b> , 89, 290-303	1	3
26	Evidence of interaction between <i>Sirex noctilio</i> and other species inhabiting the bole of <i>Pinus</i> . <i>Agricultural and Forest Entomology</i> , <b>2012</b> , 14, 187-195	1.9	31
25	The life history of a gall-inducing mite: summer phenology, predation and influence of gall morphology in a sugar maple canopy. <i>Agricultural and Forest Entomology</i> , <b>2012</b> , 14, 251-259	1.9	3

24	Establishment and dominance of an introduced herbivore has limited impact on native host-parasitoid food webs. <i>Biological Invasions</i> , <b>2012</b> , 14, 229-244	2.7	12
23	Exotic earthworm distribution in a mixed-use northern temperate forest region: influence of disturbance type, development age, and soils. <i>Canadian Journal of Forest Research</i> , <b>2012</b> , 42, 375-381	1.9	16
22	Effects of single-tree selection harvesting on hymenopteran and saproxylic insect assemblages in the canopy and understory of northern temperate forests. <i>Journal of Forestry Research</i> , <b>2012</b> , 23, 275-284	2.4	3
21	A management strategy for emerald ash borer in St. Lawrence Islands National Park. <i>Forestry Chronicle</i> , <b>2012</b> , 88, 124-130	1	
20	Impact of herbivory on performance of <i>Vincetoxicum</i> spp., invasive weeds in North America. <i>Biological Invasions</i> , <b>2011</b> , 13, 1229-1240	2.7	13
19	A gall-inducing arthropod drives declines in canopy tree photosynthesis. <i>Oecologia</i> , <b>2011</b> , 167, 701-9	2.9	33
18	Effects of gypsy moth establishment and dominance in native caterpillar communities of northern oak forests. <i>Canadian Entomologist</i> , <b>2011</b> , 143, 479-503	0.7	6
17	Interactions between the fungal symbiont of <i>Sirex noctilio</i> (Hymenoptera: Siricidae) and two bark beetle-vectored fungi. <i>Canadian Entomologist</i> , <b>2011</b> , 143, 224-235	0.7	21
16	Herbivory patterns in mature sugar maple: variation with vertical canopy strata and tree ontogeny. <i>Ecological Entomology</i> , <b>2010</b> , 35, 1-8	2.1	24
15	Long-term snag and downed woody debris dynamics under periodic surface fire, fire suppression, and shelterwood management. <i>Canadian Journal of Forest Research</i> , <b>2009</b> , 39, 1709-1721	1.9	7
14	Insect community composition and trophic guild structure in decaying logs from eastern Canadian pine-dominated forests. <i>Forest Ecology and Management</i> , <b>2006</b> , 225, 190-199	3.9	75
13	An integrated model for snag and downed woody debris decay class transitions. <i>Forest Ecology and Management</i> , <b>2006</b> , 234, 48-59	3.9	59
12	Patterns in the within-tree distribution of the emerald ash borer <i>Agrilus planipennis</i> (Fairmaire) in young, green-ash plantations of south-western Ontario, Canada. <i>Agricultural and Forest Entomology</i> , <b>2006</b> , 8, 313-321	1.9	44
11	Edge effects and the responses of aerial insect assemblages to structural-retention harvesting in Canadian boreal peatland forests. <i>Forest Ecology and Management</i> , <b>2005</b> , 204, 249-266	3.9	32
10	Susceptibility of pine plantations to attack by the pine shoot beetle ( <i>Tomicus piniperda</i> ) in southern Ontario. <i>Canadian Journal of Forest Research</i> , <b>2004</b> , 34, 2528-2540	1.9	14
9	Convergence in Arthropod Assemblages with Various Restoration Approaches for Canadian Deciduous Forests. <i>Journal of Insect Conservation</i> , <b>2003</b> , 7, 99-109	2.1	5
8	A comparison of forest structure among old-growth, variable retention harvested, and clearcut peatland black spruce ( <i>Picea mariana</i> ) forests in boreal northeastern Ontario. <i>Forestry Chronicle</i> , <b>2003</b> , 79, 579-589	1	22
7	Short-term Effects of Harvest Technique and Mechanical Site Preparation on Arthropod Communities in Jack Pine Plantations. <i>Journal of Insect Conservation</i> , <b>2001</b> , 5, 187-196	2.1	7

6	Estimating quantitative genetic parameters in haplodiploid organisms. <i>Heredity</i> , <b>2000</b> , 85 Pt 4, 373-82	3.6	23
5	Biological control with <i>Trichogramma</i> : advances, successes, and potential of their use. <i>Annual Review of Entomology</i> , <b>1996</b> , 41, 375-406	21.8	503
4	Mortality of the white pine weevil associated with silvicultural practices in jack pine plantations. <i>Forestry Chronicle</i> , <b>1996</b> , 72, 388-392	1	1
3	Phenotypic differences between thelytokous and arrhenotokous <i>Trichogramma minutum</i> from <i>Zeiraphera canadensis</i> . <i>Entomologia Experimentalis Et Applicata</i> , <b>1996</b> , 78, 315-323	2.1	22
2	Influence of reforestation technique, slash, competing vegetation, and duff depth on the overwintering mortality of <i>Pissodes strobi</i> (Coleoptera: Curculionidae), the white pine weevil. <i>Forest Ecology and Management</i> , <b>1995</b> , 78, 1-10	3.9	6
1	Predation and overwintering mortality of the white pine weevil, <i>Pissodes strobi</i> , in planted and seeded jack pine. <i>Canadian Journal of Forest Research</i> , <b>1994</b> , 24, 1426-1433	1.9	8