

Mads Brix Kronborg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7981425/publications.pdf>

Version: 2024-02-01

55
papers

1,114
citations

471509

17
h-index

434195

31
g-index

58
all docs

58
docs citations

58
times ranked

1366
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Cardiac surgery in patients with cardiac implantable electronic devices and risk of device infections: a nationwide nested caseâ€“control study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2023, 66, 897-904. | 1.3 | 2 |
| 2 | Non-infective left ventricular lead complications requiring re-intervention following cardiac resynchronization therapy: prevalence, causes and outcomes. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2022, 63, 69-75. | 1.3 | 5 |
| 3 | European Society of Cardiology Quality Indicators for the care and outcomes of cardiac pacing: developed by the Working Group for Cardiac Pacing Quality Indicators in collaboration with the European Heart Rhythm Association of the European Society of Cardiology. <i>Europace</i> , 2022, 24, 165-172. | 1.7 | 20 |
| 4 | Rate of device-related infections using an antibacterial envelope in patients undergoing cardiac resynchronization therapy reoperations. <i>Europace</i> , 2022, 24, 421-429. | 1.7 | 6 |
| 5 | Rate of permanent cardiac implantable electronic device infections after active fixation temporary transvenous pacing: A nationwide Danish cohort study. <i>Heart Rhythm O2</i> , 2022, 3, 50-56. | 1.7 | 2 |
| 6 | Long-term outcomes in a randomized controlled trial of multimodality imaging-guided left ventricular lead placement in cardiac resynchronization therapy. <i>Europace</i> , 2022, 24, 828-834. | 1.7 | 16 |
| 7 | Recurrent atrial arrhythmia in a randomised controlled trial comparing contact forceâ€“guided and contact forceâ€“blinded ablation for typical atrial flutter. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2022, , 1. | 1.3 | 2 |
| 8 | Spot-scanning proton therapy for targets with adjacent cardiac implantable electronic devices â€“ Strategies for breast and head & neck cancer. <i>Physics and Imaging in Radiation Oncology</i> , 2022, 21, 66-71. | 2.9 | 1 |
| 9 | Cardiac computed tomography-verified right ventricular lead position and outcomes in cardiac resynchronization therapy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2022, , 1. | 1.3 | 0 |
| 10 | Avoiding implant complications in cardiac implantable electronic devices: what works?. <i>Europace</i> , 2021, 23, 163-173. | 1.7 | 14 |
| 11 | Discontinuation of oral anticoagulation and risk of stroke and death after ablation for typical atrial flutter: A nation-wide Danish cohort study. <i>International Journal of Cardiology</i> , 2021, 333, 110-116. | 1.7 | 7 |
| 12 | Left Atrial Isolation and Appendage Occlusion in Patients With Atrial Fibrillation at End-Stage Left Atrial Fibrotic Disease. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e010011. | 4.8 | 8 |
| 13 | The â€“10 commandmentsâ€“™ for the 2021 ESC guidelines on cardiac pacing and cardiac resynchronization therapy. <i>European Heart Journal</i> , 2021, 42, 4295-4295. | 2.2 | 79 |
| 14 | Risk of Cardiac Implantable Electronic Device Malfunctioning During Pencil Beam Proton Scanning in an In Vitro Setting. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 111, 186-195. | 0.8 | 6 |
| 15 | Bipolar versus quadripolar left ventricular leads for cardiac resynchronization therapy: evidence to date. <i>Expert Review of Cardiovascular Therapy</i> , 2021, 19, 1075-1084. | 1.5 | 1 |
| 16 | Recurrent atrial flutter ablation and incidence of atrial fibrillation ablation after first-time ablation for typical atrial flutter: A nation-wide Danish cohort study. <i>International Journal of Cardiology</i> , 2020, 298, 44-51. | 1.7 | 14 |
| 17 | Left Atrial Function Determined by Cardiac Computed Tomography Predicts Device-Detected Atrial High-Rate Episodes in Patients Treated With Cardiac Resynchronization Therapy. <i>Journal of Computer Assisted Tomography</i> , 2020, 44, 784-789. | 0.9 | 2 |
| 18 | Left atrial fibrosis predicts left ventricular ejection fraction response after atrial fibrillation ablation in heart failure patients: the Fibrosis-HF Study. <i>Europace</i> , 2020, 22, 1812-1821. | 1.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Reproducibility and repeatability of identifying the latest electrical activation during mapping of coronary sinus branches in CRT recipients. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 2940-2947. | 1.7 | 1 |
| 20 | Electrophysiological findings during atrial fibrillation reablation: Extending from pulmonary vein reconnection to sequential bipolar voltage map information. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 885-894. | 1.7 | 7 |
| 21 | A randomized trial of contact force in atrial flutter ablation. <i>Europace</i> , 2020, 22, 947-955. | 1.7 | 11 |
| 22 | Electroanatomical mapping and CT scan image integration guided pacing lead implantation: A case series and review of the recent literature. <i>Heart Rhythm O2</i> , 2020, 1, 341-350. | 1.7 | 3 |
| 23 | Electrically vs. imaging-guided left ventricular lead placement in cardiac resynchronization therapy: a randomized controlled trial. <i>Europace</i> , 2019, 21, 1369-1377. | 1.7 | 32 |
| 24 | Outcome after catheter ablation for left atrial flutter. <i>Scandinavian Cardiovascular Journal</i> , 2019, 53, 133-140. | 1.2 | 8 |
| 25 | Reproducibility of measuring QRS duration and implications for optimization of interventricular pacing delay in cardiac resynchronization therapy. <i>Annals of Noninvasive Electrocardiology</i> , 2019, 24, e12621. | 1.1 | 7 |
| 26 | Left ventricular regional remodeling and lead position during cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2018, 15, 1542-1549. | 0.7 | 4 |
| 27 | Continuous monitoring after atrial fibrillation ablation: the LINQ AF study. <i>Europace</i> , 2018, 20, f312-f320. | 1.7 | 50 |
| 28 | Association between right ventricular lead position and clinical outcomes in patients with cardiac resynchronization therapy. <i>Europace</i> , 2018, 20, 629-635. | 1.7 | 7 |
| 29 | Endo-/Epicardial Catheter Ablation of Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e005748. | 4.8 | 43 |
| 30 | Longer inter-lead electrical delay is associated with response to cardiac resynchronization therapy in patients with presumed optimal left ventricular lead position. <i>Europace</i> , 2018, 20, 1630-1637. | 1.7 | 14 |
| 31 | Prevalence and predictors of low voltage zones in the left atrium in patients with atrial fibrillation. <i>Europace</i> , 2018, 20, 956-962. | 1.7 | 66 |
| 32 | Association between implantable cardioverter-defibrillator therapy and different lead positions in patients with cardiac resynchronization therapy. <i>Europace</i> , 2018, 20, e133-e139. | 1.7 | 4 |
| 33 | Electrically guided versus imaging-guided implant of the left ventricular lead in cardiac resynchronization therapy: a study protocol for a double-blinded randomized controlled clinical trial (ElectroCRT). <i>Trials</i> , 2018, 19, 600. | 1.6 | 7 |
| 34 | Left atrial size and function as assessed by computed tomography in cardiac resynchronization therapy: Association to echocardiographic and clinical outcome. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 917-925. | 1.5 | 5 |
| 35 | Guided left ventricular lead placement for cardiac resynchronization therapy – an opportunity for image integration: reply. <i>European Journal of Heart Failure</i> , 2017, 19, 1344-1344. | 7.1 | 0 |
| 36 | Multimodality imaging-guided left ventricular lead placement in cardiac resynchronization therapy: a randomized controlled trial. <i>European Journal of Heart Failure</i> , 2016, 18, 1365-1374. | 7.1 | 103 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | His Bundle Pacing: Techniques and Outcomes. <i>Current Cardiology Reports</i> , 2016, 18, 76. | 2.9 | 10 |
| 38 | Left ventricular performance during triggered left ventricular pacing in patients with cardiac resynchronization therapy and left bundle branch block. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2016, 46, 345-351. | 1.3 | 1 |
| 39 | An anterior left ventricular lead position is associated with increased mortality and non-response in cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2016, 222, 157-162. | 1.7 | 13 |
| 40 | Adding the implantable cardioverter-defibrillator to cardiac resynchronization therapy is associated with improved long-term survival in ischaemic, but not in non-ischaemic cardiomyopathy. <i>Europace</i> , 2016, 18, 413-419. | 1.7 | 22 |
| 41 | Early detection of atrial high rate episodes predicts atrial fibrillation and thromboembolic events in patients with cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2015, 12, 2368-2375. | 0.7 | 60 |
| 42 | Optimization of heart failure medication after cardiac resynchronization therapy and the impact on long-term survival. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015, 1, 182-188. | 3.0 | 20 |
| 43 | The paced electrocardiogram cannot be used to identify left and right ventricular pacing sites in cardiac resynchronization therapy: validation by cardiac computed tomography. <i>Europace</i> , 2015, 17, 432-438. | 1.7 | 8 |
| 44 | Left and right ventricular lead positions are imprecisely determined by fluoroscopy in cardiac resynchronization therapy: a comparison with cardiac computed tomography. <i>Europace</i> , 2014, 16, 1334-1341. | 1.7 | 43 |
| 45 | His or para-His pacing preserves left ventricular function in atrioventricular block: a double-blind, randomized, crossover study. <i>Europace</i> , 2014, 16, 1189-1196. | 1.7 | 144 |
| 46 | Can progression to permanent atrial fibrillation be prevented by pacing?: Figure 1. <i>European Heart Journal</i> , 2014, 35, 2349-2351. | 2.2 | 1 |
| 47 | Left ventricular performance during para-His pacing in patients with high-grade atrioventricular block: an acute study. <i>Europace</i> , 2012, 14, 841-846. | 1.7 | 25 |
| 48 | Pacing in sinus node disease to prevent atrial fibrillation. <i>Expert Review of Cardiovascular Therapy</i> , 2012, 10, 851-858. | 1.5 | 6 |
| 49 | Non-contrast magnetic resonance imaging for guiding left ventricular lead position in cardiac resynchronization therapy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012, 33, 27-35. | 1.3 | 18 |
| 50 | His and para-His pacing in AV block: feasibility and electrocardiographic findings. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2011, 31, 255-262. | 1.3 | 57 |
| 51 | Electrocardiographic patterns and long-term clinical outcome in cardiac resynchronization therapy. <i>Europace</i> , 2010, 12, 216-222. | 1.7 | 42 |
| 52 | Long-term clinical outcome and left ventricular lead position in cardiac resynchronization therapy. <i>Europace</i> , 2009, 11, 1177-1182. | 1.7 | 34 |
| 53 | Very long term follow-up of cardiac resynchronization therapy: Clinical outcome and predictors of mortality. <i>European Journal of Heart Failure</i> , 2008, 10, 796-801. | 7.1 | 37 |
| 54 | Lead complications after cardiac surgery in patients with cardiac implantable electronic devices. <i>European Journal of Cardio-thoracic Surgery</i> , 0, , . | 1.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Social determinants of health and catheter ablation after an incident diagnosis of atrial fibrillation: a Danish nationwide cohort study. European Heart Journal Quality of Care & Clinical Outcomes, 0, , . | 4.0 | 2 |