

Toby O Smith

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7981909/toby-o-smith-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

286
papers

7,230
citations

47
h-index

72
g-index

308
ext. papers

8,806
ext. citations

2.9
avg, IF

6.37
L-index

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 286 | Pre-operative indicators for mortality following hip fracture surgery: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2014 , 43, 464-71 | 3 | 240 |
| 285 | Effect of medications with anti-cholinergic properties on cognitive function, delirium, physical function and mortality: a systematic review. <i>Age and Ageing</i> , 2014 , 43, 604-15 | 3 | 208 |
| 284 | Incidence and prevalence of patellofemoral pain: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2018 , 13, e0190892 | 3.7 | 186 |
| 283 | Sutures versus staples for skin closure in orthopaedic surgery: meta-analysis. <i>BMJ, The</i> , 2010 , 340, c11995.9 | | 157 |
| 282 | The diagnostic accuracy of acetabular labral tears using magnetic resonance imaging and magnetic resonance arthrography: a meta-analysis. <i>European Radiology</i> , 2011 , 21, 863-74 | 8 | 154 |
| 281 | Is a tourniquet beneficial in total knee replacement surgery? A meta-analysis and systematic review. <i>Knee</i> , 2010 , 17, 141-7 | 2.6 | 137 |
| 280 | Outcomes of medial patellofemoral ligament reconstruction for patellar instability: a systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2007 , 15, 1301-14 | 5.5 | 124 |
| 279 | The relative timing of VMO and VL in the aetiology of anterior knee pain: a systematic review and meta-analysis. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 64 | 2.8 | 122 |
| 278 | Hand to Mouth: A Systematic Review and Meta-Analysis of the Association between Rheumatoid Arthritis and Periodontitis. <i>Frontiers in Immunology</i> , 2016 , 7, 80 | 8.4 | 120 |
| 277 | Diagnostic accuracy of ultrasound for rotator cuff tears in adults: a systematic review and meta-analysis. <i>Clinical Radiology</i> , 2011 , 66, 1036-48 | 2.9 | 119 |
| 276 | Operative versus non-operative management following Rockwood grade III acromioclavicular separation: a meta-analysis of the current evidence base. <i>Journal of Orthopaedics and Traumatology</i> , 2011 , 12, 19-27 | 5 | 117 |
| 275 | Prevalence of depressive symptoms and anxiety in osteoarthritis: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2016 , 45, 228-35 | 3 | 115 |
| 274 | Operative versus non-operative management of patellar dislocation. A meta-analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011 , 19, 988-98 | 5.5 | 95 |
| 273 | Early versus delayed surgery for anterior cruciate ligament reconstruction: a systematic review and meta-analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2010 , 18, 304-11 | 5.5 | 95 |
| 272 | Is reconstruction the best management strategy for anterior cruciate ligament rupture? A systematic review and meta-analysis comparing anterior cruciate ligament reconstruction versus non-operative treatment. <i>Knee</i> , 2014 , 21, 462-70 | 2.6 | 94 |
| 271 | Association between osteoarthritis and cardiovascular disease: Systematic review and meta-analysis. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 938-46 | 3.9 | 93 |
| 270 | Opening- or closing-wedged high tibial osteotomy: a meta-analysis of clinical and radiological outcomes. <i>Knee</i> , 2011 , 18, 361-8 | 2.6 | 91 |

| | | | |
|-----|--|------|----|
| 269 | Examination of overall treatment effect and the proportion attributable to contextual effect in osteoarthritis: meta-analysis of randomised controlled trials. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1964-1970 | 2.4 | 89 |
| 268 | What are the factors that influence physical activity participation in adults with knee and hip osteoarthritis? A systematic review of physical activity correlates. <i>Clinical Rehabilitation</i> , 2015 , 29, 80-94 ^{3,3} | 3.3 | 85 |
| 267 | The reliability and validity of radiological assessment for patellar instability. A systematic review and meta-analysis. <i>Skeletal Radiology</i> , 2011 , 40, 399-414 | 2.7 | 85 |
| 266 | Do structural changes (eg, collagen/matrix) explain the response to therapeutic exercises in tendinopathy: a systematic review. <i>British Journal of Sports Medicine</i> , 2014 , 48, 966-72 | 10.3 | 84 |
| 265 | Osteoarthritis and mortality: A prospective cohort study and systematic review with meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 46, 160-167 | 5.3 | 83 |
| 264 | The impact of subacromial impingement syndrome on muscle activity patterns of the shoulder complex: a systematic review of electromyographic studies. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 45 | 2.8 | 81 |
| 263 | The reliability and validity of the Q-angle: a systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2008 , 16, 1068-79 | 5.5 | 80 |
| 262 | The relationship between benign joint hypermobility syndrome and psychological distress: a systematic review and meta-analysis. <i>Rheumatology</i> , 2014 , 53, 114-22 | 3.9 | 79 |
| 261 | Surgical versus conservative interventions for treating tibial shaft fractures in adults. <i>The Cochrane Library</i> , 2018 , | 5.2 | 78 |
| 260 | An evaluation of the clinical tests and outcome measures used to assess patellar instability. <i>Knee</i> , 2008 , 15, 255-62 | 2.6 | 78 |
| 259 | A meta-analysis of randomised controlled trials comparing conventional to minimally invasive approaches for repair of an Achilles tendon rupture. <i>Foot and Ankle Surgery</i> , 2011 , 17, 211-7 | 3.1 | 75 |
| 258 | Minimally invasive versus conventional exposure for total hip arthroplasty: a systematic review and meta-analysis of clinical and radiological outcomes. <i>International Orthopaedics</i> , 2011 , 35, 173-84 | 3.8 | 70 |
| 257 | Does bariatric surgery prior to total hip or knee arthroplasty reduce post-operative complications and improve clinical outcomes for obese patients? Systematic review and meta-analysis. <i>Bone and Joint Journal</i> , 2016 , 98-B, 1160-6 | 5.6 | 69 |
| 256 | A meta-analysis of the diagnostic test accuracy of MRA and MRI for the detection of glenoid labral injury. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012 , 132, 905-19 | 3.6 | 68 |
| 255 | Greater pre-operative anxiety, pain and poorer function predict a worse outcome of a total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017 , 25, 3403-3410 | 5.5 | 65 |
| 254 | Factors predicting incidence of post-operative delirium in older people following hip fracture surgery: a systematic review and meta-analysis. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 386-396 | 3.9 | 63 |
| 253 | Do people with benign joint hypermobility syndrome (BJHS) have reduced joint proprioception? A systematic review and meta-analysis. <i>Rheumatology International</i> , 2013 , 33, 2709-16 | 3.6 | 61 |
| 252 | Surgical versus non-surgical interventions for treating patellar dislocation. <i>The Cochrane Library</i> , 2015 , CD008106 | 5.2 | 60 |

| | | | |
|-----|---|------|----|
| 251 | Fixed versus mobile bearing unicompartmental knee replacement: a meta-analysis. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2009 , 95, 599-605 | 2.9 | 55 |
| 250 | Effectiveness of proprioceptive exercises for ankle ligament injury in adults: a systematic literature and meta-analysis. <i>Manual Therapy</i> , 2012 , 17, 285-91 | | 54 |
| 249 | Association between lower limb osteoarthritis and incidence of depressive symptoms: data from the osteoarthritis initiative. <i>Age and Ageing</i> , 2017 , 46, 470-476 | 3 | 53 |
| 248 | Nutritional supplementation for hip fracture aftercare in older people. <i>The Cochrane Library</i> , 2016 , 11, CD001880 | 5.2 | 52 |
| 247 | A systematic review of tranexamic acid in hip fracture surgery. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 1458-1470 | 3.8 | 52 |
| 246 | Should exercises be painful in the management of chronic musculoskeletal pain? A systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1679-1687 | 10.3 | 50 |
| 245 | The diagnostic accuracy of MRI for the detection of partial- and full-thickness rotator cuff tears in adults. <i>Magnetic Resonance Imaging</i> , 2012 , 30, 336-46 | 3.3 | 49 |
| 244 | Are bisphosphonates effective in the treatment of osteoarthritis pain? A meta-analysis and systematic review. <i>PLoS ONE</i> , 2013 , 8, e72714 | 3.7 | 49 |
| 243 | Systematic review and meta-analysis of the reliability and discriminative validity of cartilage compositional MRI in knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 1140-1152 | 6.2 | 48 |
| 242 | A systematic review to determine the reliability of knee joint position sense assessment measures. <i>Knee</i> , 2013 , 20, 162-9 | 2.6 | 48 |
| 241 | The clinical and radiological outcomes of the LISS plate for distal femoral fractures: a systematic review. <i>Injury</i> , 2009 , 40, 1049-63 | 2.5 | 48 |
| 240 | Diagnostic accuracy of magnetic resonance imaging and magnetic resonance arthrography for triangular fibrocartilaginous complex injury: a systematic review and meta-analysis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012 , 94, 824-32 | 5.6 | 48 |
| 239 | Origin and insertion of the medial patellofemoral ligament: a systematic review of anatomy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017 , 25, 3755-3772 | 5.5 | 47 |
| 238 | Clinical outcomes of rehabilitation for patients following lateral patellar dislocation: a systematic review. <i>Physiotherapy</i> , 2010 , 96, 269-81 | 3 | 46 |
| 237 | Musculoskeletal pain and exercise-challenging existing paradigms and introducing new. <i>British Journal of Sports Medicine</i> , 2019 , 53, 907-912 | 10.3 | 45 |
| 236 | Surgical versus non-surgical interventions for treating patellar dislocation. <i>Cochrane Database of Systematic Reviews</i> , 2011 , CD008106 | | 44 |
| 235 | Can vastus medialis oblique be preferentially activated? A systematic review of electromyographic studies. <i>Physiotherapy Theory and Practice</i> , 2009 , 25, 69-98 | 1.5 | 43 |
| 234 | Surgical fixation methods for tibial plateau fractures. <i>The Cochrane Library</i> , 2015 , CD009679 | 5.2 | 42 |

| | | | |
|-----|---|-----|----|
| 233 | The clinical and radiological outcomes of hip resurfacing versus total hip arthroplasty: a meta-analysis and systematic review. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010 , 81, 684-95 | 4.3 | 42 |
| 232 | The experience of living with patellofemoral pain-loss, confusion and fear-avoidance: a UK qualitative study. <i>BMJ Open</i> , 2018 , 8, e018624 | 3 | 41 |
| 231 | Adherence to a Mediterranean diet is associated with lower prevalence of osteoarthritis: Data from the osteoarthritis initiative. <i>Clinical Nutrition</i> , 2017 , 36, 1609-1614 | 5.9 | 41 |
| 230 | The efficacy of the tourniquet in foot and ankle surgery? A systematic review and meta-analysis. <i>Foot and Ankle Surgery</i> , 2010 , 16, 3-8 | 3.1 | 41 |
| 229 | A meta-analysis of randomised controlled trials comparing the clinical and radiological outcomes following minimally invasive to conventional exposure for total knee arthroplasty. <i>Knee</i> , 2012 , 19, 1-7 | 2.6 | 40 |
| 228 | The clinical and functional outcomes of ultrasound-guided vs landmark-guided injections for adults with shoulder pathology--a systematic review and meta-analysis. <i>Rheumatology</i> , 2013 , 52, 743-51 | 3.9 | 40 |
| 227 | A meta-analysis of tourniquet assisted arthroscopic knee surgery. <i>Knee</i> , 2009 , 16, 317-21 | 2.6 | 40 |
| 226 | Prevalence and profile of musculoskeletal injuries in ballet dancers: A systematic review and meta-analysis. <i>Physical Therapy in Sport</i> , 2016 , 19, 50-6 | 3 | 39 |
| 225 | Revision of medial Oxford unicompartmental knee replacement to a total knee replacement: similar to a primary?. <i>Knee</i> , 2012 , 19, 339-43 | 2.6 | 39 |
| 224 | Rehabilitation implications during the development of the Norwich Enhanced Recovery Programme (NERP) for patients following total knee and total hip arthroplasty. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2012 , 98, 499-505 | 2.9 | 39 |
| 223 | The intra- and inter-observer reliability of the physical examination methods used to assess patients with patellofemoral joint instability. <i>Knee</i> , 2012 , 19, 404-10 | 2.6 | 38 |
| 222 | The development, validation and internal consistency of the Norwich Patellar Instability (NPI) score. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014 , 22, 324-35 | 5.5 | 38 |
| 221 | Clinical and radiological outcomes of fixed- versus mobile-bearing total knee replacement: a meta-analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2010 , 18, 325-40 | 5.5 | 38 |
| 220 | Outcomes of total hip arthroplasty, as a salvage procedure, following failed internal fixation of intracapsular fractures of the femoral neck: a systematic review and meta-analysis. <i>Bone and Joint Journal</i> , 2016 , 98-B, 452-60 | 5.6 | 38 |
| 219 | Deepening Trochleoplasty With a Thick Osteochondral Flap for Patellar Instability: Clinical and Functional Outcomes at a Mean 6-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2015 , 43, 2706-13 | 6.8 | 37 |
| 218 | Interventions for treating proximal fifth metatarsal fractures in adults: a meta-analysis of the current evidence-base. <i>Foot and Ankle Surgery</i> , 2011 , 17, 300-7 | 3.1 | 37 |
| 217 | What activities do patients with patellar instability perceive makes their patella unstable?. <i>Knee</i> , 2011 , 18, 333-9 | 2.6 | 37 |
| 216 | The effectiveness of proprioceptive-based exercise for osteoarthritis of the knee: a systematic review and meta-analysis. <i>Rheumatology International</i> , 2012 , 32, 3339-51 | 3.6 | 36 |

| | | | |
|-----|---|------|----|
| 215 | Favourable rotational alignment outcomes in PSI knee arthroplasty: A Level 1 systematic review and meta-analysis. <i>Knee</i> , 2016 , 23, 186-90 | 2.6 | 35 |
| 214 | The diagnostic test accuracy of magnetic resonance imaging, magnetic resonance arthrography and computer tomography in the detection of chondral lesions of the hip. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2013 , 23, 335-44 | 2.2 | 35 |
| 213 | Do the vastus medialis obliquus and vastus medialis longus really exist? A systematic review. <i>Clinical Anatomy</i> , 2009 , 22, 183-99 | 2.5 | 35 |
| 212 | No demonstrable benefit for coronal alignment outcomes in PSI knee arthroplasty: A systematic review and meta-analysis. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2015 , 101, 461-8 | 2.9 | 34 |
| 211 | Does sports participation (including level of performance and previous injury) increase risk of osteoarthritis? A systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2016 , 50, 1459-1466 | 10.3 | 34 |
| 210 | The OMERACT-OARSI Core Domain Set for Measurement in Clinical Trials of Hip and/or Knee Osteoarthritis. <i>Journal of Rheumatology</i> , 2019 , 46, 981-989 | 4.1 | 33 |
| 209 | Attitudes of people with osteoarthritis towards their conservative management: a systematic review and meta-ethnography. <i>Rheumatology International</i> , 2014 , 34, 299-313 | 3.6 | 32 |
| 208 | Physiotherapy and occupational therapy interventions for people with benign joint hypermobility syndrome: a systematic review of clinical trials. <i>Disability and Rehabilitation</i> , 2014 , 36, 797-803 | 2.4 | 32 |
| 207 | The intra- and inter-rater reliability of X-ray radiological measurements for patellar instability. <i>Knee</i> , 2013 , 20, 133-8 | 2.6 | 32 |
| 206 | Accuracy of magnetic resonance imaging, magnetic resonance arthrography and computed tomography for the detection of chondral lesions of the knee. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012 , 20, 2367-79 | 5.5 | 32 |
| 205 | The reliability and validity of assessing medio-lateral patellar position: a systematic review. <i>Manual Therapy</i> , 2009 , 14, 355-62 | | 32 |
| 204 | Pre-operative patellofemoral degenerative changes do not affect the outcome after medial Oxford unicompartmental knee replacement: a report from an independent centre. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011 , 93, 476-8 | | 32 |
| 203 | Immobilisation following traumatic anterior glenohumeral joint dislocation: a literature review. <i>Injury</i> , 2006 , 37, 228-37 | 2.5 | 32 |
| 202 | Which patellofemoral joint imaging features are associated with patellofemoral pain? Systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 224-36 | 6.2 | 31 |
| 201 | Living with osteoarthritis: a systematic review and meta-ethnography. <i>Scandinavian Journal of Rheumatology</i> , 2014 , 43, 441-52 | 1.9 | 31 |
| 200 | The importance of detecting and managing comorbidities in people with dementia?. <i>Age and Ageing</i> , 2014 , 43, 741-3 | 3 | 30 |
| 199 | Association between Systemic Lupus Erythematosus and Periodontitis: A Systematic Review and Meta-analysis. <i>Frontiers in Immunology</i> , 2017 , 8, 1295 | 8.4 | 30 |
| 198 | The diagnostic test accuracy of ultrasound for the detection of lateral epicondylitis: a systematic review and meta-analysis. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014 , 100, 281-6 | 2.9 | 29 |

| | | | |
|-----|---|-----|----|
| 197 | Association between musculoskeletal pain with social isolation and loneliness: analysis of the English Longitudinal Study of Ageing. <i>British Journal of Pain</i> , 2019 , 13, 82-90 | 2.1 | 29 |
| 196 | Knee Osteoarthritis and Risk of Hypertension: A Longitudinal Cohort Study. <i>Rejuvenation Research</i> , 2018 , 21, 15-21 | 2.6 | 28 |
| 195 | Is there an increased risk of falls and fractures in people with early diagnosed hip and knee osteoarthritis? Data from the Osteoarthritis Initiative. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1193-1201 | 2.3 | 26 |
| 194 | Current management strategies for patellofemoral pain: an online survey of 99 practising UK physiotherapists. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 181 | 2.8 | 25 |
| 193 | A systematic review investigating the use of Twitter and Facebook in university-based healthcare education. <i>Health Education</i> , 2014 , 114, 347-366 | 1 | 25 |
| 192 | Assessment of radiolucent lines around the Oxford unicompartmental knee replacement: sensitivity and specificity for loosening. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011 , 93, 777-81 | | 25 |
| 191 | Osteoarthritis Increases the Risk of Cardiovascular Disease: Data from the Osteoarthritis Initiative. <i>Journal of Nutrition, Health and Aging</i> , 2018 , 22, 371-376 | 5.2 | 23 |
| 190 | Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. <i>The Cochrane Library</i> , 2015 , CD010569 | 5.2 | 23 |
| 189 | Clinical Outcomes After the Nonoperative Management of Lateral Patellar Dislocations: A Systematic Review. <i>Orthopaedic Journal of Sports Medicine</i> , 2018 , 6, 2325967118766275 | 3.5 | 22 |
| 188 | UK survey of occupational therapist's and physiotherapist's experiences and attitudes towards hip replacement precautions and equipment. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 228 | 2.8 | 22 |
| 187 | Diagnostic test accuracy of clinical and radiological assessments for medial patella plica syndrome: a systematic review and meta-analysis. <i>Knee</i> , 2014 , 21, 486-90 | 2.6 | 21 |
| 186 | Total joint arthroplasty following intra-articular steroid injection: a literature review. <i>Acta Orthopaedica Belgica</i> , 2013 , 79, 672-9 | 1.3 | 21 |
| 185 | Patients' perceptions of physical activity before and after joint replacement: a systematic review with meta-ethnographic analysis. <i>Postgraduate Medical Journal</i> , 2015 , 91, 483-91 | 2 | 20 |
| 184 | A review of how to conduct a surgical survey using a questionnaire. <i>Knee</i> , 2011 , 18, 209-13 | 2.6 | 20 |
| 183 | The management of the painful bipartite patella: a systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016 , 24, 2798-2805 | 5.5 | 19 |
| 182 | On their own—social isolation, loneliness and chronic musculoskeletal pain in older adults. <i>Quality in Ageing and Older Adults</i> , 2017 , 18, 87-92 | 0.9 | 19 |
| 181 | How effective is physiotherapy in the treatment of complex regional pain syndrome type I? A review of the literature. <i>Musculoskeletal Care</i> , 2005 , 3, 181-200 | 1.6 | 19 |
| 180 | Are people following hip and knee arthroplasty at greater risk of experiencing a fall and fracture? Data from the Osteoarthritis Initiative. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016 , 136, 865-72 | 3.6 | 19 |

| | | | |
|-----|---|-----|----|
| 179 | The relationship between the dietary inflammatory index and prevalence of radiographic symptomatic osteoarthritis: data from the Osteoarthritis Initiative. <i>European Journal of Nutrition</i> , 2019 , 58, 253-260 | 5.2 | 19 |
| 178 | A systematic review investigating the efficacy of laterally wedged insoles for medial knee osteoarthritis. <i>Rheumatology International</i> , 2013 , 33, 2529-38 | 3.6 | 18 |
| 177 | Anticholinergic drugs and incident dementia, mild cognitive impairment and cognitive decline: a meta-analysis. <i>Age and Ageing</i> , 2020 , 49, 939-947 | 3 | 17 |
| 176 | What Imaging-Detected Pathologies Are Associated With Shoulder Symptoms and Their Persistence? A Systematic Literature Review. <i>Arthritis Care and Research</i> , 2018 , 70, 1169-1184 | 4.7 | 17 |
| 175 | Is there a difference in physical activity levels in patients before and up to one year after unilateral total hip replacement? A systematic review and meta-analysis. <i>Clinical Rehabilitation</i> , 2017 , 31, 639-650 | 3.3 | 17 |
| 174 | The management of segmental tibial shaft fractures: A systematic review. <i>Injury</i> , 2016 , 47, 568-73 | 2.5 | 16 |
| 173 | Optimising care for patients with cognitive impairment and dementia following hip fracture. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017 , 50, 39-43 | 2.7 | 16 |
| 172 | Does knee joint proprioception alter following medial patellofemoral ligament reconstruction?. <i>Knee</i> , 2014 , 21, 21-7 | 2.6 | 16 |
| 171 | Predictors of upper limb spasticity after stroke? A systematic review and meta-analysis. <i>Physiotherapy</i> , 2019 , 105, 163-173 | 3 | 16 |
| 170 | Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. <i>The Cochrane Library</i> , 2020 , 2, CD010569 | 5.2 | 15 |
| 169 | Knee orthoses for treating patellofemoral pain syndrome. <i>The Cochrane Library</i> , 2015 , CD010513 | 5.2 | 15 |
| 168 | The physiotherapy management of muscle haematomas. <i>Physical Therapy in Sport</i> , 2006 , 7, 201-9 | 3 | 15 |
| 167 | Association Between Osteoarthritis and Social Isolation: Data From the EPOSA Study. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 87-95 | 5.6 | 15 |
| 166 | A systematic review of the physical activity assessment tools used in primary care. <i>Family Practice</i> , 2017 , 34, 384-391 | 1.9 | 14 |
| 165 | The OMERACT Core Domain Set for Clinical Trials of Shoulder Disorders. <i>Journal of Rheumatology</i> , 2019 , 46, 969-975 | 4.1 | 14 |
| 164 | Assistive devices, hip precautions, environmental modifications and training to prevent dislocation and improve function after hip arthroplasty. <i>The Cochrane Library</i> , 2016 , 7, CD010815 | 5.2 | 14 |
| 163 | Rehabilitation following first-time patellar dislocation: a randomised controlled trial of purported vastus medialis obliquus muscle versus general quadriceps strengthening exercises. <i>Knee</i> , 2015 , 22, 313-20 | 2.6 | 14 |
| 162 | A systematic review of imaging modalities in the diagnosis of greater trochanteric pain syndrome. <i>Musculoskeletal Care</i> , 2012 , 10, 232-9 | 1.6 | 14 |

| | | | |
|-----|--|-----|----|
| 161 | The surgical treatment of anterior knee pain due to infrapatellar fat pad pathology: A systematic review. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2015 , 101, 469-75 | 2.9 | 13 |
| 160 | Assessment of people with cognitive impairment and hip fracture: a systematic review and meta-analysis. <i>Archives of Gerontology and Geriatrics</i> , 2013 , 57, 117-26 | 4 | 13 |
| 159 | The contemporary management of anterior knee pain and patellofemoral instability. <i>Knee</i> , 2013 , 20 Suppl 1, S3-S15 | 2.6 | 13 |
| 158 | A national survey of the physiotherapy management of patients following first-time patellar dislocation. <i>Physiotherapy</i> , 2011 , 97, 327-38 | 3 | 13 |
| 157 | Are Early Warning Scores Useful Predictors for Mortality and Morbidity in Hospitalised Acutely Unwell Older Patients? A Systematic Review. <i>Journal of Clinical Medicine</i> , 2018 , 7, | 5.1 | 13 |
| 156 | Accelerated rehabilitation following Oxford unicompartmental knee arthroplasty: five-year results from an independent centre. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2012 , 22, 151-158 | 2.2 | 12 |
| 155 | National survey to evaluate musuloskeletal health in retired professional ballet dancers in the United Kingdom. <i>Physical Therapy in Sport</i> , 2017 , 23, 82-85 | 3 | 12 |
| 154 | Systematic review investigating the reporting of comorbidities and medication in randomized controlled trials of people with dementia. <i>Age and Ageing</i> , 2014 , 43, 868-72 | 3 | 12 |
| 153 | The diagnostic accuracy of X-ray arthrography for triangular fibrocartilaginuous complex injury: a systematic review and meta-analysis. <i>Journal of Hand Surgery: European Volume</i> , 2012 , 37, 879-87 | 1.4 | 12 |
| 152 | Hawthorne effect on surgical studies. <i>ANZ Journal of Surgery</i> , 2019 , 89, 1567-1576 | 1 | 12 |
| 151 | Changes in social isolation and loneliness following total hip and knee arthroplasty: longitudinal analysis of the English Longitudinal Study of Ageing (ELSA) cohort. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 1414-1419 | 6.2 | 11 |
| 150 | Uptake of the OMERACT-OARSI Hip and Knee Osteoarthritis Core Outcome Set: Review of Randomized Controlled Trials from 1997 to 2017. <i>Journal of Rheumatology</i> , 2019 , 46, 976-980 | 4.1 | 11 |
| 149 | Does physical activity change following hip and knee replacement? Matched case-control study evaluating Physical Activity Scale for the Elderly data from the Osteoarthritis Initiative. <i>Physiotherapy</i> , 2018 , 104, 80-90 | 3 | 11 |
| 148 | Recommendations for the conduct of efficacy trials of treatment devices for osteoarthritis: a report from a working group of the Arthritis Research UK Osteoarthritis and Crystal Diseases Clinical Studies Group. <i>Rheumatology</i> , 2016 , 55, 320-6 | 3.9 | 11 |
| 147 | Caregiver Interventions for Adults Discharged from the Hospital: Systematic Review and Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 1960-1969 | 5.6 | 11 |
| 146 | Outcomes following trochleoplasty for patellar instability with trochlear dysplasia: a systematic review. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2008 , 18, 425-433 | 2.2 | 11 |
| 145 | When should patients begin ambulating following lower limb split skin graft surgery? A systematic review. <i>Physiotherapy</i> , 2006 , 92, 135-145 | 3 | 11 |
| 144 | Effect of exercise interventions in the early phase to improve physical function after hip fracture - A systematic review and meta-analysis. <i>Physiotherapy</i> , 2020 , 108, 90-97 | 3 | 11 |

| | | | |
|-----|--|-----|----|
| 143 | Wound closure in flexion versus extension following total knee arthroplasty: a systematic review. <i>Acta Orthopaedica Belgica</i> , 2010 , 76, 298-306 | 1.3 | 11 |
| 142 | The prevalence, impact and management of musculoskeletal disorders in older people living in care homes: a systematic review. <i>Rheumatology International</i> , 2016 , 36, 55-64 | 3.6 | 10 |
| 141 | A bibliometric analysis assessing temporal changes in publication and authorship characteristics in The Knee from 1996 to 2016. <i>Knee</i> , 2018 , 25, 213-218 | 2.6 | 10 |
| 140 | Why don't patients take their analgesics? A meta-ethnography assessing the perceptions of medication adherence in patients with osteoarthritis. <i>Rheumatology International</i> , 2016 , 36, 731-9 | 3.6 | 10 |
| 139 | Study protocol: a mixed methods feasibility study for a loaded self-managed exercise programme for patellofemoral pain. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 24 | 1.9 | 10 |
| 138 | Shock Index Predicts Outcome in Patients with Suspected Sepsis or Community-Acquired Pneumonia: A Systematic Review. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 10 |
| 137 | Does 99mTc-MDP bone scintigraphy add to the investigation of patients with symptomatic unicompartmental knee replacement?. <i>Knee</i> , 2012 , 19, 592-6 | 2.6 | 10 |
| 136 | The diagnostic accuracy of anterior cruciate ligament rupture using magnetic resonance imaging: a meta-analysis. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2012 , 22, 315-326 | 2.2 | 10 |
| 135 | Reliability of the radiological assessments of radiolucency and loosening in total hip arthroplasty using PACS. <i>HIP International</i> , 2011 , 21, 577-82 | 1.7 | 10 |
| 134 | Cervical spine radiculopathy epidemiology: A systematic review. <i>Musculoskeletal Care</i> , 2020 , 18, 555-567 | 1.6 | 10 |
| 133 | Does flare trial design affect the effect size of non-steroidal anti-inflammatory drugs in symptomatic osteoarthritis? A systematic review and meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1971-1978 | 2.4 | 10 |
| 132 | PERFECTED enhanced recovery (PERFECT-ER) care versus standard acute care for patients admitted to acute settings with hip fracture identified as experiencing confusion: study protocol for a feasibility cluster randomized controlled trial. <i>Trials</i> , 2017 , 18, 583 | 2.8 | 9 |
| 131 | Systematic Review Investigating Multi-disciplinary Team Approaches to Screening and Early Diagnosis of Dementia in Primary Care - What are the Positive and Negative Effects and Who Should Deliver It?. <i>Current Alzheimer Research</i> , 2018 , 15, 5-17 | 3 | 9 |
| 130 | Relationship between explosive muscle strength and medial longitudinal arch of the foot. <i>Foot and Ankle International</i> , 2010 , 31, 815-22 | 3.3 | 9 |
| 129 | Immobilization Regime Following Lateral Patellar Dislocation: A Systematic Review and Meta-Analysis of the Current Evidence Base. <i>European Journal of Trauma and Emergency Surgery</i> , 2010 , 36, 353-60 | 2.3 | 9 |
| 128 | The efficacy of continuous passive motion after anterior cruciate ligament reconstruction: A systematic review. <i>Physical Therapy in Sport</i> , 2007 , 8, 141-152 | 3 | 9 |
| 127 | Who seeks physiotherapy or exercise treatment for hip and knee osteoarthritis? A cross-sectional analysis of the English Longitudinal Study of Ageing. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 897-904 | 2.3 | 8 |
| 126 | The effect of targeted treatment on people with patellofemoral pain: a pragmatic, randomised controlled feasibility study. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 338 | 2.8 | 8 |

| | | | |
|-----|---|-----|---|
| 125 | A systematic review to determine the optimal type and dosage of land-based exercises for treating knee osteoarthritis. <i>Physical Therapy Reviews</i> , 2014 , 19, 105-113 | 0.7 | 8 |
| 124 | A feasibility study for a pragmatic randomised controlled trial comparing cast immobilisation versus no immobilisation for patients following first-time patellar dislocation. <i>Knee</i> , 2012 , 19, 696-702 | 2.6 | 8 |
| 123 | Medial reefing versus medial patellofemoral ligament reconstruction for patellar instability. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2010 , 20, 547-551 | 2.2 | 8 |
| 122 | A systematic review of bracing following reconstruction of the anterior cruciate ligament. <i>Physiotherapy</i> , 2008 , 94, 1-10 | 3 | 8 |
| 121 | Bed exercises following total hip replacement: a randomised controlled trial. <i>Physiotherapy</i> , 2008 , 94, 286-291 | 3 | 8 |
| 120 | Do exercises improve outcome following fixation of ankle fractures? A systematic review. <i>International Journal of Therapy and Rehabilitation</i> , 2006 , 13, 273-281 | 0.4 | 8 |
| 119 | Trajectories of pain and function in the first five years after total hip and knee arthroplasty: an analysis of patient reported outcome data from the National Joint Registry. <i>Bone and Joint Journal</i> , 2021 , 103-B, 1111-1118 | 5.6 | 8 |
| 118 | Changes in physical activity following total hip or knee arthroplasty: a matched case-control study from the EPIC-Norfolk cohort. <i>Clinical Rehabilitation</i> , 2017 , 31, 1548-1557 | 3.3 | 7 |
| 117 | Barriers and facilitators of loaded self-managed exercises and physical activity in people with patellofemoral pain: understanding the feasibility of delivering a multicentred randomised controlled trial, a UK qualitative study. <i>BMJ Open</i> , 2019 , 9, e023805 | 3 | 7 |
| 116 | The potential dangers of medical devices with current cremation practices. <i>European Geriatric Medicine</i> , 2012 , 3, 97-102 | 3 | 7 |
| 115 | Bed exercises following total hip replacement: 1 year follow-up of a single-blinded randomised controlled trial. <i>HIP International</i> , 2009 , 19, 268-73 | 1.7 | 7 |
| 114 | The vastus medialis oblique:vastus lateralis electromyographic intensity ratio does not differ by gender in young participants without knee pathology. <i>Physiotherapy</i> , 2008 , 94, 168-173 | 3 | 7 |
| 113 | When Should Open Reduction and Internal Fixation Ankle Fractures Begin Weight Bearing? A Systematic Review. <i>European Journal of Trauma and Emergency Surgery</i> , 2008 , 34, 69-76 | 2.3 | 7 |
| 112 | Conceptual Framework for an Episode of Rehabilitative Care After Surgical Repair of Hip Fracture. <i>Physical Therapy</i> , 2019 , 99, 276-285 | 3.3 | 6 |
| 111 | The uptake of the hip fracture core outcome set: analysis of 20 years of hip fracture trials. <i>Age and Ageing</i> , 2019 , 48, 595-598 | 3 | 6 |
| 110 | Analysis of conference abstract-to-publication rate in UK orthopaedic research. <i>BMJ Evidence-Based Medicine</i> , 2018 , 23, 7-11 | 2.7 | 6 |
| 109 | Trajectory of social isolation following hip fracture: an analysis of the English Longitudinal Study of Ageing (ELSA) cohort. <i>Age and Ageing</i> , 2018 , 47, 107-112 | 3 | 6 |
| 108 | Expandable intramedullary nails in lower limb trauma: a systematic review of clinical and radiological outcomes. <i>Strategies in Trauma and Limb Reconstruction</i> , 2013 , 8, 1-12 | 0.6 | 6 |

| | | | |
|-----|---|-----|---|
| 107 | Expandable intramedullary nails for humeral fractures: a systematic review of clinical and radiological outcomes. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2013 , 23, 1-11 | 2.2 | 6 |
| 106 | Effectiveness of pre-operative physiotherapy-based programmes on outcomes following total knee arthroplasty: a systematic review and meta-analysis. <i>Physical Therapy Reviews</i> , 2013 , 18, 1-10 | 0.7 | 6 |
| 105 | Garbage in, garbage out: the importance of detailing methodological reasoning in orthopaedic meta-analysis. <i>International Orthopaedics</i> , 2011 , 35, 301-302 | 3.8 | 6 |
| 104 | Demographic and geographical variability in physiotherapy provision following hip and knee replacement. An analysis from the National Joint Registry for England, Wales, Northern Ireland and the Isle of Man. <i>Physiotherapy</i> , 2020 , 106, 1-11 | 3 | 6 |
| 103 | Impact of COVID-19 pandemic social restriction measures on people with rheumatic and musculoskeletal diseases in the UK: a mixed-methods study. <i>BMJ Open</i> , 2021 , 11, e048772 | 3 | 6 |
| 102 | Stiffness post-total knee replacement: A proof of principle study investigating the effect of gene expression analysis of markers of fibrosis. <i>Knee</i> , 2019 , 26, 914-922 | 2.6 | 5 |
| 101 | A loaded self-managed exercise programme for patellofemoral pain: a mixed methods feasibility study. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 129 | 2.8 | 5 |
| 100 | Factors associated with physical activity participation in adults with chronic cervical spine pain: a systematic review. <i>Physiotherapy</i> , 2018 , 104, 54-60 | 3 | 5 |
| 99 | The Norwich Patellar Instability Score: Validity, internal consistency and responsiveness for people conservatively-managed following first-time patellar dislocation. <i>Knee</i> , 2016 , 23, 256-60 | 2.6 | 5 |
| 98 | Does anticholinergics drug burden relate to global neuro-disability outcome measures and length of hospital stay?. <i>Brain Injury</i> , 2015 , 29, 1426-30 | 2.1 | 5 |
| 97 | Inter- and intra-rater reliabilities of the Beighton Score compared to the Contompasis Score to assess Generalised Joint Hypermobility. <i>Myopain</i> , 2015 , 23, 21-27 | | 5 |
| 96 | Early rehabilitation following less invasive surgical stabilisation plate fixation for distal femoral fractures. <i>Physiotherapy</i> , 2009 , 95, 61-75 | 3 | 5 |
| 95 | A Systematic Review Investigating the Early Rehabilitation of Patients Following Medial Patellofemoral Ligament Reconstruction for Patellar Instability. <i>Critical Reviews in Physical and Rehabilitation Medicine</i> , 2007 , 19, 79-95 | 0.3 | 5 |
| 94 | The effects of kinesiophobia on outcome following total knee replacement: a systematic review. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020 , 140, 2057-2070 | 3.6 | 5 |
| 93 | Social Prescribing Programmes to Prevent or Delay Frailty in Community-Dwelling Older Adults. <i>Geriatrics (Switzerland)</i> , 2019 , 4, | 2.2 | 5 |
| 92 | Feasibility study suggests no impact from protected engagement time on adverse events in mental health wards for older adults. <i>International Journal of Mental Health Nursing</i> , 2018 , 27, 756-764 | 3.8 | 5 |
| 91 | Interventions for reducing hospital-associated deconditioning: A systematic review and meta-analysis. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 90, 104176 | 4 | 4 |
| 90 | Trajectory of physical activity after hip fracture: An analysis of community-dwelling individuals from the English Longitudinal Study of Ageing. <i>Injury</i> , 2018 , 49, 697-701 | 2.5 | 4 |

| | | | |
|----|--|-----|---|
| 89 | Physical activity participation and the association with work-related upper quadrant disorders (WRUQDs): A systematic review. <i>Musculoskeletal Care</i> , 2018 , 16, 178-187 | 1.6 | 4 |
| 88 | Smoking and alcohol behaviours in people following hip and knee arthroplasty: Data from the Osteoarthritis Initiative. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016 , 102, 239-45 | 2.9 | 4 |
| 87 | Medical morbidities in people following hip and knee arthroplasty: data from the Osteoarthritis Initiative. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2016 , 26, 99-106 | 2.2 | 4 |
| 86 | Assistive devices, hip precautions, environmental modifications and training to prevent dislocation and improve function after hip arthroplasty 2013 , | | 4 |
| 85 | A systematic review of the rehabilitation of LISS plate fixation of proximal tibial fractures. <i>Advances in Physiotherapy</i> , 2010 , 12, 100-110 | | 4 |
| 84 | Quadriceps tendinopathy [a forgotten pathology for physiotherapists? A systematic review of the current evidence-base. <i>Physical Therapy Reviews</i> , 2011 , 16, 455-461 | 0.7 | 4 |
| 83 | Surgical fixation methods for tibial plateau fractures 2012 , | | 4 |
| 82 | Behaviour change physiotherapy intervention to increase physical activity following hip and knee replacement (PEP-TALK): study protocol for a pragmatic randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e035014 | 3 | 4 |
| 81 | The feasibility of a randomised control trial to assess physiotherapy against surgery for recurrent patellar instability. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 94 | 1.9 | 4 |
| 80 | Does early surgery improve outcomes for periprosthetic fractures of the hip and knee? A systematic review and meta-analysis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021 , 141, 1393-1400 | 3.6 | 4 |
| 79 | Trajectory of Psychosocial Measures amongst Informal Caregivers: Case-Controlled Study of 1375 Informal Caregivers from the English Longitudinal Study of Ageing. <i>Geriatrics (Switzerland)</i> , 2020 , 5, | 2.2 | 3 |
| 78 | 178 Does Physical Activity Change Following Hip and Knee Replacement? An Analysis of Data from the Osteoarthritis Initiative. <i>Rheumatology</i> , 2016 , 55, i134-i134 | 3.9 | 3 |
| 77 | Toward the Development of Data-Driven Diagnostic Subgroups for People With Patellofemoral Pain Using Modifiable Clinical, Biomechanical, and Imaging Features. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019 , 49, 536-547 | 4.2 | 3 |
| 76 | The treatment of segmental tibial fractures: does patient preference differ from surgeon choice?. <i>Injury</i> , 2017 , 48, 2306-2310 | 2.5 | 3 |
| 75 | The mid-term clinical results of the phase 3 Oxford unicompartmental knee arthroplasty: a 6- to 8-year follow-up. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2012 , 22, 307-314 | 2.2 | 3 |
| 74 | Effectiveness of post-operative management strategies for adults with dementia following hip fracture surgery 2013 , | | 3 |
| 73 | Upper extremity deep vein thrombosis in orthopaedic and trauma surgery: a systematic review. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2011 , 21, 79-85 | 2.2 | 3 |
| 72 | Are location, proportion and length of VM patellar attachment aetiological factors in patellofemoral dysfunction? A systematic review. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2009 , 19, 63-73 | 2.2 | 3 |

| | | | |
|----|---|-----|---|
| 71 | The physiotherapeutic treatment of acetabular labral tears. A systematic review. <i>Advances in Physiotherapy</i> , 2011 , 13, 153-161 | | 3 |
| 70 | EMG activity of vastus medialis and vastus lateralis with patellar instability: a systematic review. <i>Physical Therapy Reviews</i> , 2008 , 13, 405-414 | 0.7 | 3 |
| 69 | Reporting of social deprivation in musculoskeletal trials: An analysis of 402 randomised controlled trials. <i>Musculoskeletal Care</i> , 2020 , | 1.6 | 3 |
| 68 | Self-management Programmes for People with Osteoarthritis: A Systematic Review and Meta-analysis. <i>Current Rheumatology Reviews</i> , 2014 , 9, 165-175 | 1.6 | 3 |
| 67 | Barriers to uptake of the hip fracture core outcome set: An international survey of 80 hip fracture trialists. <i>Clinical Trials</i> , 2020 , 17, 712-716 | 2.2 | 3 |
| 66 | Risk factors for pain and functional impairment in people with knee and hip osteoarthritis: a systematic review and meta-analysis. <i>BMJ Open</i> , 2020 , 10, e038720 | 3 | 3 |
| 65 | Changes in left ventricular structure and function associated with renal transplantation: a systematic review and meta-analysis. <i>ESC Heart Failure</i> , 2021 , 8, 2045-2057 | 3.7 | 3 |
| 64 | Neighborhood environment, social participation, and physical activity in older adults with lower limb osteoarthritis: A mediation analysis. <i>Health and Place</i> , 2021 , 68, 102513 | 4.6 | 3 |
| 63 | Management of septic and aseptic prepatellar bursitis: a systematic review. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021 , 1 | 3.6 | 3 |
| 62 | Psychometric properties of the Norwich Patellar Instability Score in people with recurrent patellar dislocation. <i>Knee</i> , 2019 , 26, 1192-1197 | 2.6 | 3 |
| 61 | Effect of nonmeat, high-protein supplementation on quality of life and clinical outcomes in older residents of care homes: a systematic review and meta-analysis. <i>Nutrition Reviews</i> , 2019 , 77, 116-127 | 6.4 | 3 |
| 60 | Orientation and verbal fluency in the English Longitudinal Study of Ageing: modifiable risk factors for falls?. <i>International Psychogeriatrics</i> , 2019 , 31, 1491-1498 | 3.4 | 3 |
| 59 | A systematic review assessing non-pharmacological conservative treatment studies for people with non-inflammatory multi-joint pain: clinical outcomes and research design considerations. <i>Rheumatology International</i> , 2018 , 38, 331-341 | 3.6 | 3 |
| 58 | Effect of an additional health-professional-led exercise programme on clinical health outcomes after hip fracture. <i>Physiotherapy Research International</i> , 2021 , 26, e1896 | 1.8 | 3 |
| 57 | Association between different methods of assessing blood pressure variability and incident cardiovascular disease, cardiovascular mortality and all-cause mortality: a systematic review. <i>Age and Ageing</i> , 2020 , 49, 184-192 | 3 | 2 |
| 56 | Reliability of knee joint position sense measurement: a comparison between goniometry and image capture methods. <i>European Journal of Physiotherapy</i> , 2016 , 18, 95-102 | 0.5 | 2 |
| 55 | Translation, cross-cultural adaptation and validation of the Norwich Patellar Instability score for use in Brazilian Portuguese. <i>Sao Paulo Medical Journal</i> , 2019 , 137, 148-154 | 1.6 | 2 |
| 54 | Norwich Enhanced Recovery Programme vs. non-enhanced recovery following hip and knee replacement: A matched-cohort study. <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2014 , 18, 227-234 | 1.1 | 2 |

| | | | |
|----|--|-----|---|
| 53 | Comparison of structural magnetic resonance imaging findings between neuropsychiatric systemic lupus erythematosus and systemic lupus erythematosus patients: A systematic review and meta-analysis 2017 , 2, 205990211666305 | | 2 |
| 52 | What activities cause hip dislocation? A review of 100 total hip replacement dislocations*. <i>Advances in Physiotherapy</i> , 2012 , 14, 55-60 | | 2 |
| 51 | Knee orthoses for treating patellofemoral pain syndrome 2013 , | | 2 |
| 50 | Can massage induce relaxation? A review of the evidence. <i>International Journal of Therapy and Rehabilitation</i> , 2003 , 10, 491-496 | | 2 |
| 49 | The impact of the frequency, duration and type of physiotherapy on discharge after hip fracture surgery: a secondary analysis of UK national linked audit data. <i>Osteoporosis International</i> , 2021 , 1 | 5.3 | 2 |
| 48 | A Meta-analysis and Systematic Review of Randomised Controlled Trials Comparing Cognitive Behavioural Therapy to Conventional Treatment of Osteoarthritis. <i>Current Rheumatology Reviews</i> , 2014 , 9, 158-164 | 1.6 | 2 |
| 47 | Rehabilitation Following Hip Fracture. <i>Practical Issues in Geriatrics</i> , 2021 , 183-222 | 0.1 | 2 |
| 46 | Accessing health services for musculoskeletal diseases during early COVID-19 lockdown: Results from a UK population survey. <i>Rheumatology Advances in Practice</i> , 2020 , 4, rkaa047 | 1.1 | 2 |
| 45 | Hip and Knee Weakness and Ankle Dorsiflexion Restriction in Individuals Following Lateral Patellar Dislocation: A Case-Control Study. <i>Clinical Journal of Sport Medicine</i> , 2021 , 31, e385-e391 | 3.2 | 2 |
| 44 | Do journals raise their impact factor or SCImago ranking by self-citing in editorials? A bibliometric analysis of trauma and orthopaedic journals. <i>ANZ Journal of Surgery</i> , 2021 , 91, 975-979 | 1 | 2 |
| 43 | Freedom of Information Act: scalpel or just a sharp knife?. <i>Journal of Medical Ethics</i> , 2017 , 43, 60-62 | 2.5 | 1 |
| 42 | Trajectory of physical activity following total hip and knee arthroplasty: data from the English Longitudinal Study of Ageing (ELSA) cohort. <i>European Journal of Physiotherapy</i> , 2017 , 19, 201-206 | 0.5 | 1 |
| 41 | 152 The OMERACT-OARSI core domain set for measurement in clinical trials of hip and/or knee osteoarthritis. <i>Rheumatology</i> , 2019 , 58, | 3.9 | 1 |
| 40 | CAPability: comparison of the JOURNEY II Bi-Cruciate Stabilised and GENESIS II total knee arthroplasty in performance and functional ability: protocol of a randomised controlled trial. <i>Trials</i> , 2020 , 21, 222 | 2.8 | 1 |
| 39 | The Brighton musculoskeletal Patient-Reported Outcome Measure (BmPROM): An assessment of validity, reliability, and responsiveness. <i>Physiotherapy Research International</i> , 2018 , 23, e1715 | 1.8 | 1 |
| 38 | The challenges of heterogeneity across physiotherapy trials when considering meta-analysis. <i>Physical Therapy Reviews</i> , 2014 , 19, 39-40 | 0.7 | 1 |
| 37 | The use of Coban™ compression bandage following below-knee free-flap surgery. <i>International Journal of Nursing Practice</i> , 2012 , 18, 604-9 | 2.3 | 1 |
| 36 | Thromboprophylaxis following major skeletal trauma: a systematic review. <i>European Journal of Trauma and Emergency Surgery</i> , 2011 , 37, 479-90 | 2.3 | 1 |

| | | | |
|----|--|-----|---|
| 35 | Surgical versus non-surgical interventions for treating patellar dislocation 2009 , | | 1 |
| 34 | A systematic review of the clinical and radiological outcomes of LISS plating for proximal tibial fractures. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2010 , 20, 141-150 | 2.2 | 1 |
| 33 | Sutures versus staples for skin closure in orthopaedic surgery: meta-analysis | | 1 |
| 32 | What is the effectiveness of radiofrequency ablation in the management of patients with spinal metastases? A systematic review and meta-analysis. <i>Journal of Orthopaedic Surgery and Research</i> , 2021 , 16, 659 | 2.8 | 1 |
| 31 | Changes in pain catastrophization and neuropathic pain following operative stabilisation for patellofemoral instability: a prospective study with twelve-month follow-up. <i>International Orthopaedics</i> , 2021 , 45, 1745-1750 | 3.8 | 1 |
| 30 | Consensus on pre-operative total knee replacement education and prehabilitation recommendations: a UK-based modified Delphi study. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 352 | 2.8 | 1 |
| 29 | Orthopaedic physiotherapists' perceptions of mechanisms for observed variation in the implementation of physiotherapy practices in the early postoperative phase after hip fracture: a UK qualitative study. <i>Age and Ageing</i> , 2021 , 50, 1961-1970 | 3 | 1 |
| 28 | Methods for conducting international Delphi surveys to optimise global participation in core outcome set development: a case study in gastric cancer informed by a comprehensive literature review. <i>Trials</i> , 2021 , 22, 410 | 2.8 | 1 |
| 27 | Effectiveness of caregiver interventions for people with cancer and non-cancer-related chronic pain: a systematic review and meta-analysis.. <i>British Journal of Pain</i> , 2022 , 16, 71-83 | 2.1 | 1 |
| 26 | Statistical analysis plan for a pragmatic phase III randomised controlled trial examining behaviour change physiotherapy intervention to increase physical activity following hip and knee replacements: the PEP-TALK trial. <i>Trials</i> , 2021 , 22, 467 | 2.8 | 1 |
| 25 | Lived experiences of informal caregivers of people with chronic musculoskeletal pain: a systematic review and meta-ethnography. <i>British Journal of Pain</i> , 2021 , 15, 187-198 | 2.1 | 1 |
| 24 | Recovery and prediction of physical function 1-year following hip fracture.. <i>Physiotherapy Research International</i> , 2022 , e1947 | 1.8 | 1 |
| 23 | Psychometric properties of pain measurements for people living with dementia: a COSMIN systematic review. <i>European Geriatric Medicine</i> , | 3 | 1 |
| 22 | Anaemia and incidence of post stroke dementia. <i>Clinical Neurology and Neurosurgery</i> , 2020 , 191, 105688 ₂ | | 0 |
| 21 | A feasibility study to assess the design of a multicentre randomized controlled trial of the clinical and cost-effectiveness of a caregiving intervention for people following hip fracture surgery. <i>Bone & Joint Open</i> , 2021 , 2, 909-920 | 2.8 | 0 |
| 20 | Association between psychosocial factors and mental health symptoms to cervical spine pain with or without radiculopathy on health outcomes: systematic review protocol. <i>Pain Reports</i> , 2021 , 6, e870 | 3.5 | 0 |
| 19 | Moderators of Cognitive Outcomes from an Exercise Program in People with Mild to Moderate Dementia. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2095-2100 | 5.6 | 0 |
| 18 | Reamed intramedullary nailing versus circular frame external fixation for segmental tibial fractures (STIFF-F): a mixed methods feasibility study. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 93 | 1.9 | 0 |

| | | | |
|----|--|-----|---|
| 17 | Getting Recovery Right After Neck Dissection (GRRAND-F): mixed-methods feasibility study to design a pragmatic randomised controlled trial protocol. <i>BMJ Open</i> , 2021 , 11, e045741 | 3 | 0 |
| 16 | The association of hand and wrist injuries with other injuries in multiple trauma patients. A retrospective study in a UK Major Trauma Centre. <i>Injury</i> , 2021 , 52, 1778-1782 | 2.5 | 0 |
| 15 | Antibiotic prophylaxis for urinary catheter manipulation following arthroplasty: a systematic review. <i>ANZ Journal of Surgery</i> , 2021 , 91, 1405-1412 | 1 | 0 |
| 14 | The reliability of radiographic measures of total ankle replacement position: an analysis from the OARS cohort. <i>Skeletal Radiology</i> , 2021 , 50, 1411-1417 | 2.7 | 0 |
| 13 | PERFECTED enhanced recovery pathway (PERFECT-ER) versus standard acute hospital care for people after hip fracture surgery who have cognitive impairment: a feasibility cluster randomised controlled trial.. <i>BMJ Open</i> , 2022 , 12, e055267 | 3 | 0 |
| 12 | Randomised controlled trial of a behaviour change physiotherapy intervention to increase physical activity following hip and knee replacement: the PEP-TALK trial. <i>BMJ Open</i> , 2022 , 12, e061373 | 3 | 0 |
| 11 | The association between registration status and reported outcomes in physiotherapy randomised controlled trials. <i>International Journal of Therapy and Rehabilitation</i> , 2020 , 27, 1-15 | 0.4 | |
| 10 | Response to commentary on: A systematic review to determine the optimal type and dosage of land-based exercises for treating knee osteoarthritis. <i>Physical Therapy Reviews</i> , 2014 , 19, 149-150 | 0.7 | |
| 9 | Water-resistant casting: non-surgically managed fractures. <i>British Journal of Healthcare Assistants</i> , 2010 , 4, 589-591 | 0.1 | |
| 8 | Reliability of the jones patellofemoral osteoarthritis score for radiological assessment of patellofemoral degenerative changes: comparing a physiotherapist to doctors. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2012 , 64, 257-61 | 0.8 | |
| 7 | Fixed versus mobile bearing total knee replacement: methodological considerations in systematic reviewing. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2010 , 18, 704-706 | 5.5 | |
| 6 | Protocol for a definitive randomised controlled trial and economic evaluation of a community-based rehabilitation programme following hip fracture: fracture in the elderly multidisciplinary rehabilitation-phase III (FEMuR III). <i>BMJ Open</i> , 2020 , 10, e039791 | 3 | |
| 5 | Predictors of the outcome of physiotherapy following a meniscus tear: A systematic review. <i>Knee</i> , 2021 , 33, 125-142 | 2.6 | |
| 4 | Mortality and morbidity of stairlift injuries: Analysis of the UK TARN database. <i>Injury</i> , 2020 , 51, 1306-1311 | 1.5 | |
| 3 | Challenges in reporting systematic reviews on epidemiological sport injury data: Letter to the editor re: "Upholding standards of reporting in the synthesis of dance epidemiology literature" re: "Prevalence and profile of musculoskeletal injuries in ballet dancers: A systematic review and meta-analysis". <i>Physical Therapy in Sport</i> , 2016 , 22, 131-132 | 3 | |
| 2 | Medication taking in people with hip and knee osteoarthritis: An analysis of the English Longitudinal Study of Ageing. <i>Musculoskeletal Care</i> , 2018 , 16, 450-457 | 1.6 | |
| 1 | SWAT 110: Printing the primary outcome on Pink Paper versus standard paper to increase participant engagement to postal questionnaires (PEPPER). <i>Research Methods in Medicine & Health Sciences</i> , 2022 , 3, 49-54 | 5 | |