

# Brisa Sol

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7982183/brisa-sole-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76  
papers

6,365  
citations

37  
h-index

79  
g-index

83  
ext. papers

8,319  
ext. citations

7  
avg, IF

5.88  
L-index

#	Paper	IF	Citations
76	Biomarkers in bipolar disorder: an overview <b>2022</b> , 1-18		
75	Differences in the prophylactic effect of serum lithium levels on depression and mania in bipolar disorder: A dose-response meta-analysis.. <i>European Neuropsychopharmacology</i> , <b>2022</b> , 58, 20-29	1.2	1
74	Identifying neurocognitive heterogeneity in Older Adults with Bipolar Disorder: a cluster analysis. <i>Journal of Affective Disorders</i> , <b>2022</b> , 298, 522-531	6.6	1
73	Randomised controlled cognition trials in remitted patients with mood disorders published between 2015-2021: A systematic review by the International Society for Bipolar Disorders Targeting Cognition Task Force.. <i>Bipolar Disorders</i> , <b>2022</b> ,	3.8	2
72	Empirical support for the use and further study of the countertransference construct in the clinical care of patients with bipolar disorder. <i>Bipolar Disorders</i> , <b>2021</b> ,	3.8	1
71	Ten-year course of treated bipolar I disorder: The role of polarity at onset. <i>Brain and Behavior</i> , <b>2021</b> , 11, e2279	3.4	1
70	Characterization of rapid cycling bipolar patients presenting with major depressive episode within the BRIDGE-II-MIX study. <i>Bipolar Disorders</i> , <b>2021</b> , 23, 391-399	3.8	3
69	Commentary on "The 2020 Royal Australian and New Zealand College of psychiatrists clinical practice guidelines for mood disorders: Bipolar disorder summary". <i>Bipolar Disorders</i> , <b>2021</b> , 23, 513-514	3.8	
68	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , <b>2021</b> , 53, 817-829	36.3	83
67	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis - A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , <b>2021</b> , 47, 54-61	1.2	8
66	Neuronal underpinnings of cognitive impairment in bipolar disorder: A large data-driven functional magnetic resonance imaging study. <i>Bipolar Disorders</i> , <b>2021</b> ,	3.8	2
65	Bipolar disorder cohort studies: Crucial, but underfunded. <i>European Neuropsychopharmacology</i> , <b>2021</b> , 47, 31-33	1.2	5
64	The rebirth of lithium as the archetypal mood stabilizer. <i>Bipolar Disorders</i> , <b>2021</b> , 23, 211-212	3.8	3
63	Commentary on: "Make lithium great again!". <i>Bipolar Disorders</i> , <b>2021</b> , 23, 90-91	3.8	3
62	Duration of untreated illness and bipolar disorder: time for a new definition? Results from a cross-sectional study. <i>Journal of Affective Disorders</i> , <b>2021</b> , 294, 513-520	6.6	2
61	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 36, 121-136	1.2	11
60	The COVID-19 pandemic is a crisis and opportunity for bipolar disorder. <i>Bipolar Disorders</i> , <b>2020</b> , 22, 641-643	3.8	40

59	Bipolar Disorder. <i>New England Journal of Medicine</i> , <b>2020</b> , 383, 58-66	59.2	113
58	Predictive factors of functional outcome in patients with bipolar I disorder: a five-year follow-up. <i>Journal of Affective Disorders</i> , <b>2020</b> , 272, 249-258	6.6	7
57	Physical health in affective disorders: a narrative review of the literature. <i>Revista Brasileira De Psiquiatria</i> , <b>2020</b> ,	2.6	7
56	Exploring Risk and Resilient Profiles for Functional Impairment and Baseline Predictors in a 2-Year Follow-Up First-Episode Psychosis Cohort Using Latent Class Growth Analysis. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 10,	5.1	4
55	T27. COGNITIVE RESERVE IN CHILD AND ADOLESCENT OFFSPRING OF PATIENTS DIANOSED WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, S241-S242	1.3	78
54	Bipolar disorders. <i>Lancet, The</i> , <b>2020</b> , 396, 1841-1856	4.0	124
53	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , <b>2020</b> ,	5.9	21
52	The impact of cognitive reserve, cognition and clinical symptoms on psychosocial functioning in first-episode psychoses. <i>Psychological Medicine</i> , <b>2020</b> , 1-12	6.9	6
51	The Global Aging & Geriatric Experiments in Bipolar Disorder Database (GAGE-BD) project: Understanding older-age bipolar disorder by combining multiple datasets. <i>Bipolar Disorders</i> , <b>2019</b> , 21, 642-649	3.8	3
50	Improving Functioning, Quality of Life, and Well-being in Patients With Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , <b>2019</b> , 22, 467-477	5.8	35
49	Impact of number of episodes on neurocognitive trajectory in bipolar disorder patients: a 5-year follow-up study. <i>Psychological Medicine</i> , <b>2019</b> , 49, 1299-1307	6.9	31
48	Lifetime Psychotic Symptoms, Subthreshold Depression and Cognitive Impairment as Barriers to Functional Recovery in Patients with Bipolar Disorder. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	14
47	Bipolar disorders. <i>Nature Reviews Disease Primers</i> , <b>2018</b> , 4, 18008	51.1	289
46	Early Intervention in Bipolar Disorder. <i>American Journal of Psychiatry</i> , <b>2018</b> , 175, 411-426	11.9	123
45	Psychosocial functioning in patients with psychotic and non-psychotic bipolar I disorder. A comparative study with individuals with schizophrenia. <i>Journal of Affective Disorders</i> , <b>2018</b> , 229, 177-185	6.6	19
44	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) 2018 guidelines for the management of patients with bipolar disorder. <i>Bipolar Disorders</i> , <b>2018</b> , 20, 97-170	3.8	639
43	Modifiable and non-modifiable factors associated with functional impairment during the inter-episodic periods of bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2018</b> , 268, 749-755	5.1	19
42	The effects of vortioxetine on cognitive dysfunction in patients with inadequate response to current antidepressants in major depressive disorder: A short-term, randomized, double-blind, exploratory study versus escitalopram. <i>Journal of Affective Disorders</i> , <b>2018</b> , 227, 803-809	6.6	33

41	Toward Precision Psychiatry in Bipolar Disorder: Staging 2.0. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 641	5	54
40	Residual depressive symptoms, sleep disturbance and perceived cognitive impairment as determinants of functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2017</b> , 210, 280-286	6.6	40
39	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , <b>2017</b> , 27, 350-359	1.2	21
38	Cognitive Impairment in Bipolar Disorder: Treatment and Prevention Strategies. <i>International Journal of Neuropsychopharmacology</i> , <b>2017</b> , 20, 670-680	5.8	104
37	Functional Impairment in Older Adults With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , <b>2017</b> , 205, 443-447	1.8	13
36	Efficacy of quetiapine XR vs. placebo as concomitant treatment to mood stabilizers in the control of subthreshold symptoms of bipolar disorder: Results from a pilot, randomized controlled trial. <i>European Neuropsychopharmacology</i> , <b>2017</b> , 27, 959-969	1.2	13
35	The Impact of Obesity on Cognitive Functioning in Euthymic Bipolar Patients: A Cross-Sectional and Longitudinal Study. <i>Journal of Clinical Psychiatry</i> , <b>2017</b> , 78, e924-e932	4.6	27
34	Bipolar disorder. <i>Lancet, The</i> , <b>2016</b> , 387, 1561-1572	40	712
33	Adjunctive antidepressants in bipolar depression. <i>Lancet Psychiatry, the</i> , <b>2016</b> , 3, 1095-1096	23.3	10
32	Thinking ahead: Executive dysfunction in bipolar disorder. <i>European Neuropsychopharmacology</i> , <b>2016</b> , 26, 1348-9	1.2	3
31	Cognitive variability in bipolar II disorder: who is cognitively impaired and who is preserved. <i>Bipolar Disorders</i> , <b>2016</b> , 18, 288-99	3.8	68
30	Residual symptoms and specific functional impairments in euthymic patients with bipolar disorder. <i>Bipolar Disorders</i> , <b>2016</b> , 18, 164-73	3.8	58
29	Cognitive enhancement treatments for bipolar disorder: A systematic review and methodological recommendations. <i>European Neuropsychopharmacology</i> , <b>2016</b> , 26, 1541-61	1.2	57
28	Family functioning in bipolar disorder: Characteristics, congruity between patients and relatives, and clinical correlates. <i>Psychiatry Research</i> , <b>2016</b> , 245, 66-73	9.9	10
27	Antipsicóticos: aspectos neurocognitivos. <i>Psiquiatria Biologica</i> , <b>2015</b> , 22, 29-35	0.2	0
26	Functional remediation for patients with bipolar II disorder: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , <b>2015</b> , 25, 257-64	1.2	39
25	The influence of cognitive reserve on psychosocial and neuropsychological functioning in bipolar disorder. <i>European Neuropsychopharmacology</i> , <b>2015</b> , 25, 214-22	1.2	85
24	Cognition as a target in major depression: new developments. <i>European Neuropsychopharmacology</i> , <b>2015</b> , 25, 231-47	1.2	53

23	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2014</b> , 160, 50-4	6.6	54
22	Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). <i>Journal of Affective Disorders</i> , <b>2013</b> , 150, 29-36	6.6	80
21	The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , <b>2013</b> , 170, 1249-62	11.9	451
20	Towards a clinical staging for bipolar disorder: defining patient subtypes based on functional outcome. <i>Journal of Affective Disorders</i> , <b>2013</b> , 144, 65-71	6.6	92
19	Efficacy of functional remediation in bipolar disorder: a multicenter randomized controlled study. <i>American Journal of Psychiatry</i> , <b>2013</b> , 170, 852-9	11.9	211
18	Polarity index of pharmacological agents used for maintenance treatment of bipolar disorder. <i>European Neuropsychopharmacology</i> , <b>2012</b> , 22, 339-46	1.2	125
17	Neurocognitive training in patients with bipolar disorders: current status and perspectives. <i>Psychotherapy and Psychosomatics</i> , <b>2012</b> , 81, 250-2	9.4	18
16	Neurocognitive impairment in the bipolar spectrum. <i>Neuropsychiatry</i> , <b>2012</b> , 2, 43-55	1.8	5
15	Clinical expression of bipolar disorder type I as a function of age and polarity at onset: convergent findings in samples from France and the United States. <i>Journal of Clinical Psychiatry</i> , <b>2012</b> , 73, e561-6	4.6	93
14	Long-term outcome of cognitive impairment in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , <b>2012</b> , 73, e899-905	4.6	114
13	Six-month functional outcome of a bipolar disorder cohort in the context of a specialized-care program. <i>Bipolar Disorders</i> , <b>2011</b> , 13, 679-86	3.8	54
12	Bipolar units and programmes: are they really needed?. <i>World Psychiatry</i> , <b>2011</b> , 10, 152	14.4	41
11	Functional remediation for bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , <b>2011</b> , 7, 112-6	3.2	66
10	Functional impairment and disability across mood states in bipolar disorder. <i>Value in Health</i> , <b>2010</b> , 13, 984-8	3.3	119
9	The impact of staging bipolar disorder on treatment outcome of family psychoeducation. <i>Journal of Affective Disorders</i> , <b>2010</b> , 123, 81-6	6.6	84
8	Neurocognitive and clinical predictors of functional outcome in patients with schizophrenia and bipolar I disorder at one-year follow-up. <i>Journal of Affective Disorders</i> , <b>2008</b> , 109, 286-99	6.6	216
7	Chronic mania revisited: factors associated with treatment non-response during prospective follow-up of a large European cohort (EMBLEM). <i>World Journal of Biological Psychiatry</i> , <b>2008</b> , 9, 313-20	3.8	14
6	Long-Term Stability of Cognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , <b>2008</b> , 69, 712-719	4.6	90

5	Long-term stability of cognitive impairment in bipolar disorder: a 2-year follow-up study of lithium-treated euthymic bipolar patients. <i>Journal of Clinical Psychiatry</i> , <b>2008</b> , 69, 712-9	4.6	27
4	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , <b>2007</b> , 3, 5	3.2	442
3	Predictors of suicide in first-episode affective and nonaffective psychotic inpatients: five-year follow-up of patients from a catchment area in Vitoria, Spain. <i>Journal of Clinical Psychiatry</i> , <b>2007</b> , 68, 242-7	4.6	35
2	Clinical correlates of first-episode polarity in bipolar disorder. <i>Comprehensive Psychiatry</i> , <b>2006</b> , 47, 433-7	7.3	90
1	A randomized trial on the efficacy of group psychoeducation in the prophylaxis of recurrences in bipolar patients whose disease is in remission. <i>Archives of General Psychiatry</i> , <b>2003</b> , 60, 402-7		523