

Akio Adachi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7982413/akio-adachi-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

2,426
citations

27
h-index

42
g-index

144
ext. papers

2,636
ext. citations

5.7
avg, IF

4.46
L-index

#	Paper	IF	Citations
137	Species-Specific Valid Ternary Interactions of HIV-1 Env-gp120, CD4, and CCR5 as Revealed by an Adaptive Single-Amino Acid Substitution at the V3 Loop Tip. <i>Journal of Virology</i> , 2021 , 95, e0217720	6.6	0
136	Commentary: Derivation of Simian Tropic HIV-1 Infectious Clone Reveals Virus Adaptation to a New Host. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 235	5.9	
135	Toward Understanding Molecular Bases for Biological Diversification of Human Coronaviruses: Present Status and Future Perspectives. <i>Frontiers in Microbiology</i> , 2020 , 11, 2016	5.7	10
134	Commentary: Origin and evolution of pathogenic coronaviruses. <i>Frontiers in Immunology</i> , 2020 , 11, 811	8.4	23
133	Concomitant Enhancement of HIV-1 Replication Potential and Neutralization-Resistance in Concert With Three Adaptive Mutations in Env V1/C2/C4 Domains. <i>Frontiers in Microbiology</i> , 2019 , 10, 2	5.7	3
132	Allosteric Regulation of HIV-1 Capsid Structure for Gag Assembly, Virion Production, and Viral Infectivity by a Disordered Interdomain Linker. <i>Journal of Virology</i> , 2019 , 93,	6.6	4
131	PIM kinases facilitate lentiviral evasion from SAMHD1 restriction via Vpx phosphorylation. <i>Nature Communications</i> , 2019 , 10, 1844	17.4	10
130	Role for Gag-CA Interdomain Linker in Primate Lentiviral Replication. <i>Frontiers in Microbiology</i> , 2019 , 10, 1831	5.7	1
129	Expression Level of HIV-1 Vif Can Be Fluctuated by Natural Nucleotide Variations in the -Coding and Regulatory SA1D2prox Sequences of the Proviral Genome. <i>Frontiers in Microbiology</i> , 2019 , 10, 2758	5.7	2
128	HIV-1 mutates to adapt in fluxing environments. <i>Microbes and Infection</i> , 2018 , 20, 610-614	9.3	2
127	CXCR4- and CCR5-Tropic HIV-1 Clones Are Both Tractable to Grow in Rhesus Macaques. <i>Frontiers in Microbiology</i> , 2018 , 9, 2510	5.7	4
126	Virological characterization of HIV-1 CA-NTD mutants constructed in a virus-lineage reflected manner. <i>Journal of Medical Investigation</i> , 2018 , 65, 110-115	1.2	1
125	Complete Genome Sequences of Human Immunodeficiency Type 1 Viruses Genetically Engineered To Be Tropic for Rhesus Macaques. <i>Genome Announcements</i> , 2017 , 5,		1
124	Generation and characterization of new CCR5-tropic HIV-1 rmt clones. <i>Journal of Medical Investigation</i> , 2017 , 64, 272-279	1.2	4
123	Comparison of Biochemical Properties of HIV-1 and HIV-2 Capsid Proteins. <i>Frontiers in Microbiology</i> , 2017 , 8, 1082	5.7	3
122	Novel Screening System Based on Differential Scanning Fluorimetry to Search for Small Molecules against the Disassembly or Assembly of HIV-1 Capsid Protein. <i>Frontiers in Microbiology</i> , 2017 , 8, 1413	5.7	7
121	Production of HIV-1 mRNA Is Modulated by Natural Nucleotide Variations and SLSA1 RNA Structure in SA1D2prox Genomic Region. <i>Frontiers in Microbiology</i> , 2017 , 8, 2542	5.7	3

120	Natural Single-Nucleotide Variations in the HIV-1 Genomic SA1prox Region Can Alter Viral Replication Ability by Regulating Vif Expression Levels. <i>Journal of Virology</i> , 2016 , 90, 4563-4578	6.6	10
119	Novel mutant human immunodeficiency virus type 1 strains with high degree of resistance to cynomolgus macaque TRIMCyp generated by random mutagenesis. <i>Journal of General Virology</i> , 2016 , 97, 963-976	4.9	7
118	In silico Analysis of HIV-1 Env-gp120 Reveals Structural Bases for Viral Adaptation in Growth-Restrictive Cells. <i>Frontiers in Microbiology</i> , 2016 , 7, 110	5.7	22
117	Expression Profiles of Vpx/Vpr Proteins Are Co-related with the Primate Lentiviral Lineage. <i>Frontiers in Microbiology</i> , 2016 , 7, 1211	5.7	3
116	Phylogenetic Insights into the Functional Relationship between Primate Lentiviral Reverse Transcriptase and Accessory Proteins Vpx/Vpr. <i>Frontiers in Microbiology</i> , 2016 , 7, 1655	5.7	5
115	Single-amino acid mutation 66SR in Gag-matrix enhances viral single-cycle infectivity of R5-tropic HIV-1mt. <i>Journal of Medical Investigation</i> , 2015 , 62, 228-32	1.2	1
114	Poly-proline motif in HIV-2 Vpx is critical for its efficient translation. <i>Journal of General Virology</i> , 2014 , 95, 179-189	4.9	12
113	Virological characterization of HIV-2 vpx gene mutants in various cell systems. <i>Microbes and Infection</i> , 2014 , 16, 695-701	9.3	7
112	Role of poly-proline motif in HIV-2 Vpx expression. <i>Frontiers in Microbiology</i> , 2014 , 5, 24	5.7	2
111	Animal model studies on viral infections. <i>Frontiers in Microbiology</i> , 2014 , 5, 672	5.7	7
110	Distinct combinations of amino acid substitutions in N-terminal domain of Gag-capsid afford HIV-1 resistance to rhesus TRIM5 α . <i>Microbes and Infection</i> , 2014 , 16, 936-44	9.3	9
109	Natural single-nucleotide polymorphisms in the 3Sregion of the HIV-1 pol gene modulate viral replication ability. <i>Journal of Virology</i> , 2014 , 88, 4145-60	6.6	18
108	Growth properties of macaque-tropic HIV-1 clones carrying vpr/vpx genes derived from simian immunodeficiency viruses in place of their vpr regions. <i>Journal of Medical Investigation</i> , 2014 , 61, 374-9	1.2	
107	Systemic biological analysis of the mutations in two distinct HIV-1mt genomes occurred during replication in macaque cells. <i>Microbes and Infection</i> , 2013 , 15, 319-28	9.3	21
106	Gag-CA Q110D mutation elicits TRIM5-independent enhancement of HIV-1mt replication in macaque cells. <i>Microbes and Infection</i> , 2013 , 15, 56-65	9.3	23
105	TRIM5 genotypes in cynomolgus monkeys primarily influence inter-individual diversity in susceptibility to monkey-tropic human immunodeficiency virus type 1. <i>Journal of General Virology</i> , 2013 , 94, 1318-1324	4.9	12
104	Generation of rhesus macaque-tropic HIV-1 clones that are resistant to major anti-HIV-1 restriction factors. <i>Journal of Virology</i> , 2013 , 87, 11447-61	6.6	30
103	Growth potentials of CCR5-tropic/CXCR4-tropic HIV-1mt clones in macaque cells. <i>Frontiers in Microbiology</i> , 2013 , 4, 218	5.7	7

102	Structural biology for virus research. <i>Frontiers in Microbiology</i> , 2012 , 3, 91	5.7	0
101	Species tropism of HIV-1 modulated by viral accessory proteins. <i>Frontiers in Microbiology</i> , 2012 , 3, 267	5.7	9
100	Viral tropism. <i>Frontiers in Microbiology</i> , 2012 , 3, 281	5.7	18
99	SAMHD1-Dependent and -Independent Functions of HIV-2/SIV Vpx Protein. <i>Frontiers in Microbiology</i> , 2012 , 3, 297	5.7	22
98	Interferon-induced SCYL2 limits release of HIV-1 by triggering PP2A-mediated dephosphorylation of the viral protein Vpu. <i>Science Signaling</i> , 2012 , 5, ra73	8.8	17
97	Geographical, genetic and functional diversity of antiretroviral host factor TRIMCyp in cynomolgus macaque (<i>Macaca fascicularis</i>). <i>Journal of General Virology</i> , 2012 , 93, 594-602	4.9	20
96	Macaque-Tropic HIV-1 Derivatives: A Novel Experimental Approach to Understand Viral Replication and Evolution in Vivo 2011 ,		6
95	Rhesus M1.3S Cells Suitable for Biological Evaluation of Macaque-Tropic HIV/SIV Clones. <i>Frontiers in Microbiology</i> , 2011 , 2, 115	5.7	11
94	The Fourth Major Restriction Factor Against HIV/SIV. <i>Frontiers in Microbiology</i> , 2011 , 2, 132	5.7	2
93	Commentary on a New Era of Investigating 3D Structure-Based Human-Virus Protein Network Dynamics. <i>Frontiers in Microbiology</i> , 2011 , 2, 186	5.7	1
92	Structural dynamics of retroviral genome and the packaging. <i>Frontiers in Microbiology</i> , 2011 , 2, 264	5.7	11
91	The identification of a small molecule compound that reduces HIV-1 Nef-mediated viral infectivity enhancement. <i>PLoS ONE</i> , 2011 , 6, e27696	3.7	15
90	Improved capacity of a monkey-tropic HIV-1 derivative to replicate in cynomolgus monkeys with minimal modifications. <i>Microbes and Infection</i> , 2011 , 13, 58-64	9.3	36
89	HIV-1 Vpr and G2 cell cycle arrest. <i>Future Microbiology</i> , 2011 , 6, 375-8	2.9	
88	HIV-1 Nef impairs multiple T-cell functions in antigen-specific immune response in mice. <i>International Immunology</i> , 2011 , 23, 433-41	4.9	2
87	Virology as biosystematics: towards understanding the viral infection biology. <i>Frontiers in Microbiology</i> , 2010 , 1, 2	5.7	4
86	Site-Directed Mutagenesis of HIV-1 vpu Gene Demonstrates Two Clusters of Replication-Defective Mutants with Distinct Ability to Down-Modulate Cell Surface CD4 and Tetherin. <i>Frontiers in Microbiology</i> , 2010 , 1, 116	5.7	7
85	Different interaction between HIV-1 Vif and its cellular target proteins APOBEC3G/APOBEC3F. <i>Journal of Medical Investigation</i> , 2010 , 57, 89-94	1.2	6

84	Role of HIV-1 Nef protein for virus replication in vitro. <i>Microbes and Infection</i> , 2010 , 12, 65-70	9.3	18
83	Status of APOBEC3G/F in cells and progeny virions modulated by Vif determines HIV-1 infectivity. <i>Microbes and Infection</i> , 2010 , 12, 166-71	9.3	12
82	Multifaceted activity of HIV Vpr/Vpx proteins: the current view of their virological functions. <i>Reviews in Medical Virology</i> , 2010 , 20, 68-76	11.7	25
81	Growth ability in various macaque cell lines of HIV-1 with simian cell-tropism. <i>Journal of Medical Investigation</i> , 2010 , 57, 284-92	1.2	8
80	Evasion from CypA- and APOBEC-mediated restrictions is insufficient for HIV-1 to efficiently grow in simian cells. <i>Microbes and Infection</i> , 2009 , 11, 164-71	9.3	7
79	Modification of a loop sequence between alpha-helices 6 and 7 of virus capsid (CA) protein in a human immunodeficiency virus type 1 (HIV-1) derivative that has simian immunodeficiency virus (SIVmac239) vif and CA alpha-helices 4 and 5 loop improves replication in cynomolgus monkey cells. <i>Biotechnology</i> , 2009 , 6, 70	3.6	32
78	Amino acid alterations in Gag that confer the ability to grow in simian cells on HIV-1 are located at a narrow CA region. <i>Journal of Medical Investigation</i> , 2009 , 56, 21-5	1.2	4
77	Trans-species activation of human T cells by rhesus macaque CD1b molecules. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 377, 889-93	3.4	13
76	Vpx is critical for reverse transcription of the human immunodeficiency virus type 2 genome in macrophages. <i>Journal of Virology</i> , 2008 , 82, 7752-6	6.6	67
75	Replication potentials of vif variant viruses generated from monkey cell-tropic HIV-1 derivative clones NL-DT5/NL-DT5R. <i>Microbes and Infection</i> , 2008 , 10, 1218-22	9.3	4
74	Species barrier of HIV-1 and its jumping by virus engineering. <i>Reviews in Medical Virology</i> , 2008 , 18, 261-75.7	11.7	27
73	Role of HIV-1 Vpu protein for virus spread and pathogenesis. <i>Microbes and Infection</i> , 2008 , 10, 960-7	9.3	44
72	Functional region mapping of HIV-2 Vpx protein. <i>Microbes and Infection</i> , 2008 , 10, 1387-92	9.3	12
71	Identification of amino acid residues in HIV-1 Vif critical for binding and exclusion of APOBEC3G/F. <i>Microbes and Infection</i> , 2008 , 10, 1142-9	9.3	46
70	Growth ability in simian cells of monkey cell-tropic HIV-1 is greatly affected by downstream region of the vif gene. <i>Journal of Medical Investigation</i> , 2008 , 55, 236-40	1.2	8
69	Human immunodeficiency virus type 1 derivative with 7% simian immunodeficiency virus genetic content is able to establish infections in pig-tailed macaques. <i>Journal of Virology</i> , 2007 , 81, 11549-52	6.6	52
68	Generation and characterization of APOBEC3G-positive 293T cells for HIV-1 Vif study. <i>Journal of Medical Investigation</i> , 2007 , 54, 154-8	1.2	8
67	Generation of HIV-1 derivatives that productively infect macaque monkey lymphoid cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 16959-64	11.5	100

66	Effects of lysine to arginine mutations in HIV-1 Vif on its expression and viral infectivity. <i>International Journal of Molecular Medicine</i> , 2006 , 18, 679	4.4	3
65	Comparative study on the structure and cytopathogenic activity of HIV Vpr/Vpx proteins. <i>Microbes and Infection</i> , 2006 , 8, 10-5	9.3	26
64	Construction of gag-chimeric viruses between HIV-1 and SIVmac that are capable of productive multi-cycle infection. <i>Microbes and Infection</i> , 2006 , 8, 1075-81	9.3	5
63	Morphological study on biologically distinct vpx/vpr mutants of HIV-2. <i>Journal of Medical Investigation</i> , 2006 , 53, 271-6	1.2	1
62	Unique characteristics of HIV-1 Vif expression. <i>Microbes and Infection</i> , 2005 , 7, 385-90	9.3	11
61	Establishment of a biological assay system for human retroviral protease activity. <i>Microbes and Infection</i> , 2005 , 7, 820-4	9.3	6
60	Generation and characterization of HIV-1 clones chimeric for subtypes B and C nef. <i>International Journal of Molecular Medicine</i> , 2004 , 14, 1087	4.4	1
59	Role of Us3 gene of herpes simplex virus type 1 for resistance to interferon.. <i>International Journal of Molecular Medicine</i> , 2004 , 14, 641	4.4	5
58	Determination of HIV-1 infectivity by lymphocytic cell lines with integrated luciferase gene. <i>International Journal of Molecular Medicine</i> , 2004 , 14, 1073	4.4	1
57	High level expression of human immunodeficiency virus type-1 Vif inhibits viral infectivity by modulating proteolytic processing of the Gag precursor at the p2/nucleocapsid processing site. <i>Journal of Biological Chemistry</i> , 2004 , 279, 12355-62	5.4	49
56	Paramyxovirus Sendai virus-like particle formation by expression of multiple viral proteins and acceleration of its release by C protein. <i>Virology</i> , 2004 , 325, 1-10	3.6	74
55	Functional analysis of HIV-1 vif genes derived from Japanese long-term nonprogressors and progressors for AIDS. <i>Microbes and Infection</i> , 2004 , 6, 799-805	9.3	11
54	Expression of HIV-1 accessory protein Vif is controlled uniquely to be low and optimal by proteasome degradation. <i>Microbes and Infection</i> , 2004 , 6, 791-8	9.3	62
53	Generation and characterization of HIV-1 clones chimeric for subtypes B and C nef. <i>International Journal of Molecular Medicine</i> , 2004 , 14, 1087-90	4.4	1
52	Susceptibility of HVS-immortalized lymphocytic HSC-F cells to various strains and mutants of HIV/SIV. <i>International Journal of Molecular Medicine</i> , 2003 , 11, 641	4.4	3
51	Physiological significance of apoptosis during animal virus infection. <i>International Reviews of Immunology</i> , 2003 , 22, 341-59	4.6	38
50	Vpx and Vpr proteins of HIV-2 up-regulate the viral infectivity by a distinct mechanism in lymphocytic cells. <i>Microbes and Infection</i> , 2003 , 5, 387-95	9.3	39
49	Virus multiplication and induction of apoptosis by Sendai virus: role of the C proteins. <i>Microbes and Infection</i> , 2003 , 5, 373-8	9.3	52

48	Influence of cytokine and mannose binding protein gene polymorphisms on human T-cell leukemia virus type I (hTLV-I) provirus load in HTLV-I asymptomatic carriers. <i>Human Immunology</i> , 2003 , 64, 453-7	2.3	16
47	Amino acid residues 88 and 89 in the central hydrophilic region of human immunodeficiency virus type 1 Vif are critical for viral infectivity by enhancing the steady-state expression of Vif. <i>Journal of Virology</i> , 2003 , 77, 1626-32	6.6	28
46	Susceptibility of HVS-immortalized lymphocytic HSC-F cells to various strains and mutants of HIV/SIV. <i>International Journal of Molecular Medicine</i> , 2003 , 11, 641-4	4.4	11
45	Apparent lack of trans-dominant negative effects of various vif mutants on the replication of HIV-1. <i>Microbes and Infection</i> , 2002 , 4, 1203-7	9.3	4
44	Subtle mutations in the cysteine region of HIV-1 Vif drastically alter the viral replication phenotype. <i>Microbes and Infection</i> , 2002 , 4, 621-4	9.3	11
43	Association between interleukin-6 gene polymorphism and human T-cell leukemia virus type I associated myelopathy. <i>Human Immunology</i> , 2002 , 63, 696-700	2.3	23
42	Analysis of the cell-dependent replication potentials of human immunodeficiency virus type 1 vif mutants. <i>Microbes and Infection</i> , 2001 , 3, 1093-9	9.3	7
41	Lack of apoptosis in Sendai virus-infected HEp-2 cells without participation of viral antiapoptosis gene. <i>Microbes and Infection</i> , 2001 , 3, 1115-21	9.3	5
40	The human immunodeficiency virus type 1 accessory protein Vpu induces apoptosis by suppressing the nuclear factor kappaB-dependent expression of antiapoptotic factors. <i>Journal of Experimental Medicine</i> , 2001 , 194, 1299-311	16.6	121
39	Cyclophilin A-independent replication of a human immunodeficiency virus type 1 isolate carrying a small portion of the simian immunodeficiency virus SIV(MAC) gag capsid region. <i>Journal of Virology</i> , 2001 , 75, 10527-31	6.6	13
38	Growth characteristics of SHIV without the vpu gene. <i>International Journal of Molecular Medicine</i> , 2001 , 8, 641-4	4.4	4
37	Suppression of apoptotic and necrotic cell death by poliovirus. <i>Journal of General Virology</i> , 2001 , 82, 2965-2972	4.9	27
36	Preparations of recombinant HIV-1 p66 antigen to improve the specificity of immune complex transfer enzyme immunoassay of antibody IgG to HIV-1 reverse transcriptase. <i>Journal of Clinical Laboratory Analysis</i> , 2000 , 14, 169-79	3	
35	Characterization of apoptosis induced by sorbitol: a unique system for the detection of antiapoptotic activities of viruses. <i>Microbes and Infection</i> , 2000 , 2, 599-606	9.3	18
34	Regulation of cell cycle and apoptosis by human immunodeficiency virus type 1 Vpr. <i>Microbes and Infection</i> , 2000 , 2, 1011-7	9.3	26
33	Physiological significance of apoptosis in animal virus infection. <i>Microbes and Infection</i> , 2000 , 2, 1111-7	9.3	122
32	Cell-dependent gag mutants of HIV-1 are crucially defective at the stage of uncoating/reverse transcription in non-permissive cells. <i>Microbes and Infection</i> , 2000 , 2, 1419-23	9.3	8
31	Host cell-dependent replication of HIV-1 mutants with deletions in gp41 cytoplasmic tail region is independent of the function of Vif. <i>Microbes and Infection</i> , 2000 , 2, 1019-23	9.3	4

30	Elimination of HIV-1 plasmid DNA from virus samples obtained from transfection by calcium-phosphate co-precipitation. <i>Journal of Virological Methods</i> , 2000 , 90, 99-102	2.6	14
29	Nef-induced major histocompatibility complex class I down-regulation is functionally dissociated from its virion incorporation, enhancement of viral infectivity, and CD4 down-regulation. <i>Journal of Virology</i> , 2000 , 74, 2907-12	6.6	102
28	Comparison of an antiviral activity of recombinant consensus interferon with recombinant interferon-alpha-2b. <i>Microbes and Infection</i> , 1999 , 1, 1073-7	9.3	9
27	Antiapoptotic activity of herpes simplex virus type 2: the role of US3 protein kinase gene. <i>Microbes and Infection</i> , 1999 , 1, 601-7	9.3	58
26	Cell-dependent replication potentials of HIV-1 gag mutants. <i>Microbes and Infection</i> , 1999 , 1, 671-6	9.3	
25	Small amino acid changes in the V3 loop of human immunodeficiency virus type 2 determines the coreceptor usage for CXCR4 and CCR5. <i>Virology</i> , 1999 , 264, 237-43	3.6	42
24	Induction of apoptosis in Herpesvirus saimiri-immortalized T lymphocytes by blocking interaction of CD28 with CD80/CD86. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 263, 352-6	3.4	26
23	Effects of SIVmac infection on peripheral blood CD4+CD8+ T lymphocytes in cynomolgus macaques. <i>Clinical Immunology</i> , 1999 , 91, 321-9	9	27
22	Pseudotyping human immunodeficiency virus type 1 by vesicular stomatitis virus G protein does not reduce the cell-dependent requirement of vif for optimal infectivity: functional difference between Vif and Nef. <i>Journal of General Virology</i> , 1999 , 80 (Pt 11), 2945-2949	4.9	34
21	Gag-Pol region determines the tropism of SIVagm for human cells. <i>Virus Genes</i> , 1998 , 16, 137-9	2.3	2
20	Complete inhibition of SIVmac replication by its capsid mutants. <i>Virus Genes</i> , 1998 , 17, 43-8	2.3	1
19	Ultrasensitive and rapid enzyme immunoassay (thin aqueous layer immune complex transfer enzyme immunoassay) for antibody IgG to HIV-1 p17 antigen. <i>Journal of Clinical Laboratory Analysis</i> , 1998 , 12, 179-89	3	6
18	Rapid formation of the immune complexes on solid phase in the immune complex transfer enzyme immunoassays for HIV-1 p24 antigen and antibody IgGs to HIV-1. <i>Journal of Clinical Laboratory Analysis</i> , 1998 , 12, 227-37	3	1
17	Acceleration of virus-induced apoptosis by tumor necrosis factor. <i>FEBS Letters</i> , 1998 , 426, 179-82	3.8	15
16	The HIV-1 Vpr displays strong anti-apoptotic activity. <i>FEBS Letters</i> , 1998 , 432, 17-20	3.8	51
15	Suppression of HIV-2 replication by HIV-1 gag mutants. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 248, 418-21	3.4	4
14	Inhibition of HIV replication by capsid mutant C6b. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 242, 313-6	3.4	14
13	Selective expression of beta 7 integrin on lymphocytes undergoing apoptosis in lymphoid tissues. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 244, 578-82	3.4	6

12	The potential of various HIV-1 mutants to inhibit the replication of wild-type virus. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 247, 349-52	3.4	5
11	Early function of HIV-1 Gag proteins is cell-dependent. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 248, 899-903	3.4	10
10	Producer cell-dependent requirement of the Nef protein for efficient entry of HIV-1 into cells. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 250, 565-8	3.4	10
9	Comparative analysis of human and macaque monkey CD4: differences in formaldehyde lability and conformation. <i>Experimental Animals</i> , 1998 , 47, 23-7	1.8	2
8	Functional domain mapping of HIV-1 Gag proteins. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 241, 317-20	3.4	14
7	Cleavage of Gag precursor is required for early replication phase of HIV-1. <i>FEBS Letters</i> , 1997 , 415, 227-30	3.8	9
6	HIV-1 capsid mutants inhibit the replication of wild-type virus at both early and late infection phases. <i>FEBS Letters</i> , 1997 , 415, 231-4	3.8	22
5	Functional analysis of vif genes derived from various primate immunodeficiency viruses. <i>Virus Genes</i> , 1997 , 14, 195-200	2.3	5
4	Generation and characterization of a host cell-dependent gag gene mutant of human immunodeficiency virus type 1. <i>Virology</i> , 1995 , 212, 251-4	3.6	16
3	Persistent infection with SIVmac chimeric virus having tat, rev, vpu, env and nef of HIV type 1 in macaque monkeys. <i>AIDS Research and Human Retroviruses</i> , 1994 , 10, 1021-9	1.6	50
2	Human immunodeficiency virus Vpx is required for the early phase of replication in peripheral blood mononuclear cells. <i>Microbiology and Immunology</i> , 1994 , 38, 871-8	2.7	41
1	SIV/HIV recombinants and their use in studying biological properties. <i>AIDS Research and Human Retroviruses</i> , 1992 , 8, 403-9	1.6	38