

# Jin-Fang Chu

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7984163/jin-fang-chu-publications-by-citations.pdf>

**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78

papers

3,622

citations

29

h-index

59

g-index

87

ext. papers

5,281

ext. citations

9.9

avg, IF

5.2

L-index

#	Paper	IF	Citations
78	D14-SCF(D3)-dependent degradation of D53 regulates strigolactone signalling. <i>Nature</i> , <b>2013</b> , 504, 406-19	10.4	483
77	OsNAP connects abscisic acid and leaf senescence by fine-tuning abscisic acid biosynthesis and directly targeting senescence-associated genes in rice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 10013-8	11.5	316
76	DWARF14 is a non-canonical hormone receptor for strigolactone. <i>Nature</i> , <b>2016</b> , 536, 469-73	50.4	266
75	Arabidopsis WRKY46, WRKY54, and WRKY70 Transcription Factors Are Involved in Brassinosteroid-Regulated Plant Growth and Drought Responses. <i>Plant Cell</i> , <b>2017</b> , 29, 1425-1439	11.6	178
74	A Tripartite Amplification Loop Involving the Transcription Factor WRKY75, Salicylic Acid, and Reactive Oxygen Species Accelerates Leaf Senescence. <i>Plant Cell</i> , <b>2017</b> , 29, 2854-2870	11.6	155
73	Activation of Big Grain1 significantly improves grain size by regulating auxin transport in rice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 11102-7	11.5	140
72	Simple, rapid, and simultaneous assay of multiple carboxyl containing phytohormones in wounded tomatoes by UPLC-MS/MS using single SPE purification and isotope dilution. <i>Analytical Sciences</i> , <b>2012</b> , 28, 1081-7	1.7	125
71	Tryptophan-independent auxin biosynthesis contributes to early embryogenesis in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 4821-6	11.5	120
70	CYTOKININ OXIDASE/DEHYDROGENASE4 Integrates Cytokinin and Auxin Signaling to Control Rice Crown Root Formation. <i>Plant Physiology</i> , <b>2014</b> , 165, 1035-1046	6.6	117
69	Strigolactones regulate rice tiller angle by attenuating shoot gravitropism through inhibiting auxin biosynthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 11199-204	11.5	88
68	Ethylene responses in rice roots and coleoptiles are differentially regulated by a carotenoid isomerase-mediated abscisic acid pathway. <i>Plant Cell</i> , <b>2015</b> , 27, 1061-81	11.6	72
67	Arabidopsis thaliana plants differentially modulate auxin biosynthesis and transport during defense responses to the necrotrophic pathogen Alternaria brassicicola. <i>New Phytologist</i> , <b>2012</b> , 195, 872-882	9.8	72
66	Malate transported from chloroplast to mitochondrion triggers production of ROS and PCD in Arabidopsis thaliana. <i>Cell Research</i> , <b>2018</b> , 28, 448-461	24.7	71
65	The chemodiversity of paddy soil dissolved organic matter correlates with microbial community at continental scales. <i>Microbiome</i> , <b>2018</b> , 6, 187	16.6	71
64	Transcriptional regulation of strigolactone signalling in Arabidopsis. <i>Nature</i> , <b>2020</b> , 583, 277-281	50.4	68
63	ZmbZIP4 Contributes to Stress Resistance in Maize by Regulating ABA Synthesis and Root Development. <i>Plant Physiology</i> , <b>2018</b> , 178, 753-770	6.6	65
62	PpYUC11, a strong candidate gene for the stony hard phenotype in peach (Prunus persica L. Batsch), participates in IAA biosynthesis during fruit ripening. <i>Journal of Experimental Botany</i> , <b>2015</b> , 66, 7031-44	7	63

61	Expression of <i>Vitis amurens</i> NAC26 in <i>Arabidopsis</i> enhances drought tolerance by modulating jasmonic acid synthesis. <i>Journal of Experimental Botany</i> , <b>2016</b> , 67, 2829-45	7	58
60	JAZ proteins modulate seed germination through interaction with ABI5 in bread wheat and <i>Arabidopsis</i> . <i>New Phytologist</i> , <b>2019</b> , 223, 246-260	9.8	56
59	UNBRANCHED3 regulates branching by modulating cytokinin biosynthesis and signaling in maize and rice. <i>New Phytologist</i> , <b>2017</b> , 214, 721-733	9.8	52
58	Progress in quantitative analysis of plant hormones. <i>Science Bulletin</i> , <b>2011</b> , 56, 355-366		52
57	Strigolactone promotes cytokinin degradation through transcriptional activation of in rice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 14319-14324 <sup>11.5</sup>		46
56	A Crucial Role of GA-Regulated Flavonol Biosynthesis in Root Growth of <i>Arabidopsis</i> . <i>Molecular Plant</i> , <b>2019</b> , 12, 521-537	14.4	43
55	An improved simplified high-sensitivity quantification method for determining brassinosteroids in different tissues of rice and <i>Arabidopsis</i> . <i>Plant Physiology</i> , <b>2013</b> , 162, 2056-66	6.6	42
54	MdWRKY9 overexpression confers intensive dwarfing in the M26 rootstock of apple by directly inhibiting brassinosteroid synthetase MdDWF4 expression. <i>New Phytologist</i> , <b>2018</b> , 217, 1086-1098	9.8	40
53	Strigolactone and Karrikin Signaling Pathways Elicit Ubiquitination and Proteolysis of SMXL2 to Regulate Hypocotyl Elongation in <i>Arabidopsis</i> . <i>Plant Cell</i> , <b>2020</b> , 32, 2251-2270	11.6	38
52	TCP Transcription Factors Regulate Shade Avoidance via Directly Mediating the Expression of Both s and Auxin Biosynthetic Genes. <i>Plant Physiology</i> , <b>2018</b> , 176, 1850-1861	6.6	36
51	Expression patterns of ABA and GA metabolism genes and hormone levels during rice seed development and imbibition: a comparison of dormant and non-dormant rice cultivars. <i>Journal of Genetics and Genomics</i> , <b>2014</b> , 41, 327-38	4	36
50	A Strigolactone Biosynthesis Gene Contributed to the Green Revolution in Rice. <i>Molecular Plant</i> , <b>2020</b> , 13, 923-932	14.4	35
49	An <i>Arabidopsis</i> Secondary Metabolite Directly Targets Expression of the Bacterial Type III Secretion System to Inhibit Bacterial Virulence. <i>Cell Host and Microbe</i> , <b>2020</b> , 27, 601-613.e7	23.4	29
48	Jasmonate inhibits COP1 activity to suppress hypocotyl elongation and promote cotyledon opening in etiolated <i>Arabidopsis</i> seedlings. <i>Plant Journal</i> , <b>2017</b> , 90, 1144-1155	6.9	28
47	The Rice Circadian Clock Regulates Tiller Growth and Panicle Development Through Strigolactone Signaling and Sugar Sensing. <i>Plant Cell</i> , <b>2020</b> , 32, 3124-3138	11.6	28
46	CYP72A enzymes catalyse 13-hydrolyzation of gibberellins. <i>Nature Plants</i> , <b>2019</b> , 5, 1057-1065	11.5	28
45	Endosperm sugar accumulation caused by mutation of PHS8/ISA1 leads to pre-harvest sprouting in rice. <i>Plant Journal</i> , <b>2018</b> , 95, 545-556	6.9	28
44	CHR729 Is a CHD3 Protein That Controls Seedling Development in Rice. <i>PLoS ONE</i> , <b>2015</b> , 10, e0138934	3.7	27

43	Brassinosteroid-Activated BRI1-EMS-SUPPRESSOR 1 Inhibits Flavonoid Biosynthesis and Coordinates Growth and UV-B Stress Responses in Plants. <i>Plant Cell</i> , <b>2020</b> , 32, 3224-3239	11.6	22
42	A dual role of boronate affinity in high-sensitivity detection of vicinal diol brassinosteroids from sub-gram plant tissues via UPLC-MS/MS. <i>Analyst, The</i> , <b>2013</b> , 138, 1342-5	5	21
41	ECarotene Isomerase Suppresses Tillering in Rice through the Coordinated Biosynthesis of Strigolactone and Absciscic Acid. <i>Molecular Plant</i> , <b>2020</b> , 13, 1784-1801	14.4	21
40	Hijacking of the jasmonate pathway by the mycotoxin fumonisin B1 (FB1) to initiate programmed cell death in Arabidopsis is modulated by RGLG3 and RGLG4. <i>Journal of Experimental Botany</i> , <b>2015</b> , 66, 2709-21	7	20
39	An in-advance stable isotope labeling strategy for relative analysis of multiple acidic plant hormones in sub-milligram Arabidopsis thaliana seedling and a single seed. <i>Journal of Chromatography A</i> , <b>2014</b> , 1338, 67-76	4.5	20
38	Promotion of BR Biosynthesis by miR444 Is Required for Ammonium-Triggered Inhibition of Root Growth. <i>Plant Physiology</i> , <b>2020</b> , 182, 1454-1466	6.6	19
37	Leaf-Derived Jasmonate Mediates Water Uptake from Hydrated Cotton Roots under Partial Root-Zone Irrigation. <i>Plant Physiology</i> , <b>2019</b> , 180, 1660-1676	6.6	18
36	Cellular and molecular characterization of a thick-walled variant reveal a pivotal role of shoot apical meristem in transverse development of bamboo culm. <i>Journal of Experimental Botany</i> , <b>2019</b> , 70, 3911-3926	7	18
35	A wheat dominant dwarfing line with Rht12, which reduces stem cell length and affects gibberellic acid synthesis, is a 5AL terminal deletion line. <i>Plant Journal</i> , <b>2019</b> , 97, 887-900	6.9	18
34	FIS1 encodes a GA2-oxidase that regulates fruit firmness in tomato. <i>Nature Communications</i> , <b>2020</b> , 11, 5844	17.4	16
33	DROOPY LEAF1 controls leaf architecture by orchestrating early brassinosteroid signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 21766-21774	11.5	16
32	Impacts of strigolactone on shoot branching under phosphate starvation in chrysanthemum ( <i>Dendranthema grandiflorum</i> cv. Jinba). <i>Frontiers in Plant Science</i> , <b>2015</b> , 6, 694	6.2	15
31	Mutations in the MIT3 gene encoding a carotenoid isomerase lead to increased tiller number in rice. <i>Plant Science</i> , <b>2018</b> , 267, 1-10	5.3	15
30	TaANR1-TaBG1 and TaWabi5-TaNRT2s/NARs Link ABA Metabolism and Nitrate Acquisition in Wheat Roots. <i>Plant Physiology</i> , <b>2020</b> , 182, 1440-1453	6.6	13
29	Natural variations in the promoter of Awn Length Inhibitor 1 (ALI-1) are associated with awn elongation and grain length in common wheat. <i>Plant Journal</i> , <b>2020</b> , 101, 1075-1090	6.9	13
28	Up-regulating the absciscic acid inactivation gene ZmABA8ox1b contributes to seed germination heterosis by promoting cell expansion. <i>Journal of Experimental Botany</i> , <b>2016</b> , 67, 2889-900	7	13
27	A Tailored High-Efficiency Sample Pretreatment Method for Simultaneous Quantification of 10 Classes of Known Endogenous Phytohormones. <i>Plant Communications</i> , <b>2020</b> , 1, 100047	9	12
26	Chemical Deprenylation of N -Isopentenyladenosine (i A) RNA. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 10645-10650	16.4	11

25	P-HYDROXYPHENYLPYRUVATE DIOXYGENASE from <i>Medicago sativa</i> is involved in vitamin E biosynthesis and abscisic acid-mediated seed germination. <i>Scientific Reports</i> , <b>2017</b> , 7, 40625	4.9	10
24	Gibberellin Metabolism in Flowering Plants: An Update and Perspectives. <i>Frontiers in Plant Science</i> , <b>2020</b> , 11, 532	6.2	10
23	High ambient temperature antagonizes ethylene-induced exaggerated apical hook formation in etiolated <i>Arabidopsis</i> seedlings. <i>Plant, Cell and Environment</i> , <b>2018</b> , 41, 2858-2868	8.4	10
22	A Comprehensive and Effective Mass Spectrometry-Based Screening Strategy for Discovery and Identification of New Brassinosteroids from Rice Tissues. <i>Frontiers in Plant Science</i> , <b>2016</b> , 7, 1786	6.2	10
21	The GDSL Lipase MHZ11 Modulates Ethylene Signaling in Rice Roots. <i>Plant Cell</i> , <b>2020</b> , 32, 1626-1643	11.6	9
20	The <i>Welwitschia</i> genome reveals a unique biology underpinning extreme longevity in deserts. <i>Nature Communications</i> , <b>2021</b> , 12, 4247	17.4	9
19	Pursuing extreme sensitivity for determination of endogenous brassinosteroids through direct fishing from plant matrices and eliminating most interferences with boronate affinity magnetic nanoparticles. <i>Analytical and Bioanalytical Chemistry</i> , <b>2018</b> , 410, 1363-1374	4.4	8
18	Quantitative analysis of plant hormones based on LC-MS/MS <b>2017</b> , 471-537		8
17	A transcriptome analysis reveals a role for the indole GLS-linked auxin biosynthesis in secondary dormancy in rapeseed ( <i>Brassica napus</i> L.). <i>BMC Plant Biology</i> , <b>2019</b> , 19, 264	5.3	7
16	The <i>Arabidopsis</i> TRM61/TRM6 complex is a bona fide tRNA N1-methyladenosine methyltransferase. <i>Journal of Experimental Botany</i> , <b>2020</b> , 71, 3024-3036	7	7
15	Gene Characterization and Expression Analysis Reveal the Importance of Auxin Signaling in Bud Dormancy Regulation in Tea Plant. <i>Journal of Plant Growth Regulation</i> , <b>2019</b> , 38, 225-240	4.7	7
14	The PIF1-miR408-PLANTACYANIN repression cascade regulates light-dependent seed germination. <i>Plant Cell</i> , <b>2021</b> , 33, 1506-1529	11.6	7
13	Multi-analysis of sheath senescence provides new insights into bamboo shoot development at the fast growth stage. <i>Tree Physiology</i> , <b>2021</b> , 41, 491-507	4.2	6
12	Rapid and specific isolation of intact mitochondria from <i>Arabidopsis</i> leaves. <i>Journal of Genetics and Genomics</i> , <b>2020</b> , 47, 65-68	4	5
11	AtDPG1 is involved in the salt stress response of <i>Arabidopsis</i> seedling through ABI4. <i>Plant Science</i> , <b>2019</b> , 287, 110180	5.3	5
10	High ammonium inhibits root growth in <i>Arabidopsis thaliana</i> by promoting auxin conjugation rather than inhibiting auxin biosynthesis. <i>Journal of Plant Physiology</i> , <b>2021</b> , 261, 153415	3.6	5
9	The mechanism for brassinosteroids suppressing climacteric fruit ripening. <i>Plant Physiology</i> , <b>2021</b> , 185, 1875-1893	6.6	5
8	WRKY46 promotes ammonium tolerance in <i>Arabidopsis</i> by repressing NUDX9 and indole-3-acetic acid-conjugating genes and by inhibiting ammonium efflux in the root elongation zone. <i>New Phytologist</i> , <b>2021</b> , 232, 190-207	9.8	5

7	Cysteine protease RD21A regulated by E3 ligase SINAT4 is required for drought-induced resistance to <i>Pseudomonas syringae</i> in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , <b>2020</b> , 71, 5562-5576	7	4
6	Overexpression of ovate family protein 22 confers multiple morphological changes and represses gibberellin and brassinosteroid signalings in transgenic rice. <i>Plant Science</i> , <b>2021</b> , 304, 110734	5.3	3
5	MIT1, encoding a 15-cis- $\beta$ -carotene isomerase, regulates tiller number and stature in rice. <i>Journal of Genetics and Genomics</i> , <b>2021</b> , 48, 88-91	4	2
4	Brassinosteroid homeostasis is critical for the functionality of the <i>Medicago truncatula</i> pulvinus. <i>Plant Physiology</i> , <b>2021</b> , 185, 1745-1763	6.6	2
3	Gibberellins regulate lateral root development that is associated with auxin and cell wall metabolisms in cucumber.. <i>Plant Science</i> , <b>2022</b> , 317, 110995	5.3	0
2	The chromatin remodeling complex imitation of switch controls stamen filament elongation by promoting jasmonic acid biosynthesis in <i>Arabidopsis</i> . <i>Journal of Genetics and Genomics</i> , <b>2021</b> , 48, 123-133	4	0
1	AtCPS V326M significantly affect the biosynthesis of gibberellins.. <i>Yi Chuan = Hereditas / Zhongguo Yi Chuan Xue Hui Bian Ji</i> , <b>2022</b> , 44, 245-252	1.4	