

Torben BÃk Hansen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7984401/publications.pdf>

Version: 2024-02-01

144
papers

3,427
citations

126907

33
h-index

189892

50
g-index

149
all docs

149
docs citations

149
times ranked

3213
citing authors

#	ARTICLE	IF	CITATIONS
1	Cost-Effectiveness of Accelerated Perioperative Care and Rehabilitation After Total Hip and Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009, 91, 761-772.	3.0	190
2	Role of patient characteristics for fast-track hip and knee arthroplasty. <i>British Journal of Anaesthesia</i> , 2013, 110, 972-980.	3.4	163
3	Accelerated perioperative care and rehabilitation intervention for hip and knee replacement is effective: A randomized clinical trial involving 87 patients with 3 months of follow-up. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 149-159.	3.3	143
4	Cognitive Dysfunction After Fast-Track Hip and Knee Replacement. <i>Anesthesia and Analgesia</i> , 2014, 118, 1034-1040.	2.2	102
5	Delirium after fast-track hip and knee arthroplasty. <i>British Journal of Anaesthesia</i> , 2012, 108, 607-611.	3.4	97
6	Thromboprophylaxis only during hospitalisation in fast-track hip and knee arthroplasty, a prospective cohort study. <i>BMJ Open</i> , 2013, 3, e003965.	1.9	91
7	Chronic preoperative opioid use and acute pain after fast-track total knee arthroplasty. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 529-536.	1.6	75
8	Effectiveness of accelerated perioperative care and rehabilitation intervention compared to current intervention after hip and knee arthroplasty. A before-after trial of 247 patients with a 3-month follow-up. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 59.	1.9	72
9	Risk of re-admission, reoperation, and mortality within 90 days of total hip and knee arthroplasty in fast-track departments in Denmark from 2005 to 2011. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 493-500.	3.3	68
10	Interprofessional undergraduate clinical learning: Results from a three year project in a Danish Interprofessional Training Unit. <i>Journal of Interprofessional Care</i> , 2009, 23, 30-40.	1.7	67
11	The Treatment of Fractures of the Ring and Little Metacarpal Necks. <i>Journal of Hand Surgery</i> , 1998, 23, 245-247.	0.8	54
12	Does BMI influence hospital stay and morbidity after fast-track hip and knee arthroplasty?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 466-472.	3.3	53
13	The association between pain catastrophizing, physical function and pain in a cohort of patients undergoing knee arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 421.	1.9	52
14	Outcomes in smokers and alcohol users after fast-track hip and knee arthroplasty. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 631-638.	1.6	49
15	Fast track in hip arthroplasty. <i>EFORT Open Reviews</i> , 2017, 2, 179-188.	4.1	48
16	Equally good fixation of cemented and uncemented cups in total trapeziometacarpal joint prostheses. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 84, 98-105.	3.3	46
17	Analgesic Effect of Perioperative Escitalopram in High Pain Catastrophizing Patients after Total Knee Arthroplasty. <i>Anesthesiology</i> , 2015, 122, 884-894.	2.5	46
18	Association between hospital procedure volume and risk of revision after total hip arthroplasty: a population-based study within the Nordic Arthroplasty Register Association database. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 419-426.	1.3	46

#	ARTICLE	IF	CITATIONS
19	Hip arthroplasty patients benefit from accelerated perioperative care and rehabilitation: A quasi-experimental study of 98 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 624-630.	3.3	45
20	Cost-effectiveness of MRI in managing suspected scaphoid fractures. <i>Journal of Hand Surgery: European Volume</i> , 2009, 34, 627-630.	1.0	45
21	Care principles at four fast-track arthroplasty departments in Denmark. <i>Danish Medical Bulletin</i> , 2010, 57, A4166.	0.3	45
22	Elektra trapeziometacarpal prosthesis for treatment of osteoarthritis of the basal joint of the thumb. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 2008, 42, 316-319.	0.6	43
23	Normalized Knee-Extension Strength or Leg-Press Power After Fast-Track Total Knee Arthroplasty: Which Measure Is Most Closely Associated With Performance-Based and Self-Reported Function?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 384-390.	0.9	42
24	The effect of family-authored diaries on posttraumatic stress disorder in intensive care unit patients and their relatives: A randomised controlled trial (DRIP-study). <i>Australian Critical Care</i> , 2020, 33, 123-129.	1.3	42
25	High Loosening Rate of the Moje Acamo Prosthesis for Treating Osteoarthritis of the Trapeziometacarpal Joint. <i>Journal of Hand Surgery: European Volume</i> , 2008, 33, 571-574.	1.0	39
26	Delirium after fast-track hip and knee arthroplasty – a cohort study of 6331 elderly patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 767-772.	1.6	39
27	Lack of Nephrotoxicity by 6% Hydroxyethyl Starch 130/0.4 during Hip Arthroplasty. <i>Anesthesiology</i> , 2014, 121, 948-958.	2.5	39
28	Patient-reported outcome after fast-track hip arthroplasty: a prospective cohort study. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 144.	2.4	38
29	Patient-reported outcome after fast-track knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 1128-1135.	4.2	36
30	Early recovery after fast-track Oxford unicompartmental knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 41-45.	3.3	35
31	Is decreasing mortality in total hip and knee arthroplasty patients dependent on patients'™ comorbidity?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 288-293.	3.3	35
32	Simultaneous vs staged bilateral total knee arthroplasty: a propensity-matched case-control study from nine fast-track centres. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 709-716.	2.4	34
33	Effect of compression therapy on knee swelling and pain after total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 388-392.	4.2	33
34	Revision Hip Arthroplasty with an Extensively Porous-coated Stem - Excellent Long-term Results Also in Severe Femoral Bone Stock Loss. <i>HIP International</i> , 2013, 23, 352-358.	1.7	33
35	Preoperative lateral subluxation of the patella is a predictor of poor early outcome of Oxford phase-III medial unicompartmental knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 582-588.	3.3	32
36	Time course and reasons for 90-day mortality in fast-track hip and knee arthroplasty. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 436-444.	1.6	31

#	ARTICLE	IF	CITATIONS
37	Preoperative physical optimization in fast-track hip and knee arthroplasty. Danish Medical Journal, 2012, 59, A4381.	0.5	31
38	This is the closest I have come to being compared to a doctor: Views of medical students on clinical clerkship in an Interprofessional Training Unit. Medical Teacher, 2010, 32, e399-e406.	1.8	30
39	Role of preoperative pain, muscle function, and activity level in discharge readiness after fast-track hip and knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 488-492.	3.3	30
40	A prospective study of prognostic factors for duration of sick leave after endoscopic carpal tunnel release. BMC Musculoskeletal Disorders, 2009, 10, 144.	1.9	28
41	Cost effective interprofessional training: An evaluation of a training unit in Denmark. Journal of Interprofessional Care, 2009, 23, 234-241.	1.7	28
42	Methylprednisolone reduces pain and decreases knee swelling in the first 24h after fast-track unicompartmental knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 284-290.	4.2	28
43	Proteomics Perspectives in Rotator Cuff Research: A Systematic Review of Gene Expression and Protein Composition in Human Tendinopathy. PLoS ONE, 2015, 10, e0119974.	2.5	27
44	Fractures of the femoral shaft in children treated with an AO-compression plate. Acta Orthopaedica, 1992, 63, 50-52.	1.4	26
45	Endoscopic Carpal Tunnel Release. Hand Clinics, 2014, 30, 47-53.	1.0	26
46	Hand Injuries in Agricultural Accidents. Journal of Hand Surgery, 1999, 24, 190-192.	0.8	25
47	“Knowing more about the other professions clarified my own profession” Journal of Interprofessional Care, 2011, 25, 441-446.	1.7	25
48	Late group-based rehabilitation has no advantages compared with supervised home-exercises after total knee arthroplasty. Danish Medical Journal, 2013, 60, A4607.	0.5	25
49	ULTRASONOGRAPHY MAY BE MISLEADING IN THE DIAGNOSIS OF RUPTURED AND DISLOCATED ULNAR COLLATERAL LIGAMENTS OF THE THUMB. Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery, 1999, 33, 319-320.	0.6	24
50	Failed total carpometacarpal joint prosthesis of the thumb: Results after resection arthroplasty. Journal of Plastic Surgery and Hand Surgery, 2010, 44, 171-174.	0.8	22
51	Reliability and validity of the Danish version of the disabilities of arm, shoulder, and hand questionnaire in patients with fractured wrists. Journal of Plastic Surgery and Hand Surgery, 2011, 45, 35-39.	0.8	22
52	Randomised study of non-bridging external fixation compared with intramedullary fixation of unstable distal radial fractures. Journal of Plastic Surgery and Hand Surgery, 2011, 45, 232-237.	0.8	22
53	Effect of grip type, wrist motion, and resistance level on pressures within the carpal tunnel of normal wrists. Journal of Orthopaedic Research, 2014, 32, 524-530.	2.3	22
54	Effectiveness of a physiotherapist delivered cognitive-behavioral patient education for patients who undergoes operation for total knee arthroplasty: a protocol of a randomized controlled trial. BMC Musculoskeletal Disorders, 2017, 18, 116.	1.9	22

#	ARTICLE	IF	CITATIONS
55	Low dislocation rate of Saturne®/Avantage® dual-mobility THA after displaced femoral neck fracture: a cohort study of 966 hips with a minimum 1.6-year follow-up. Archives of Orthopaedic and Trauma Surgery, 2019, 139, 605-612.	2.4	22
56	Objective malignancy grading of squamous cell carcinoma of the lung. Stereologic estimates of mean nuclear size are of prognostic value, independent of clinical stage of disease. Cancer, 1995, 76, 797-802.	4.1	21
57	Subcapital Fractures of the Fourth and Fifth Metacarpals Treated Without Splinting and Reposition. Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery, 1995, 29, 269-270.	0.6	21
58	Computed tomography improves intra-observer reliability, but not the inter-observer reliability of the Eaton-Glickel classification. Journal of Hand Surgery: European Volume, 2013, 38, 187-191.	1.0	21
59	Local anaesthesia versus intravenous regional anaesthesia in endoscopic carpal tunnel release: a randomized controlled trial. Journal of Hand Surgery: European Volume, 2013, 38, 481-484.	1.0	21
60	Low manipulation prevalence following fast-track total knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 86-91.	3.3	21
61	Intensive care unit diaries: Developing a shared story strengthens relationships between critically ill patients and their relatives: A hermeneutic-phenomenological study. International Journal of Nursing Studies, 2019, 92, 90-96.	5.6	21
62	Patients with metal-on-metal articulation in trapeziometacarpal total joint arthroplasty may have elevated serum chrome and cobalt. Journal of Hand Surgery: European Volume, 2013, 38, 860-865.	1.0	20
63	Delay in surgery, risk of hospital-treated infections and the prognostic impact of comorbidity in hip fracture patients. A Danish nationwide cohort study, 2005-2016. Clinical Epidemiology, 2019, Volume 11, 383-395.	3.0	20
64	Age is an important predictor of short-term outcome in endoscopic carpal tunnel release. Journal of Hand Surgery: European Volume, 2009, 34, 660-664.	1.0	19
65	Interprofessional collaboration may pay off: introducing a collaborative approach in an orthopaedic ward. Journal of Interprofessional Care, 2013, 27, 496-500.	1.7	19
66	Good function and high patient satisfaction at mean 2.8 years after dual mobility THA following femoral neck fracture: a cross-sectional study of 124 patients. Clinical Interventions in Aging, 2018, Volume 13, 615-621.	2.9	18
67	Days alive and out of hospital after fast-track total hip and knee arthroplasty: an observational cohort study in 16 137 patients. British Journal of Anaesthesia, 2019, 123, 671-678.	3.4	18
68	Safety Aspects of Postanesthesia Care Unit Discharge without Motor Function Assessment after Spinal Anesthesia. Anesthesiology, 2017, 126, 1043-1052.	2.5	16
69	Higher preoperative pain catastrophizing increases the risk of low patient reported satisfaction after carpal tunnel release: a prospective study. BMC Musculoskeletal Disorders, 2020, 21, 42.	1.9	16
70	Hallux Valgus Correction Using a Modified Hohmann Technique. Foot and Ankle International, 1995, 16, 177-180.	2.3	15
71	Trapeziometacarpal joint implants can be evaluated by roentgen stereophotogrammetric analysis. Journal of Hand Surgery: European Volume, 2010, 35, 480-485.	1.0	15
72	Translation and validation of the Danish version of the Patient Rated Wrist Evaluation questionnaire. Journal of Plastic Surgery and Hand Surgery, 2013, 47, 1-4.	0.8	15

#	ARTICLE	IF	CITATIONS
73	Randomised controlled study of two different techniques of skin suture in endoscopic release of carpal tunnel. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 2009, 43, 335-338.	0.6	14
74	Early morbidity after aseptic revision hip arthroplasty in Denmark. <i>Bone and Joint Journal</i> , 2014, 96-B, 1464-1471.	4.4	14
75	The interprofessional learning experience: Findings from a qualitative study based in an outpatient setting. <i>Journal of Interprofessional Care</i> , 2017, 31, 613-619.	1.7	14
76	The impact of age and preoperative health-related quality of life on patient-reported improvements after total hip arthroplasty. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 1951-1956.	2.9	14
77	Incidence and related factors for intraoperative failed spinal anaesthesia for lower limb arthroplasty. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 993-1000.	1.6	14
78	Low implant migration of the SIGMA [®] medial unicompartmental knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1776-1785.	4.2	14
79	Inferior stabilization of cementless compared with cemented dual-mobility cups in elderly osteoarthritis patients: a randomized controlled radiostereometry study on 60 patients with 2 years [™] follow-up. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 246-253.	3.3	14
80	Vascularised bone graft for the treatment of non-union of the scaphoid. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 2006, 40, 240-243.	0.6	13
81	Re-admissions, re-operations and length of stay in hospital after aseptic revision knee replacement in Denmark. <i>Bone and Joint Journal</i> , 2014, 96-B, 1649-1656.	4.4	13
82	The Role of Psychiatric Diagnoses for Outcome After Hip and Knee [™] Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 3611-3615.	3.1	13
83	Risk of pneumonia and urinary tract infection within the first week after total hip arthroplasty and the impact on survival. <i>Clinical Epidemiology</i> , 2017, Volume 9, 31-39.	3.0	13
84	Emotions and clinical learning in an interprofessional outpatient clinic: a focused ethnographic study. <i>Journal of Interprofessional Care</i> , 2019, 33, 57-65.	1.7	13
85	Primary cup fixation with different designs of trapeziometacarpal total joint trapezium components: a radiostereometric analysis in a pig bone model. <i>Journal of Hand Surgery: European Volume</i> , 2011, 36, 285-290.	1.0	12
86	The effect of diaries written by relatives for intensive care patients on posttraumatic stress (DRIP) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 37.	2.5	12
87	Two-year results of the Moovis trapeziometacarpal joint arthroplasty with focus on early complications. <i>Journal of Hand Surgery: European Volume</i> , 2021, 46, 131-140.	1.0	12
88	The combination of radiostereometric analysis and the telos stress device results in poor precision for knee laxity measurements after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 355-362.	4.2	11
89	Psychopharmacologic treatment and blood transfusion in fast [™] track total hip and knee arthroplasty. <i>Transfusion</i> , 2017, 57, 971-976.	1.6	11
90	Equal tibial component fixation of a mobile-bearing and fixed-bearing medial unicompartmental knee arthroplasty: a randomized controlled RSA study with 2-year follow-up. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 575-581.	3.3	11

#	ARTICLE	IF	CITATIONS
91	Total trapeziometacarpal joint arthroplasty using wide awake local anaesthetic no tourniquet. <i>Journal of Hand Surgery: European Volume</i> , 2021, 46, 125-130.	1.0	11
92	Is gain in health-related quality of life after a total hip arthroplasty depended on the comorbidity burden?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 374-379.	3.3	10
93	Trapeziectomy or revision into a cemented polyethylene cup in failed trapeziometacarpal total joint arthroplasty. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2016, 50, 286-290.	0.8	9
94	Disability and return to work after MRI on suspicion of scaphoid fracture: Influence of MRI pathology and occupational mechanical exposures. <i>PLoS ONE</i> , 2018, 13, e0197978.	2.5	9
95	Good radiological and functional results after intramedullary nailing of distal radius fractures. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2013, 47, 286-288.	0.8	8
96	A three-dimensional analysis of osteoarthritic changes in the thumb carpometacarpal joint. <i>Journal of Hand Surgery: European Volume</i> , 2013, 38, 851-859.	1.0	8
97	Structure and content of diaries written by close relatives for intensive care unit patients: A narrative approach (DRIP study). <i>Journal of Advanced Nursing</i> , 2019, 75, 1296-1305.	3.3	8
98	Incidence and Risk Factors for Stroke in Fast-Track Hip and Knee Arthroplasty – A Clinical Registry Study of 24,862 Procedures. <i>Journal of Arthroplasty</i> , 2019, 34, 743-749.e2.	3.1	8
99	Joint replacement for trapeziometacarpal osteoarthritis: implants and outcomes. <i>Journal of Hand Surgery: European Volume</i> , 2021, 46, 115-119.	1.0	8
100	Venous thromboembolism after fast-track elective revision hip and knee arthroplasty – A multicentre cohort study of 2814 unselected consecutive procedures. <i>Thrombosis Research</i> , 2021, 199, 101-105.	1.7	8
101	Complications Related to Metal-on-Metal Articulation in Trapeziometacarpal Joint Total Joint Arthroplasty. <i>Journal of Functional Biomaterials</i> , 2015, 6, 318-327.	4.4	7
102	Impact of preadmission anti-inflammatory drug use on the risk of RBC transfusion in elderly hip fracture patients: a Danish nationwide cohort study, 2005–2016. <i>Transfusion</i> , 2019, 59, 935-944.	1.6	7
103	Distal radioulnar joint stability measured with radiostereometry during the piano key test. <i>Journal of Hand Surgery: European Volume</i> , 2020, 45, 923-930.	1.0	7
104	Intra-articular bupivacaine as treatment for postoperative pain after arthroscopy of the wrist. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 2008, 42, 313-315.	0.6	6
105	Thromboembolic and major bleeding events in relation to perioperative bridging of vitamin K antagonists in 649 fast-track total hip and knee arthroplasties. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 55-61.	3.3	6
106	Trapezium Bone Density – A Comparison of Measurements by DXA and CT. <i>Journal of Functional Biomaterials</i> , 2018, 9, 9.	4.4	6
107	Higher UHMWPE wear-rate in cementless compared with cemented cups with the Saturne® Dual-Mobility acetabular system. <i>HIP International</i> , 2018, 28, 125-132.	1.7	6
108	Association between pain catastrophizing, physical function and pain at first visit in the outpatient knee clinic. <i>Knee</i> , 2019, 26, 1286-1291.	1.6	6

#	ARTICLE	IF	CITATIONS
109	The lateral joint space width can be measured reliably with Telos valgus stress radiography in medial knee osteoarthritis. <i>Skeletal Radiology</i> , 2019, 48, 1069-1077.	2.0	6
110	The Effect of Bone Quality on Tibial Component Migration in Medial Cemented Unicompartmental Knee Arthroplasty. A Prospective Cohort Study Using Dual X-Ray Absorptiometry and Radiostereometric Analysis. <i>Journal of Arthroplasty</i> , 2020, 35, 675-682.e2.	3.1	6
111	Localized Component Analysis for Arthritis Detection in the Trapeziometacarpal Joint. <i>Lecture Notes in Computer Science</i> , 2011, 14, 360-367.	1.3	6
112	Interprofessional versus uniprofessional dyad learning for medical students in a clinical setting. <i>International Journal of Medical Education</i> , 2020, 11, 191-200.	1.2	6
113	Serial dilation reduces graft slippage compared to extraction drilling in anterior cruciate ligament reconstruction: a randomized controlled trial using radiostereometric analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 347-354.	4.2	5
114	Fixation of trapezial implants in a trapeziometacarpal total joint prosthesis tested in a model of porcine bone. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2011, 45, 263-266.	0.8	5
115	Long-term results after vascularised bone graft as treatment of Kienbock disease. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2014, 48, 21-23.	0.8	5
116	No correlation between severity of preoperative degenerative changes in the trapeziometacarpal joint and short-term clinical outcome after total joint arthroplasty. <i>Hand Surgery and Rehabilitation</i> , 2016, 35, 16-20.	0.4	5
117	The mechanical fixation of a cementless conical cup in cortical versus cancellous trapezial bone: an experimental study. <i>Journal of Hand Surgery: European Volume</i> , 2021, 46, 146-153.	1.0	5
118	Revision rates of trapeziometacarpal total joint arthroplasty in relation to occupational hand force requirements. <i>Journal of Hand Surgery: European Volume</i> , 2021, 46, 968-974.	1.0	5
119	CARPAL TUNNEL SYNDROME AFTER EPIPHYSIOLYSIS OF THE DISTAL RADIUS IN A 5-YEAR-OLD CHILD: Case report. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 1999, 33, 123-124.	0.6	4
120	Pain Catastrophizing Scale as a predictor of low postoperative satisfaction after hand surgery. <i>Journal of Orthopaedics</i> , 2020, 21, 245-248.	1.3	4
121	Surgery for trapeziometacarpal osteoarthritis in relation to cumulative occupational hand force requirements: a Danish nationwide cohort study. <i>Occupational and Environmental Medicine</i> , 2021, 78, 92-97.	2.8	4
122	Serial dilation versus extraction drilling in anterior cruciate ligament reconstruction: a biomechanical study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2010, 18, 742-746.	4.2	3
123	Early magnetic resonance imaging in patients with a clinically suspected scaphoid fracture may identify occult wrist injuries. <i>Journal of Hand Surgery: European Volume</i> , 2013, 38, 571-572.	1.0	3
124	Bone mineral density of the trapezium in osteoarthritic trapeziometacarpal joints. <i>Journal of Hand Surgery: European Volume</i> , 2013, 38, 875-879.	1.0	3
125	Preoperative anaemia and newly diagnosed cancer 1 year after elective total hip and knee arthroplasty. <i>Vox Sanguinis</i> , 2015, 109, 62-70.	1.5	3
126	Influence of Occupational Hand Force Requirements on Return to Work, Pain, and Disability After Trapeziometacarpal Total Joint Arthroplasty: A 12-Month Follow-Up Study. <i>Journal of Hand Surgery</i> , 2021, 46, 714.e1-714.e10.	1.6	3

#	ARTICLE	IF	CITATIONS
127	Colles' Fracture Treated with Non-Bridging External Fixation: A 1-Year Follow-Up. <i>Journal of Hand Surgery: European Volume</i> , 2009, 34, 475-478.	1.0	3
128	The Influence of Subluxation on the Severity of Symptoms, Disability, and the Results of Operative Treatment in TMC Osteoarthritis with Total Joint Arthroplasty. <i>Hand</i> , 2015, 10, 593-597.	1.2	2
129	Staff perception of interprofessional working relationships after a work redesign intervention in a Danish orthopaedic hand unit outpatient clinic. <i>Journal of Interprofessional Care</i> , 2016, 30, 149-155.	1.7	2
130	Patients'™ experiences of being treated by an interprofessional student team compared with uniprofessional treatment by residents supported by nurses: a case study. <i>Journal of Interprofessional Care</i> , 2021, 35, 1-6.	1.7	2
131	Distal radioulnar joint stabilization with open foveal reinsertion versus tendon graft reconstruction: an experimental study using radiostereometry. <i>Journal of Experimental Orthopaedics</i> , 2021, 8, 10.	1.8	2
132	Reducing patient's staff contact in fast-track total hip arthroplasty has no effect on patient-reported outcomes, but decreases satisfaction amongst patients with self-perceived complications: analysis of 211 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 264-270.	3.3	2
133	A prospective study of day of surgery discharge in 368 consecutive patients with unicompartmental knee replacement. <i>Danish Medical Journal</i> , 2019, 66, .	0.5	2
134	Medial congruent polyethylene design show different tibiofemoral kinematics and enhanced congruency compared to a standard symmetrical cruciate retaining design for total knee arthroplasty" an in vivo randomized controlled study of gait using dynamic radiostereometry. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2023, 31, 933-945.	4.2	2
135	Radiolucency around external fixation pins in distal radius fractures is not a part of a deep infection. <i>Journal of Hand Surgery: European Volume</i> , 2013, 38, 905-906.	1.0	1
136	Higher Wear-Rate of Third-Generation Metal-Backed Reflection Cups with Eto-Sterilised UHMWPE at a Mean 13 Years Follow-up. <i>HIP International</i> , 2014, 24, 587-595.	1.7	1
137	Measurement properties of the Danish version of the Boston Carpal Tunnel Questionnaire. <i>JPRAS Open</i> , 2021, 29, 17-25.	0.9	1
138	Normal Values of Distal Radioulnar Joint Kinematics during a Dynamic Press Test. <i>Journal of Wrist Surgery</i> , 0, , .	0.7	1
139	The majority of community-dwelling hip fracture patients return to independent living with minor increase in care needs: a prospective cohort study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 0, , .	2.4	1
140	Distal radioulnar joint kinematics before surgery and 12 months following open foveal reinsertion of the triangular fibrocartilage complex: comparison with the contralateral non-injured joint. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 0, 93, 574-582.	3.3	1
141	Hand surgery in Denmark. <i>Journal of Hand Surgery: European Volume</i> , 2017, 42, 871-872.	1.0	0
142	Risk factors for limited improvement after total trapeziometacarpal joint arthroplasty. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 90.	2.4	0
143	Does Preoperative Pain Catastrophizing Influence Objectively Measured Physical Activity Before and After Total Knee Arthroplasty: A Prospective Cohort Study. <i>Journal for the Measurement of Physical Behaviour</i> , 2021, 4, 53-59.	0.8	0
144	Closed Reduction and Intramedullary Fixation of Distal Radius Fractures. , 2014, , 147-151.		0