

Torben BÃk Hansen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7984401/publications.pdf>

Version: 2024-02-01

144
papers

3,427
citations

126907

33
h-index

189892

50
g-index

149
all docs

149
docs citations

149
times ranked

3213
citing authors

#	ARTICLE	IF	CITATIONS
1	Medial congruent polyethylene design show different tibiofemoral kinematics and enhanced congruency compared to a standard symmetrical cruciate retaining design for total knee arthroplasty – an in vivo randomized controlled study of gait using dynamic radiostereometry. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2023, 31, 933-945.	4.2	2
2	Reducing patient-staff contact in fast-track total hip arthroplasty has no effect on patient-reported outcomes, but decreases satisfaction amongst patients with self-perceived complications: analysis of 211 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 264-270.	3.3	2
3	Patients' experiences of being treated by an interprofessional student team compared with uniprofessional treatment by residents supported by nurses: a case study. <i>Journal of Interprofessional Care</i> , 2021, 35, 1-6.	1.7	2
4	Joint replacement for trapeziometacarpal osteoarthritis: implants and outcomes. <i>Journal of Hand Surgery: European Volume</i> , 2021, 46, 115-119.	1.0	8
5	Two-year results of the Moovis trapeziometacarpal joint arthroplasty with focus on early complications. <i>Journal of Hand Surgery: European Volume</i> , 2021, 46, 131-140.	1.0	12
6	Total trapeziometacarpal joint arthroplasty using wide awake local anaesthetic no tourniquet. <i>Journal of Hand Surgery: European Volume</i> , 2021, 46, 125-130.	1.0	11
7	The mechanical fixation of a cementless conical cup in cortical versus cancellous trapezium bone: an experimental study. <i>Journal of Hand Surgery: European Volume</i> , 2021, 46, 146-153.	1.0	5
8	Surgery for trapeziometacarpal osteoarthritis in relation to cumulative occupational hand force requirements: a Danish nationwide cohort study. <i>Occupational and Environmental Medicine</i> , 2021, 78, 92-97.	2.8	4
9	Distal radioulnar joint stabilization with open foveal reinsertion versus tendon graft reconstruction: an experimental study using radiostereometry. <i>Journal of Experimental Orthopaedics</i> , 2021, 8, 10.	1.8	2
10	Venous thromboembolism after fast-track elective revision hip and knee arthroplasty – A multicentre cohort study of 2814 unselected consecutive procedures. <i>Thrombosis Research</i> , 2021, 199, 101-105.	1.7	8
11	Revision rates of trapeziometacarpal total joint arthroplasty in relation to occupational hand force requirements. <i>Journal of Hand Surgery: European Volume</i> , 2021, 46, 968-974.	1.0	5
12	Does Preoperative Pain Catastrophizing Influence Objectively Measured Physical Activity Before and After Total Knee Arthroplasty: A Prospective Cohort Study. <i>Journal for the Measurement of Physical Behaviour</i> , 2021, 4, 53-59.	0.8	0
13	Influence of Occupational Hand Force Requirements on Return to Work, Pain, and Disability After Trapeziometacarpal Total Joint Arthroplasty: A 12-Month Follow-Up Study. <i>Journal of Hand Surgery</i> , 2021, 46, 714.e1-714.e10.	1.6	3
14	Measurement properties of the Danish version of the Boston Carpal Tunnel Questionnaire. <i>JPRAS Open</i> , 2021, 29, 17-25.	0.9	1
15	The effect of family-authored diaries on posttraumatic stress disorder in intensive care unit patients and their relatives: A randomised controlled trial (DRIP-study). <i>Australian Critical Care</i> , 2020, 33, 123-129.	1.3	42
16	The Effect of Bone Quality on Tibial Component Migration in Medial Cemented Unicompartmental Knee Arthroplasty. A Prospective Cohort Study Using Dual X-Ray Absorptiometry and Radiostereometric Analysis. <i>Journal of Arthroplasty</i> , 2020, 35, 675-682.e2.	3.1	6
17	Distal radioulnar joint stability measured with radiostereometry during the piano key test. <i>Journal of Hand Surgery: European Volume</i> , 2020, 45, 923-930.	1.0	7
18	Inferior stabilization of cementless compared with cemented dual-mobility cups in elderly osteoarthritis patients: a randomized controlled radiostereometry study on 60 patients with 2 years follow-up. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 246-253.	3.3	14

#	ARTICLE	IF	CITATIONS
19	Higher preoperative pain catastrophizing increases the risk of low patient reported satisfaction after carpal tunnel release: a prospective study. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 42.	1.9	16
20	Risk factors for limited improvement after total trapeziometacarpal joint arthroplasty. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 90.	2.4	0
21	Pain Catastrophizing Scale as a predictor of low postoperative satisfaction after hand surgery. <i>Journal of Orthopaedics</i> , 2020, 21, 245-248.	1.3	4
22	Interprofessional versus uniprofessional dyad learning for medical students in a clinical setting. <i>International Journal of Medical Education</i> , 2020, 11, 191-200.	1.2	6
23	Equal tibial component fixation of a mobile-bearing and fixed-bearing medial unicompartmental knee arthroplasty: a randomized controlled RSA study with 2-year follow-up. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 575-581.	3.3	11
24	Association between pain catastrophizing, physical function and pain at first visit in the outpatient knee clinic. <i>Knee</i> , 2019, 26, 1286-1291.	1.6	6
25	The association between pain catastrophizing, physical function and pain in a cohort of patients undergoing knee arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 421.	1.9	52
26	Days alive and out of hospital after fast-track total hip and knee arthroplasty: an observational cohort study in 16 137 patients. <i>British Journal of Anaesthesia</i> , 2019, 123, 671-678.	3.4	18
27	Intensive care unit diaries: Developing a shared story strengthens relationships between critically ill patients and their relatives: A hermeneutic-phenomenological study. <i>International Journal of Nursing Studies</i> , 2019, 92, 90-96.	5.6	21
28	Structure and content of diaries written by close relatives for intensive care unit patients: A narrative approach (DRIP study). <i>Journal of Advanced Nursing</i> , 2019, 75, 1296-1305.	3.3	8
29	<p>Delay in surgery, risk of hospital-treated infections and the prognostic impact of comorbidity in hip fracture patients. A Danish nationwide cohort study, 2005–2016</p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 383-395.	3.0	20
30	Simultaneous vs staged bilateral total knee arthroplasty: a propensity-matched case–control study from nine fast-track centres. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 709-716.	2.4	34
31	Emotions and clinical learning in an interprofessional outpatient clinic: a focused ethnographic study. <i>Journal of Interprofessional Care</i> , 2019, 33, 57-65.	1.7	13
32	Low dislocation rate of Saturne™/Avantage™ dual-mobility THA after displaced femoral neck fracture: a cohort study of 966 hips with a minimum 1.6-year follow-up. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 605-612.	2.4	22
33	The lateral joint space width can be measured reliably with Telos valgus stress radiography in medial knee osteoarthritis. <i>Skeletal Radiology</i> , 2019, 48, 1069-1077.	2.0	6
34	Incidence and Risk Factors for Stroke in Fast-Track Hip and Knee Arthroplasty–A Clinical Registry Study of 24,862 Procedures. <i>Journal of Arthroplasty</i> , 2019, 34, 743-749.e2.	3.1	8
35	Impact of preadmission anti–inflammatory drug use on the risk of RBC transfusion in elderly hip fracture patients: a Danish nationwide cohort study, 2005–2016. <i>Transfusion</i> , 2019, 59, 935-944.	1.6	7
36	A prospective study of day of surgery discharge in 368 consecutive patients with unicompartmental knee replacement. <i>Danish Medical Journal</i> , 2019, 66, .	0.5	2

#	ARTICLE	IF	CITATIONS
37	Is gain in health-related quality of life after a total hip arthroplasty depended on the comorbidity burden?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 374-379.	3.3	10
38	Incidence and related factors for intraoperative failed spinal anaesthesia for lower limb arthroplasty. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 993-1000.	1.6	14
39	Low implant migration of the SIGMA® medial unicompartmental knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1776-1785.	4.2	14
40	The effect of diaries written by relatives for intensive care patients on posttraumatic stress (DRIP) Tj ETQqO O O rgBT /Overlock 10 Tf 50 37.	2.5	12
41	Disability and return to work after MRI on suspicion of scaphoid fracture: Influence of MRI pathology and occupational mechanical exposures. <i>PLoS ONE</i> , 2018, 13, e0197978.	2.5	9
42	Good function and high patient satisfaction at mean 2.8 years after dual mobility THA following femoral neck fracture: a cross-sectional study of 124 patients. <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 615-621.	2.9	18
43	Trapezium Bone Densityâ€”A Comparison of Measurements by DXA and CT. <i>Journal of Functional Biomaterials</i> , 2018, 9, 9.	4.4	6
44	Higher UHMWPE wear-rate in cementless compared with cemented cups with the Saturne® Dual-Mobility acetabular system. <i>HIP International</i> , 2018, 28, 125-132.	1.7	6
45	Methylprednisolone reduces pain and decreases knee swelling in the first 24Âh after fast-track unicompartmental knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 284-290.	4.2	28
46	Psychopharmacologic treatment and blood transfusion in fast-track total hip and knee arthroplasty. <i>Transfusion</i> , 2017, 57, 971-976.	1.6	11
47	Time course and reasons for 90â€day mortality in fast-track hip and knee arthroplasty. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 436-444.	1.6	31
48	Is decreasing mortality in total hip and knee arthroplasty patients dependent on patientsâ€™ comorbidity?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 288-293.	3.3	35
49	Safety Aspects of Postanesthesia Care Unit Discharge without Motor Function Assessment after Spinal Anesthesia. <i>Anesthesiology</i> , 2017, 126, 1043-1052.	2.5	16
50	Effectiveness of a physiotherapist delivered cognitive-behavioral patient education for patients who undergoes operation for total knee arthroplasty: a protocol of a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 116.	1.9	22
51	Hand surgery in Denmark. <i>Journal of Hand Surgery: European Volume</i> , 2017, 42, 871-872.	1.0	0
52	Delirium after fast-track hip and knee arthroplasty â€” a cohort study of 6331 elderly patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 767-772.	1.6	39
53	The Role of Psychiatric Diagnoses for Outcome After Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 3611-3615.	3.1	13
54	The interprofessional learning experience: Findings from a qualitative study based in an outpatient setting. <i>Journal of Interprofessional Care</i> , 2017, 31, 613-619.	1.7	14

#	ARTICLE	IF	CITATIONS
55	Thromboembolic and major bleeding events in relation to perioperative bridging of vitamin K antagonists in 649 fast-track total hip and knee arthroplasties. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 55-61.	3.3	6
56	Fast track in hip arthroplasty. <i>EFORT Open Reviews</i> , 2017, 2, 179-188.	4.1	48
57	The impact of age and preoperative health-related quality of life on patient-reported improvements after total hip arthroplasty. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 1951-1956.	2.9	14
58	Risk of pneumonia and urinary tract infection within the first week after total hip arthroplasty and the impact on survival. <i>Clinical Epidemiology</i> , 2017, Volume 9, 31-39.	3.0	13
59	Chronic preoperative opioid use and acute pain after fast-track total knee arthroplasty. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 529-536.	1.6	75
60	No correlation between severity of preoperative degenerative changes in the trapeziometacarpal joint and short-term clinical outcome after total joint arthroplasty. <i>Hand Surgery and Rehabilitation</i> , 2016, 35, 16-20.	0.4	5
61	Association between hospital procedure volume and risk of revision after total hip arthroplasty: a population-based study within the Nordic Arthroplasty Register Association database. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 419-426.	1.3	46
62	Trapeziectomy or revision into a cemented polyethylene cup in failed trapeziometacarpal total joint arthroplasty. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2016, 50, 286-290.	0.8	9
63	Does BMI influence hospital stay and morbidity after fast-track hip and knee arthroplasty?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 466-472.	3.3	53
64	Staff perception of interprofessional working relationships after a work redesign intervention in a Danish orthopaedic hand unit outpatient clinic. <i>Journal of Interprofessional Care</i> , 2016, 30, 149-155.	1.7	2
65	Preoperative anaemia and newly diagnosed cancer 1 year after elective total hip and knee arthroplasty. <i>Vox Sanguinis</i> , 2015, 109, 62-70.	1.5	3
66	Analgesic Effect of Perioperative Escitalopram in High Pain Catastrophizing Patients after Total Knee Arthroplasty. <i>Anesthesiology</i> , 2015, 122, 884-894.	2.5	46
67	Complications Related to Metal-on-Metal Articulation in Trapeziometacarpal Joint Total Joint Arthroplasty. <i>Journal of Functional Biomaterials</i> , 2015, 6, 318-327.	4.4	7
68	Proteomics Perspectives in Rotator Cuff Research: A Systematic Review of Gene Expression and Protein Composition in Human Tendinopathy. <i>PLoS ONE</i> , 2015, 10, e0119974.	2.5	27
69	The Influence of Subluxation on the Severity of Symptoms, Disability, and the Results of Operative Treatment in TMC Osteoarthritis with Total Joint Arthroplasty. <i>Hand</i> , 2015, 10, 593-597.	1.2	2
70	Low manipulation prevalence following fast-track total knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 86-91.	3.3	21
71	Long-term results after vascularised bone graft as treatment of Kienbock disease. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2014, 48, 21-23.	0.8	5
72	Risk of re-admission, reoperation, and mortality within 90 days of total hip and knee arthroplasty in fast-track departments in Denmark from 2005 to 2011. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 493-500.	3.3	68

#	ARTICLE	IF	CITATIONS
73	Role of preoperative pain, muscle function, and activity level in discharge readiness after fast-track hip and knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 488-492.	3.3	30
74	Higher Wear-Rate of Third-Generation Metal-Backed Reflection Cups with Eto-Sterilised UHMWPE at a Mean 13 Years Follow-up. <i>HIP International</i> , 2014, 24, 587-595.	1.7	1
75	Early morbidity after aseptic revision hip arthroplasty in Denmark. <i>Bone and Joint Journal</i> , 2014, 96-B, 1464-1471.	4.4	14
76	Effect of grip type, wrist motion, and resistance level on pressures within the carpal tunnel of normal wrists. <i>Journal of Orthopaedic Research</i> , 2014, 32, 524-530.	2.3	22
77	Re-admissions, re-operations and length of stay in hospital after aseptic revision knee replacement in Denmark. <i>Bone and Joint Journal</i> , 2014, 96-B, 1649-1656.	4.4	13
78	Endoscopic Carpal Tunnel Release. <i>Hand Clinics</i> , 2014, 30, 47-53.	1.0	26
79	Cognitive Dysfunction After Fast-Track Hip and Knee Replacement. <i>Anesthesia and Analgesia</i> , 2014, 118, 1034-1040.	2.2	102
80	Lack of Nephrotoxicity by 6% Hydroxyethyl Starch 130/0.4 during Hip Arthroplasty. <i>Anesthesiology</i> , 2014, 121, 948-958.	2.5	39
81	Closed Reduction and Intramedullary Fixation of Distal Radius Fractures. , 2014, , 147-151.		0
82	Early magnetic resonance imaging in patients with a clinically suspected scaphoid fracture may identify occult wrist injuries. <i>Journal of Hand Surgery: European Volume</i> , 2013, 38, 571-572.	1.0	3
83	Equally good fixation of cemented and uncemented cups in total trapeziometacarpal joint prostheses. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 84, 98-105.	3.3	46
84	Effect of compression therapy on knee swelling and pain after total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 388-392.	4.2	33
85	Translation and validation of the Danish version of the Patient Rated Wrist Evaluation questionnaire. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2013, 47, 1-4.	0.8	15
86	Normalized Knee-Extension Strength or Leg-Press Power After Fast-Track Total Knee Arthroplasty: Which Measure Is Most Closely Associated With Performance-Based and Self-Reported Function?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 384-390.	0.9	42
87	Thromboprophylaxis only during hospitalisation in fast-track hip and knee arthroplasty, a prospective cohort study. <i>BMJ Open</i> , 2013, 3, e003965.	1.9	91
88	Good radiological and functional results after intramedullary nailing of distal radius fractures. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2013, 47, 286-288.	0.8	8
89	Bone mineral density of the trapezium in osteoarthritic trapeziometacarpal joints. <i>Journal of Hand Surgery: European Volume</i> , 2013, 38, 875-879.	1.0	3
90	Revision Hip Arthroplasty with an Extensively Porous-coated Stem - Excellent Long-term Results Also in Severe Femoral Bone Stock Loss. <i>HIP International</i> , 2013, 23, 352-358.	1.7	33

#	ARTICLE	IF	CITATIONS
91	Interprofessional collaboration may pay off: introducing a collaborative approach in an orthopaedic ward. <i>Journal of Interprofessional Care</i> , 2013, 27, 496-500.	1.7	19
92	Computed tomography improves intra-observer reliability, but not the inter-observer reliability of the Eaton-Glickel classification. <i>Journal of Hand Surgery: European Volume</i> , 2013, 38, 187-191.	1.0	21
93	Role of patient characteristics for fast-track hip and knee arthroplasty. <i>British Journal of Anaesthesia</i> , 2013, 110, 972-980.	3.4	163
94	Patients with metal-on-metal articulation in trapeziometacarpal total joint arthroplasty may have elevated serum chrome and cobalt. <i>Journal of Hand Surgery: European Volume</i> , 2013, 38, 860-865.	1.0	20
95	A three-dimensional analysis of osteoarthritic changes in the thumb carpometacarpal joint. <i>Journal of Hand Surgery: European Volume</i> , 2013, 38, 851-859.	1.0	8
96	Outcomes in smokers and alcohol users after fast-track hip and knee arthroplasty. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 631-638.	1.6	49
97	Local anaesthesia versus intravenous regional anaesthesia in endoscopic carpal tunnel release: a randomized controlled trial. <i>Journal of Hand Surgery: European Volume</i> , 2013, 38, 481-484.	1.0	21
98	Radiolucency around external fixation pins in distal radius fractures is not a part of a deep infection. <i>Journal of Hand Surgery: European Volume</i> , 2013, 38, 905-906.	1.0	1
99	Late group-based rehabilitation has no advantages compared with supervised home-exercises after total knee arthroplasty. <i>Danish Medical Journal</i> , 2013, 60, A4607.	0.5	25
100	Early recovery after fast-track Oxford unicompartmental knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 41-45.	3.3	35
101	Delirium after fast-track hip and knee arthroplasty. <i>British Journal of Anaesthesia</i> , 2012, 108, 607-611.	3.4	97
102	Patient-reported outcome after fast-track knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 1128-1135.	4.2	36
103	Preoperative physical optimization in fast-track hip and knee arthroplasty. <i>Danish Medical Journal</i> , 2012, 59, A4381.	0.5	31
104	Preoperative lateral subluxation of the patella is a predictor of poor early outcome of Oxford phase-III medial unicompartmental knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 582-588.	3.3	32
105	The combination of radiostereometric analysis and the telos stress device results in poor precision for knee laxity measurements after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 355-362.	4.2	11
106	Serial dilation reduces graft slippage compared to extraction drilling in anterior cruciate ligament reconstruction: a randomized controlled trial using radiostereometric analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 347-354.	4.2	5
107	Primary cup fixation with different designs of trapeziometacarpal total joint trapezium components: a radiostereometric analysis in a pig bone model. <i>Journal of Hand Surgery: European Volume</i> , 2011, 36, 285-290.	1.0	12
108	“Knowing more about the other professions clarified my own profession”. <i>Journal of Interprofessional Care</i> , 2011, 25, 441-446.	1.7	25

#	ARTICLE	IF	CITATIONS
109	Reliability and validity of the Danish version of the disabilities of arm, shoulder, and hand questionnaire in patients with fractured wrists. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2011, 45, 35-39.	0.8	22
110	Randomised study of non-bridging external fixation compared with intramedullary fixation of unstable distal radial fractures. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2011, 45, 232-237.	0.8	22
111	Fixation of trapezial implants in a trapeziometacarpal total joint prosthesis tested in a model of porcine bone. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2011, 45, 263-266.	0.8	5
112	Localized Component Analysis for Arthritis Detection in the Trapeziometacarpal Joint. <i>Lecture Notes in Computer Science</i> , 2011, 14, 360-367.	1.3	6
113	Serial dilation versus extraction drilling in anterior cruciate ligament reconstruction: a biomechanical study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2010, 18, 742-746.	4.2	3
114	Trapeziometacarpal joint implants can be evaluated by roentgen stereophotogrammetric analysis. <i>Journal of Hand Surgery: European Volume</i> , 2010, 35, 480-485.	1.0	15
115	Failed total carpometacarpal joint prosthesis of the thumb: Results after resection arthroplasty. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2010, 44, 171-174.	0.8	22
116	Patient-reported outcome after fast-track hip arthroplasty: a prospective cohort study. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 144.	2.4	38
117	This is the closest I have come to being compared to a doctor: Views of medical students on clinical clerkship in an Interprofessional Training Unit. <i>Medical Teacher</i> , 2010, 32, e399-e406.	1.8	30
118	Care principles at four fast-track arthroplasty departments in Denmark. <i>Danish Medical Bulletin</i> , 2010, 57, A4166.	0.3	45
119	Cost-effectiveness of MRI in managing suspected scaphoid fractures. <i>Journal of Hand Surgery: European Volume</i> , 2009, 34, 627-630.	1.0	45
120	Age is an important predictor of short-term outcome in endoscopic carpal tunnel release. <i>Journal of Hand Surgery: European Volume</i> , 2009, 34, 660-664.	1.0	19
121	Randomised controlled study of two different techniques of skin suture in endoscopic release of carpal tunnel. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 2009, 43, 335-338.	0.6	14
122	A prospective study of prognostic factors for duration of sick leave after endoscopic carpal tunnel release. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 144.	1.9	28
123	Cost-Effectiveness of Accelerated Perioperative Care and Rehabilitation After Total Hip and Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009, 91, 761-772.	3.0	190
124	Cost effective interprofessional training: An evaluation of a training unit in Denmark. <i>Journal of Interprofessional Care</i> , 2009, 23, 234-241.	1.7	28
125	Interprofessional undergraduate clinical learning: Results from a three year project in a Danish Interprofessional Training Unit. <i>Journal of Interprofessional Care</i> , 2009, 23, 30-40.	1.7	67
126	Colles' Fracture Treated with Non-Bridging External Fixation: A 1-Year Follow-Up. <i>Journal of Hand Surgery: European Volume</i> , 2009, 34, 475-478.	1.0	3

#	ARTICLE	IF	CITATIONS
127	Effectiveness of accelerated perioperative care and rehabilitation intervention compared to current intervention after hip and knee arthroplasty. A before-after trial of 247 patients with a 3-month follow-up. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 59.	1.9	72
128	Intra-articular bupivacaine as treatment for postoperative pain after arthroscopy of the wrist. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 2008, 42, 313-315.	0.6	6
129	Elektra trapeziometacarpal prosthesis for treatment of osteoarthritis of the basal joint of the thumb. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 2008, 42, 316-319.	0.6	43
130	Hip arthroplasty patients benefit from accelerated perioperative care and rehabilitation: A quasi-experimental study of 98 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 624-630.	3.3	45
131	Accelerated perioperative care and rehabilitation intervention for hip and knee replacement is effective: A randomized clinical trial involving 87 patients with 3 months of follow-up. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 149-159.	3.3	143
132	High Loosening Rate of the Moje Acamo Prosthesis for Treating Osteoarthritis of the Trapeziometacarpal Joint. <i>Journal of Hand Surgery: European Volume</i> , 2008, 33, 571-574.	1.0	39
133	Vascularised bone graft for the treatment of non-union of the scaphoid. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 2006, 40, 240-243.	0.6	13
134	CARPAL TUNNEL SYNDROME AFTER EPIPHYSIOLYSIS OF THE DISTAL RADIUS IN A 5-YEAR-OLD CHILD: Case report. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 1999, 33, 123-124.	0.6	4
135	ULTRASONOGRAPHY MAY BE MISLEADING IN THE DIAGNOSIS OF RUPTURED AND DISLOCATED ULNAR COLLATERAL LIGAMENTS OF THE THUMB. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 1999, 33, 319-320.	0.6	24
136	Hand Injuries in Agricultural Accidents. <i>Journal of Hand Surgery</i> , 1999, 24, 190-192.	0.8	25
137	The Treatment of Fractures of the Ring and Little Metacarpal Necks. <i>Journal of Hand Surgery</i> , 1998, 23, 245-247.	0.8	54
138	Hallux Valgus Correction Using a Modified Hohmann Technique. <i>Foot and Ankle International</i> , 1995, 16, 177-180.	2.3	15
139	Objective malignancy grading of squamous cell carcinoma of the lung. Stereologic estimates of mean nuclear size are of prognostic value, independent of clinical stage of disease. <i>Cancer</i> , 1995, 76, 797-802.	4.1	21
140	Subcapital Fractures of the Fourth and Fifth Metacarpals Treated Without Splinting and Reposition. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 1995, 29, 269-270.	0.6	21
141	Fractures of the femoral shaft in children treated with an AO-compression plate. <i>Acta Orthopaedica</i> , 1992, 63, 50-52.	1.4	26
142	Normal Values of Distal Radioulnar Joint Kinematics during a Dynamic Press Test. <i>Journal of Wrist Surgery</i> , 0, , .	0.7	1
143	The majority of community-dwelling hip fracture patients return to independent living with minor increase in care needs: a prospective cohort study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 0, , .	2.4	1
144	Distal radioulnar joint kinematics before surgery and 12 months following open foveal reinsertion of the triangular fibrocartilage complex: comparison with the contralateral non-injured joint. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 0, 93, 574-582.	3.3	1