

Manuel Belmonte

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/798601/publications.pdf>

Version: 2024-02-01

121
papers

3,716
citations

136885

32
h-index

155592

55
g-index

124
all docs

124
docs citations

124
times ranked

3407
citing authors

#	ARTICLE	IF	CITATIONS
1	Advanced Ceramic Materials for High Temperature Applications. <i>Advanced Engineering Materials</i> , 2006, 8, 693-703.	1.6	181
2	Nanorobotic Manipulation of Microspheres for On-Chip Diamond Architectures. <i>Advanced Materials</i> , 2002, 14, 1144.	11.1	170
3	The beneficial effect of graphene nanofillers on the tribological performance of ceramics. <i>Carbon</i> , 2013, 61, 431-435.	5.4	146
4	From bulk to cellular structures: A review on ceramic/graphene filler composites. <i>Journal of the European Ceramic Society</i> , 2017, 37, 3649-3672.	2.8	128
5	Extraordinary toughening enhancement and flexural strength in Si ₃ N ₄ composites using graphene sheets. <i>Journal of the European Ceramic Society</i> , 2014, 34, 161-169.	2.8	122
6	Spark plasma sintering: A powerful tool to develop new silicon nitride-based materials. <i>Journal of the European Ceramic Society</i> , 2010, 30, 2937-2946.	2.8	115
7	In situ processing of electrically conducting graphene/SiC nanocomposites. <i>Journal of the European Ceramic Society</i> , 2013, 33, 1665-1674.	2.8	105
8	Geometrically Complex Silicon Carbide Structures Fabricated by Robocasting. <i>Journal of the American Ceramic Society</i> , 2012, 95, 2660-2666.	1.9	103
9	Tribological performance under dry sliding conditions of graphene/silicon carbide composites. <i>Journal of the European Ceramic Society</i> , 2016, 36, 429-435.	2.8	102
10	Enhanced electrical conductivity of silicon carbide ceramics by addition of graphene nanoplatelets. <i>Journal of the European Ceramic Society</i> , 2015, 35, 2723-2731.	2.8	96
11	Electrically functional 3D-architected graphene/SiC composites. <i>Carbon</i> , 2016, 100, 318-328.	5.4	89
12	Toughened and strengthened silicon carbide ceramics by adding graphene-based fillers. <i>Scripta Materialia</i> , 2016, 113, 127-130.	2.6	84
13	Synthesis of conducting graphene/Si ₃ N ₄ composites by spark plasma sintering. <i>Carbon</i> , 2013, 57, 425-432.	5.4	80
14	Anisotropic thermal conductivity of silicon nitride ceramics containing carbon nanostructures. <i>Journal of the European Ceramic Society</i> , 2012, 32, 1847-1854.	2.8	76
15	Carbon nanofillers for machining insulating ceramics. <i>Materials Today</i> , 2011, 14, 496-501.	8.3	65
16	Thermal conductivity of silicon carbide composites with highly oriented graphene nanoplatelets. <i>Journal of the European Ceramic Society</i> , 2016, 36, 3987-3993.	2.8	64
17	3D-Printed Fe-doped silicon carbide monolithic catalysts for wet peroxide oxidation processes. <i>Applied Catalysis B: Environmental</i> , 2018, 235, 246-255.	10.8	64
18	Printing of Graphene Nanoplatelets into Highly Electrically Conductive Three-Dimensional Porous Macrostructures. <i>Chemistry of Materials</i> , 2016, 28, 6321-6328.	3.2	53

#	ARTICLE	IF	CITATIONS
19	Adhesion behaviour assessment on diamond coated silicon nitride by acoustic emission. <i>Diamond and Related Materials</i> , 2003, 12, 733-737.	1.8	50
20	Continuous in situ functionally graded silicon nitride materials. <i>Acta Materialia</i> , 2009, 57, 2607-2612.	3.8	50
21	Thermal conductivity of Al ₂ O ₃ /SiC platelet composites. <i>Journal of the European Ceramic Society</i> , 2003, 23, 1773-1778.	2.8	49
22	Influence of the SiC grain size on the wear behaviour of Al ₂ O ₃ /SiC composites. <i>Journal of the European Ceramic Society</i> , 2006, 26, 1273-1279.	2.8	45
23	Effect of the type of flame on the microstructure of CaZrO ₃ combustion flame sprayed coatings. <i>Surface and Coatings Technology</i> , 2006, 201, 3307-3313.	2.2	43
24	CVD diamond coated silicon nitride self-mated systems: tribological behaviour under high loads. <i>Tribology Letters</i> , 2006, 21, 141-151.	1.2	43
25	Enhanced particle rearrangement during liquid phase spark plasma sintering of silicon nitride-based ceramics. <i>Ceramics International</i> , 2011, 37, 159-166.	2.3	41
26	Electrical Discharge Machining of Ceramic/Carbon Nanostructure Composites. <i>Procedia CIRP</i> , 2013, 6, 95-100.	1.0	41
27	Highly-porous hierarchical SiC structures obtained by filament printing and partial sintering. <i>Journal of the European Ceramic Society</i> , 2019, 39, 688-695.	2.8	41
28	Enhanced Tribological Performance of Silicon Nitride-Based Materials by Adding Carbon Nanotubes. <i>Journal of the American Ceramic Society</i> , 2011, 94, 2542-2548.	1.9	40
29	Anisotropic elastic moduli and internal friction of graphene nanoplatelets/silicon nitride composites. <i>Composites Science and Technology</i> , 2013, 75, 93-97.	3.8	40
30	Wear resistant CVD diamond tools for turning of sintered hardmetals. <i>Diamond and Related Materials</i> , 2003, 12, 738-743.	1.8	39
31	Elastic properties of silicon nitride ceramics reinforced with graphene nanofillers. <i>Materials and Design</i> , 2015, 87, 675-680.	3.3	37
32	Novel Cr ₂ AlC MAX-phase/SiC fiber composites: Synthesis, processing and tribological response. <i>Journal of the European Ceramic Society</i> , 2017, 37, 467-475.	2.8	33
33	Direct in situ observation of toughening mechanisms in nanocomposites of silicon nitride and reduced graphene-oxide. <i>Scripta Materialia</i> , 2018, 149, 40-43.	2.6	33
34	Mixed-ionic and electronic conduction and stability of YSZ-graphene composites. <i>Journal of the European Ceramic Society</i> , 2019, 39, 389-395.	2.8	33
35	Hot-filament chemical vapour deposition of nanodiamond on silicon nitride substrates. <i>Diamond and Related Materials</i> , 2004, 13, 643-647.	1.8	32
36	Multi-scale electrical response of silicon nitride/multi-walled carbon nanotubes composites. <i>Composites Science and Technology</i> , 2011, 71, 60-66.	3.8	32

#	ARTICLE	IF	CITATIONS
37	Friction and wear behaviour of silicon carbide/graphene composites under isoctane lubrication. <i>Journal of the European Ceramic Society</i> , 2018, 38, 3441-3446.	2.8	32
38	Protein adsorption and in vitro behavior of additively manufactured 3D-silicon nitride scaffolds intended for bone tissue engineering. <i>Materials Science and Engineering C</i> , 2020, 115, 110734.	3.8	32
39	Grain size effect on self-mated CVD diamond dry tribosystems. <i>Wear</i> , 2005, 259, 771-778.	1.5	31
40	Polymer-derived ceramic/graphene oxide architected composite with high electrical conductivity and enhanced thermal resistance. <i>Journal of the European Ceramic Society</i> , 2018, 38, 2265-2271.	2.8	31
41	Cutting forces evolution with tool wear in sintered hardmetal turning with CVD diamond. <i>Diamond and Related Materials</i> , 2004, 13, 843-847.	1.8	29
42	Low percolation threshold in highly conducting graphene nanoplatelets/glass composite coatings. <i>Carbon</i> , 2018, 139, 556-563.	5.4	29
43	Graphene nanoribbon ceramic composites. <i>Carbon</i> , 2015, 90, 207-214.	5.4	28
44	Ultrasonic bandgaps in 3D-printed periodic ceramic microlattices. <i>Ultrasonics</i> , 2018, 82, 91-100.	2.1	27
45	High graphene fillers content for improving the tribological performance of silicon nitride-based ceramics. <i>Wear</i> , 2019, 430-431, 183-190.	1.5	26
46	Filament printing of graphene-based inks into self-supported 3D architectures. <i>Carbon</i> , 2019, 151, 94-102.	5.4	26
47	Applications of Ceramic/Graphene Composites and Hybrids. <i>Materials</i> , 2021, 14, 2071.	1.3	26
48	Wear of aligned silicon nitride under dry sliding conditions. <i>Wear</i> , 2009, 266, 6-12.	1.5	25
49	Contact-mechanical properties at pre-creep temperatures of fine-grained graphene/SiC composites prepared in situ by spark-plasma sintering. <i>Journal of the European Ceramic Society</i> , 2014, 34, 1433-1438.	2.8	25
50	Exceptional micromachining performance of silicon carbide ceramics by adding graphene nanoplatelets. <i>Journal of the European Ceramic Society</i> , 2017, 37, 3813-3821.	2.8	25
51	Robust and wear resistant in-situ carbon nanotube/Si ₃ N ₄ nanocomposites with a high loading of nanotubes. <i>Carbon</i> , 2014, 72, 338-347.	5.4	23
52	Aligned carbon nanotube/silicon carbide hybrid materials with high electrical conductivity, superhydrophobicity and superoleophilicity. <i>Carbon</i> , 2014, 80, 120-126.	5.4	22
53	Dense and Homogenous Silicon Nitride Composites Containing Carbon Nanotubes. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 6188-6194.	0.9	21
54	Direct Hydroxylation of Phenol to Dihydroxybenzenes by H ₂ O ₂ and Fe-based Metal-Organic Framework Catalyst at Room Temperature. <i>Catalysts</i> , 2020, 10, 172.	1.6	21

#	ARTICLE	IF	CITATIONS
55	Surface Pretreatments of Silicon Nitride for CVD Diamond Deposition. Journal of the American Ceramic Society, 2003, 86, 749-754.	1.9	20
56	Tailored Si ₃ N ₄ Ceramic Substrates for CVD Diamond Coating. Surface Engineering, 2003, 19, 410-416.	1.1	20
57	Smart electroconductive bioactive ceramics to promote in situ electrostimulation of bone. Journal of Materials Chemistry B, 2015, 3, 1831-1845.	2.9	20
58	Effects of seeding and amounts of Y ₂ O ₃ :Al ₂ O ₃ additives on grain growth in Si ₃ N ₄ ceramics. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 475, 185-189.	2.6	19
59	Bimodal Sintering of Al ₂ O ₃ /Al ₂ O ₃ Platelet Ceramic Composites. Journal of the American Ceramic Society, 1995, 78, 1661-1667.	1.9	18
60	3D Nanocomposites of Covalently Interconnected Multiwalled Carbon Nanotubes with SiC with Enhanced Thermal and Electrical Properties. Advanced Functional Materials, 2015, 25, 4985-4993.	7.8	18
61	Improved crack resistance and thermal conductivity of cubic zirconia containing graphene nanoplatelets. Journal of the European Ceramic Society, 2020, 40, 1557-1565.	2.8	18
62	Diamond coating of coloured Si ₃ N ₄ ceramics. Diamond and Related Materials, 2005, 14, 54-59.	1.8	17
63	Modeling the effect of pulsing on the spark plasma sintering of silicon nitride materials. Scripta Materialia, 2011, 65, 273-276.	2.6	16
64	Sensitivity of the resonant ultrasound spectroscopy to weak gradients of elastic properties. Journal of the Acoustical Society of America, 2012, 131, 3775-3785.	0.5	16
65	Kinetic study of phenol hydroxylation by H ₂ O ₂ in 3D Fe/SiC honeycomb monolithic reactors: Enabling the sustainable production of dihydroxybenzenes. Chemical Engineering Journal, 2022, 428, 131128.	6.6	16
66	Microstructural designs of spark-plasma sintered silicon carbide ceramic scaffolds. Boletín De La Sociedad Española De Cerámica Y Vidrio, 2014, 53, 93-100.	0.9	16
67	3D-Printed Fe ³⁺ -Al ₂ O ₃ Monoliths from MOF-Based Boehmite Inks for the Catalytic Hydroxylation of Phenol. ACS Applied Materials & Interfaces, 2022, 14, 920-932.	4.0	16
68	Carbon nanotube-based bioceramic grafts for electrotherapy of bone. Materials Science and Engineering C, 2014, 34, 360-368.	3.8	15
69	Nitrogen-doped-CNTs/Si ₃ N ₄ nanocomposites with high electrical conductivity. Journal of the European Ceramic Society, 2014, 34, 1097-1104.	2.8	15
70	Enhanced microstructural and mechanical gradients on silicon nitride ceramics. Ceramics International, 2015, 41, 2594-2598.	2.3	15
71	Rolled and twisted graphene flakes as self-lubricant and wear protecting fillers into ceramic composites. Carbon, 2020, 159, 45-50.	5.4	15
72	Fracture behavior of Al ₂ O ₃ /SiC-platelet composites. Journal of Materials Research, 1996, 11, 2528-2535.	1.2	14

#	ARTICLE	IF	CITATIONS
73	Acoustic metamaterial behavior of three-dimensional periodic architectures assembled by robocasting. Applied Physics Letters, 2014, 105, 211904.	1.5	14
74	Contact damage resistant SiC/graphene nanofiller composites. Journal of the European Ceramic Society, 2018, 38, 41-45.	2.8	14
75	Iron-based metal-organic frameworks integrated into 3D printed ceramic architectures. Open Ceramics, 2021, 5, 100047.	1.0	14
76	MPCVD diamond coating of Si ₃ N ₄ /TiN electroconductive composite substrates. Diamond and Related Materials, 2007, 16, 978-982.	1.8	13
77	Mechanical Properties and Contact Damage Behavior in Aligned Silicon Nitride Materials. Journal of the American Ceramic Society, 2007, 90, 1157-1163.	1.9	13
78	Carbon nanotubes functionalization process for developing ceramic matrix nanocomposites. Journal of Materials Chemistry, 2011, 21, 6063.	6.7	13
79	Effects of Current Confinement on the Spark Plasma Sintering of Silicon Carbide Ceramics. Journal of the American Ceramic Society, 2015, 98, 2745-2753.	1.9	13
80	The decisive role played by graphene nanoplatelets on improving the tribological performance of Y ₂ O ₃ -Al ₂ O ₃ -SiO ₂ glass coatings. Materials and Design, 2016, 112, 449-455.	3.3	13
81	Strong and light cellular silicon carbonitride "Reduced graphene oxide material with enhanced electrical conductivity and capacitive response. Additive Manufacturing, 2019, 30, 100849.	1.7	13
82	Heat dissipation in 3D printed cellular aluminum nitride structures. Journal of the European Ceramic Society, 2021, 41, 2407-2414.	2.8	13
83	Obtention of highly dispersed platelet-reinforced Al ₂ O ₃ composites. Journal of Materials Science, 1994, 29, 179-183.	1.7	11
84	Graphene-based nanostructures as catalysts for wet peroxide oxidation treatments: From nanopowders to 3D printed porous monoliths. Catalysis Today, 2020, 356, 197-204.	2.2	11
85	Reinforced 3D Composite Structures of Al_2O_3 with Carbon Nanotubes and Reduced GO Ribbons Printed from Boehmite Gels. Materials, 2021, 14, 2111.	1.3	11
86	Low incident angle and classical x-ray diffraction analysis of residual stresses in diamond coated Si ₃ N ₄ . Journal of Applied Physics, 2003, 94, 5633-5638.	1.1	10
87	Directional Electrical Transport in Tough Multifunctional Layered Ceramic/Graphene Composites. Advanced Electronic Materials, 2015, 1, 1500132.	2.6	10
88	Prominent local transport in silicon carbide composites containing in-situ synthesized three-dimensional graphene networks. Journal of the European Ceramic Society, 2016, 36, 3073-3081.	2.8	10
89	Multifunctional 3D-Printed Cellular MAX-Phase Architectures. Advanced Materials Technologies, 2019, 4, 1900375.	3.0	10
90	Robust and conductive mesoporous reduced graphene oxide-silica hybrids achieved by printing and the sol gel route. Journal of the European Ceramic Society, 2021, 41, 2908-2917.	2.8	10

#	ARTICLE	IF	CITATIONS
91	3D honeycomb monoliths with interconnected channels for the sustainable production of dihydroxybenzenes: towards the intensification of selective oxidation processes. <i>Chemical Engineering and Processing: Process Intensification</i> , 2021, 165, 108437.	1.8	10
92	Role of triboelectrification mechanism in the wear behaviour of Al ₂ O ₃ -SiC platelet composites. <i>Wear</i> , 1996, 199, 54-59.	1.5	9
93	Enhanced Thermal and Mechanical Properties of 3D Printed Highly Porous Structures Based on Al ₂ O ₃ by Adding Graphene Nanoplatelets. <i>Advanced Materials Technologies</i> , 2022, 7, .	3.0	9
94	Carbon nanotubes/silicon nitride nanocomposites for gasoline lubricated high pressure pumps. <i>Composites Part B: Engineering</i> , 2014, 64, 168-174.	5.9	8
95	Tribological Performance of Aligned Silicon Nitride Ceramics under Isooctane-lubricated Oscillating Sliding Conditions. <i>Journal of the American Ceramic Society</i> , 2016, 99, 241-248.	1.9	8
96	Thermal conduction in three-dimensional printed porous samples by high resolution infrared thermography. <i>Open Ceramics</i> , 2020, 4, 100028.	1.0	8
97	Carbon nanotubes growth on silicon nitride substrates. <i>Materials Letters</i> , 2011, 65, 1479-1481.	1.3	7
98	Frequency-dependent acoustic energy focusing in hexagonal ceramic micro-scaffolds. <i>Wave Motion</i> , 2020, 92, 102417.	1.0	7
99	Two-step strategy for improving the tribological performance of Si ₃ N ₄ ceramics: Controlled addition of SiC nanoparticles and graphene-based nanostructures. <i>Journal of the European Ceramic Society</i> , 2020, 40, 5298-5304.	2.8	7
100	Remarkable Effects of an Electrodeposited Copper Skin on the Strength and the Electrical and Thermal Conductivities of Reduced Graphene Oxide-Printed Scaffolds. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 24209-24217.	4.0	7
101	Enhanced Fluid Dynamics in 3D Monolithic Reactors to Improve the Chemical Performance: Experimental and Numerical Investigation. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 14701-14712.	1.8	7
102	The effect of rod orientation on the strength of highly porous filament printed 3D SiC ceramic architectures. <i>Boletín De La Sociedad Española De Cerámica Y Vidrio</i> , 2021, 60, 119-127.	0.9	6
103	The influence of the catalyst on the CO formation during catalytic wet peroxide oxidation process. <i>Catalysis Today</i> , 2021, 361, 30-36.	2.2	6
104	platelet composites. Effect of sintering conditions. <i>Journal of the European Ceramic Society</i> , 1997, 17, 1253-1258.	2.8	5
105	Turning of CFRC Composites Using Si ₃ N ₄ and Thin CVD Diamond Coated Si ₃ N ₄ . <i>Materials Science Forum</i> , 2004, 455-456, 609-613.	0.3	5
106	Thermal Transport and Thermoelectric Effect in Composites of Alumina and Graphene-Augmented Alumina Nanofibers. <i>Materials</i> , 2021, 14, 2242.	1.3	5
107	Slow crack growth in SiC platelet reinforced Al ₂ O ₃ composite. <i>Scripta Materialia</i> , 1996, 34, 1621-1626.	2.6	4
108	Finite Elements Modeling of Mechanical and Acoustic Properties of a Ceramic Metamaterial Assembled by Robocasting. <i>Applied Mechanics and Materials</i> , 0, 821, 364-371.	0.2	4

#	ARTICLE	IF	CITATIONS
109	A method for disentangling $\hat{1}^2$ -Si ₃ N ₄ seeds obtained by SHS. Powder Technology, 2008, 182, 364-367.	2.1	3
110	Processing Route to Disentangle Multi-Walled Carbon Nanotube Towards Ceramic Composite. Journal of Nanoscience and Nanotechnology, 2009, 9, 6164-6170.	0.9	3
111	Face dependent footprints of carpet-like graphene films grown on polycrystalline silicon carbide. Carbon, 2019, 153, 417-427.	5.4	3
112	Multifunctional performance of Ti ₂ AlC MAX phase/2D braided alumina fiber laminates. Journal of the American Ceramic Society, 2022, 105, 120-130.	1.9	3
113	Monolithic Stirrer Reactors for the Sustainable Production of Dihydroxybenzenes over 3D Printed Fe ³⁺ -Al ₂ O ₃ Monoliths: Kinetic Modeling and CFD Simulation. Catalysts, 2022, 12, 112.	1.6	3
114	Contact damage in alumina reinforced with silicon carbide platelets. Journal of Materials Science Letters, 1997, 16, 379-381.	0.5	2
115	Acoustic emission detection of macro-indentation cracking of diamond coated silicon. Diamond and Related Materials, 2003, 12, 1744-1749.	1.8	2
116	Ceramic phononic crystals with MHz-range frequency band gaps. Proceedings of Meetings on Acoustics, 2017, , .	0.3	2
117	Anisotropic Elasticity of Ceramic Micro-Scaffolds Fabricated by Robocasting. Acta Physica Polonica A, 2018, 134, 799-803.	0.2	2
118	In Situ Graded Ceramic/Reduced Graphene Oxide Composites Manufactured by Spark Plasma Sintering. Ceramics, 2021, 4, 12-19.	1.0	2
119	In-Situ Friction Monitoring of Self-Mated CVD Diamond Coatings Using Acoustic Emission. Materials Science Forum, 2006, 514-516, 749-753.	0.3	0
120	Contact Damage Resistance and Tribological Behavior of Ceramic/Carbon Nanostructure Composites. , 2021, , 733-744.		0
121	The Effective Role Played by Graphene Fillers for Improving the Tribological Properties of Ceramics. , 2015, , .		0