

Nikolai Kuhnert

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7986063/nikolai-kuhnert-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

182
papers

6,898
citations

41
h-index

78
g-index

207
ext. papers

7,733
ext. citations

4.7
avg, IF

6.19
L-index

#	Paper	IF	Citations
182	Cocoa bean fingerprinting via correlation networks.. <i>Npj Science of Food</i> , 2022 , 6, 5	6.3	
181	A Practitioner's Dilemma Mass Spectrometry-Based Annotation and Identification of Human Plasma and Urinary Polyphenol Metabolites.. <i>Molecular Nutrition and Food Research</i> , 2022 , e2100985	5.9	3
180	LC-MS Characterisation and Quantification of Known and Unknown (poly)phenol metabolites - Possible Pitfalls and their Avoidance.. <i>Molecular Nutrition and Food Research</i> , 2022 , e2101013	5.9	0
179	Cocoa origin classifiability through LC-MS data: A statistical approach for large and long-term datasets. <i>Food Research International</i> , 2021 , 140, 109983	7	2
178	Review on Cocoa Lipidomics [State of Knowledge and Future Needs 2021 , 136-154		0
177	"Thermal Peroxidation" of Dietary Pentapeptides Yields N-Terminal 1,2-Dicarbonyls. <i>Frontiers in Nutrition</i> , 2021 , 8, 663233	6.2	
176	Heat induced hydrolytic cleavage of the peptide bond in dietary peptides and proteins in food processing. <i>Food Chemistry</i> , 2021 , 357, 129621	8.5	3
175	HPLC-MS-based design of experiments approach on cocoa roasting. <i>Food Chemistry</i> , 2021 , 360, 129694	8.5	1
174	LC-MS based metabolomic approach for the efficient identification and relative quantification of bioavailable cocoa phenolics in human urine. <i>Food Chemistry</i> , 2021 , 364, 130198	8.5	2
173	LC-MS/MS based molecular networking approach for the identification of cocoa phenolic metabolites in human urine. <i>Food Research International</i> , 2020 , 132, 109119	7	13
172	Evaluation of carbohydrates and quality parameters in six types of commercial teas by targeted statistical analysis. <i>Food Research International</i> , 2020 , 133, 109122	7	6
171	Investigating time dependent cocoa bean fermentation by ESI-FT-ICR mass spectrometry. <i>Food Research International</i> , 2020 , 133, 109209	7	4
170	Classification of Brazilian roasted coffees from different geographical origins and farming practices based on chlorogenic acid profiles. <i>Food Research International</i> , 2020 , 134, 109218	7	8
169	Novel Amadori and Heyns compounds derived from short peptides found in dried cocoa beans. <i>Food Research International</i> , 2020 , 133, 109164	7	5
168	Monitoring the changes in low molecular weight carbohydrates in cocoa beans during spontaneous fermentation: A chemometric and kinetic approach. <i>Food Research International</i> , 2020 , 128, 108865	7	6
167	Recommendations for standardizing nomenclature for dietary (poly)phenol catabolites. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 1051-1068	7	35
166	Stuart Warren (24 Dec 1938-22 Mar 2020). <i>Organic and Biomolecular Chemistry</i> , 2020 , 18, 7236-7237	3.9	

165	Changes in low molecular weight carbohydrates in kale during development and acclimation to cold temperatures determined by chromatographic techniques coupled to mass spectrometry. <i>Food Research International</i> , 2020 , 127, 108727	7	4
164	Experimentally modelling cocoa bean fermentation reveals key factors and their influences. <i>Food Chemistry</i> , 2020 , 302, 125335	8.5	16
163	Biological activities of <i>Ficus carica</i> latex for potential therapeutics in Human Papillomavirus (HPV) related cervical cancers. <i>Scientific Reports</i> , 2019 , 9, 1013	4.9	27
162	Comparative lipidomic studies of <i>Scenedesmus</i> sp. (Chlorophyceae) and <i>Cylindrotheca closterium</i> (Bacillariophyceae) reveal their differences in lipid production under nitrogen starvation. <i>Journal of Phycology</i> , 2019 , 55, 1246-1257	3	14
161	Identification of Products from Thermal Degradation of Tryptophan Containing Pentapeptides: Oxidation and Decarboxylation. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 7448-7454	5.7	6
160	Characterization of commercial green tea leaves by the analysis of low molecular weight carbohydrates and other quality indicators. <i>Food Chemistry</i> , 2019 , 290, 159-167	8.5	9
159	Thermally-induced formation of taste-active 2,5-diketopiperazines from short-chain peptide precursors in cocoa. <i>Food Research International</i> , 2019 , 121, 217-228	7	14
158	Comparison and quantification of chlorogenic acids for differentiation of green Robusta and Arabica coffee beans. <i>Food Research International</i> , 2019 , 126, 108544	7	12
157	Analysis of minor low molecular weight carbohydrates in cocoa beans by chromatographic techniques coupled to mass spectrometry. <i>Journal of Chromatography A</i> , 2019 , 1584, 135-143	4.5	11
156	Tea and coffee time with bacteria - Investigation of uptake of key coffee and tea phenolics by wild type <i>E. coli</i> . <i>Food Research International</i> , 2018 , 108, 584-594	7	9
155	Pilot-scale production of antibacterial substances by the marine diatom <i>Phaeodactylum tricornutum</i> Bohlin. <i>Algal Research</i> , 2018 , 32, 113-120	5	12
154	Characterization of triacylglycerols in unfermented cocoa beans by HPLC-ESI mass spectrometry. <i>Food Chemistry</i> , 2018 , 254, 232-240	8.5	11
153	Leaves metabolomic profiling of <i>Musa acuminata</i> accessions using UPLC-QTOFMS/MS and their antioxidant activity. <i>Journal of Food Measurement and Characterization</i> , 2018 , 12, 1093-1106	2.8	7
152	Degradation of cocoa proteins into oligopeptides during spontaneous fermentation of cocoa beans. <i>Food Research International</i> , 2018 , 109, 506-516	7	38
151	Differentiation of black tea infusions according to origin, processing and botanical varieties using multivariate statistical analysis of LC-MS data. <i>Food Research International</i> , 2018 , 109, 387-402	7	42
150	Profiling, quantification and classification of cocoa beans based on chemometric analysis of carbohydrates using hydrophilic interaction liquid chromatography coupled to mass spectrometry. <i>Food Chemistry</i> , 2018 , 258, 284-294	8.5	24
149	Profiling and Quantification of Regioisomeric Caffeoyl Glucoses in Berry Fruits. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 1096-1104	5.7	7
148	Changes in the fucoxanthin production and protein profiles in <i>Cylindrotheca closterium</i> in response to blue light-emitting diode light. <i>Microbial Cell Factories</i> , 2018 , 17, 110	6.4	31

147	Variation of triacylglycerol profiles in unfermented and dried fermented cocoa beans of different origins. <i>Food Research International</i> , 2018 , 111, 361-370	7	11
146	Ber die Chemie der Schokoladenherstellung. <i>Nachrichten Aus Der Chemie</i> , 2018 , 66, 965-970	0.1	1
145	Origin and varietal based proteomic and peptidomic fingerprinting of Theobroma cacao in non-fermented and fermented cocoa beans. <i>Food Research International</i> , 2018 , 111, 137-147	7	34
144	Energy resolved mass spectrometry of chlorogenic acids and its application to isomer quantification by direct infusion tandem mass spectrometry. <i>Phytochemical Analysis</i> , 2018 , 29, 406-412	3.4	3
143	Origin-based polyphenolic fingerprinting of Theobroma cacao in unfermented and fermented beans. <i>Food Research International</i> , 2017 , 99, 550-559	7	58
142	Metabolome Comparison of Bioactive and Inactive Rhododendron Extracts and Identification of an Antibacterial Cannabinoid(s) from Rhododendron collettianum. <i>Phytochemical Analysis</i> , 2017 , 28, 454-464	2.4	15
141	Determination of hydroxycinnamic acids present in Rhododendron species. <i>Phytochemistry</i> , 2017 , 144, 216-225	4	14
140	Comparison of the polyphenolic profile and antibacterial activity of the leaves, fruits and flowers of Rhododendron ambiguum and Rhododendron cinnabarinum. <i>BMC Research Notes</i> , 2017 , 10, 297	2.3	9
139	Bioactivity in : A Systemic Analysis of Antimicrobial and Cytotoxic Activities and Their Phylogenetic and Phytochemical Origins. <i>Frontiers in Plant Science</i> , 2017 , 8, 551	6.2	13
138	Herbal Drugs from Sudan: Traditional Uses and Phytoconstituents. <i>Pharmacognosy Reviews</i> , 2017 , 11, 83-103	2.4	19
137	Profiling and quantification of regioisomeric caffeoyl glucoses in Solanaceae vegetables. <i>Food Chemistry</i> , 2017 , 237, 659-666	8.5	3
136	Quantification of microbial uptake of quercetin and its derivatives using an UHPLC-ESI-QTOF mass spectrometry assay. <i>Food and Function</i> , 2016 , 7, 4082-4091	6.1	10
135	Biochemical fate of vicilin storage protein during fermentation and drying of cocoa beans. <i>Food Research International</i> , 2016 , 90, 53-65	7	29
134	Aseptic artificial fermentation of cocoa beans can be fashioned to replicate the peptide profile of commercial cocoa bean fermentations. <i>Food Research International</i> , 2016 , 89, 764-772	7	25
133	LC-MS study of the chemical transformations of hydroxycinnamates during yerba mate (Ilex paraguariensis) tea brewing. <i>Food Research International</i> , 2016 , 90, 307-312	7	5
132	Neuraminidase inhibition of Dietary chlorogenic acids and derivatives - potential antivirals from dietary sources. <i>Food and Function</i> , 2016 , 7, 2052-9	6.1	32
131	UPLC-ESI-Q-TOF-MS/MS Characterization of Phenolics from Crataegus monogyna and Crataegus laevigata (Hawthorn) Leaves, Fruits and their Herbal Derived Drops (Crataegutt Tropfen) 2016 , 01,		23
130	Diversity of Kale (Brassica oleracea var. sabellica): Glucosinolate Content and Phylogenetic Relationships. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 3215-25	5.7	34

129	Synthesis, Structure, and Tandem Mass Spectrometric Characterization of the Diastereomers of Quinic Acid. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 7298-306	5.7	11
128	Model system-based mechanistic studies of black tea thearubigin formation. <i>Food Chemistry</i> , 2015 , 180, 272-279	8.5	25
127	Analysis of impact of temperature and saltwater on <i>Nannochloropsis salina</i> bio-oil production by ultra high resolution APCI FT-ICR MS. <i>Algal Research</i> , 2015 , 9, 227-235	5	20
126	Profiling and Quantification of Phenolics in <i>Stevia rebaudiana</i> Leaves. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 9188-98	5.7	34
125	Differentiation of prototropic ions in regioisomeric caffeoyl quinic acids by electrospray ion mobility mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2015 , 29, 675-80	2.2	19
124	Investigation of the photochemical changes of chlorogenic acids induced by ultraviolet light in model systems and in agricultural practice with <i>Stevia rebaudiana</i> cultivation as an example. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 3338-47	5.7	21
123	The Inhibition of the Mammalian DNA Methyltransferase 3a (Dnmt3a) by Dietary Black Tea and Coffee Polyphenols 2015 , 213-231		
122	LC-MSn identification and characterization of the phenolic compounds from the fruits of <i>Flacourtia indica</i> (Burm. F.) Merr. and <i>Flacourtia inermis</i> Roxb.. <i>Food Research International</i> , 2014 , 62, 388-396	7	30
121	Identification and characterization of chlorogenic acids, chlorogenic acid glycosides and flavonoids from <i>Lonicera henryi</i> L. (Caprifoliaceae) leaves by LC-MSn. <i>Phytochemistry</i> , 2014 , 108, 252-63	4	78
120	Investigation of isomeric flavanol structures in black tea thearubigins using ultraperformance liquid chromatography coupled to hybrid quadrupole/ion mobility/time of flight mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2014 , 49, 1086-95	2.2	21
119	Which spectroscopic technique allows the best differentiation of coffee varieties: comparing principal component analysis using data derived from CD-, NMR- and IR-spectroscopies and LC-MS in the analysis of the chlorogenic acid fraction in green coffee beans. <i>Analytical Methods</i> , 2014 , 6, 3268	3.2	13
118	Hierarchical key for the LC-MSn identification of all ten regio- and stereoisomers of caffeoylglucose. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 9252-65	5.7	30
117	Identification and characterisation of the phenolics of <i>Ilex glabra</i> L. Gray (Aquifoliaceae) leaves by liquid chromatography tandem mass spectrometry. <i>Phytochemistry</i> , 2014 , 106, 141-155	4	27
116	Identification of novel homologous series of polyhydroxylated theasinensins and theanaphthoquinones in the SII fraction of black tea thearubigins using ESI/HPLC tandem mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 9848-59	5.7	22
115	Investigation of acyl migration in mono- and dicaffeoylquinic acids under aqueous basic, aqueous acidic, and dry roasting conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 9160-70	5.7	41
114	Does roasted coffee contain chlorogenic acid lactones or/and cinnamoylshikimate esters?. <i>Food Research International</i> , 2014 , 61, 214-227	7	30
113	Identification and characterization of the phenolic glycosides of <i>Lagenaria siceraria</i> Stand. (bottle gourd) fruit by liquid chromatography-tandem mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 1261-71	5.7	25
112	Identification of trimeric and tetrameric flavan-3-ol derivatives in the SII black tea thearubigin fraction of black tea using ESI-tandem and MALDI-TOF mass spectrometry. <i>Food Research International</i> , 2014 , 63, 317-327	7	13

111	Identification, characterization, isolation and activity against Escherichia coli of quince (Cydonia oblonga) fruit polyphenols. <i>Food Research International</i> , 2014 , 65, 121-129	7	20
110	Identification of novel cocoa flavonoids from raw fermented cocoa beans by HPLC-MSn. <i>Food Research International</i> , 2014 , 63, 353-359	7	39
109	Identification and Characterization of Hydroxycinnamates of Six Galium Species from the Rubiaceae Family 2014 , 1-20		
108	Identification and Characterization of Trimeric Proanthocyanidins of Two Members of the Rhododendron Genus (Ericaceae) by Liquid Chromatography Multi-Stage Mass Spectrometry 2014 , 1-18		
107	An Investigation of the Complexity of Maillard Reaction Product Profiles from the Thermal Reaction of Amino Acids with Sucrose Using High Resolution Mass Spectrometry. <i>Foods</i> , 2014 , 3, 461-475	4.9	20
106	Assignment of Regio- and Stereochemistry of Natural Products Using Mass Spectrometry Chlorogenic Acids and Derivatives as a Case Study. <i>Studies in Natural Products Chemistry</i> , 2014 , 42, 305-339	1.5	5
105	Identification and characterisation of phenolics from <i>Ixora coccinea</i> L. (Rubiaceae) by liquid chromatography multi-stage mass spectrometry. <i>Phytochemical Analysis</i> , 2014 , 25, 567-76	3.4	15
104	Fourier transform ion cyclotron resonance mass spectrometrical analysis of raw fermented cocoa beans of Cameroon and Ivory Coast origin. <i>Food Research International</i> , 2014 , 64, 958-961	7	17
103	One size does not fit all--bacterial cell death by antibiotics cannot be explained by the action of reactive oxygen species. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 10946-8	16.4	7
102	Synthesis of novel chiral bis-N-substituted-hydrazinecarboxamide receptors and probing their solution-phase recognition to chiral carboxylic guests by ESI-TOF/MS and tandem ESI-MS. <i>Tetrahedron</i> , 2013 , 69, 11130-11137	2.4	1
101	Chemistry and Biology of the Black Tea Thearubigins and of Tea Fermentation 2013 , 343-360		1
100	Identification of phenolic compounds in plum fruits (<i>Prunus salicina</i> L. and <i>Prunus domestica</i> L.) by high-performance liquid chromatography/tandem mass spectrometry and characterization of varieties by quantitative phenolic fingerprints. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 12020-31	5.7	79
99	Investigating the thermal decomposition of starch and cellulose in model systems and toasted bread using domino tandem mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 674-84	5.7	19
98	Chemistry inside molecular containers in the gas phase. <i>Nature Chemistry</i> , 2013 , 5, 376-82	17.6	113
97	Phenolic promiscuity in the cell nucleus--epigallocatechingallate (EGCG) and theaflavin-3,3'-digallate from green and black tea bind to model cell nuclear structures including histone proteins, double stranded DNA and telomeric quadruplex DNA. <i>Food and Function</i> , 2013 , 4, 328-37	6.1	16
96	Synthesis of novel chiral tetra-(hydrazinecarboxamide) cyclophane macrocycles. <i>Tetrahedron Letters</i> , 2013 , 54, 4139-4142	2	3
95	What is under the hump? Mass spectrometry based analysis of complex mixtures in processed food--lessons from the characterisation of black tea thearubigins, coffee melanoidines and caramel. <i>Food and Function</i> , 2013 , 4, 1130-47	6.1	40
94	Polyphenole: Vielseitige Pflanzeninhaltsstoffe. <i>Chemie in Unserer Zeit</i> , 2013 , 47, 80-91	0.2	1

93	Characterisation of "caramel-type" thermal decomposition products of selected monosaccharides including fructose, mannose, galactose, arabinose and ribose by advanced electrospray ionization mass spectrometry methods. <i>Food and Function</i> , 2013 , 4, 1040-50	6.1	18
92	Raman spectroscopic characterization of different regioisomers of monoacyl and diacyl chlorogenic acid. <i>Vibrational Spectroscopy</i> , 2012 , 61, 10-16	2.1	17
91	Investigating the chemical changes of chlorogenic acids during coffee brewing: conjugate addition of water to the olefinic moiety of chlorogenic acids and their quinides. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 12105-15	5.7	47
90	Understanding the fate of chlorogenic acids in coffee roasting using mass spectrometry based targeted and non-targeted analytical strategies. <i>Food and Function</i> , 2012 , 3, 976-84	6.1	81
89	Development of a novel direct-infusion atmospheric pressure chemical ionization mass spectrometry method for the analysis of heavy hydrocarbons in light shredder waste. <i>Analytical Methods</i> , 2012 , 4, 730	3.2	18
88	MALDI-TOF mass spectrometry: avoidance of artifacts and analysis of caffeine-precipitated SII thearubigins from 15 commercial black teas. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 4514-25	5.7	19
87	Unraveling the chemical composition of caramel. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 3266-74	5.7	58
86	First diastereoselective synthesis of methyl caffeoyl- and feruloyl-muco-quinates. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 5266-77	3.9	15
85	Probing the dynamic reversibility and generation of dynamic combinatorial libraries in the presence of bacterial model oligopeptides as templating guests of tetra-carbohydrazide macrocycles using electrospray mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2012 , 26, 2865-76	2.2	9
84	High molecular weight non-polar hydrocarbons as pure model substances and in motor oil samples can be ionized without fragmentation by atmospheric pressure chemical ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2012 , 26, 2365-71	2.2	12
83	Monitoring Stepwise Proteolytic Degradation of Peptides by Supramolecular Domino Tandem Assays and Mass Spectrometry for Trypsin and Leucine Aminopeptidase. <i>Natural Product Communications</i> , 2012 , 7, 1934578X1200700	0.9	7
82	Probing the mechanism and dynamic reversibility of trianglimine formation using real-time electrospray ionization time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2012 , 26, 1070-80	2.2	10
81	Synthesis of novel enantiomerically pure tetra-carbohydrazide cyclophane macrocycles. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 4381-9	3.9	4
80	Identification and characterization of proanthocyanidins of 16 members of the <i>Rhododendron</i> genus (Ericaceae) by tandem LC-MS. <i>Journal of Mass Spectrometry</i> , 2012 , 47, 502-15	2.2	101
79	Chemistry of Pyrazolinones and their Applications. <i>Current Organic Chemistry</i> , 2012 , 16, 373-399	1.7	34
78	Analysis of Chlorogenic Acids and Other Hydroxycinnamates in Food, Plants, and Pharmacokinetic Studies 2012 , 461-510		7
77	Was unter dem H ₂ l steckt. <i>Nachrichten Aus Der Chemie</i> , 2011 , 59, 866-871	0.1	
76	Identification and characterization of two new derivatives of chlorogenic acids in <i>Arnica</i> (<i>Arnica montana</i> L.) flowers by high-performance liquid chromatography/tandem mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 4033-9	5.7	31

75	Characterization and quantification of hydroxycinnamate derivatives in <i>Stevia rebaudiana</i> leaves by LC-MSn. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 10143-50	5.7	65
74	Hill coefficients of dietary polyphenolic enzyme inhibitors: can beneficial health effects of dietary polyphenols be explained by allosteric enzyme denaturing?. <i>Journal of Chemical Biology</i> , 2011 , 4, 109-16		6
73	The inhibition of the mammalian DNA methyltransferase 3a (Dnmt3a) by dietary black tea and coffee polyphenols. <i>BMC Biochemistry</i> , 2011 , 12, 16	4.8	49
72	Profiling the chlorogenic acids of <i>Rudbeckia hirta</i> , <i>Helianthus tuberosus</i> , <i>Carlina acaulis</i> and <i>Symphotrichum novae-angliae</i> leaves by LC-MS(n). <i>Phytochemical Analysis</i> , 2011 , 22, 432-41	3.4	50
71	How to identify and discriminate between the methyl quinates of chlorogenic acids by liquid chromatography-tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2011 , 46, 269-81	2.2	55
70	How to distinguish between cinnamoylshikimate esters and chlorogenic acid lactones by liquid chromatography-tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2011 , 46, 933-42	2.2	31
69	Synthesis of tri-substituted biaryl based trianglimines: formation of C3-symmetrical and non-symmetrical regioisomers. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 3258-71	3.9	16
68	Scope and limitations of principal component analysis of high resolution LC-TOF-MS data: the analysis of the fraction in green coffee beans as a case study. <i>Analytical Methods</i> , 2011 , 3, 144-155	3.2	37
67	Identification and characterization of five new classes of chlorogenic acids in burdock (<i>Arctium lappa</i> L.) roots by liquid chromatography/tandem mass spectrometry. <i>Food and Function</i> , 2011 , 2, 63-71	6.1	53
66	Determination of the hydroxycinnamate profile of 12 members of the Asteraceae family. <i>Phytochemistry</i> , 2011 , 72, 781-90	4	110
65	Oxidative cascade reactions yielding polyhydroxy-theaflavins and theacitrins in the formation of black tea thearubigins: evidence by tandem LC-MS. <i>Food and Function</i> , 2010 , 1, 180-99	6.1	64
64	The Design and Synthesis of Acrylate and Imino Derivatives of Calix[4]arene for Applications in Static and Dynamic Combinatorial Libraries. <i>Journal of Chemical Research</i> , 2010 , 34, 61-67	0.6	3
63	The chemistry of low molecular weight black tea polyphenols. <i>Natural Product Reports</i> , 2010 , 27, 417-62	15.1	119
62	Profile and characterization of the chlorogenic acids in green Robusta coffee beans by LC-MS(n): identification of seven new classes of compounds. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 8722-37	5.7	126
61	Unraveling the structure of the black tea thearubigins. <i>Archives of Biochemistry and Biophysics</i> , 2010 , 501, 37-51	4.1	97
60	Profiling and characterization by LC-MSn of the chlorogenic acids and hydroxycinnamoylshikimate esters in <i>maté</i> (<i>Ilex paraguariensis</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 5471-84	5.7	168
59	Repeated oral administration modulates the pharmacokinetic behavior of the chemopreventive agent phenethyl isothiocyanate in rats. <i>Molecular Nutrition and Food Research</i> , 2010 , 54, 426-32	5.9	30
58	How to distinguish between feruloyl quinic acids and isoferuloyl quinic acids by liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 1575-82	2.2	51

57	Hierarchical scheme for liquid chromatography/multi-stage spectrometric identification of 3,4,5-triacetyl chlorogenic acids in green Robusta coffee beans. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 2283-94	2.2	58
56	Profiling and characterisation by liquid chromatography/multi-stage mass spectrometry of the chlorogenic acids in Gardeniae Fructus. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 3109-20	2.2	40
55	Mass spectrometric characterization of black tea thearubigins leading to an oxidative cascade hypothesis for thearubigin formation. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 3387-404	2.2	107
54	Synthesis of upper rim calix[4]arene carcerands. <i>Tetrahedron Letters</i> , 2008 , 49, 1274-1276	2	9
53	Absolute bioavailability and dose-dependent pharmacokinetic behaviour of dietary doses of the chemopreventive isothiocyanate sulforaphane in rat. <i>British Journal of Nutrition</i> , 2008 , 99, 559-64	3.6	113
52	LCMSn analysis of the cis isomers of chlorogenic acids. <i>Food Chemistry</i> , 2008 , 106, 379-385	8.5	189
51	Synthesis, self-association and chiroselectivity of isotopically labeled trianglamine macrocycles in the ion trap mass spectrometer. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2007 , 50, 1215-1223 ⁴	1.9	123 ⁴
50	The application of quasi-enantiomeric trianglamine macrocycles as chiral probes for anion recognition in ion trap ESI mass spectrometry. <i>Tetrahedron: Asymmetry</i> , 2007 , 18, 1648-1654		19
49	Metabolism of 2-amino-3-methylimidazol [4,5,f]quinoline by precision-cut rat liver slices. <i>Toxicology</i> , 2007 , 240, 185	4.4	
48	A systematic study of carboxylic acids in negative ion mode electrospray ionisation mass spectrometry providing a structural model for ion suppression. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 2014-8	2.2	13
47	Profiling the chlorogenic acids and other caffeic acid derivatives of herbal chrysanthemum by LC-MSn. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 929-36	5.7	185
46	Profiling and characterization by LC-MSn of the galloylquinic acids of green tea, tara tannin, and tannic acid. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 2797-807	5.7	85
45	Characterization by LC-MS(n) of four new classes of chlorogenic acids in green coffee beans: dimethoxycinnamoylquinic acids, diferuloylquinic acids, caffeoyl-dimethoxycinnamoylquinic acids, and feruloyl-dimethoxycinnamoylquinic acids. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 1957-69	5.7	167
44	Characterization by LC-MS(n) of four new classes of p-coumaric acid-containing diacyl chlorogenic acids in green coffee beans. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 4095-101	5.7	130
43	Profiling the chlorogenic acids of aster by HPLC-MS(n). <i>Phytochemical Analysis</i> , 2006 , 17, 384-93	3.4	96
42	The chlorogenic acids of Hemerocallis. <i>Food Chemistry</i> , 2006 , 95, 574-578	8.5	71
41	Synthesis of diastereomeric trianglamine- β -cyclodextrin-[2]-catenanes. <i>Tetrahedron Letters</i> , 2006 , 47, 2985-2988	2	22
40	Synthesis of enantiomerically pure functionalised trianglamine macrocycles by N-acylation and N-alkylation reactions. <i>Tetrahedron Letters</i> , 2006 , 47, 6915-6918	2	12

39	The synthesis and conformation of oxygenated trianglimine macrocycles. <i>Organic and Biomolecular Chemistry</i> , 2005 , 3, 524-37	3.9	50
38	On the activation of valerolactam with triflic anhydride: the synthesis of omega-trifluorosulfonamido dipeptides using a transpeptidation reaction under mild conditions. <i>Organic and Biomolecular Chemistry</i> , 2005 , 3, 1694-701	3.9	9
37	Tuning the size of macrocyclic cavities in trianglimine macrocycles. <i>Organic and Biomolecular Chemistry</i> , 2005 , 3, 1911-21	3.9	38
36	Synthesis and capsule formation of upper rim substituted tetra-acrylamido calix[4]arenes. <i>Organic and Biomolecular Chemistry</i> , 2005 , 3, 2175-82	3.9	16
35	Discriminating between the six isomers of dicaffeoylquinic acid by LC-MS(n). <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 3821-32	5.7	523
34	The use of deep cavity tetraformyl calix[4]arenes in the synthesis of static and dynamic macrocyclic libraries. <i>Tetrahedron Letters</i> , 2005 , 46, 2059-2062	2	8
33	An efficient total synthesis of chrysophanol and the sennoside C aglycon. <i>Tetrahedron Letters</i> , 2005 , 46, 7571-7573	2	7
32	Synthesis of chiral nonracemic polyimine macrocycles from cyclocondensation reactions of biaryl and terphenyl aromatic dicarboxaldehydes and 1R,2R-diaminocyclohexane. <i>Tetrahedron Letters</i> , 2005 , 46, 7575-7579	2	35
31	Modulation of hepatic cytochromes P450 and phase II enzymes by dietary doses of sulforaphane in rats: Implications for its chemopreventive activity. <i>International Journal of Cancer</i> , 2005 , 117, 356-62	7.5	71
30	An investigation into the use of Raman microscopy for the detection of labelled compounds in living human cells. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2004 , 47, 493-500	1.9	9
29	Synthesis of 1, 1?, 2, 2?, 3, 3?, 4, 4? - octadeutero-sulforaphane. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2004 , 47, 501-507	1.9	4
28	A powerful aqueous solvent effect in an intramolecular Diels-Alder cyclisation. <i>Journal of Chemical Research</i> , 2004 , 2004, 608-610	0.6	2
27	The synthesis of trianglimines: on the scope and limitations of the [3 + 3] cyclocondensation reaction between (1R,2R)-diaminocyclohexane and aromatic dicarboxaldehydes. <i>Organic and Biomolecular Chemistry</i> , 2003 , 1, 1157-70	3.9	93
26	Hierarchical scheme for LC-MSn identification of chlorogenic acids. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 2900-11	5.7	945
25	The synthesis of tetra-acrylamido-calix[4]arene capsules. <i>Chemical Communications</i> , 2003 , 2426-7	5.8	14
24	Cationic Ruthenium-Sulfine Complexes: Synthesis and Dynamic Behaviour. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2002 , 57, 259-274	1	13
23	Microwave-assisted reactions in organic synthesis--are there any nonthermal microwave effects?. <i>Angewandte Chemie - International Edition</i> , 2002 , 41, 1863-6	16.4	253
22	Synthesis of novel enantiomerically pure trianglimine and trianglamine macrocycles. <i>Tetrahedron: Asymmetry</i> , 2002 , 13, 123-128		53

21	Synthesis of novel chiral non-racemic substituted trianglimine and trianglamine macrocycles. <i>Tetrahedron Letters</i> , 2002 , 43, 3329-3332	2	52
20	Funktionelle Lebensmittel-eine kritische Betrachtung. <i>Nachrichten Aus Der Chemie</i> , 2002 , 50, 142-146	0.1	
19	On the steric acceleration of ene reactions. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2002 , 1999-2005		11
18	Stereochemically controlled synthesis of substituted 1,2-oxathianes. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2002 , 2282-2287		2
17	Boron trifluoride etherate mediated synthesis of 3-desoxyanthocyanidins including a total synthesis of tricetanidin from black tea. <i>Tetrahedron Letters</i> , 2001 , 42, 9261-9263	2	18
16	Synthesis of ¹⁴ C-labelled sulforaphane. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2001 , 44, 347-354	1.9	12
15	On the scope and limitations of the Heck reaction of upper rim tetraiodocalix[4]arenes. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001 , 3393-3398		
14	Highly diastereoselective synthesis of 1,3-oxazolidines under thermodynamic control using focused microwave irradiation under solvent-free conditions. <i>Green Chemistry</i> , 2001 , 3, 68-70	10	30
13	The scope and limitation of the [1,4]-Sbenzyl participation and debenzylation in the stereochemically controlled synthesis of substituted thiolanes. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001 , 1504-1510		4
12	Scope and limitations of the [1,2]-alkylsulfanyl (SMe, SEt and SCH ₂ Ph) and sulfanyl (SH) migration in the stereospecific synthesis of substituted tetrahydrofurans. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001 , 138-143		6
11	Kent: Still Teaching and Researching. <i>Nachrichten Aus Der Chemie</i> , 2001 , 49, 57-57	0.1	
10	1282 chemische Bachelor-und Masterstudiengänge in Großbritannien. <i>Nachrichten Aus Der Chemie</i> , 2000 , 48, 1352-1356	0.1	
9	Synthesis of 3-Chloro-2-formylpyrrole Derivatives. <i>Heterocycles</i> , 2000 , 53, 2415	0.8	16
8	Kinetic and Thermodynamic Control in the Synthesis of Tetrahydro-Pyrans and -Furans from 1,4-Diols by Stereospecific Phenylsulfanyl (PhS) Migration: Competition Between exo and endo Transition States and between [1,2] and [1,4]Sulfanyl Participation. <i>Synlett</i> , 1999 , 1999, 1211-1214	2.2	7
7	[1,4]-SPh Shift Cyclisations or [1,2]-SPh-Cyclisations as Alternative Cascade Sequences for Stereocontrolled Synthesis of Substituted Tetrahydrofurans. <i>Synlett</i> , 1999 , 1999, 1215-1218	2.2	5
6	Hundert Jahre Aspirin. <i>Chemie in Unserer Zeit</i> , 1999 , 33, 213-220	0.2	9
5	Scope and limitation of [1,4]-Sbenzyl participation and debenzylation in the stereochemically controlled synthesis of substituted thiolanes. <i>Tetrahedron Letters</i> , 1998 , 39, 1247-1250	2	4
4	Stereochemically controlled synthesis of substituted 1,2-oxathianes. <i>Tetrahedron Letters</i> , 1998 , 39, 1251-1254	4	

3	Bistrifluoromethanesulfonimide in the catalytic conjugate allylation of β -unsaturated carbonyl compounds. <i>Tetrahedron Letters</i> , 1998 , 39, 3215-3216	2	44
2	Stereo- and Enantioselective Reactions of Organosulfur Compounds Mediated by Transition Metal Complexes. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1994 , 95, 367-370	1	3
1	Correlation network analysis based on untargeted LC-MS profiles of cocoa reveals processing stage and origin country		1