
## Marius Molund

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7986999/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Compared to conventional physiotherapy, does the use of an ankle trainer device after Weber B ankle fracture operation improve outcome and shorten hospital stay? A randomized controlled trial. Clinical Rehabilitation, 2020, 34, 1040-1047.	2.2	2
2	Two Cases of Periprosthetic Fracture After Surgery for Acute Midfoot Charcot. Journal of Foot and Ankle Surgery, 2020, 59, 394-398.	1.0	0
3	Open Reduction and Internal Fixation of Acute Lisfranc Fracture-Dislocation with Use of Dorsal Bridging Plates. JBJS Essential Surgical Techniques, 2019, 9, e39.	0.8	5
4	Tibial Nerve Palsy After Lateralizing Calcaneal Osteotomy. Foot and Ankle Specialist, 2019, 12, 426-431.	1.0	8
5	Validation of a New Device for Measuring Isolated Gastrocnemius Contracture and Evaluation of the Reliability of the Silfverskiöld Test. Foot and Ankle International, 2018, 39, 960-965.	2.3	16
6	Endoscopic Transfer of Flexor Hallucis Longus Tendon for Chronic Achilles Tendon Rupture: Technical Aspects and Short-Time Experiences. Foot and Ankle Specialist, 2018, 11, 461-466.	1.0	9
7	High Incidence of Recurrent Ulceration and Major Amputations Associated With Charcot Foot. Journal of Foot and Ankle Surgery, 2018, 57, 301-304.	1.0	18
8	Proximal Medial Gastrocnemius Recession and Stretching Versus Stretching as Treatment of Chronic Plantar Heel Pain. Foot and Ankle International, 2018, 39, 1423-1431.	2.3	33
9	Clinical and Functional Outcomes of Gastrocnemius Recession for Chronic Achilles Tendinopathy. Foot and Ankle International, 2016, 37, 1091-1097.	2.3	23
10	Results after gastrocnemius recession in 73 patients. Foot and Ankle Surgery, 2014, 20, 272-275.	1.7	29
11	Posterior Tibial Tendon Transfer Improves Function for Foot Drop After Knee Dislocation. Clinical Orthopaedics and Related Research, 2014, 472, 2637-2643.	1.5	35