

# Panayotis T Tassios

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7988/publications.pdf>

Version: 2024-02-01

59  
papers

4,963  
citations

230014

27  
h-index

162838

57  
g-index

59  
all docs

59  
docs citations

59  
times ranked

5890  
citing authors

#	ARTICLE	IF	CITATIONS
1	Bacterial next generation sequencing (NGS) made easy. <i>Clinical Microbiology and Infection</i> , 2018, 24, 332-334.	2.8	7
2	Parasitic infections: their position and impact in the postindustrial world. <i>Clinical Microbiology and Infection</i> , 2016, 22, 469-470.	2.8	8
3	Difficile indeed. <i>Eurosurveillance</i> , 2016, 21, .	3.9	0
4	Guidelines in infectious diseases: how reliable are they?. <i>Clinical Microbiology and Infection</i> , 2013, 19, 1093-1095.	2.8	3
5	Carbapenemases in <i>Klebsiella pneumoniae</i> and Other Enterobacteriaceae: an Evolving Crisis of Global Dimensions. <i>Clinical Microbiology Reviews</i> , 2012, 25, 682-707.	5.7	988
6	Evolution and Spread of a Multidrug-Resistant <i>Proteus mirabilis</i> Clone with Chromosomal AmpC-Type Cephalosporinases in Europe. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 2735-2742.	1.4	52
7	Does it ever make sense to treat a bacterial infection with a drug against which the responsible pathogen possesses a resistance mechanism?. <i>Clinical Microbiology and Infection</i> , 2011, 17, 1126-1127.	2.8	0
8	Hard to swallow—emerging and re-emerging issues in foodborne infection. <i>Clinical Microbiology and Infection</i> , 2010, 16, 1-2.	2.8	3
9	Risk factors for bloodstream infection with <i>Klebsiella pneumoniae</i> producing VIM-1 metallo- $\beta$ -lactamase. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 784-788.	1.3	36
10	Two successfully treated cases of <i>Staphylococcus lugdunensis</i> endocarditis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2010, 68, 445-448.	0.8	4
11	Prevalence and Characterization of Class 1 Integrons in <i>Escherichia coli</i> of Poultry and Human Origin. <i>Foodborne Pathogens and Disease</i> , 2009, 6, 1211-1218.	0.8	26
12	Clinical and Microbiological Characteristics of Severe <i>Streptococcus pyogenes</i> Disease in Europe. <i>Journal of Clinical Microbiology</i> , 2009, 47, 1155-1165.	1.8	252
13	Prospective Observational Study of the Impact of VIM-1 Metallo- $\beta$ -Lactamase on the Outcome of Patients with <i>Klebsiella pneumoniae</i> Bloodstream Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 1868-1873.	1.4	203
14	Prevalence of emm types 1 and 12 from invasive <i>Streptococcus pyogenes</i> disease in Greece—results of enhanced surveillance. <i>Clinical Microbiology and Infection</i> , 2008, 14, 808-812.	2.8	12
15	Enhanced and earlier detection of bacteremia and fungemia by multiplex polymerase chain reaction: How much enhanced, how much earlier, and at what cost?*. <i>Critical Care Medicine</i> , 2008, 36, 1660-1661.	0.4	11
16	Enterobacteriaceae Bloodstream Infections: Presence of Integrons, Risk Factors, and Outcome. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 2366-2372.	1.4	48
17	Ongoing epidemic of blaVIM-1-positive <i>Klebsiella pneumoniae</i> in Athens, Greece: a prospective survey. <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 61, 59-63.	1.3	105
18	Evaluation of Molecular Typing Methods in Characterizing a European Collection of Epidemic Methicillin-Resistant <i>Staphylococcus aureus</i> Strains: the HARMONY Collection. <i>Journal of Clinical Microbiology</i> , 2007, 45, 1830-1837.	1.8	169

#	ARTICLE	IF	CITATIONS
19	Current Trends in the Epidemiological typing of clinically relevant microbes in Europe. <i>Journal of Microbiological Methods</i> , 2007, 69, 222-226.	0.7	7
20	Guidelines for the validation and application of typing methods for use in bacterial epidemiology. <i>Clinical Microbiology and Infection</i> , 2007, 13, 1-46.	2.8	668
21	Spread of the <i>Streptococcus pneumoniae</i> Taiwan19F-14 clone among children in Greece. <i>Clinical Microbiology and Infection</i> , 2007, 13, 1213-1216.	2.8	9
22	Sources of diversity of carbapenem resistance levels in <i>Klebsiella pneumoniae</i> carrying blaVIM-1. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 58, 669-672.	1.3	71
23	The Enter-net and Salm-gene databases of foodborne bacterial pathogens that cause human infections in Europe and beyond: an international collaboration in surveillance and the development of intervention strategies. <i>Epidemiology and Infection</i> , 2005, 133, 1-7.	1.0	58
24	Panresistance in VIM-1-producing <i>Klebsiella pneumoniae</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2005, 55, 810-811.	1.3	26
25	Repeated Occurrence of Diverse Extended-Spectrum $\beta$ -Lactamases in Minor Serotypes of Food-Borne <i>Salmonella enterica</i> subsp. <i>enterica</i> . <i>Journal of Clinical Microbiology</i> , 2005, 43, 3453-3456.	1.8	34
26	Spread of efflux pump-overexpressing, non-metallo- $\beta$ -lactamase-producing, meropenem-resistant but ceftazidime-susceptible <i>Pseudomonas aeruginosa</i> in a region with blaVIM endemicity. <i>Journal of Antimicrobial Chemotherapy</i> , 2005, 56, 761-764.	1.3	84
27	Validation of a PCR-Based Method for Detection of Food-Borne Thermotolerant <i>Campylobacters</i> in a Multicenter Collaborative Trial. <i>Applied and Environmental Microbiology</i> , 2004, 70, 4379-4383.	1.4	30
28	Dissemination of vancomycin-resistant enterococci among haemodialysis patients in Athens, Greece. <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 54, 1031-1034.	1.3	16
29	Expanded-spectrum cephalosporin resistance in non-typhoid <i>Salmonella</i> . <i>International Journal of Antimicrobial Agents</i> , 2004, 23, 547-555.	1.1	94
30	Expanded-spectrum cephalosporin resistance in non-typhoid <i>Salmonella</i> . <i>International Journal of Antimicrobial Agents</i> , 2004, 23, 547-547.	1.1	5
31	Standardization of diagnostic PCR for the detection of foodborne pathogens. <i>International Journal of Food Microbiology</i> , 2003, 83, 39-48.	2.1	238
32	Predominance of two M-types among erythromycin-resistant group A <i>Streptococci</i> from Greek children. <i>Clinical Microbiology and Infection</i> , 2003, 9, 310-314.	2.8	9
33	Resistance to $\beta$ -lactams among blood isolates of <i>Salmonella</i> spp. in European hospitals: results from the SENTRY Antimicrobial Surveillance Program 1997-98. <i>Clinical Microbiology and Infection</i> , 2003, 9, 149-152.	2.8	8
34	Multiresistant <i>Acinetobacter baumannii</i> isolates in intensive care units in Greece. <i>Clinical Microbiology and Infection</i> , 2003, 9, 547-553.	2.8	20
35	In vitro activity of telithromycin (HMR 3647) against Greek <i>Streptococcus pyogenes</i> and <i>Streptococcus pneumoniae</i> clinical isolates with different macrolide susceptibilities. <i>Clinical Microbiology and Infection</i> , 2003, 9, 704-707.	2.8	18
36	Infrequent detection of acquired metallo- $\beta$ -lactamases among carbapenem-resistant <i>Pseudomonas</i> isolates in a Greek hospital. <i>Clinical Microbiology and Infection</i> , 2003, 9, 846-851.	2.8	12

#	ARTICLE	IF	CITATIONS
37	A common clone of erythromycin-resistant <i>Streptococcus pneumoniae</i> in Greece and the UK. <i>Clinical Microbiology and Infection</i> , 2003, 9, 924-929.	2.8	16
38	Harmonization of Pulsed-Field Gel Electrophoresis Protocols for Epidemiological Typing of Strains of Methicillin-Resistant <i>Staphylococcus aureus</i> : a Single Approach Developed by Consensus in 10 European Laboratories and Its Application for Tracing the Spread of Related Strains. <i>Journal of Clinical Microbiology</i> , 2003, 41, 1574-1585.	1.8	611
39	Prevalence and characterization of the mechanisms of macrolide, lincosamide and streptogramin resistance in viridans group streptococci. <i>International Journal of Antimicrobial Agents</i> , 2003, 22, 626-629.	1.1	11
40	Evaluation of the Polymorphisms Associated with Tandem Repeats for <i>Pseudomonas aeruginosa</i> Strain Typing. <i>Journal of Clinical Microbiology</i> , 2003, 41, 4991-4997.	1.8	82
41	Extended-Spectrum $\beta$ -Lactamase-Producing <i>Klebsiella pneumoniae</i> in a Neonatal Intensive Care Unit in the High-Prevalence Area of Athens, Greece. <i>Journal of Clinical Microbiology</i> , 2002, 40, 799-804.	1.8	29
42	Multidrug and Broad-Spectrum Cephalosporin Resistance among <i>Salmonella enterica</i> Serotype Enteritidis Clinical Isolates in Southern Italy. <i>Journal of Clinical Microbiology</i> , 2002, 40, 2662-2665.	1.8	41
43	Epidemiology of multiresistant <i>Enterococcus avium</i> isolates in a Greek tertiary care hospital. <i>International Journal of Antimicrobial Agents</i> , 2002, 20, 432-437.	1.1	6
44	Antibiotic resistance rates and macrolide resistance phenotypes of viridans group streptococci from the oropharynx of healthy Greek children. <i>International Journal of Antimicrobial Agents</i> , 2001, 17, 195-201.	1.1	45
45	Comparison of <i>Mycobacterium avium</i> isolates from Greek AIDS and human immunodeficiency virus-negative patients by pulsed-field gel electrophoresis. <i>Clinical Microbiology and Infection</i> , 2000, 6, 490-495.	2.8	2
46	Molecular Typing of Methicillin-Resistant <i>Staphylococcus aureus</i> by Pulsed-Field Gel Electrophoresis: Comparison of Results Obtained in a Multilaboratory Effort Using Identical Protocols and MRSA Strains. <i>Microbial Drug Resistance</i> , 2000, 6, 189-198.	0.9	267
47	Extended spectrum $\beta$ -lactamases in salmonella strains isolated in Austria. <i>International Journal of Antimicrobial Agents</i> , 2000, 15, 155-156.	1.1	5
48	CTX-M-type $\beta$ -lactamases: an emerging group of extended-spectrum enzymes. <i>International Journal of Antimicrobial Agents</i> , 2000, 14, 137-142.	1.1	237
49	Serotype, biotype and genomic DNA XbaI restriction fragment analysis of <i>Yersinia enterocolitica</i> , isolated from infected beta-thalassemic and nonthalassemic children in Greece. <i>Clinical Microbiology and Infection</i> , 2000, 6, 157-158.	2.8	4
50	Multicenter Evaluation of Epidemiological Typing of Methicillin-Resistant <i>Staphylococcus aureus</i> Strains by Repetitive-Element PCR Analysis. <i>Journal of Clinical Microbiology</i> , 2000, 38, 3527-3533.	1.8	80
51	Multiple Clones within Multidrug-Resistant <i>Salmonella enterica</i> Serotype Typhimurium Phage Type DT104. <i>Journal of Clinical Microbiology</i> , 2000, 38, 1269-1271.	1.8	32
52	Characterization of <i>Neisseria gonorrhoeae</i> Strains with Decreased Susceptibility to Fluoroquinolones Isolated in Greece from 1996 to 1999. <i>Journal of Clinical Microbiology</i> , 2000, 38, 3489-3491.	1.8	16
53	Reduced susceptibility to vancomycin of nosocomial isolates of methicillin-resistant <i>Staphylococcus aureus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 1999, 43, 729-731.	1.3	45
54	Gradual increase in the minimum inhibitory concentration of penicillin among both susceptible and resistant <i>Streptococcus pneumoniae</i> isolates from Greek children during 1995-1997. <i>International Journal of Antimicrobial Agents</i> , 1999, 11, 53-57.	1.1	8

#	ARTICLE	IF	CITATIONS
55	A multi-centre study of nosocomial methicillin-resistant <i>Staphylococcus aureus</i> in Greece. <i>International Journal of Antimicrobial Agents</i> , 1999, 12, 115-119.	1.1	13
56	Emergence of Multidrug Resistance in Ubiquitous and Dominant <i>Pseudomonas aeruginosa</i> Serogroup O:11. <i>Journal of Clinical Microbiology</i> , 1998, 36, 897-901.	1.8	48
57	Multiresistant <i>Pseudomonas aeruginosa</i> serogroup O:11 outbreak in an intensive care unit. <i>Clinical Microbiology and Infection</i> , 1997, 3, 621-628.	2.8	18
58	Molecular analysis of ampicillin-resistant sporadic <i>Salmonella typhi</i> and <i>Salmonella paratyphi B</i> clinical isolates. <i>Clinical Microbiology and Infection</i> , 1997, 3, 317-323.	2.8	4
59	Distinct genotypic clusters of heterogeneously and homogeneously methicillin-resistant <i>Staphylococcus aureus</i> from a Greek hospital. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1997, 16, 170-173.	1.3	9