Michael Barkham

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7988819/publications.pdf

Version: 2024-02-01

236 papers

16,632 citations

69 h-index 20961 115 g-index

252 all docs

252 docs citations

times ranked

252

11205 citing authors

#	Article	IF	Citations
1	Towards a standardised brief outcome measure: Psychometric properties and utility of the CORE–OM. British Journal of Psychiatry, 2002, 180, 51-60.	2.8	679
2	Effects of treatment duration and severity of depression on the effectiveness of cognitive-behavioral and psychodynamic-interpersonal psychotherapy Journal of Consulting and Clinical Psychology, 1994, 62, 522-534.	2.0	428
3	Service profiling and outcomes benchmarking using the CORE-OM: Toward practice-based evidence in the psychological therapies Journal of Consulting and Clinical Psychology, 2001, 69, 184-196.	2.0	407
4	CORE: Clinical Outcomes in Routine Evaluation. Journal of Mental Health, 2000, 9, 247-255.	1.9	402
5	Changes in undergraduate students' psychological wellâ€being as they progress through university. Studies in Higher Education, 2010, 35, 633-645.	4.5	362
6	Computerised cognitive behaviour therapy (cCBT) as treatment for depression in primary care (REEACT) Tj ETQq	0 0 0 rgB ⁻	Г/Oyerlock 10
7	The IIPâ€32: A short version of the Inventory of Interpersonal Problems. British Journal of Clinical Psychology, 1996, 35, 21-35.	3.5	298
8	Measurement and psychotherapy. British Journal of Psychiatry, 2000, 177, 123-130.	2.8	285
9	Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. BMJ, The, 2013, 346, f540-f540.	6.0	251
10	Dose-effect relations and responsive regulation of treatment duration: The good enough level Journal of Consulting and Clinical Psychology, 2006, 74, 160-167.	2.0	235
11	The COREâ€10: A short measure of psychological distress for routine use in the psychological therapies. Counselling and Psychotherapy Research, 2013, 13, 3-13.	3.2	229
12	Effectiveness of cognitive-behavioural, person-centred, and psychodynamic therapies in UK primary-care routine practice: replication in a larger sample. Psychological Medicine, 2008, 38, 677-688.	4.5	218
13	The effectiveness of web-based interventions designed to decrease alcohol consumption — A systematic review. Preventive Medicine, 2008, 47, 17-26.	3.4	205
14	Patterns of Alliance Development and the Rupture-Repair Hypothesis: Are Productive Relationships U-Shaped or V-Shaped?. Journal of Counseling Psychology, 2004, 51, 81-92.	2.0	189
15	The rationale for developing and outcome batteriesfor routine use in service settings and psychotherapy outcome research implementing core. Journal of Mental Health, 1998, 7, 35-47.	1.9	180
16	A systematic review, psychometric analysis and qualitative assessment of generic preference-based measures of health in mental health populations and the estimation of mapping functions from widely used specific measures. Health Technology Assessment, 2014, 18, vii-viii, xiii-xxv, 1-188.	2.8	179
17	Measuring, monitoring and managing the psychological well-being of first year university students. British Journal of Guidance and Counselling, 2006, 34, 505-517.	1.2	176
18	Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. BMJ, The, 2013, 347, f4913-f4913.	6.0	173

#	Article	IF	CITATIONS
19	Clinical effectiveness of health visitor training in psychologically informed approaches for depression in postnatal women: pragmatic cluster randomised trial in primary care. BMJ: British Medical Journal, 2009, 338, a3045-a3045.	2.3	171
20	Early sudden gains in psychotherapy under routine clinic conditions: Practice-based evidence Journal of Consulting and Clinical Psychology, 2003, 71, 14-21.	2.0	171
21	Evaluation and description of psychotherapy sessions by clients using the Session Evaluation Questionnaire and the Session Impacts Scale Journal of Counseling Psychology, 1994, 41, 175-185.	2.0	169
22	Suitability and utility of the CORE–OM and CORE–A for assessing severity of presenting problems in psychological therapy services based in primary and secondary care settings. British Journal of Psychiatry, 2005, 186, 239-246.	2.8	169
23	Bridging evidence-based practice and practice-based evidence: developing a rigorous and relevant knowledge for the psychological therapies. Clinical Psychology and Psychotherapy, 2003, 10, 319-327.	2.7	164
24	Mental Health During COVID-19 Lockdown in the United Kingdom. Psychosomatic Medicine, 2021, 83, 328-337.	2.0	163
25	Scales for Personality Disorders Developed from the Inventory of Interpersonal Problems. Journal of Personality Disorders, 1996, 10, 355-369.	1.4	158
26	Effectiveness of cognitive-behavioural, person-centred and psychodynamic therapies as practised in UK National Health Service settings. Psychological Medicine, 2006, 36, 555-566.	4.5	158
27	Distribution of CORE–OM scores in a general population, clinical cut-off points and comparison with the CIS–R. British Journal of Psychiatry, 2007, 190, 69-74.	2.8	157
28	Practice-based outcomes of dialectical behaviour therapy (DBT) targeting anger and violence, with male forensic patients: a pragmatic and non-contemporaneous comparison. Criminal Behaviour and Mental Health, 2003, 13, 198-213.	0.8	154
29	Dose–effect relations in time-limited psychotherapy for depression Journal of Consulting and Clinical Psychology, 1996, 64, 927-935.	2.0	152
30	A core approach to practice-based evidence: A brief history of the origins and applications of the CORE-OM and CORE System. Counselling and Psychotherapy Research, 2006, 6, 3-15.	3.2	149
31	Prevalence and risk factors for mental health problems in university undergraduate students: A systematic review with meta-analysis. Journal of Affective Disorders, 2021, 287, 282-292.	4.1	145
32	Effects of treatment duration and severity of depression on the maintenance of gains after cognitive-behavioral and psychodynamic-interpersonal psychotherapy Journal of Consulting and Clinical Psychology, 1995, 63, 378-387.	2.0	141
33	Recovering Quality of Life (ReQoL): a new generic self-reported outcome measure for use with people experiencing mental health difficulties. British Journal of Psychiatry, 2018, 212, 42-49.	2.8	141
34	Diagnosing depression in primary care using self-completed instruments: UK validation of PHQ-9 and CORE-OM. British Journal of General Practice, 2007, 57, 650-2.	1.4	136
35	Collaborative care for depression in UK primary care: a randomized controlled trial. Psychological Medicine, 2008, 38, 279-287.	4.5	135
36	Alliance structure assessed by the Agnew Relationship Measure (ARM). British Journal of Clinical Psychology, 1998, 37, 155-172.	3.5	132

#	Article	IF	CITATIONS
37	Psychotherapy in two-plus-one sessions: Outcomes of a randomized controlled trial of cognitive–behavioral and psychodynamic–interpersonal therapy for subsyndromal depression Journal of Consulting and Clinical Psychology, 1999, 67, 201-211.	2.0	131
38	The feasibility and effectiveness of a web-based personalised feedback and social norms alcohol intervention in UK university students: A randomised control trial. Addictive Behaviors, 2008, 33, 1192-1198.	3.0	130
39	The importance of content and face validity in instrument development: lessons learnt from service users when developing the Recovering Quality of Life measure (ReQoL). Quality of Life Research, 2018, 27, 1893-1902.	3.1	128
40	Impact of Cluster C personality disorders on outcomes of contrasting brief psychotherapies for depression Journal of Consulting and Clinical Psychology, 1995, 63, 997-1004.	2.0	126
41	Advancing psychotherapy and evidenceâ€based psychological interventions. International Journal of Methods in Psychiatric Research, 2014, 23, 58-91.	2.1	126
42	Student debt and its relation to student mental health. Journal of Further and Higher Education, 2004, 28, 53-66.	2.5	118
43	Are there interactional differences between telephone and face-to-face psychological therapy? A systematic review of comparative studies. Journal of Affective Disorders, 2020, 265, 120-131.	4.1	118
44	Patterns of therapist variability: Therapist effects and the contribution of patient severity and risk Journal of Consulting and Clinical Psychology, 2012, 80, 535-546.	2.0	117
45	A systematic review of therapist effects: A critical narrative update and refinement to review. Clinical Psychology Review, 2019, 67, 78-93.	11.4	113
46	Sudden Gains in Cognitive Therapy for Depression: A Replication and Extension Journal of Consulting and Clinical Psychology, 2005, 73, 59-67.	2.0	109
47	Shapes of early change in psychotherapy under routine outpatient conditions Journal of Consulting and Clinical Psychology, 2007, 75, 864-874.	2.0	108
48	Predicting change for individual psychotherapy clients on the basis of their nearest neighbors Journal of Consulting and Clinical Psychology, 2005, 73, 904-913.	2.0	107
49	Therapist Competence and Outcome of Cognitive Therapy for Depression. Cognitive Therapy and Research, 2004, 28, 143-157.	1.9	101
50	Service profiling and outcomes benchmarking using the CORE-OM: Toward practice-based evidence in the psychological therapies Journal of Consulting and Clinical Psychology, 2001, 69, 184-196.	2.0	100
51	Responsive regulation of treatment duration in routine practice in United Kingdom primary care settings: Replication in a larger sample Journal of Consulting and Clinical Psychology, 2008, 76, 298-305.	2.0	99
52	Outcomes of time-limited psychotherapy in applied settings: Replicating the Second Sheffield Psychotherapy Project Journal of Consulting and Clinical Psychology, 1996, 64, 1079-1085.	2.0	97
53	The Relationship Between Interpersonal Attachment Styles and Work Difficulties. Human Relations, 1994, 47, 263-281.	5.4	95
54	The Young Person's CORE: Development of a brief outcome measure for young people. Counselling and Psychotherapy Research, 2009, 9, 160-168.	3.2	95

#	Article	IF	Citations
55	Using generic preference-based measures in mental health: psychometric validity of the EQ-5D and SF-6D. British Journal of Psychiatry, 2014, 205, 236-243.	2.8	95
56	The therapeutic alliance in psychodynamic-interpersonal and cognitive-behavioral therapy Journal of Consulting and Clinical Psychology, 1997, 65, 582-587.	2.0	94
57	Telephone-supported computerised cognitive–behavioural therapy: REEACT-2 large-scale pragmatic randomised controlled trial. British Journal of Psychiatry, 2017, 210, 362-367.	2.8	94
58	The effectiveness of computerized cognitive behavioural therapy in routine care. British Journal of Clinical Psychology, 2006, 45, 499-514.	3.5	92
59	Outcomes of patients completing and not completing cognitive therapy for depression. British Journal of Clinical Psychology, 2003, 42, 133-143.	3.5	90
60	Changes in undergraduate student alcohol consumption as they progress through university. BMC Public Health, 2008, 8, 163.	2.9	89
61	Providing Web-Based Feedback and Social Norms Information to Reduce Student Alcohol Intake: A Multisite Investigation. Journal of Medical Internet Research, 2010, 12, e59.	4.3	80
62	Practice-based evidence: benchmarking NHS primary care counselling services at national and local levels. Clinical Psychology and Psychotherapy, 2003, 10, 374-388.	2.7	78
63	A systematic review, evidence synthesis and meta-analysis of quantitative and qualitative studies evaluating the clinical effectiveness, the cost-effectiveness, safety and acceptability of interventions to prevent postnatal depression. Health Technology Assessment, 2016, 20, 1-414.	2.8	78
64	Systematic review of practiceâ€based research on psychological therapies in routine clinic settings. British Journal of Clinical Psychology, 2010, 49, 421-453.	3.5	77
65	The clinical effectiveness of stepped care systems for depression in working age adults: A systematic review. Journal of Affective Disorders, 2015, 170, 119-130.	4.1	77
66	Challenges to addressing student mental health in embedded counselling services: a survey of UK higher and further education institutions. British Journal of Guidance and Counselling, 2018, 46, 441-455.	1.2	77
67	Therapist responsiveness to client interpersonal styles during time-limited treatments for depression Journal of Consulting and Clinical Psychology, 1998, 66, 304-312.	2.0	76
68	Associations between therapists' occupational burnout and their patients' depression and anxiety treatment outcomes. Depression and Anxiety, 2018, 35, 844-850.	4.1	76
69	Relations of the alliance with psychotherapy outcome: Findings in the second Sheffield Psychotherapy Project Journal of Consulting and Clinical Psychology, 1998, 66, 791-802.	2.0	70
70	Alliance ruptures and rupture resolution in cognitive–behavior therapy: A preliminary task analysis. Psychotherapy Research, 2008, 18, 699-710.	1.8	70
71	The shape of change in psychotherapy: Longitudinal assessment of personal problems Journal of Consulting and Clinical Psychology, 1993, 61, 667-677.	2.0	66
72	University quality of life and learning (UNIQoLL): An approach to student well-being, satisfaction and institutional change. Journal of Further and Higher Education, 2003, 27, 365-382.	2.5	65

#	Article	IF	CITATIONS
73	Assimilation in good- and poor-outcome cases of very brief psychotherapy for mild depression: An initial comparison. Psychotherapy Research, 2006, 16, 393-407.	1.8	65
74	Practice-based evidence and standardized evaluation: Informing the design of the CORE system. European Journal of Psychotherapy and Counselling, 1999, 2, 357-374.	0.4	64
75	Two short forms of the Agnew Relationship Measure: The ARM-5 and ARM-12. Psychotherapy Research, 2012, 22, 241-255.	1.8	64
76	Towards an evidenceâ€base for student wellbeing and mental health: Definitions, developmental transitions and data sets. Counselling and Psychotherapy Research, 2019, 19, 351-357.	3.2	63
77	Acceleration of changes in session impact during contrasting time-limited psychotherapies Journal of Consulting and Clinical Psychology, 1996, 64, 577-586.	2.0	62
78	Resolving a challenge to the therapeutic relationship: A single ase study. The British Journal of Medical Psychology, 1994, 67, 155-170.	0.5	61
79	Rationale and development of a general population well-being measure: Psychometric status of the GP-CORE in a student sample. British Journal of Guidance and Counselling, 2005, 33, 153-173.	1.2	61
80	CORE-OM mental health norms of students attending university counselling services benchmarked against an age-matched primary care sample. British Journal of Guidance and Counselling, 2007, 35, 41-57.	1.2	61
81	The Second Sheffield Psychotherapy Project: Rationale, design and preliminary outcome data. The British Journal of Medical Psychology, 1990, 63, 97-108.	0.5	60
82	Developing a U.K. protocol for collaborative care: a qualitative study. General Hospital Psychiatry, 2006, 28, 296-305.	2.4	60
83	Stratified Care vs Stepped Care for Depression. JAMA Psychiatry, 2022, 79, 101.	11.0	58
84	Therapist effects and IAPT Psychological Wellbeing Practitioners (PWPs): A multilevel modelling and mixed methods analysis. Behaviour Research and Therapy, 2014, 63, 43-54.	3.1	57
85	Developing guided self-help for depression using the Medical Research Council complex interventions framework: a description of the modelling phase and results of an exploratory randomised controlled trial. BMC Psychiatry, 2008, 8, 91.	2.6	56
86	The Relationship Between Therapist Effects and Therapy Delivery Factors: Therapy Modality, Dosage, and Non-completion. Administration and Policy in Mental Health and Mental Health Services Research, 2017, 44, 705-715.	2.1	56
87	Counselor verbal response modes and experienced empathy Journal of Counseling Psychology, 1986, 33, 3-10.	2.0	55
88	Cost-effectiveness of an Improving Access to Psychological Therapies service. British Journal of Psychiatry, 2013, 202, 220-227.	2.8	55
89	A randomised controlled trial of computerised cognitive behaviour therapy for the treatment of depression in primary care: the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. Health Technology Assessment, 2015, 19, 1-174.	2.8	55
90	Time is of the essence: A selective review of the fall and rise of brief therapy research. Psychology and Psychotherapy: Theory, Research and Practice, 2003, 76, 211-235.	2.5	54

#	Article	IF	CITATIONS
91	The comparative effectiveness and efficiency of cognitive behaviour therapy and generic counselling in the treatment of depression: evidence from the 2nd UK National Audit of psychological therapies. BMC Psychiatry, 2017, 17, 215.	2.6	54
92	Credibility and outcome of cognitiveâ€"behavioural and psychodynamicâ€"interpersonal psychotherapy. British Journal of Clinical Psychology, 1995, 34, 555-569.	3.5	52
93	Effects of psychological therapies in randomized trials and practiceâ€based studies. British Journal of Clinical Psychology, 2008, 47, 397-415.	3.5	52
94	Discourse analysis of a theme in one successful case of brief psychodynamic-interpersonal psychotherapy Journal of Counseling Psychology, 1997, 44, 232-244.	2.0	51
95	Value of HoNOS in assessing patient change in NHS psychotherapy and psychological treatment services. British Journal of Psychiatry, 2001, 178, 561-566.	2.8	51
96	Temporal patterns of improvement in client-centred therapy and cognitive-behaviour therapy. Counselling Psychology Quarterly, 2005, 18, 95-108.	2.3	51
97	Reliability of Therapist Effects in Practice-Based Psychotherapy Research: A Guide for the Planning of Future Studies. Administration and Policy in Mental Health and Mental Health Services Research, 2017, 44, 598-613.	2.1	51
98	The effectiveness of UK student counselling services: an analysis using the CORE System. British Journal of Guidance and Counselling, 2008, 36, 1-18.	1.2	50
99	Therapist effects, effective therapists, and the law of variability , 2017, , 13-36.		50
100	Can we improve the morale of staff working in psychiatric units? A systematic review. Journal of Mental Health, 2006, 15, 7-17.	1.9	49
101	Developing practice-based evidence: Benefits, challenges, and tensions. Psychotherapy Research, 2015, 25, 20-31.	1.8	48
102	Transforming between Beck Depression Inventory and CORE-OM scores in routine clinical practice. British Journal of Clinical Psychology, 2006, 45, 153-166.	3.5	47
103	Dimensions of variation on the CORE-OM. British Journal of Clinical Psychology, 2006, 45, 185-203.	3 . 5	47
104	Psychological treatment outcomes in routine NHS services: What do we mean by treatment effectiveness?. Psychology and Psychotherapy: Theory, Research and Practice, 2012, 85, 1-16.	2.5	47
105	The structure, validity and clinical relevance of the Inventory of Interpersonal Problems. The British Journal of Medical Psychology, 1994, 67, 171-185.	0.5	46
106	Using Rasch analysis to form plausible health states amenable to valuation: the development of CORE-6D from a measure of common mental health problems (CORE-OM). Quality of Life Research, 2011, 20, 321-333.	3.1	45
107	The Contribution of Therapist Effects to Patient Dropout and Deterioration in the Psychological Therapies. Clinical Psychology and Psychotherapy, 2017, 24, 575-588.	2.7	45
108	PHASE: a randomised, controlled trial of supervised self-help cognitive behavioural therapy in primary care. British Journal of General Practice, 2003, 53, 764-70.	1.4	45

#	Article	IF	Citations
109	What does the first exchange tell? Dialogical sequence analysis and assimilation in very brief therapy. Psychotherapy Research, 2006, 16, 408-421.	1.8	44
110	Duration of psychological therapy: Relation to recovery and improvement rates in UK routine practice. British Journal of Psychiatry, 2015, 207, 115-122.	2.8	42
111	Therapist effects and moderators of effectiveness and efficiency in psychological wellbeing practitioners: A multilevel modelling analysis. Behaviour Research and Therapy, 2015, 69, 54-62.	3.1	42
112	A CORE approach to progress monitoring and feedback: Enhancing evidence and improving practice Psychotherapy, 2015, 52, 402-411.	1.2	42
113	Stability of the CORE-OM and the BDI-I prior to therapy: Evidence from routine practice. Psychology and Psychotherapy: Theory, Research and Practice, 2007, 80, 269-278.	2.5	41
114	The Acceptability of Computer-Aided Cognitive Behavioural Therapy: A Pragmatic Study. Cognitive Behaviour Therapy, 2009, 38, 235-246.	3.5	41
115	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. Health Technology Assessment, 2016, 20, 1-192.	2.8	41
116	Clinical effectiveness, cost-effectiveness and acceptability of low-intensity interventions in the management of obsessive–compulsive disorder: the Obsessive–Compulsive Treatment Efficacy randomised controlled Trial (OCTET). Health Technology Assessment, 2017, 21, 1-132.	2.8	41
117	Dose-Effect Relations for Psychotherapy of Mild Depression: A Quasi-Experimental Comparison of Effects of 2, 8, and 16 Sessions. Psychotherapy Research, 2002, 12, 463-474.	1.8	40
118	The Effectiveness of a Web-Based Personalized Feedback and Social Norms Alcohol Intervention on United Kingdom University Students: Randomized Controlled Trial. Journal of Medical Internet Research, 2013, 15, e137.	4.3	40
119	Early sudden gains in psychotherapy under routine clinic conditions: practice-based evidence. Journal of Consulting and Clinical Psychology, 2003, 71, 14-21.	2.0	40
120	Client interpersonal and cognitive styles as predictors of response to time-limited cognitive therapy for depression Journal of Consulting and Clinical Psychology, 2001, 69, 841-845.	2.0	39
121	Self-Help Books for People with Depression: the Role of the Therapeutic Relationship. Behavioural and Cognitive Psychotherapy, 2010, 38, 67-81.	1.2	39
122	Brief psychotherapeutic interventions for job-related distress: A Pilot study of Prescriptive and Exploratory therapy. Counselling Psychology Quarterly, 1990, 3, 133-147.	2.3	38
123	Therapist session intentions in cognitive–behavioral and psychodynamic–interpersonal psychotherapy Journal of Counseling Psychology, 1996, 43, 402-414.	2.0	38
124	Convergent validity of the CORE measures with measures of depression for clients in cognitive therapy for depression Journal of Counseling Psychology, 2006, 53, 253-259.	2.0	38
125	The need for a behavioural science focus in research on mental health and mental disorders. International Journal of Methods in Psychiatric Research, 2014, 23, 28-40.	2.1	38
126	Cost-Effectiveness of Collaborative Care for Depression in UK Primary Care: Economic Evaluation of a Randomised Controlled Trial (CADET). PLoS ONE, 2014, 9, e104225.	2.5	38

#	Article	IF	Citations
127	Treatment Order and Thematic Continuity Between Contrasting Psychotherapies: Exploring an Implication of the Assimilation Model. Psychotherapy Research, 1992, 2, 112-124.	1.8	37
128	Assessment of assimilation in psychotherapy: A quantitative case study of problematic experiences with a significant other Journal of Counseling Psychology, 1994, 41, 397-406.	2.0	37
129	Confirmatory Factor Analysis of the Personality Disorder Subscales From the Inventory of Interpersonal Problems. Journal of Personality Assessment, 1997, 69, 284-296.	2.1	37
130	Scoping the inventory of interpersonal problems, its derivatives and short forms: 1988-2004. Clinical Psychology and Psychotherapy, 2005, 12, 475-496.	2.7	37
131	Recovery and improvement benchmarks for counselling and the psychological therapies in routine primary care. Counselling and Psychotherapy Research, 2006, 6, 68-80.	3.2	37
132	Counselling outcomes in primary health care: a CORE system data profile. European Journal of Psychotherapy and Counselling, 2001, 4, 65-86.	0.4	36
133	The prevalence of nursing staff stress on adult acute psychiatric in-patient wards. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 34-43.	3.1	36
134	Estimating a Preference-Based Index from the Clinical Outcomes in Routine Evaluation–Outcome Measure (CORE-OM). Medical Decision Making, 2013, 33, 381-395.	2.4	36
135	A mixed-method investigation of patient monitoring and enhanced feedback in routine practice: Barriers and facilitators. Psychotherapy Research, 2015, 25, 633-646.	1.8	36
136	Using electronic surveying to assess psychological distress within the UK student population: a multi-site pilot investigation. E-Journal of Applied Psychology, 2008, 4, .	0.3	36
137	The CORE-OM in an older adult population: Psychometric status, acceptability, and feasibility. Aging and Mental Health, 2005, 9, 235-245.	2.8	35
138	Acceptability, reliability, referential distributions and sensitivity to change in the Young Person's Clinical Outcomes in Routine Evaluation (YP-CORE) outcome measure: replication and refinement. Child and Adolescent Mental Health, 2016, 21, 115-123.	3.5	35
139	Convergent validy of the Agnew Relationship Measure and the Working Alliance Inventory Psychological Assessment, 2002, 14, 209-220.	1.5	33
140	The assessment of depression in people with multiple sclerosis: a systematic review of psychometric validation studies. BMC Psychiatry, 2016, 16, 278.	2.6	32
141	The Role of Practitioner Resilience and Mindfulness in Effective Practice: A Practice-Based Feasibility Study. Administration and Policy in Mental Health and Mental Health Services Research, 2017, 44, 691-704.	2.1	32
142	The second Randomised Evaluation of the Effectiveness, cost-effectiveness and Acceptability of Computerised Therapy (REEACT-2) trial: does the provision of telephone support enhance the effectiveness of computer-delivered cognitive behaviour therapy? A randomised controlled trial. Health Technology Assessment, 2016, 20, 1-64.	2.8	31
143	Components of major depression examined via the Beck depression inventory. Journal of Affective Disorders, 1992, 26, 251-259.	4.1	30
144	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depression - study protocol. BMC Health Services Research, 2009, 9, 188.	2.2	30

#	Article	IF	CITATIONS
145	Coâ€occurrence of selfâ€reported disordered eating and selfâ€harm in UK university students. British Journal of Clinical Psychology, 2009, 48, 397-410.	3.5	30
146	Predictors of patient non-attendance at Improving Access to Psychological Therapy services demonstration sites. Journal of Affective Disorders, 2014, 169, 157-164.	4.1	30
147	A multi-service practice research network study of large group psychoeducational cognitive behavioural therapy. Behaviour Research and Therapy, 2016, 87, 155-161.	3.1	29
148	Research directions for psychotherapy integration: A roundtable Journal of Psychotherapy Integration, 1993, 3, 91-131.	1.1	28
149	Hearing voices. , 0, , 237-254.		28
150	Prescriptive and exploratory psychotherapies: Toward an integration based on the assimilation model Journal of Psychotherapy Integration, 1992, 2, 253-272.	1.1	27
151	Self-help books for people with depression: A scoping review. Journal of Mental Health, 2008, 17, 543-552.	1.9	26
152	Low-intensity cognitive-behaviour therapy interventions for obsessive-compulsive disorder compared to waiting list for therapist-led cognitive-behaviour therapy: 3-arm randomised controlled trial of clinical effectiveness. PLoS Medicine, 2017, 14, e1002337.	8.4	25
153	Towards personalized allocation of patients to therapists Journal of Consulting and Clinical Psychology, 2020, 88, 799-808.	2.0	25
154	How Social Class Differences Affect Students' Experience of University. Journal of Further and Higher Education, 2004, 28, 407-421.	2.5	24
155	Submissive voices dominate in depression: Assimilation analysis of a helpful session. Journal of Clinical Psychology, 2007, 63, 153-164.	1.9	23
156	Convergent validy of the Agnew Relationship Measure and the Working Alliance Inventory Psychological Assessment, 2002, 14, 209-220.	1.5	23
157	Practice improvement methods: Conceptual base, evidence-based research, and practice-based recommendations. British Journal of Clinical Psychology, 2002, 41, 285-307.	3.5	22
158	Public involvement in health outcomes research: lessons learnt from the development of the recovering quality of life (ReQoL) measures. Health and Quality of Life Outcomes, 2019, 17, 60.	2.4	22
159	Cognitive-Behavioural Therapy in Two-Plus-One Sessions: A Pilot Field Trial. Behavioural Psychotherapy, 1992, 20, 147-154.	0.5	21
160	Practiceâ€based supervision research: A network of researchers using a common toolkit. Counselling and Psychotherapy Research, 2011, 11, 88-96.	3.2	21
161	Recovery from depression: a systematic review of perceptions and associated factors. Journal of Mental Health, 2020, 29, 103-115.	1.9	21
162	Brief Prescriptive Therapy in Two-plus-one Sessions: Initial Cases from the Clinic. Behavioural Psychotherapy, 1989, 17, 161-175.	0.5	20

#	Article	IF	CITATIONS
163	Training health visitors in cognitive behavioural and person-centred approaches for depression in postnatal women as part of a cluster randomised trial and economic evaluation in primary care: the PoNDER trial. Primary Health Care Research and Development, 2011, 12, 11-20.	1.2	20
164	The Counseling Center Assessment of Psychological Symptoms (CCAPSâ€62): Acceptance, feasibility, and initial psychometric properties in a UK student population. Clinical Psychology and Psychotherapy, 2017, 24, 1178-1188.	2.7	20
165	Counseling With Guided Use of a Mobile Well-Being App for Students Experiencing Anxiety or Depression: Clinical Outcomes of a Feasibility Trial Embedded in a Student Counseling Service. JMIR MHealth and UHealth, 2019, 7, e14318.	3.7	20
166	Correspondence. Psychological Medicine, 2008, 38, 905-910.	4.5	19
167	Exploratory Therapy in Two-Plus-One Sessions I - Rationale for a Brief Psychotherapy Model. British Journal of Psychotherapy, 1989, 6, 81-88.	0.2	18
168	Integrating Qualitative and Quantitative Data in the Development of Outcome Measures: The Case of the Recovering Quality of Life (ReQoL) Measures in Mental Health Populations. International Journal of Environmental Research and Public Health, 2018, 15, 1342.	2.6	18
169	The 2018 UK NHS Digital annual report on the Improving Access to Psychological Therapies programme: a brief commentary. BMC Psychiatry, 2019, 19, 252.	2.6	18
170	Patterns of client emotion in helpful sessions of cognitive-behavioral and psychodynamic-interpersonal therapy Journal of Counseling Psychology, 2002, 49, 376-380.	2.0	17
171	The effectiveness of psychodynamicâ€interpersonal therapy (PIT) in routine clinical practice: A benchmarking comparison. Psychology and Psychotherapy: Theory, Research and Practice, 2008, 81, 157-175.	2.5	17
172	Idiographic patient reported outcome measures (lâ€PROMs) for routine outcome monitoring in psychological therapies: Position paper. Journal of Clinical Psychology, 2023, 79, 596-621.	1.9	17
173	Counselling and interpersonal therapies for depression: towards securing an evidence-base. British Medical Bulletin, 2001, 57, 115-132.	6.9	16
174	PHASE: a 'health technology' approach to psychological treatment in primary mental health care. Primary Health Care Research and Development, 2002, 3, 159-168.	1.2	16
175	Developing the resources and management support for routine evaluation in counselling and psychological therapy service provision: Reflections on a decade of CORE development. European Journal of Psychotherapy and Counselling, 2006, 8, 141-161.	0.4	16
176	Relationship between mental states in depression: The assimilation model perspective. Psychiatry Research, 2011, 190, 52-59.	3.3	16
177	The Role of Practice Research Networks (PRN) in the Development and Implementation of Evidence: The Northern Improving Access to Psychological Therapies PRN Case Study. Administration and Policy in Mental Health and Mental Health Services Research, 2017, 44, 919-931.	2.1	16
178	Humanistic counselling plus pastoral care as usual versus pastoral care as usual for the treatment of psychological distress in adolescents in UK state schools (ETHOS): a randomised controlled trial. The Lancet Child and Adolescent Health, 2021, 5, 178-189.	5.6	16
179	Assessing risk and emotional disturbance using the CORE–OM and HoNOS outcome measures at the interface between primary and secondary mental healthcare. Psychiatric Bulletin, 2005, 29, 419-422.	0.3	16
180	Personal questionnaire changes in prescriptive vs. exploratory psychotherapy. British Journal of Clinical Psychology, 1989, 28, 97-107.	3.5	15

#	Article	IF	CITATIONS
181	Staying with the feeling: An anger event in psychodynamic–interpersonal therapy Journal of Counseling Psychology, 1998, 45, 279-289.	2.0	15
182	Therapist and client processes affecting assimilation and outcome in brief psychotherapy. Psychotherapy Research, 2007, 17, 613-621.	1.8	15
183	Exploratory Therapy in Two-Plus-One Sessions II - A Single Case Study. British Journal of Psychotherapy, 1989, 6, 89-100.	0.2	14
184	Covariance in the measurement of depression/anxiety and three Cluster C personality disorders (avoidant, dependent, obsessive-compulsive). Journal of Affective Disorders, 1997, 45, 143-153.	4.1	14
185	Practice-based research networks: Origins, overview, obstacles, and opportunities. Counselling and Psychotherapy Research, 2014, 14, 167-173.	3.2	14
186	Reflections on benchmarking NHS primary care psychological therapies and counselling. Counselling and Psychotherapy Research, 2006, 6, 81-87.	3.2	13
187	How should we evaluate research on counselling and the treatment of depression? A case study on how the National Institute for Health and Care Excellence's draft 2018 guideline for depression considered what counts as best evidence. Counselling and Psychotherapy Research, 2017, 17, 253-268.	3.2	13
188	Student mental health profiles and barriers to help seeking: When and why students seek help for a mental health concern. Counselling and Psychotherapy Research, 2021, 21, 816-826.	3.2	13
189	When clients and practitioners have differing views of risk: Benchmarks for improving assessment and practice. Counselling and Psychotherapy Research, 2006, 6, 50-59.	3.2	12
190	Balancing rigour and relevance in guideline development for depression: The case for comprehensive cohort studies. Psychology and Psychotherapy: Theory, Research and Practice, 2008, 81, 399-417.	2.5	12
191	Zone of proximal development (<scp>ZPD</scp>) as an ability to play in psychotherapy: A theoryâ€building case study of very brief therapy. Psychology and Psychotherapy: Theory, Research and Practice, 2014, 87, 447-464.	2.5	12
192	A pragmatic randomised controlled trial assessing the non-inferiority of counselling for depression versus cognitive-behaviour therapy for patients in primary care meeting a diagnosis of moderate or severe depression (PRaCTICED): Study protocol for a randomised controlled trial. Trials, 2017, 18, 93.	1.6	12
193	Effectiveness and cost-effectiveness of humanistic counselling in schools for young people with emotional distress (ETHOS): study protocol for a randomised controlled trial. Trials, 2018, 19, 175.	1.6	12
194	Person-centred experiential therapy versus cognitive behavioural therapy delivered in the English Improving Access to Psychological Therapies service for the treatment of moderate or severe depression (PRaCTICED): a pragmatic, randomised, non-inferiority trial. Lancet Psychiatry, the, 2021, 8, 487-499.	7.4	12
195	Therapist and clinic effects in psychotherapy: A three-level model of outcome variability Journal of Consulting and Clinical Psychology, 2019, 87, 345-356.	2.0	12
196	Empathy in Counselling and Psychotherapy: Present status and future directions. Counselling Psychology Quarterly, 1988, 1, 407-428.	2.3	11
197	Whingeing Versus Working: Comprehensive Process Analysis of A "Vague Awareness―Event in Psychodynamic-Interpersonal Therapy. Psychotherapy Research, 1998, 8, 334-353.	1.8	11
198	†It's Like Catching a Desire Before it Flies Away': A Comprehensive Process Analysis of a Problem Clarification Event in Cognitive-Behavioral Therapy for Depression. Psychotherapy Research, 2001, 11, 331-351.	1.8	11

#	Article	IF	CITATIONS
199	Exploring the item sets of the Recovering Quality of Life (ReQoL) measures using factor analysis. Quality of Life Research, 2019, 28, 1005-1015.	3.1	11
200	Profiling student mental health and counselling effectiveness: lessons from four UK services using complete data and different outcome measures. British Journal of Guidance and Counselling, 2023, 51, 204-222.	1.2	11
201	The California Psychotherapy Alliance Scales: A pilot study of dimensions and elements. The British Journal of Medical Psychology, 1993, 66, 157-165.	0.5	10
202	Therapists' recall of early sudden gains in routine clinical practice. Psychology and Psychotherapy: Theory, Research and Practice, 2006, 79, 107-114.	2.5	10
203	Obsessive Compulsive Treatment Efficacy Trial (OCTET) comparing the clinical and cost effectiveness of self-managed therapies: study protocol for a randomised controlled trial. Trials, 2014, 15, 278.	1.6	10
204	Patientâ€eentered assessment in psychotherapy: Toward a greater bandwidth of evidence Clinical Psychology: Science and Practice, 2016, 23, 284-287.	0.9	10
205	A systematic review and meta-analysis of the good-enough level (GEL) literature Journal of Counseling Psychology, 2021, 68, 219-231.	2.0	10
206	Enhancing the Behaviour Change Wheel with synthesis, stakeholder involvement and decision-making: a case example using the â€~Enhancing the Quality of Psychological Interventions Delivered by Telephone'Â(EQUITy) research programme. Implementation Science, 2021, 16, 53.	6.9	10
207	The reliability of a modified Helper Behaviour Rating System. The British Journal of Medical Psychology, 1984, 57, 45-48.	0.5	9
208	Appraisal of published reviews of research on psychotherapy and counseling with adults 1990-1998 Journal of Consulting and Clinical Psychology, 2003, 71, 652-656.	2.0	9
209	Interactional positioning and narrative self-construction in the first session of psychodynamic–interpersonal psychotherapy. Psychotherapy Research, 2005, 15, 420-432.	1.8	8
210	The COREâ€OM and COREâ€OM (SV) in secure settings: a template analysis of the experiences of male patients and their staff. Journal of Forensic Practice, 2013, 15, 32-43.	0.5	8
211	The effectiveness of high-intensity CBT and counselling alone and following low-intensity CBT: a reanalysis of the 2nd UK National Audit of Psychological Therapies data. BMC Psychiatry, 2018, 18, 321.	2.6	8
212	Therapist effects vary significantly across psychological treatment care sectors. Clinical Psychology and Psychotherapy, 2020, 27, 770-778.	2.7	8
213	Comparing counselling alone versus counselling supplemented with guided use of a well-being app for university students experiencing anxiety or depression (CASELOAD): protocol for a feasibility trial. Pilot and Feasibility Studies, 2017, 3, 3.	1.2	7
214	Low-Intensity Guided Help Through Mindfulness (LIGHTMIND): study protocol for a randomised controlled trial comparing supported mindfulness-based cognitive therapy self-help to supported cognitive behavioural therapy self-help for adults experiencing depression. Trials, 2020, 21, 374.	1.6	7
215	Core outcomes in psychosexual therapy: A feasibility study of the CORE-OM. Sexual and Relationship Therapy, 2006, 21, 15-26.	1.2	6
216	An item response theory analysis of an item pool for the recovering quality of life (ReQoL) measure. Quality of Life Research, 2021, 30, 267-276.	3.1	6

#	Article	IF	Citations
217	The relationship between expected engagement and talking therapy outcome. Clinical Psychology and Psychotherapy, 2019, 26, 492-501.	2.7	5
218	â€~So just to go through the options…': patient choice in the telephone delivery of the NHS Improving Access to Psychological Therapies services. Sociology of Health and Illness, 2021, 43, 3-19.	2.1	5
219	Using routine outcome measures as clinical process tools: Maximising the therapeutic yield in the <scp>IAPT</scp> programme when working remotely. Psychology and Psychotherapy: Theory, Research and Practice, 2022, , .	2.5	5
220	How to develop inter-organisational research networks in mental health: A systematic review. Journal of Mental Health, 2005, 14, 7-23.	1.9	4
221	The British Journal of (Social and) Clinical Psychology- a brief citation review. British Journal of Clinical Psychology, 2011, 50, 1-6.	3.5	4
222	Lack of synchronized seasonal variation in the intensity of psychological problems Journal of Abnormal Psychology, 1993, 102, 388-394.	1.9	3
223	A preliminary study of a measure of role-play competence in psychodynamic interpersonal therapy. Psychology and Psychotherapy: Theory, Research and Practice, 2007, 80, 327-331.	2.5	3
224	Collaborative care for depression in UK primary care: a randomized controlled trial – Corrigendum. Psychological Medicine, 2009, 39, 701-701.	4.5	3
225	Person-centred experiential therapy (PCET) training within a UK NHS IAPT service: experiences of selected counsellors in the PRaCTICED trial. British Journal of Guidance and Counselling, 2019, 47, 619-634.	1.2	3
226	Using rich data to inform student mental health practice and policy. Counselling and Psychotherapy Research, 2021, 21, 751-756.	3.2	3
227	Socioeconomic Deprivation and Dropout from Contemporary Psychological Intervention for Common Mental Disorders: A Systematic Review. Administration and Policy in Mental Health and Mental Health Services Research, 2022, 49, 490-505.	2.1	3
228	Change in prescriptive versus exploratory therapy: Older clients' responses to therapy. Counselling Psychology Quarterly, 1989, 2, 395-403.	2.3	2
229	Practitioners' experiences of learning and implementing Counselling for Depression (CfD) in routine practice settings. Counselling and Psychotherapy Research, 2018, 18, 3-13.	3.2	2
230	Towards greater bandwidth for standardised outcome measures. Lancet Psychiatry, the, 2021, 8, 17.	7.4	2
231	Rewiring efficacy studies to increase their relevance to routine practice. Mental Health and Learning Disabilities Research and Practice, 2005, 2, 11-18.	0.0	2
232	"The Times They Are a-Changin'â€*: 25 years ofPsychotherapy Research– A European and Latin American perspective. Psychotherapy Research, 2015, 25, 294-308.	1.8	1
233	Personâ€centred experiential therapy: Perceptions of trainers and developers. Counselling and Psychotherapy Research, 2021, 21, 459-489.	3.2	1
234	'It's Like Catching a Desire Before it Flies Away': A Comprehensive Process Analysis of a Problem Clarification Event in Cognitive-Behavioral Therapy for Depression. Psychotherapy Research, 2001, 11, 331-351.	1.8	1

ı	#	Article	IF	CITATIONS
	235	An investigation of client mood in the initial and final sessions of cognitive-behavioral therapy and psychodynamic-interpersonal therapy. Psychotherapy Research, 2016, 26, 377-385.	1.8	0
	236	Out of pocket expenses in obsessive compulsive disorder. Journal of Mental Health, 2020, , 1-6.	1.9	0