

Michael Barkham

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7988819/publications.pdf>

Version: 2024-02-01

236
papers

16,632
citations

14124

69
h-index

23841

115
g-index

252
all docs

252
docs citations

252
times ranked

12085
citing authors

#	ARTICLE	IF	CITATIONS
1	Profiling student mental health and counselling effectiveness: lessons from four UK services using complete data and different outcome measures. <i>British Journal of Guidance and Counselling</i> , 2023, 51, 204-222.	0.6	11
2	Idiographic patient reported outcome measures (iPROMs) for routine outcome monitoring in psychological therapies: Position paper. <i>Journal of Clinical Psychology</i> , 2023, 79, 596-621.	1.0	17
3	Socioeconomic Deprivation and Dropout from Contemporary Psychological Intervention for Common Mental Disorders: A Systematic Review. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2022, 49, 490-505.	1.2	3
4	Stratified Care vs Stepped Care for Depression. <i>JAMA Psychiatry</i> , 2022, 79, 101.	6.0	58
5	Using routine outcome measures as clinical process tools: Maximising the therapeutic yield in the IAPT programme when working remotely. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, , .	1.3	5
6	So just to go through the options: patient choice in the telephone delivery of the NHS Improving Access to Psychological Therapies services. <i>Sociology of Health and Illness</i> , 2021, 43, 3-19.	1.1	5
7	An item response theory analysis of an item pool for the recovering quality of life (ReQoL) measure. <i>Quality of Life Research</i> , 2021, 30, 267-276.	1.5	6
8	Towards greater bandwidth for standardised outcome measures. <i>Lancet Psychiatry</i> , 2021, 8, 17.	3.7	2
9	Person-centred experiential therapy: Perceptions of trainers and developers. <i>Counselling and Psychotherapy Research</i> , 2021, 21, 459-489.	1.7	1
10	Humanistic counselling plus pastoral care as usual versus pastoral care as usual for the treatment of psychological distress in adolescents in UK state schools (ETHOS): a randomised controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2021, 5, 178-189.	2.7	16
11	A systematic review and meta-analysis of the good-enough level (GEL) literature. <i>Journal of Counseling Psychology</i> , 2021, 68, 219-231.	1.4	10
12	Prevalence and risk factors for mental health problems in university undergraduate students: A systematic review with meta-analysis. <i>Journal of Affective Disorders</i> , 2021, 287, 282-292.	2.0	145
13	Enhancing the Behaviour Change Wheel with synthesis, stakeholder involvement and decision-making: a case example using the Enhancing the Quality of Psychological Interventions Delivered by Telephone (EQUITY) research programme. <i>Implementation Science</i> , 2021, 16, 53.	2.5	10
14	Person-centred experiential therapy versus cognitive behavioural therapy delivered in the English Improving Access to Psychological Therapies service for the treatment of moderate or severe depression (PRaCTICED): a pragmatic, randomised, non-inferiority trial. <i>Lancet Psychiatry</i> , 2021, 8, 487-499.	3.7	12
15	Student mental health profiles and barriers to help seeking: When and why students seek help for a mental health concern. <i>Counselling and Psychotherapy Research</i> , 2021, 21, 816-826.	1.7	13
16	Mental Health During COVID-19 Lockdown in the United Kingdom. <i>Psychosomatic Medicine</i> , 2021, 83, 328-337.	1.3	163
17	Using rich data to inform student mental health practice and policy. <i>Counselling and Psychotherapy Research</i> , 2021, 21, 751-756.	1.7	3
18	Recovery from depression: a systematic review of perceptions and associated factors. <i>Journal of Mental Health</i> , 2020, 29, 103-115.	1.0	21

#	ARTICLE	IF	CITATIONS
19	Out of pocket expenses in obsessive compulsive disorder. <i>Journal of Mental Health</i> , 2020, , 1-6.	1.0	0
20	Low-Intensity Guided Help Through Mindfulness (LIGHTMIND): study protocol for a randomised controlled trial comparing supported mindfulness-based cognitive therapy self-help to supported cognitive behavioural therapy self-help for adults experiencing depression. <i>Trials</i> , 2020, 21, 374.	0.7	7
21	Therapist effects vary significantly across psychological treatment care sectors. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 770-778.	1.4	8
22	Are there interactional differences between telephone and face-to-face psychological therapy? A systematic review of comparative studies. <i>Journal of Affective Disorders</i> , 2020, 265, 120-131.	2.0	118
23	Towards personalized allocation of patients to therapists.. <i>Journal of Consulting and Clinical Psychology</i> , 2020, 88, 799-808.	1.6	25
24	Towards an evidence base for student wellbeing and mental health: Definitions, developmental transitions and data sets. <i>Counselling and Psychotherapy Research</i> , 2019, 19, 351-357.	1.7	63
25	The 2018 UK NHS Digital annual report on the Improving Access to Psychological Therapies programme: a brief commentary. <i>BMC Psychiatry</i> , 2019, 19, 252.	1.1	18
26	Person-centred experiential therapy (PCET) training within a UK NHS IAPT service: experiences of selected counsellors in the PRaCTICED trial. <i>British Journal of Guidance and Counselling</i> , 2019, 47, 619-634.	0.6	3
27	The relationship between expected engagement and talking therapy outcome. <i>Clinical Psychology and Psychotherapy</i> , 2019, 26, 492-501.	1.4	5
28	Public involvement in health outcomes research: lessons learnt from the development of the recovering quality of life (ReQoL) measures. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 60.	1.0	22
29	Exploring the item sets of the Recovering Quality of Life (ReQoL) measures using factor analysis. <i>Quality of Life Research</i> , 2019, 28, 1005-1015.	1.5	11
30	A systematic review of therapist effects: A critical narrative update and refinement to review. <i>Clinical Psychology Review</i> , 2019, 67, 78-93.	6.0	113
31	Therapist and clinic effects in psychotherapy: A three-level model of outcome variability.. <i>Journal of Consulting and Clinical Psychology</i> , 2019, 87, 345-356.	1.6	12
32	Counseling With Guided Use of a Mobile Well-Being App for Students Experiencing Anxiety or Depression: Clinical Outcomes of a Feasibility Trial Embedded in a Student Counseling Service. <i>JMIR MHealth and UHealth</i> , 2019, 7, e14318.	1.8	20
33	Recovering Quality of Life (ReQoL): a new generic self-reported outcome measure for use with people experiencing mental health difficulties. <i>British Journal of Psychiatry</i> , 2018, 212, 42-49.	1.7	141
34	The importance of content and face validity in instrument development: lessons learnt from service users when developing the Recovering Quality of Life measure (ReQoL). <i>Quality of Life Research</i> , 2018, 27, 1893-1902.	1.5	128
35	Effectiveness and cost-effectiveness of humanistic counselling in schools for young people with emotional distress (ETHOS): study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 175.	0.7	12
36	Practitioners' experiences of learning and implementing Counselling for Depression (CfD) in routine practice settings. <i>Counselling and Psychotherapy Research</i> , 2018, 18, 3-13.	1.7	2

#	ARTICLE	IF	CITATIONS
37	Challenges to addressing student mental health in embedded counselling services: a survey of UK higher and further education institutions. <i>British Journal of Guidance and Counselling</i> , 2018, 46, 441-455.	0.6	77
38	The effectiveness of high-intensity CBT and counselling alone and following low-intensity CBT: a reanalysis of the 2nd UK National Audit of Psychological Therapies data. <i>BMC Psychiatry</i> , 2018, 18, 321.	1.1	8
39	Associations between therapists' occupational burnout and their patients' depression and anxiety treatment outcomes. <i>Depression and Anxiety</i> , 2018, 35, 844-850.	2.0	76
40	Integrating Qualitative and Quantitative Data in the Development of Outcome Measures: The Case of the Recovering Quality of Life (ReQoL) Measures in Mental Health Populations. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1342.	1.2	18
41	Reliability of Therapist Effects in Practice-Based Psychotherapy Research: A Guide for the Planning of Future Studies. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2017, 44, 598-613.	1.2	51
42	Telephone-supported computerised cognitive-behavioural therapy: REEACT-2 large-scale pragmatic randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 210, 362-367.	1.7	94
43	The Counseling Center Assessment of Psychological Symptoms (CCAPS-62): Acceptance, feasibility, and initial psychometric properties in a UK student population. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 1178-1188.	1.4	20
44	How should we evaluate research on counselling and the treatment of depression? A case study on how the National Institute for Health and Care Excellence's draft 2018 guideline for depression considered what counts as best evidence. <i>Counselling and Psychotherapy Research</i> , 2017, 17, 253-268.	1.7	13
45	The Relationship Between Therapist Effects and Therapy Delivery Factors: Therapy Modality, Dosage, and Non-completion. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2017, 44, 705-715.	1.2	56
46	The Role of Practice Research Networks (PRN) in the Development and Implementation of Evidence: The Northern Improving Access to Psychological Therapies PRN Case Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2017, 44, 919-931.	1.2	16
47	The comparative effectiveness and efficiency of cognitive behaviour therapy and generic counselling in the treatment of depression: evidence from the 2nd UK National Audit of psychological therapies. <i>BMC Psychiatry</i> , 2017, 17, 215.	1.1	54
48	A pragmatic randomised controlled trial assessing the non-inferiority of counselling for depression versus cognitive-behaviour therapy for patients in primary care meeting a diagnosis of moderate or severe depression (PRaCTICED): Study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 93.	0.7	12
49	Comparing counselling alone versus counselling supplemented with guided use of a well-being app for university students experiencing anxiety or depression (CASELOAD): protocol for a feasibility trial. <i>Pilot and Feasibility Studies</i> , 2017, 3, 3.	0.5	7
50	The Role of Practitioner Resilience and Mindfulness in Effective Practice: A Practice-Based Feasibility Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2017, 44, 691-704.	1.2	32
51	The Contribution of Therapist Effects to Patient Dropout and Deterioration in the Psychological Therapies. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 575-588.	1.4	45
52	Low-intensity cognitive-behaviour therapy interventions for obsessive-compulsive disorder compared to waiting list for therapist-led cognitive-behaviour therapy: 3-arm randomised controlled trial of clinical effectiveness. <i>PLoS Medicine</i> , 2017, 14, e1002337.	3.9	25
53	Therapist effects, effective therapists, and the law of variability.. , 2017, , 13-36.		50
54	Clinical effectiveness, cost-effectiveness and acceptability of low-intensity interventions in the management of obsessive-compulsive disorder: the Obsessive-Compulsive Treatment Efficacy randomised controlled Trial (OCTET). <i>Health Technology Assessment</i> , 2017, 21, 1-132.	1.3	41

#	ARTICLE	IF	CITATIONS
55	Acceptability, reliability, referential distributions and sensitivity to change in the Young Person's Clinical Outcomes in Routine Evaluation (YP-CORE) outcome measure: replication and refinement. <i>Child and Adolescent Mental Health</i> , 2016, 21, 115-123.	1.8	35
56	Patient-centered assessment in psychotherapy: Toward a greater bandwidth of evidence.. <i>Clinical Psychology: Science and Practice</i> , 2016, 23, 284-287.	0.6	10
57	A multi-service practice research network study of large group psychoeducational cognitive behavioural therapy. <i>Behaviour Research and Therapy</i> , 2016, 87, 155-161.	1.6	29
58	The assessment of depression in people with multiple sclerosis: a systematic review of psychometric validation studies. <i>BMC Psychiatry</i> , 2016, 16, 278.	1.1	32
59	An investigation of client mood in the initial and final sessions of cognitive-behavioral therapy and psychodynamic-interpersonal therapy. <i>Psychotherapy Research</i> , 2016, 26, 377-385.	1.1	0
60	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. <i>Health Technology Assessment</i> , 2016, 20, 1-192.	1.3	41
61	A systematic review, evidence synthesis and meta-analysis of quantitative and qualitative studies evaluating the clinical effectiveness, the cost-effectiveness, safety and acceptability of interventions to prevent postnatal depression. <i>Health Technology Assessment</i> , 2016, 20, 1-414.	1.3	78
62	The second Randomised Evaluation of the Effectiveness, cost-effectiveness and Acceptability of Computerised Therapy (REEACT-2) trial: does the provision of telephone support enhance the effectiveness of computer-delivered cognitive behaviour therapy? A randomised controlled trial. <i>Health Technology Assessment</i> , 2016, 20, 1-64.	1.3	31
63	A mixed-method investigation of patient monitoring and enhanced feedback in routine practice: Barriers and facilitators. <i>Psychotherapy Research</i> , 2015, 25, 633-646.	1.1	36
64	Computerised cognitive behaviour therapy (cCBT) as treatment for depression in primary care (REEACT) Tj ETQq0 0,0 rgBT /Overlock 10	3.0	313
65	Developing practice-based evidence: Benefits, challenges, and tensions. <i>Psychotherapy Research</i> , 2015, 25, 20-31.	1.1	48
66	Duration of psychological therapy: Relation to recovery and improvement rates in UK routine practice. <i>British Journal of Psychiatry</i> , 2015, 207, 115-122.	1.7	42
67	Therapist effects and moderators of effectiveness and efficiency in psychological wellbeing practitioners: A multilevel modelling analysis. <i>Behaviour Research and Therapy</i> , 2015, 69, 54-62.	1.6	42
68	"The Times They Are a-Changin'": 25 years of Psychotherapy Research – A European and Latin American perspective. <i>Psychotherapy Research</i> , 2015, 25, 294-308.	1.1	1
69	The clinical effectiveness of stepped care systems for depression in working age adults: A systematic review. <i>Journal of Affective Disorders</i> , 2015, 170, 119-130.	2.0	77
70	A CORE approach to progress monitoring and feedback: Enhancing evidence and improving practice.. <i>Psychotherapy</i> , 2015, 52, 402-411.	0.7	42
71	A randomised controlled trial of computerised cognitive behaviour therapy for the treatment of depression in primary care: the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. <i>Health Technology Assessment</i> , 2015, 19, 1-174.	1.3	55
72	Practice-based research networks: Origins, overview, obstacles, and opportunities. <i>Counselling and Psychotherapy Research</i> , 2014, 14, 167-173.	1.7	14

#	ARTICLE	IF	CITATIONS
73	Zone of proximal development (<scp>ZPD</scp>) as an ability to play in psychotherapy: A theoryâ€building case study of very brief therapy. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2014, 87, 447-464.	1.3	12
74	Predictors of patient non-attendance at Improving Access to Psychological Therapy services demonstration sites. <i>Journal of Affective Disorders</i> , 2014, 169, 157-164.	2.0	30
75	Using generic preference-based measures in mental health: psychometric validity of the EQ-5D and SF-6D. <i>British Journal of Psychiatry</i> , 2014, 205, 236-243.	1.7	95
76	The need for a behavioural science focus in research on mental health and mental disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 28-40.	1.1	38
77	Advancing psychotherapy and evidenceâ€based psychological interventions. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 58-91.	1.1	126
78	Obsessive Compulsive Treatment Efficacy Trial (OCTET) comparing the clinical and cost effectiveness of self-managed therapies: study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 278.	0.7	10
79	Therapist effects and IAPT Psychological Wellbeing Practitioners (PWPs): A multilevel modelling and mixed methods analysis. <i>Behaviour Research and Therapy</i> , 2014, 63, 43-54.	1.6	57
80	Cost-Effectiveness of Collaborative Care for Depression in UK Primary Care: Economic Evaluation of a Randomised Controlled Trial (CADET). <i>PLoS ONE</i> , 2014, 9, e104225.	1.1	38
81	A systematic review, psychometric analysis and qualitative assessment of generic preference-based measures of health in mental health populations and the estimation of mapping functions from widely used specific measures. <i>Health Technology Assessment</i> , 2014, 18, vii-viii, xiii-xxv, 1-188.	1.3	179
82	Estimating a Preference-Based Index from the Clinical Outcomes in Routine Evaluationâ€Outcome Measure (CORE-OM). <i>Medical Decision Making</i> , 2013, 33, 381-395.	1.2	36
83	Cost-effectiveness of an Improving Access to Psychological Therapies service. <i>British Journal of Psychiatry</i> , 2013, 202, 220-227.	1.7	55
84	Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. <i>BMJ, The</i> , 2013, 347, f4913-f4913.	3.0	173
85	Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. <i>BMJ, The</i> , 2013, 346, f540-f540.	3.0	251
86	The COREâ€10: A short measure of psychological distress for routine use in the psychological therapies. <i>Counselling and Psychotherapy Research</i> , 2013, 13, 3-13.	1.7	229
87	The COREâ€OM and COREâ€OM (SV) in secure settings: a template analysis of the experiences of male patients and their staff. <i>Journal of Forensic Practice</i> , 2013, 15, 32-43.	0.2	8
88	The Effectiveness of a Web-Based Personalized Feedback and Social Norms Alcohol Intervention on United Kingdom University Students: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e137.	2.1	40
89	Two short forms of the Agnew Relationship Measure: The ARM-5 and ARM-12. <i>Psychotherapy Research</i> , 2012, 22, 241-255.	1.1	64
90	Patterns of therapist variability: Therapist effects and the contribution of patient severity and risk.. <i>Journal of Consulting and Clinical Psychology</i> , 2012, 80, 535-546.	1.6	117

#	ARTICLE	IF	CITATIONS
91	Psychological treatment outcomes in routine NHS services: What do we mean by treatment effectiveness?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2012, 85, 1-16.	1.3	47
92	Relationship between mental states in depression: The assimilation model perspective. <i>Psychiatry Research</i> , 2011, 190, 52-59.	1.7	16
93	The British Journal of (Social and) Clinical Psychology- a brief citation review. <i>British Journal of Clinical Psychology</i> , 2011, 50, 1-6.	1.7	4
94	Using Rasch analysis to form plausible health states amenable to valuation: the development of CORE-6D from a measure of common mental health problems (CORE-OM). <i>Quality of Life Research</i> , 2011, 20, 321-333.	1.5	45
95	Training health visitors in cognitive behavioural and person-centred approaches for depression in postnatal women as part of a cluster randomised trial and economic evaluation in primary care: the PoNDER trial. <i>Primary Health Care Research and Development</i> , 2011, 12, 11-20.	0.5	20
96	Practice-based supervision research: A network of researchers using a common toolkit. <i>Counselling and Psychotherapy Research</i> , 2011, 11, 88-96.	1.7	21
97	Systematic review of practice-based research on psychological therapies in routine clinic settings. <i>British Journal of Clinical Psychology</i> , 2010, 49, 421-453.	1.7	77
98	Self-Help Books for People with Depression: the Role of the Therapeutic Relationship. <i>Behavioural and Cognitive Psychotherapy</i> , 2010, 38, 67-81.	0.9	39
99	Changes in undergraduate students' psychological well-being as they progress through university. <i>Studies in Higher Education</i> , 2010, 35, 633-645.	2.9	362
100	Providing Web-Based Feedback and Social Norms Information to Reduce Student Alcohol Intake: A Multisite Investigation. <i>Journal of Medical Internet Research</i> , 2010, 12, e59.	2.1	80
101	The Acceptability of Computer-Aided Cognitive Behavioural Therapy: A Pragmatic Study. <i>Cognitive Behaviour Therapy</i> , 2009, 38, 235-246.	1.9	41
102	Clinical effectiveness of health visitor training in psychologically informed approaches for depression in postnatal women: pragmatic cluster randomised trial in primary care. <i>BMJ: British Medical Journal</i> , 2009, 338, a3045-a3045.	2.4	171
103	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depression - study protocol. <i>BMC Health Services Research</i> , 2009, 9, 188.	0.9	30
104	Co-occurrence of self-reported disordered eating and self-harm in UK university students. <i>British Journal of Clinical Psychology</i> , 2009, 48, 397-410.	1.7	30
105	The Young Person's CORE: Development of a brief outcome measure for young people. <i>Counselling and Psychotherapy Research</i> , 2009, 9, 160-168.	1.7	95
106	Collaborative care for depression in UK primary care: a randomized controlled trial " Corrigendum. <i>Psychological Medicine</i> , 2009, 39, 701-701.	2.7	3
107	Developing guided self-help for depression using the Medical Research Council complex interventions framework: a description of the modelling phase and results of an exploratory randomised controlled trial. <i>BMC Psychiatry</i> , 2008, 8, 91.	1.1	56
108	Effects of psychological therapies in randomized trials and practice-based studies. <i>British Journal of Clinical Psychology</i> , 2008, 47, 397-415.	1.7	52

#	ARTICLE	IF	CITATIONS
109	The effectiveness of psychodynamicâ€“interpersonal therapy (PIT) in routine clinical practice: A benchmarking comparison. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2008, 81, 157-175.	1.3	17
110	Balancing rigour and relevance in guideline development for depression: The case for comprehensive cohort studies. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2008, 81, 399-417.	1.3	12
111	Changes in undergraduate student alcohol consumption as they progress through university. <i>BMC Public Health</i> , 2008, 8, 163.	1.2	89
112	The feasibility and effectiveness of a web-based personalised feedback and social norms alcohol intervention in UK university students: A randomised control trial. <i>Addictive Behaviors</i> , 2008, 33, 1192-1198.	1.7	130
113	The effectiveness of web-based interventions designed to decrease alcohol consumption â€” A systematic review. <i>Preventive Medicine</i> , 2008, 47, 17-26.	1.6	205
114	Self-help books for people with depression: A scoping review. <i>Journal of Mental Health</i> , 2008, 17, 543-552.	1.0	26
115	Effectiveness of cognitive-behavioural, person-centred, and psychodynamic therapies in UK primary-care routine practice: replication in a larger sample. <i>Psychological Medicine</i> , 2008, 38, 677-688.	2.7	218
116	The effectiveness of UK student counselling services: an analysis using the CORE System. <i>British Journal of Guidance and Counselling</i> , 2008, 36, 1-18.	0.6	50
117	Alliance ruptures and rupture resolution in cognitiveâ€“behavior therapy: A preliminary task analysis. <i>Psychotherapy Research</i> , 2008, 18, 699-710.	1.1	70
118	Collaborative care for depression in UK primary care: a randomized controlled trial. <i>Psychological Medicine</i> , 2008, 38, 279-287.	2.7	135
119	Correspondence. <i>Psychological Medicine</i> , 2008, 38, 905-910.	2.7	19
120	Responsive regulation of treatment duration in routine practice in United Kingdom primary care settings: Replication in a larger sample.. <i>Journal of Consulting and Clinical Psychology</i> , 2008, 76, 298-305.	1.6	99
121	Using electronic surveying to assess psychological distress within the UK student population: a multi-site pilot investigation. <i>E-Journal of Applied Psychology</i> , 2008, 4, .	0.3	36
122	Therapist and client processes affecting assimilation and outcome in brief psychotherapy. <i>Psychotherapy Research</i> , 2007, 17, 613-621.	1.1	15
123	CORE-OM mental health norms of students attending university counselling services benchmarked against an age-matched primary care sample. <i>British Journal of Guidance and Counselling</i> , 2007, 35, 41-57.	0.6	61
124	Shapes of early change in psychotherapy under routine outpatient conditions.. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 864-874.	1.6	108
125	Distribution of COREâ€“OM scores in a general population, clinical cut-off points and comparison with the CISâ€“R. <i>British Journal of Psychiatry</i> , 2007, 190, 69-74.	1.7	157
126	Submissive voices dominate in depression: Assimilation analysis of a helpful session. <i>Journal of Clinical Psychology</i> , 2007, 63, 153-164.	1.0	23

#	ARTICLE	IF	CITATIONS
127	A preliminary study of a measure of role-play competence in psychodynamic interpersonal therapy. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2007, 80, 327-331.	1.3	3
128	Stability of the CORE-OM and the BDI prior to therapy: Evidence from routine practice. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2007, 80, 269-278.	1.3	41
129	Diagnosing depression in primary care using self-completed instruments: UK validation of PHQ-9 and CORE-OM. <i>British Journal of General Practice</i> , 2007, 57, 650-2.	0.7	136
130	Can we improve the morale of staff working in psychiatric units? A systematic review. <i>Journal of Mental Health</i> , 2006, 15, 7-17.	1.0	49
131	Measuring, monitoring and managing the psychological well-being of first year university students. <i>British Journal of Guidance and Counselling</i> , 2006, 34, 505-517.	0.6	176
132	Recovery and improvement benchmarks for counselling and the psychological therapies in routine primary care. <i>Counselling and Psychotherapy Research</i> , 2006, 6, 68-80.	1.7	37
133	A core approach to practice-based evidence: A brief history of the origins and applications of the CORE-OM and CORE System. <i>Counselling and Psychotherapy Research</i> , 2006, 6, 3-15.	1.7	149
134	Dose-effect relations and responsive regulation of treatment duration: The good enough level. <i>Journal of Consulting and Clinical Psychology</i> , 2006, 74, 160-167.	1.6	235
135	Convergent validity of the CORE measures with measures of depression for clients in cognitive therapy for depression. <i>Journal of Counseling Psychology</i> , 2006, 53, 253-259.	1.4	38
136	What does the first exchange tell? Dialogical sequence analysis and assimilation in very brief therapy. <i>Psychotherapy Research</i> , 2006, 16, 408-421.	1.1	44
137	Assimilation in good- and poor-outcome cases of very brief psychotherapy for mild depression: An initial comparison. <i>Psychotherapy Research</i> , 2006, 16, 393-407.	1.1	65
138	Transforming between Beck Depression Inventory and CORE-OM scores in routine clinical practice. <i>British Journal of Clinical Psychology</i> , 2006, 45, 153-166.	1.7	47
139	Dimensions of variation on the CORE-OM. <i>British Journal of Clinical Psychology</i> , 2006, 45, 185-203.	1.7	47
140	The effectiveness of computerized cognitive behavioural therapy in routine care. <i>British Journal of Clinical Psychology</i> , 2006, 45, 499-514.	1.7	92
141	Therapists' recall of early sudden gains in routine clinical practice. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2006, 79, 107-114.	1.3	10
142	The prevalence of nursing staff stress on adult acute psychiatric in-patient wards. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 34-43.	1.6	36
143	Developing a U.K. protocol for collaborative care: a qualitative study. <i>General Hospital Psychiatry</i> , 2006, 28, 296-305.	1.2	60
144	Core outcomes in psychosexual therapy: A feasibility study of the CORE-OM. <i>Sexual and Relationship Therapy</i> , 2006, 21, 15-26.	0.7	6

#	ARTICLE	IF	CITATIONS
145	Reflections on benchmarking NHS primary care psychological therapies and counselling. <i>Counselling and Psychotherapy Research</i> , 2006, 6, 81-87.	1.7	13
146	When clients and practitioners have differing views of risk: Benchmarks for improving assessment and practice. <i>Counselling and Psychotherapy Research</i> , 2006, 6, 50-59.	1.7	12
147	Developing the resources and management support for routine evaluation in counselling and psychological therapy service provision: Reflections on a decade of CORE development. <i>European Journal of Psychotherapy and Counselling</i> , 2006, 8, 141-161.	0.2	16
148	Effectiveness of cognitive-behavioural, person-centred and psychodynamic therapies as practised in UK National Health Service settings. <i>Psychological Medicine</i> , 2006, 36, 555-566.	2.7	158
149	Interactional positioning and narrative self-construction in the first session of psychodynamic interpersonal psychotherapy. <i>Psychotherapy Research</i> , 2005, 15, 420-432.	1.1	8
150	Sudden Gains in Cognitive Therapy for Depression: A Replication and Extension.. <i>Journal of Consulting and Clinical Psychology</i> , 2005, 73, 59-67.	1.6	109
151	Predicting change for individual psychotherapy clients on the basis of their nearest neighbors.. <i>Journal of Consulting and Clinical Psychology</i> , 2005, 73, 904-913.	1.6	107
152	Scoping the inventory of interpersonal problems, its derivatives and short forms: 1988-2004. <i>Clinical Psychology and Psychotherapy</i> , 2005, 12, 475-496.	1.4	37
153	Temporal patterns of improvement in client-centred therapy and cognitive-behaviour therapy. <i>Counselling Psychology Quarterly</i> , 2005, 18, 95-108.	1.5	51
154	Rationale and development of a general population well-being measure: Psychometric status of the GP-CORE in a student sample. <i>British Journal of Guidance and Counselling</i> , 2005, 33, 153-173.	0.6	61
155	The CORE-OM in an older adult population: Psychometric status, acceptability, and feasibility. <i>Aging and Mental Health</i> , 2005, 9, 235-245.	1.5	35
156	Suitability and utility of the CORE-OM and CORE-A for assessing severity of presenting problems in psychological therapy services based in primary and secondary care settings. <i>British Journal of Psychiatry</i> , 2005, 186, 239-246.	1.7	169
157	How to develop inter-organisational research networks in mental health: A systematic review. <i>Journal of Mental Health</i> , 2005, 14, 7-23.	1.0	4
158	Assessing risk and emotional disturbance using the CORE-OM and HoNOS outcome measures at the interface between primary and secondary mental healthcare. <i>Psychiatric Bulletin</i> , 2005, 29, 419-422.	0.3	16
159	Rewiring efficacy studies to increase their relevance to routine practice. <i>Mental Health and Learning Disabilities Research and Practice</i> , 2005, 2, 11-18.	0.0	2
160	How Social Class Differences Affect Students' Experience of University. <i>Journal of Further and Higher Education</i> , 2004, 28, 407-421.	1.4	24
161	Therapist Competence and Outcome of Cognitive Therapy for Depression. <i>Cognitive Therapy and Research</i> , 2004, 28, 143-157.	1.2	101
162	Student debt and its relation to student mental health. <i>Journal of Further and Higher Education</i> , 2004, 28, 53-66.	1.4	118

#	ARTICLE	IF	CITATIONS
163	Patterns of Alliance Development and the Rupture-Repair Hypothesis: Are Productive Relationships U-Shaped or V-Shaped?. <i>Journal of Counseling Psychology</i> , 2004, 51, 81-92.	1.4	189
164	Outcomes of patients completing and not completing cognitive therapy for depression. <i>British Journal of Clinical Psychology</i> , 2003, 42, 133-143.	1.7	90
165	Time is of the essence: A selective review of the fall and rise of brief therapy research. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2003, 76, 211-235.	1.3	54
166	Bridging evidence-based practice and practice-based evidence: developing a rigorous and relevant knowledge for the psychological therapies. <i>Clinical Psychology and Psychotherapy</i> , 2003, 10, 319-327.	1.4	164
167	Practice-based evidence: benchmarking NHS primary care counselling services at national and local levels. <i>Clinical Psychology and Psychotherapy</i> , 2003, 10, 374-388.	1.4	78
168	Practice-based outcomes of dialectical behaviour therapy (DBT) targeting anger and violence, with male forensic patients: a pragmatic and non-contemporaneous comparison. <i>Criminal Behaviour and Mental Health</i> , 2003, 13, 198-213.	0.4	154
169	University quality of life and learning (UNIQoLL): An approach to student well-being, satisfaction and institutional change. <i>Journal of Further and Higher Education</i> , 2003, 27, 365-382.	1.4	65
170	Appraisal of published reviews of research on psychotherapy and counseling with adults 1990-1998.. <i>Journal of Consulting and Clinical Psychology</i> , 2003, 71, 652-656.	1.6	9
171	Early sudden gains in psychotherapy under routine clinic conditions: Practice-based evidence.. <i>Journal of Consulting and Clinical Psychology</i> , 2003, 71, 14-21.	1.6	171
172	PHASE: a randomised, controlled trial of supervised self-help cognitive behavioural therapy in primary care. <i>British Journal of General Practice</i> , 2003, 53, 764-70.	0.7	45
173	Early sudden gains in psychotherapy under routine clinic conditions: practice-based evidence. <i>Journal of Consulting and Clinical Psychology</i> , 2003, 71, 14-21.	1.6	40
174	PHASE: a 'health technology' approach to psychological treatment in primary mental health care. <i>Primary Health Care Research and Development</i> , 2002, 3, 159-168.	0.5	16
175	Towards a standardised brief outcome measure: Psychometric properties and utility of the COREâ€™OM. <i>British Journal of Psychiatry</i> , 2002, 180, 51-60.	1.7	679
176	Patterns of client emotion in helpful sessions of cognitive-behavioral and psychodynamic-interpersonal therapy.. <i>Journal of Counseling Psychology</i> , 2002, 49, 376-380.	1.4	17
177	Convergent validity of the Agnew Relationship Measure and the Working Alliance Inventory.. <i>Psychological Assessment</i> , 2002, 14, 209-220.	1.2	33
178	Practice improvement methods: Conceptual base, evidence-based research, and practice-based recommendations. <i>British Journal of Clinical Psychology</i> , 2002, 41, 285-307.	1.7	22
179	Dose-Effect Relations for Psychotherapy of Mild Depression: A Quasi-Experimental Comparison of Effects of 2, 8, and 16 Sessions. <i>Psychotherapy Research</i> , 2002, 12, 463-474.	1.1	40
180	Convergent validity of the Agnew Relationship Measure and the Working Alliance Inventory. <i>Psychological Assessment</i> , 2002, 14, 209-20.	1.2	23

#	ARTICLE	IF	CITATIONS
181	Counselling outcomes in primary health care: a CORE system data profile. <i>European Journal of Psychotherapy and Counselling</i> , 2001, 4, 65-86.	0.2	36
182	Value of HoNOS in assessing patient change in NHS psychotherapy and psychological treatment services. <i>British Journal of Psychiatry</i> , 2001, 178, 561-566.	1.7	51
183	Service profiling and outcomes benchmarking using the CORE-OM: Toward practice-based evidence in the psychological therapies.. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 184-196.	1.6	407
184	Client interpersonal and cognitive styles as predictors of response to time-limited cognitive therapy for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 841-845.	1.6	39
185	â€œIt's Like Catching a Desire Before it Flies Awayâ€™: A Comprehensive Process Analysis of a Problem Clarification Event in Cognitive-Behavioral Therapy for Depression. <i>Psychotherapy Research</i> , 2001, 11, 331-351.	1.1	11
186	Counselling and interpersonal therapies for depression: towards securing an evidence-base. <i>British Medical Bulletin</i> , 2001, 57, 115-132.	2.7	16
187	Service profiling and outcomes benchmarking using the CORE-OM: toward practice-based evidence in the psychological therapies. <i>Clinical Outcomes in Routine Evaluation-Outcome Measures. Journal of Consulting and Clinical Psychology</i> , 2001, 69, 184-96.	1.6	100
188	'It's Like Catching a Desire Before it Flies Away': A Comprehensive Process Analysis of a Problem Clarification Event in Cognitive-Behavioral Therapy for Depression. <i>Psychotherapy Research</i> , 2001, 11, 331-351.	1.1	1
189	Measurement and psychotherapy. <i>British Journal of Psychiatry</i> , 2000, 177, 123-130.	1.7	285
190	CORE: Clinical Outcomes in Routine Evaluation. <i>Journal of Mental Health</i> , 2000, 9, 247-255.	1.0	402
191	Practice-based evidence and standardized evaluation: Informing the design of the CORE system. <i>European Journal of Psychotherapy and Counselling</i> , 1999, 2, 357-374.	0.2	64
192	Psychotherapy in two-plus-one sessions: Outcomes of a randomized controlled trial of cognitiveâ€œbehavioral and psychodynamicâ€œinterpersonal therapy for subsyndromal depression.. <i>Journal of Consulting and Clinical Psychology</i> , 1999, 67, 201-211.	1.6	131
193	Alliance structure assessed by the Agnew Relationship Measure (ARM). <i>British Journal of Clinical Psychology</i> , 1998, 37, 155-172.	1.7	132
194	Whingeing Versus Working: Comprehensive Process Analysis of A â€œVague Awarenessâ€œEvent in Psychodynamic-Interpersonal Therapy. <i>Psychotherapy Research</i> , 1998, 8, 334-353.	1.1	11
195	The rationale for developing and outcome batteries for routine use in service settings and psychotherapy outcome research implementing core. <i>Journal of Mental Health</i> , 1998, 7, 35-47.	1.0	180
196	Relations of the alliance with psychotherapy outcome: Findings in the second Sheffield Psychotherapy Project.. <i>Journal of Consulting and Clinical Psychology</i> , 1998, 66, 791-802.	1.6	70
197	Therapist responsiveness to client interpersonal styles during time-limited treatments for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 1998, 66, 304-312.	1.6	76
198	Staying with the feeling: An anger event in psychodynamicâ€œinterpersonal therapy.. <i>Journal of Counseling Psychology</i> , 1998, 45, 279-289.	1.4	15

#	ARTICLE	IF	CITATIONS
199	Confirmatory Factor Analysis of the Personality Disorder Subscales From the Inventory of Interpersonal Problems. <i>Journal of Personality Assessment</i> , 1997, 69, 284-296.	1.3	37
200	The therapeutic alliance in psychodynamic-interpersonal and cognitive-behavioral therapy.. <i>Journal of Consulting and Clinical Psychology</i> , 1997, 65, 582-587.	1.6	94
201	Discourse analysis of a theme in one successful case of brief psychodynamic-interpersonal psychotherapy.. <i>Journal of Counseling Psychology</i> , 1997, 44, 232-244.	1.4	51
202	Covariance in the measurement of depression/anxiety and three Cluster C personality disorders (avoidant, dependent, obsessive-compulsive). <i>Journal of Affective Disorders</i> , 1997, 45, 143-153.	2.0	14
203	The IIP-32: A short version of the Inventory of Interpersonal Problems. <i>British Journal of Clinical Psychology</i> , 1996, 35, 21-35.	1.7	298
204	Acceleration of changes in session impact during contrasting time-limited psychotherapies.. <i>Journal of Consulting and Clinical Psychology</i> , 1996, 64, 577-586.	1.6	62
205	Outcomes of time-limited psychotherapy in applied settings: Replicating the Second Sheffield Psychotherapy Project.. <i>Journal of Consulting and Clinical Psychology</i> , 1996, 64, 1079-1085.	1.6	97
206	Dose-effect relations in time-limited psychotherapy for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 1996, 64, 927-935.	1.6	152
207	Therapist session intentions in cognitive-behavioral and psychodynamic-interpersonal psychotherapy.. <i>Journal of Counseling Psychology</i> , 1996, 43, 402-414.	1.4	38
208	Scales for Personality Disorders Developed from the Inventory of Interpersonal Problems. <i>Journal of Personality Disorders</i> , 1996, 10, 355-369.	0.8	158
209	Credibility and outcome of cognitive-behavioural and psychodynamic-interpersonal psychotherapy. <i>British Journal of Clinical Psychology</i> , 1995, 34, 555-569.	1.7	52
210	Impact of Cluster C personality disorders on outcomes of contrasting brief psychotherapies for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 1995, 63, 997-1004.	1.6	126
211	Effects of treatment duration and severity of depression on the maintenance of gains after cognitive-behavioral and psychodynamic-interpersonal psychotherapy.. <i>Journal of Consulting and Clinical Psychology</i> , 1995, 63, 378-387.	1.6	141
212	The Relationship Between Interpersonal Attachment Styles and Work Difficulties. <i>Human Relations</i> , 1994, 47, 263-281.	3.8	95
213	The structure, validity and clinical relevance of the Inventory of Interpersonal Problems. <i>The British Journal of Medical Psychology</i> , 1994, 67, 171-185.	0.6	46
214	Effects of treatment duration and severity of depression on the effectiveness of cognitive-behavioral and psychodynamic-interpersonal psychotherapy.. <i>Journal of Consulting and Clinical Psychology</i> , 1994, 62, 522-534.	1.6	428
215	Evaluation and description of psychotherapy sessions by clients using the Session Evaluation Questionnaire and the Session Impacts Scale.. <i>Journal of Counseling Psychology</i> , 1994, 41, 175-185.	1.4	169
216	Assessment of assimilation in psychotherapy: A quantitative case study of problematic experiences with a significant other.. <i>Journal of Counseling Psychology</i> , 1994, 41, 397-406.	1.4	37

#	ARTICLE	IF	CITATIONS
217	Resolving a challenge to the therapeutic relationship: A single case study. <i>The British Journal of Medical Psychology</i> , 1994, 67, 155-170.	0.6	61
218	Research directions for psychotherapy integration: A roundtable.. <i>Journal of Psychotherapy Integration</i> , 1993, 3, 91-131.	0.7	28
219	The shape of change in psychotherapy: Longitudinal assessment of personal problems.. <i>Journal of Consulting and Clinical Psychology</i> , 1993, 61, 667-677.	1.6	66
220	Lack of synchronized seasonal variation in the intensity of psychological problems.. <i>Journal of Abnormal Psychology</i> , 1993, 102, 388-394.	2.0	3
221	The California Psychotherapy Alliance Scales: A pilot study of dimensions and elements. <i>The British Journal of Medical Psychology</i> , 1993, 66, 157-165.	0.6	10
222	Cognitive-Behavioural Therapy in Two-Plus-One Sessions: A Pilot Field Trial. <i>Behavioural Psychotherapy</i> , 1992, 20, 147-154.	0.6	21
223	Treatment Order and Thematic Continuity Between Contrasting Psychotherapies: Exploring an Implication of the Assimilation Model. <i>Psychotherapy Research</i> , 1992, 2, 112-124.	1.1	37
224	Prescriptive and exploratory psychotherapies: Toward an integration based on the assimilation model.. <i>Journal of Psychotherapy Integration</i> , 1992, 2, 253-272.	0.7	27
225	Components of major depression examined via the Beck depression inventory. <i>Journal of Affective Disorders</i> , 1992, 26, 251-259.	2.0	30
226	The Second Sheffield Psychotherapy Project: Rationale, design and preliminary outcome data. <i>The British Journal of Medical Psychology</i> , 1990, 63, 97-108.	0.6	60
227	Brief psychotherapeutic interventions for job-related distress: A Pilot study of Prescriptive and Exploratory therapy. <i>Counselling Psychology Quarterly</i> , 1990, 3, 133-147.	1.5	38
228	Brief Prescriptive Therapy in Two-plus-one Sessions: Initial Cases from the Clinic. <i>Behavioural Psychotherapy</i> , 1989, 17, 161-175.	0.6	20
229	Change in prescriptive versus exploratory therapy: Older clients' responses to therapy. <i>Counselling Psychology Quarterly</i> , 1989, 2, 395-403.	1.5	2
230	Exploratory Therapy in Two-Plus-One Sessions I - Rationale for a Brief Psychotherapy Model. <i>British Journal of Psychotherapy</i> , 1989, 6, 81-88.	0.1	18
231	Exploratory Therapy in Two-Plus-One Sessions II - A Single Case Study. <i>British Journal of Psychotherapy</i> , 1989, 6, 89-100.	0.1	14
232	Personal questionnaire changes in prescriptive vs. exploratory psychotherapy. <i>British Journal of Clinical Psychology</i> , 1989, 28, 97-107.	1.7	15
233	Empathy in Counselling and Psychotherapy: Present status and future directions. <i>Counselling Psychology Quarterly</i> , 1988, 1, 407-428.	1.5	11
234	Counselor verbal response modes and experienced empathy.. <i>Journal of Counseling Psychology</i> , 1986, 33, 3-10.	1.4	55

#	ARTICLE	IF	CITATIONS
235	The reliability of a modified Helper Behaviour Rating System. The British Journal of Medical Psychology, 1984, 57, 45-48.	0.6	9
236	Hearing voices. , 0, , 237-254.		28