

Michael Barkham

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7988819/publications.pdf>

Version: 2024-02-01

236
papers

16,632
citations

12330
69
h-index

20961
115
g-index

252
all docs

252
docs citations

252
times ranked

11205
citing authors

#	ARTICLE	IF	CITATIONS
1	Profiling student mental health and counselling effectiveness: lessons from four UK services using complete data and different outcome measures. British Journal of Guidance and Counselling, 2023, 51, 204-222.	1.2	11
2	Idiographic patient reported outcome measures (iPROMs) for routine outcome monitoring in psychological therapies: Position paper. Journal of Clinical Psychology, 2023, 79, 596-621.	1.9	17
3	Socioeconomic Deprivation and Dropout from Contemporary Psychological Intervention for Common Mental Disorders: A Systematic Review. Administration and Policy in Mental Health and Mental Health Services Research, 2022, 49, 490-505.	2.1	3
4	Stratified Care vs Stepped Care for Depression. JAMA Psychiatry, 2022, 79, 101.	11.0	58
5	Using routine outcome measures as clinical process tools: Maximising the therapeutic yield in the <scp>IAPT</scp> programme when working remotely. Psychology and Psychotherapy: Theory, Research and Practice, 2022, , .	2.5	5
6	“So just to go through the options” “™: patient choice in the telephone delivery of the NHS Improving Access to Psychological Therapies services. Sociology of Health and Illness, 2021, 43, 3-19.	2.1	5
7	An item response theory analysis of an item pool for the recovering quality of life (ReQoL) measure. Quality of Life Research, 2021, 30, 267-276.	3.1	6
8	Towards greater bandwidth for standardised outcome measures. Lancet Psychiatry,the, 2021, 8, 17.	7.4	2
9	Person-centred experiential therapy: Perceptions of trainers and developers. Counselling and Psychotherapy Research, 2021, 21, 459-489.	3.2	1
10	Humanistic counselling plus pastoral care as usual versus pastoral care as usual for the treatment of psychological distress in adolescents in UK state schools (ETHOS): a randomised controlled trial. The Lancet Child and Adolescent Health, 2021, 5, 178-189.	5.6	16
11	A systematic review and meta-analysis of the good-enough level (GEL) literature.. Journal of Counseling Psychology, 2021, 68, 219-231.	2.0	10
12	Prevalence and risk factors for mental health problems in university undergraduate students: A systematic review with meta-analysis. Journal of Affective Disorders, 2021, 287, 282-292.	4.1	145
13	Enhancing the Behaviour Change Wheel with synthesis, stakeholder involvement and decision-making: a case example using the “Enhancing the Quality of Psychological Interventions Delivered by Telephone” (EQUITY) research programme. Implementation Science, 2021, 16, 53.	6.9	10
14	Person-centred experiential therapy versus cognitive behavioural therapy delivered in the English Improving Access to Psychological Therapies service for the treatment of moderate or severe depression (PRaCTICED): a pragmatic, randomised, non-inferiority trial. Lancet Psychiatry,the, 2021, 8, 487-499.	7.4	12
15	Student mental health profiles and barriers to help seeking: When and why students seek help for a mental health concern. Counselling and Psychotherapy Research, 2021, 21, 816-826.	3.2	13
16	Mental Health During COVID-19 Lockdown in the United Kingdom. Psychosomatic Medicine, 2021, 83, 328-337.	2.0	163
17	Using rich data to inform student mental health practice and policy. Counselling and Psychotherapy Research, 2021, 21, 751-756.	3.2	3
18	Recovery from depression: a systematic review of perceptions and associated factors. Journal of Mental Health, 2020, 29, 103-115.	1.9	21

#	ARTICLE	IF	CITATIONS
19	Out of pocket expenses in obsessive compulsive disorder. Journal of Mental Health, 2020, , 1-6.	1.9	0
20	Low-Intensity Guided Help Through Mindfulness (LIGHTMIND): study protocol for a randomised controlled trial comparing supported mindfulness-based cognitive therapy self-help to supported cognitive behavioural therapy self-help for adults experiencing depression. Trials, 2020, 21, 374.	1.6	7
21	Therapist effects vary significantly across psychological treatment care sectors. Clinical Psychology and Psychotherapy, 2020, 27, 770-778.	2.7	8
22	Are there interactional differences between telephone and face-to-face psychological therapy? A systematic review of comparative studies. Journal of Affective Disorders, 2020, 265, 120-131.	4.1	118
23	Towards personalized allocation of patients to therapists.. Journal of Consulting and Clinical Psychology, 2020, 88, 799-808.	2.0	25
24	Towards an evidence base for student wellbeing and mental health: Definitions, developmental transitions and data sets. Counselling and Psychotherapy Research, 2019, 19, 351-357.	3.2	63
25	The 2018 UK NHS Digital annual report on the Improving Access to Psychological Therapies programme: a brief commentary. BMC Psychiatry, 2019, 19, 252.	2.6	18
26	Person-centred experiential therapy (PCET) training within a UK NHS IAPT service: experiences of selected counsellors in the PRaCTICED trial. British Journal of Guidance and Counselling, 2019, 47, 619-634.	1.2	3
27	The relationship between expected engagement and talking therapy outcome. Clinical Psychology and Psychotherapy, 2019, 26, 492-501.	2.7	5
28	Public involvement in health outcomes research: lessons learnt from the development of the recovering quality of life (ReQoL) measures. Health and Quality of Life Outcomes, 2019, 17, 60.	2.4	22
29	Exploring the item sets of the Recovering Quality of Life (ReQoL) measures using factor analysis. Quality of Life Research, 2019, 28, 1005-1015.	3.1	11
30	A systematic review of therapist effects: A critical narrative update and refinement to review. Clinical Psychology Review, 2019, 67, 78-93.	11.4	113
31	Therapist and clinic effects in psychotherapy: A three-level model of outcome variability.. Journal of Consulting and Clinical Psychology, 2019, 87, 345-356.	2.0	12
32	Counseling With Guided Use of a Mobile Well-Being App for Students Experiencing Anxiety or Depression: Clinical Outcomes of a Feasibility Trial Embedded in a Student Counseling Service. JMIR MHealth and UHealth, 2019, 7, e14318.	3.7	20
33	Recovering Quality of Life (ReQoL): a new generic self-reported outcome measure for use with people experiencing mental health difficulties. British Journal of Psychiatry, 2018, 212, 42-49.	2.8	141
34	The importance of content and face validity in instrument development: lessons learnt from service users when developing the Recovering Quality of Life measure (ReQoL). Quality of Life Research, 2018, 27, 1893-1902.	3.1	128
35	Effectiveness and cost-effectiveness of humanistic counselling in schools for young people with emotional distress (ETHOS): study protocol for a randomised controlled trial. Trials, 2018, 19, 175.	1.6	12
36	Practitioners' experiences of learning and implementing Counselling for Depression (CfD) in routine practice settings. Counselling and Psychotherapy Research, 2018, 18, 3-13.	3.2	2

#	ARTICLE	IF	CITATIONS
37	Challenges to addressing student mental health in embedded counselling services: a survey of UK higher and further education institutions. <i>British Journal of Guidance and Counselling</i> , 2018, 46, 441-455.	1.2	77
38	The effectiveness of high-intensity CBT and counselling alone and following low-intensity CBT: a reanalysis of the 2nd UK National Audit of Psychological Therapies data. <i>BMC Psychiatry</i> , 2018, 18, 321.	2.6	8
39	Associations between therapists' occupational burnout and their patients' depression and anxiety treatment outcomes. <i>Depression and Anxiety</i> , 2018, 35, 844-850.	4.1	76
40	Integrating Qualitative and Quantitative Data in the Development of Outcome Measures: The Case of the Recovering Quality of Life (ReQoL) Measures in Mental Health Populations. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1342.	2.6	18
41	Reliability of Therapist Effects in Practice-Based Psychotherapy Research: A Guide for the Planning of Future Studies. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2017, 44, 598-613.	2.1	51
42	Telephone-supported computerised cognitive-behavioural therapy: REEACT-2 large-scale pragmatic randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 210, 362-367.	2.8	94
43	The Counseling Center Assessment of Psychological Symptoms (CCAPS-62): Acceptance, feasibility, and initial psychometric properties in a UK student population. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 1178-1188.	2.7	20
44	How should we evaluate research on counselling and the treatment of depression? A case study on how the National Institute for Health and Care Excellence's draft 2018 guideline for depression considered what counts as best evidence. <i>Counselling and Psychotherapy Research</i> , 2017, 17, 253-268.	3.2	13
45	The Relationship Between Therapist Effects and Therapy Delivery Factors: Therapy Modality, Dosage, and Non-completion. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2017, 44, 705-715.	2.1	56
46	The Role of Practice Research Networks (PRN) in the Development and Implementation of Evidence: The Northern Improving Access to Psychological Therapies PRN Case Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2017, 44, 919-931.	2.1	16
47	The comparative effectiveness and efficiency of cognitive behaviour therapy and generic counselling in the treatment of depression: evidence from the 2nd UK National Audit of psychological therapies. <i>BMC Psychiatry</i> , 2017, 17, 215.	2.6	54
48	A pragmatic randomised controlled trial assessing the non-inferiority of counselling for depression versus cognitive-behaviour therapy for patients in primary care meeting a diagnosis of moderate or severe depression (PRaCTICED): Study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 93.	1.6	12
49	Comparing counselling alone versus counselling supplemented with guided use of a well-being app for university students experiencing anxiety or depression (CASELOAD): protocol for a feasibility trial. <i>Pilot and Feasibility Studies</i> , 2017, 3, 3.	1.2	7
50	The Role of Practitioner Resilience and Mindfulness in Effective Practice: A Practice-Based Feasibility Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2017, 44, 691-704.	2.1	32
51	The Contribution of Therapist Effects to Patient Dropout and Deterioration in the Psychological Therapies. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 575-588.	2.7	45
52	Low-intensity cognitive-behaviour therapy interventions for obsessive-compulsive disorder compared to waiting list for therapist-led cognitive-behaviour therapy: 3-arm randomised controlled trial of clinical effectiveness. <i>PLoS Medicine</i> , 2017, 14, e1002337.	8.4	25
53	Therapist effects, effective therapists, and the law of variability.. , 2017, , 13-36.		50
54	Clinical effectiveness, cost-effectiveness and acceptability of low-intensity interventions in the management of obsessive-compulsive disorder: the Obsessive-Compulsive Treatment Efficacy randomised controlled Trial (OCTET). <i>Health Technology Assessment</i> , 2017, 21, 1-132.	2.8	41

#	ARTICLE	IF	CITATIONS
55	Acceptability, reliability, referential distributions and sensitivity to change in the Young Person's Clinical Outcomes in Routine Evaluation (YP-CORE) outcome measure: replication and refinement. Child and Adolescent Mental Health, 2016, 21, 115-123.	3.5	35
56	Patient-centered assessment in psychotherapy: Toward a greater bandwidth of evidence.. Clinical Psychology: Science and Practice, 2016, 23, 284-287.	0.9	10
57	A multi-service practice research network study of large group psychoeducational cognitive behavioural therapy. Behaviour Research and Therapy, 2016, 87, 155-161.	3.1	29
58	The assessment of depression in people with multiple sclerosis: a systematic review of psychometric validation studies. BMC Psychiatry, 2016, 16, 278.	2.6	32
59	An investigation of client mood in the initial and final sessions of cognitive-behavioral therapy and psychodynamic-interpersonal therapy. Psychotherapy Research, 2016, 26, 377-385.	1.8	0
60	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. Health Technology Assessment, 2016, 20, 1-192.	2.8	41
61	A systematic review, evidence synthesis and meta-analysis of quantitative and qualitative studies evaluating the clinical effectiveness, the cost-effectiveness, safety and acceptability of interventions to prevent postnatal depression. Health Technology Assessment, 2016, 20, 1-414.	2.8	78
62	The second Randomised Evaluation of the Effectiveness, cost-effectiveness and Acceptability of Computerised Therapy (REEACT-2) trial: does the provision of telephone support enhance the effectiveness of computer-delivered cognitive behaviour therapy? A randomised controlled trial. Health Technology Assessment, 2016, 20, 1-64.	2.8	31
63	A mixed-method investigation of patient monitoring and enhanced feedback in routine practice: Barriers and facilitators. Psychotherapy Research, 2015, 25, 633-646.	1.8	36
64	Computerised cognitive behaviour therapy (cCBT) as treatment for depression in primary care (REEACT) Tj ETQq0 0.0 rgBT /Overlock 10	6.0	313
65	Developing practice-based evidence: Benefits, challenges, and tensions. Psychotherapy Research, 2015, 25, 20-31.	1.8	48
66	Duration of psychological therapy: Relation to recovery and improvement rates in UK routine practice. British Journal of Psychiatry, 2015, 207, 115-122.	2.8	42
67	Therapist effects and moderators of effectiveness and efficiency in psychological wellbeing practitioners: A multilevel modelling analysis. Behaviour Research and Therapy, 2015, 69, 54-62.	3.1	42
68	“The Times They Are a-Changin’”: 25 years of Psychotherapy Research – A European and Latin American perspective. Psychotherapy Research, 2015, 25, 294-308.	1.8	1
69	The clinical effectiveness of stepped care systems for depression in working age adults: A systematic review. Journal of Affective Disorders, 2015, 170, 119-130.	4.1	77
70	A CORE approach to progress monitoring and feedback: Enhancing evidence and improving practice.. Psychotherapy, 2015, 52, 402-411.	1.2	42
71	A randomised controlled trial of computerised cognitive behaviour therapy for the treatment of depression in primary care: the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. Health Technology Assessment, 2015, 19, 1-174.	2.8	55
72	Practice-based research networks: Origins, overview, obstacles, and opportunities. Counselling and Psychotherapy Research, 2014, 14, 167-173.	3.2	14

#	ARTICLE	IF	CITATIONS
73	Zone of proximal development (<scp>ZPD</scp>) as an ability to play in psychotherapy: A theoryâ€building case study of very brief therapy. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2014, 87, 447-464.	2.5	12
74	Predictors of patient non-attendance at Improving Access to Psychological Therapy services demonstration sites. <i>Journal of Affective Disorders</i> , 2014, 169, 157-164.	4.1	30
75	Using generic preference-based measures in mental health: psychometric validity of the EQ-5D and SF-6D. <i>British Journal of Psychiatry</i> , 2014, 205, 236-243.	2.8	95
76	The need for a behavioural science focus in research on mental health and mental disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 28-40.	2.1	38
77	Advancing psychotherapy and evidenceâ€based psychological interventions. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 58-91.	2.1	126
78	Obsessive Compulsive Treatment Efficacy Trial (OCTET) comparing the clinical and cost effectiveness of self-managed therapies: study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 278.	1.6	10
79	Therapist effects and IAPT Psychological Wellbeing Practitioners (PWPs): A multilevel modelling and mixed methods analysis. <i>Behaviour Research and Therapy</i> , 2014, 63, 43-54.	3.1	57
80	Cost-Effectiveness of Collaborative Care for Depression in UK Primary Care: Economic Evaluation of a Randomised Controlled Trial (CADET). <i>PLoS ONE</i> , 2014, 9, e104225.	2.5	38
81	A systematic review, psychometric analysis and qualitative assessment of generic preference-based measures of health in mental health populations and the estimation of mapping functions from widely used specific measures. <i>Health Technology Assessment</i> , 2014, 18, vii-viii, xiii-xxv, 1-188.	2.8	179
82	Estimating a Preference-Based Index from the Clinical Outcomes in Routine Evaluationâ€Outcome Measure (CORE-OM). <i>Medical Decision Making</i> , 2013, 33, 381-395.	2.4	36
83	Cost-effectiveness of an Improving Access to Psychological Therapies service. <i>British Journal of Psychiatry</i> , 2013, 202, 220-227.	2.8	55
84	Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. <i>BMJ</i> , The, 2013, 347, f4913-f4913.	6.0	173
85	Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. <i>BMJ</i> , The, 2013, 346, f540-f540.	6.0	251
86	The COREâ€10: A short measure of psychological distress for routine use in the psychological therapies. <i>Counselling and Psychotherapy Research</i> , 2013, 13, 3-13.	3.2	229
87	The COREâ€OM and COREâ€OM (SV) in secure settings: a template analysis of the experiences of male patients and their staff. <i>Journal of Forensic Practice</i> , 2013, 15, 32-43.	0.5	8
88	The Effectiveness of a Web-Based Personalized Feedback and Social Norms Alcohol Intervention on United Kingdom University Students: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e137.	4.3	40
89	Two short forms of the Agnew Relationship Measure: The ARM-5 and ARM-12. <i>Psychotherapy Research</i> , 2012, 22, 241-255.	1.8	64
90	Patterns of therapist variability: Therapist effects and the contribution of patient severity and risk.. <i>Journal of Consulting and Clinical Psychology</i> , 2012, 80, 535-546.	2.0	117

#	ARTICLE	IF	CITATIONS
91	Psychological treatment outcomes in routine NHS services: What do we mean by treatment effectiveness?. Psychology and Psychotherapy: Theory, Research and Practice, 2012, 85, 1-16.	2.5	47
92	Relationship between mental states in depression: The assimilation model perspective. Psychiatry Research, 2011, 190, 52-59.	3.3	16
93	The British Journal of (Social and) Clinical Psychology- a brief citation review. British Journal of Clinical Psychology, 2011, 50, 1-6.	3.5	4
94	Using Rasch analysis to form plausible health states amenable to valuation: the development of CORE-6D from a measure of common mental health problems (CORE-OM). Quality of Life Research, 2011, 20, 321-333.	3.1	45
95	Training health visitors in cognitive behavioural and person-centred approaches for depression in postnatal women as part of a cluster randomised trial and economic evaluation in primary care: the PoNDER trial. Primary Health Care Research and Development, 2011, 12, 11-20.	1.2	20
96	Practice-based supervision research: A network of researchers using a common toolkit. Counselling and Psychotherapy Research, 2011, 11, 88-96.	3.2	21
97	Systematic review of practice-based research on psychological therapies in routine clinic settings. British Journal of Clinical Psychology, 2010, 49, 421-453.	3.5	77
98	Self-Help Books for People with Depression: the Role of the Therapeutic Relationship. Behavioural and Cognitive Psychotherapy, 2010, 38, 67-81.	1.2	39
99	Changes in undergraduate students' psychological well-being as they progress through university. Studies in Higher Education, 2010, 35, 633-645.	4.5	362
100	Providing Web-Based Feedback and Social Norms Information to Reduce Student Alcohol Intake: A Multisite Investigation. Journal of Medical Internet Research, 2010, 12, e59.	4.3	80
101	The Acceptability of Computer-Aided Cognitive Behavioural Therapy: A Pragmatic Study. Cognitive Behaviour Therapy, 2009, 38, 235-246.	3.5	41
102	Clinical effectiveness of health visitor training in psychologically informed approaches for depression in postnatal women: pragmatic cluster randomised trial in primary care. BMJ: British Medical Journal, 2009, 338, a3045-a3045.	2.3	171
103	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depression - study protocol. BMC Health Services Research, 2009, 9, 188.	2.2	30
104	Co-occurrence of self-reported disordered eating and self-harm in UK university students. British Journal of Clinical Psychology, 2009, 48, 397-410.	3.5	30
105	The Young Person's CORE: Development of a brief outcome measure for young people. Counselling and Psychotherapy Research, 2009, 9, 160-168.	3.2	95
106	Collaborative care for depression in UK primary care: a randomized controlled trial – Corrigendum. Psychological Medicine, 2009, 39, 701-701.	4.5	3
107	Developing guided self-help for depression using the Medical Research Council complex interventions framework: a description of the modelling phase and results of an exploratory randomised controlled trial. BMC Psychiatry, 2008, 8, 91.	2.6	56
108	Effects of psychological therapies in randomized trials and practice-based studies. British Journal of Clinical Psychology, 2008, 47, 397-415.	3.5	52

#	ARTICLE	IF	CITATIONS
109	The effectiveness of psychodynamicâ€”interpersonal therapy (PIT) in routine clinical practice: A benchmarking comparison. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2008, 81, 157-175.	2.5	17
110	Balancing rigour and relevance in guideline development for depression: The case for comprehensive cohort studies. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2008, 81, 399-417.	2.5	12
111	Changes in undergraduate student alcohol consumption as they progress through university. <i>BMC Public Health</i> , 2008, 8, 163.	2.9	89
112	The feasibility and effectiveness of a web-based personalised feedback and social norms alcohol intervention in UK university students: A randomised control trial. <i>Addictive Behaviors</i> , 2008, 33, 1192-1198.	3.0	130
113	The effectiveness of web-based interventions designed to decrease alcohol consumption â€” A systematic review. <i>Preventive Medicine</i> , 2008, 47, 17-26.	3.4	205
114	Self-help books for people with depression: A scoping review. <i>Journal of Mental Health</i> , 2008, 17, 543-552.	1.9	26
115	Effectiveness of cognitive-behavioural, person-centred, and psychodynamic therapies in UK primary-care routine practice: replication in a larger sample. <i>Psychological Medicine</i> , 2008, 38, 677-688.	4.5	218
116	The effectiveness of UK student counselling services: an analysis using the CORE System. <i>British Journal of Guidance and Counselling</i> , 2008, 36, 1-18.	1.2	50
117	Alliance ruptures and rupture resolution in cognitiveâ€”behavior therapy: A preliminary task analysis. <i>Psychotherapy Research</i> , 2008, 18, 699-710.	1.8	70
118	Collaborative care for depression in UK primary care: a randomized controlled trial. <i>Psychological Medicine</i> , 2008, 38, 279-287.	4.5	135
119	Correspondence. <i>Psychological Medicine</i> , 2008, 38, 905-910.	4.5	19
120	Responsive regulation of treatment duration in routine practice in United Kingdom primary care settings: Replication in a larger sample.. <i>Journal of Consulting and Clinical Psychology</i> , 2008, 76, 298-305.	2.0	99
121	Using electronic surveying to assess psychological distress within the UK student population: a multi-site pilot investigation. <i>E-Journal of Applied Psychology</i> , 2008, 4, .	0.3	36
122	Therapist and client processes affecting assimilation and outcome in brief psychotherapy. <i>Psychotherapy Research</i> , 2007, 17, 613-621.	1.8	15
123	CORE-OM mental health norms of students attending university counselling services benchmarked against an age-matched primary care sample. <i>British Journal of Guidance and Counselling</i> , 2007, 35, 41-57.	1.2	61
124	Shapes of early change in psychotherapy under routine outpatient conditions.. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 864-874.	2.0	108
125	Distribution of COREâ€”OM scores in a general population, clinical cut-off points and comparison with the CISâ€”R. <i>British Journal of Psychiatry</i> , 2007, 190, 69-74.	2.8	157
126	Submissive voices dominate in depression: Assimilation analysis of a helpful session. <i>Journal of Clinical Psychology</i> , 2007, 63, 153-164.	1.9	23

#	ARTICLE	IF	CITATIONS
127	A preliminary study of a measure of role-play competence in psychodynamic interpersonal therapy. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2007, 80, 327-331.	2.5	3
128	Stability of the CORE-OM and the BDI-II prior to therapy: Evidence from routine practice. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2007, 80, 269-278.	2.5	41
129	Diagnosing depression in primary care using self-completed instruments: UK validation of PHQ-9 and CORE-OM. <i>British Journal of General Practice</i> , 2007, 57, 650-2.	1.4	136
130	Can we improve the morale of staff working in psychiatric units? A systematic review. <i>Journal of Mental Health</i> , 2006, 15, 7-17.	1.9	49
131	Measuring, monitoring and managing the psychological well-being of first year university students. <i>British Journal of Guidance and Counselling</i> , 2006, 34, 505-517.	1.2	176
132	Recovery and improvement benchmarks for counselling and the psychological therapies in routine primary care. <i>Counselling and Psychotherapy Research</i> , 2006, 6, 68-80.	3.2	37
133	A core approach to practice-based evidence: A brief history of the origins and applications of the CORE-OM and CORE System. <i>Counselling and Psychotherapy Research</i> , 2006, 6, 3-15.	3.2	149
134	Dose-effect relations and responsive regulation of treatment duration: The good enough level. <i>Journal of Consulting and Clinical Psychology</i> , 2006, 74, 160-167.	2.0	235
135	Convergent validity of the CORE measures with measures of depression for clients in cognitive therapy for depression. <i>Journal of Counseling Psychology</i> , 2006, 53, 253-259.	2.0	38
136	What does the first exchange tell? Dialogical sequence analysis and assimilation in very brief therapy. <i>Psychotherapy Research</i> , 2006, 16, 408-421.	1.8	44
137	Assimilation in good- and poor-outcome cases of very brief psychotherapy for mild depression: An initial comparison. <i>Psychotherapy Research</i> , 2006, 16, 393-407.	1.8	65
138	Transforming between Beck Depression Inventory and CORE-OM scores in routine clinical practice. <i>British Journal of Clinical Psychology</i> , 2006, 45, 153-166.	3.5	47
139	Dimensions of variation on the CORE-OM. <i>British Journal of Clinical Psychology</i> , 2006, 45, 185-203.	3.5	47
140	The effectiveness of computerized cognitive behavioural therapy in routine care. <i>British Journal of Clinical Psychology</i> , 2006, 45, 499-514.	3.5	92
141	Therapists' recall of early sudden gains in routine clinical practice. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2006, 79, 107-114.	2.5	10
142	The prevalence of nursing staff stress on adult acute psychiatric in-patient wards. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 34-43.	3.1	36
143	Developing a U.K. protocol for collaborative care: a qualitative study. <i>General Hospital Psychiatry</i> , 2006, 28, 296-305.	2.4	60
144	Core outcomes in psychosexual therapy: A feasibility study of the CORE-OM. <i>Sexual and Relationship Therapy</i> , 2006, 21, 15-26.	1.2	6

#	ARTICLE	IF	CITATIONS
145	Reflections on benchmarking NHS primary care psychological therapies and counselling. <i>Counselling and Psychotherapy Research</i> , 2006, 6, 81-87.	3.2	13
146	When clients and practitioners have differing views of risk: Benchmarks for improving assessment and practice. <i>Counselling and Psychotherapy Research</i> , 2006, 6, 50-59.	3.2	12
147	Developing the resources and management support for routine evaluation in counselling and psychological therapy service provision: Reflections on a decade of CORE development. <i>European Journal of Psychotherapy and Counselling</i> , 2006, 8, 141-161.	0.4	16
148	Effectiveness of cognitive-behavioural, person-centred and psychodynamic therapies as practised in UK National Health Service settings. <i>Psychological Medicine</i> , 2006, 36, 555-566.	4.5	158
149	Interactional positioning and narrative self-construction in the first session of psychodynamic interpersonal psychotherapy. <i>Psychotherapy Research</i> , 2005, 15, 420-432.	1.8	8
150	Sudden Gains in Cognitive Therapy for Depression: A Replication and Extension.. <i>Journal of Consulting and Clinical Psychology</i> , 2005, 73, 59-67.	2.0	109
151	Predicting change for individual psychotherapy clients on the basis of their nearest neighbors.. <i>Journal of Consulting and Clinical Psychology</i> , 2005, 73, 904-913.	2.0	107
152	Scoping the inventory of interpersonal problems, its derivatives and short forms: 1988-2004. <i>Clinical Psychology and Psychotherapy</i> , 2005, 12, 475-496.	2.7	37
153	Temporal patterns of improvement in client-centred therapy and cognitive-behaviour therapy. <i>Counselling Psychology Quarterly</i> , 2005, 18, 95-108.	2.3	51
154	Rationale and development of a general population well-being measure: Psychometric status of the GP-CORE in a student sample. <i>British Journal of Guidance and Counselling</i> , 2005, 33, 153-173.	1.2	61
155	The CORE-OM in an older adult population: Psychometric status, acceptability, and feasibility. <i>Aging and Mental Health</i> , 2005, 9, 235-245.	2.8	35
156	Suitability and utility of the CORE-OM and CORE-A for assessing severity of presenting problems in psychological therapy services based in primary and secondary care settings. <i>British Journal of Psychiatry</i> , 2005, 186, 239-246.	2.8	169
157	How to develop inter-organisational research networks in mental health: A systematic review. <i>Journal of Mental Health</i> , 2005, 14, 7-23.	1.9	4
158	Assessing risk and emotional disturbance using the CORE-OM and HoNOS outcome measures at the interface between primary and secondary mental healthcare. <i>Psychiatric Bulletin</i> , 2005, 29, 419-422.	0.3	16
159	Rewiring efficacy studies to increase their relevance to routine practice. <i>Mental Health and Learning Disabilities Research and Practice</i> , 2005, 2, 11-18.	0.0	2
160	How Social Class Differences Affect Students' Experience of University. <i>Journal of Further and Higher Education</i> , 2004, 28, 407-421.	2.5	24
161	Therapist Competence and Outcome of Cognitive Therapy for Depression. <i>Cognitive Therapy and Research</i> , 2004, 28, 143-157.	1.9	101
162	Student debt and its relation to student mental health. <i>Journal of Further and Higher Education</i> , 2004, 28, 53-66.	2.5	118

#	ARTICLE	IF	CITATIONS
163	Patterns of Alliance Development and the Rupture-Repair Hypothesis: Are Productive Relationships U-Shaped or V-Shaped?. <i>Journal of Counseling Psychology</i> , 2004, 51, 81-92.	2.0	189
164	Outcomes of patients completing and not completing cognitive therapy for depression. <i>British Journal of Clinical Psychology</i> , 2003, 42, 133-143.	3.5	90
165	Time is of the essence: A selective review of the fall and rise of brief therapy research. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2003, 76, 211-235.	2.5	54
166	Bridging evidence-based practice and practice-based evidence: developing a rigorous and relevant knowledge for the psychological therapies. <i>Clinical Psychology and Psychotherapy</i> , 2003, 10, 319-327.	2.7	164
167	Practice-based evidence: benchmarking NHS primary care counselling services at national and local levels. <i>Clinical Psychology and Psychotherapy</i> , 2003, 10, 374-388.	2.7	78
168	Practice-based outcomes of dialectical behaviour therapy (DBT) targeting anger and violence, with male forensic patients: a pragmatic and non-contemporaneous comparison. <i>Criminal Behaviour and Mental Health</i> , 2003, 13, 198-213.	0.8	154
169	University quality of life and learning (UNIQoLL): An approach to student well-being, satisfaction and institutional change. <i>Journal of Further and Higher Education</i> , 2003, 27, 365-382.	2.5	65
170	Appraisal of published reviews of research on psychotherapy and counseling with adults 1990-1998.. <i>Journal of Consulting and Clinical Psychology</i> , 2003, 71, 652-656.	2.0	9
171	Early sudden gains in psychotherapy under routine clinic conditions: Practice-based evidence.. <i>Journal of Consulting and Clinical Psychology</i> , 2003, 71, 14-21.	2.0	171
172	PHASE: a randomised, controlled trial of supervised self-help cognitive behavioural therapy in primary care. <i>British Journal of General Practice</i> , 2003, 53, 764-70.	1.4	45
173	Early sudden gains in psychotherapy under routine clinic conditions: practice-based evidence. <i>Journal of Consulting and Clinical Psychology</i> , 2003, 71, 14-21.	2.0	40
174	PHASE: a 'health technology' approach to psychological treatment in primary mental health care. <i>Primary Health Care Research and Development</i> , 2002, 3, 159-168.	1.2	16
175	Towards a standardised brief outcome measure: Psychometric properties and utility of the COREâ€œOM. <i>British Journal of Psychiatry</i> , 2002, 180, 51-60.	2.8	679
176	Patterns of client emotion in helpful sessions of cognitive-behavioral and psychodynamic-interpersonal therapy.. <i>Journal of Counseling Psychology</i> , 2002, 49, 376-380.	2.0	17
177	Convergent validity of the Agnew Relationship Measure and the Working Alliance Inventory.. <i>Psychological Assessment</i> , 2002, 14, 209-220.	1.5	33
178	Practice improvement methods: Conceptual base, evidence-based research, and practice-based recommendations. <i>British Journal of Clinical Psychology</i> , 2002, 41, 285-307.	3.5	22
179	Dose-Effect Relations for Psychotherapy of Mild Depression: A Quasi-Experimental Comparison of Effects of 2, 8, and 16 Sessions. <i>Psychotherapy Research</i> , 2002, 12, 463-474.	1.8	40
180	Convergent validity of the Agnew Relationship Measure and the Working Alliance Inventory.. <i>Psychological Assessment</i> , 2002, 14, 209-220.	1.5	23

#	ARTICLE	IF	CITATIONS
181	Counselling outcomes in primary health care: a CORE system data profile. <i>European Journal of Psychotherapy and Counselling</i> , 2001, 4, 65-86.	0.4	36
182	Value of HoNOS in assessing patient change in NHS psychotherapy and psychological treatment services. <i>British Journal of Psychiatry</i> , 2001, 178, 561-566.	2.8	51
183	Service profiling and outcomes benchmarking using the CORE-OM: Toward practice-based evidence in the psychological therapies.. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 184-196.	2.0	407
184	Client interpersonal and cognitive styles as predictors of response to time-limited cognitive therapy for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 841-845.	2.0	39
185	â€œIt's Like Catching a Desire Before it Flies Awayâ€™: A Comprehensive Process Analysis of a Problem Clarification Event in Cognitive-Behavioral Therapy for Depression. <i>Psychotherapy Research</i> , 2001, 11, 331-351.	1.8	11
186	Counselling and interpersonal therapies for depression: towards securing an evidence-base. <i>British Medical Bulletin</i> , 2001, 57, 115-132.	6.9	16
187	Service profiling and outcomes benchmarking using the CORE-OM: Toward practice-based evidence in the psychological therapies.. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 184-196.	2.0	100
188	'It's Like Catching a Desire Before it Flies Away': A Comprehensive Process Analysis of a Problem Clarification Event in Cognitive-Behavioral Therapy for Depression. <i>Psychotherapy Research</i> , 2001, 11, 331-351.	1.8	1
189	Measurement and psychotherapy. <i>British Journal of Psychiatry</i> , 2000, 177, 123-130.	2.8	285
190	CORE: Clinical Outcomes in Routine Evaluation. <i>Journal of Mental Health</i> , 2000, 9, 247-255.	1.9	402
191	Practice-based evidence and standardized evaluation: Informing the design of the CORE system. <i>European Journal of Psychotherapy and Counselling</i> , 1999, 2, 357-374.	0.4	64
192	Psychotherapy in two-plus-one sessions: Outcomes of a randomized controlled trial of cognitiveâ€œbehavioral and psychodynamicâ€œinterpersonal therapy for subsyndromal depression.. <i>Journal of Consulting and Clinical Psychology</i> , 1999, 67, 201-211.	2.0	131
193	Alliance structure assessed by the Agnew Relationship Measure (ARM). <i>British Journal of Clinical Psychology</i> , 1998, 37, 155-172.	3.5	132
194	Whingeing Versus Working: Comprehensive Process Analysis of A â€œVague Awarenessâ€œEvent in Psychodynamic-Interpersonal Therapy. <i>Psychotherapy Research</i> , 1998, 8, 334-353.	1.8	11
195	The rationale for developing and outcome batteries for routine use in service settings and psychotherapy outcome research implementing core. <i>Journal of Mental Health</i> , 1998, 7, 35-47.	1.9	180
196	Relations of the alliance with psychotherapy outcome: Findings in the second Sheffield Psychotherapy Project.. <i>Journal of Consulting and Clinical Psychology</i> , 1998, 66, 791-802.	2.0	70
197	Therapist responsiveness to client interpersonal styles during time-limited treatments for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 1998, 66, 304-312.	2.0	76
198	Staying with the feeling: An anger event in psychodynamicâ€œinterpersonal therapy.. <i>Journal of Counseling Psychology</i> , 1998, 45, 279-289.	2.0	15

#	ARTICLE	IF	CITATIONS
199	Confirmatory Factor Analysis of the Personality Disorder Subscales From the Inventory of Interpersonal Problems. <i>Journal of Personality Assessment</i> , 1997, 69, 284-296.	2.1	37
200	The therapeutic alliance in psychodynamic-interpersonal and cognitive-behavioral therapy.. <i>Journal of Consulting and Clinical Psychology</i> , 1997, 65, 582-587.	2.0	94
201	Discourse analysis of a theme in one successful case of brief psychodynamic-interpersonal psychotherapy.. <i>Journal of Counseling Psychology</i> , 1997, 44, 232-244.	2.0	51
202	Covariance in the measurement of depression/anxiety and three Cluster C personality disorders (avoidant, dependent, obsessive-compulsive). <i>Journal of Affective Disorders</i> , 1997, 45, 143-153.	4.1	14
203	The IIP-32: A short version of the Inventory of Interpersonal Problems. <i>British Journal of Clinical Psychology</i> , 1996, 35, 21-35.	3.5	298
204	Acceleration of changes in session impact during contrasting time-limited psychotherapies.. <i>Journal of Consulting and Clinical Psychology</i> , 1996, 64, 577-586.	2.0	62
205	Outcomes of time-limited psychotherapy in applied settings: Replicating the Second Sheffield Psychotherapy Project.. <i>Journal of Consulting and Clinical Psychology</i> , 1996, 64, 1079-1085.	2.0	97
206	Dose-effect relations in time-limited psychotherapy for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 1996, 64, 927-935.	2.0	152
207	Therapist session intentions in cognitive-behavioral and psychodynamic-interpersonal psychotherapy.. <i>Journal of Counseling Psychology</i> , 1996, 43, 402-414.	2.0	38
208	Scales for Personality Disorders Developed from the Inventory of Interpersonal Problems. <i>Journal of Personality Disorders</i> , 1996, 10, 355-369.	1.4	158
209	Credibility and outcome of cognitive-behavioural and psychodynamic-interpersonal psychotherapy. <i>British Journal of Clinical Psychology</i> , 1995, 34, 555-569.	3.5	52
210	Impact of Cluster C personality disorders on outcomes of contrasting brief psychotherapies for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 1995, 63, 997-1004.	2.0	126
211	Effects of treatment duration and severity of depression on the maintenance of gains after cognitive-behavioral and psychodynamic-interpersonal psychotherapy.. <i>Journal of Consulting and Clinical Psychology</i> , 1995, 63, 378-387.	2.0	141
212	The Relationship Between Interpersonal Attachment Styles and Work Difficulties. <i>Human Relations</i> , 1994, 47, 263-281.	5.4	95
213	The structure, validity and clinical relevance of the Inventory of Interpersonal Problems. <i>The British Journal of Medical Psychology</i> , 1994, 67, 171-185.	0.5	46
214	Effects of treatment duration and severity of depression on the effectiveness of cognitive-behavioral and psychodynamic-interpersonal psychotherapy.. <i>Journal of Consulting and Clinical Psychology</i> , 1994, 62, 522-534.	2.0	428
215	Evaluation and description of psychotherapy sessions by clients using the Session Evaluation Questionnaire and the Session Impacts Scale.. <i>Journal of Counseling Psychology</i> , 1994, 41, 175-185.	2.0	169
216	Assessment of assimilation in psychotherapy: A quantitative case study of problematic experiences with a significant other.. <i>Journal of Counseling Psychology</i> , 1994, 41, 397-406.	2.0	37

#	ARTICLE	IF	CITATIONS
217	Resolving a challenge to the therapeutic relationship: A single case study. The British Journal of Medical Psychology, 1994, 67, 155-170.	0.5	61
218	Research directions for psychotherapy integration: A roundtable.. Journal of Psychotherapy Integration, 1993, 3, 91-131.	1.1	28
219	The shape of change in psychotherapy: Longitudinal assessment of personal problems.. Journal of Consulting and Clinical Psychology, 1993, 61, 667-677.	2.0	66
220	Lack of synchronized seasonal variation in the intensity of psychological problems.. Journal of Abnormal Psychology, 1993, 102, 388-394.	1.9	3
221	The California Psychotherapy Alliance Scales: A pilot study of dimensions and elements. The British Journal of Medical Psychology, 1993, 66, 157-165.	0.5	10
222	Cognitive-Behavioural Therapy in Two-Plus-One Sessions: A Pilot Field Trial. Behavioural Psychotherapy, 1992, 20, 147-154.	0.5	21
223	Treatment Order and Thematic Continuity Between Contrasting Psychotherapies: Exploring an Implication of the Assimilation Model. Psychotherapy Research, 1992, 2, 112-124.	1.8	37
224	Prescriptive and exploratory psychotherapies: Toward an integration based on the assimilation model.. Journal of Psychotherapy Integration, 1992, 2, 253-272.	1.1	27
225	Components of major depression examined via the Beck depression inventory. Journal of Affective Disorders, 1992, 26, 251-259.	4.1	30
226	The Second Sheffield Psychotherapy Project: Rationale, design and preliminary outcome data. The British Journal of Medical Psychology, 1990, 63, 97-108.	0.5	60
227	Brief psychotherapeutic interventions for job-related distress: A Pilot study of Prescriptive and Exploratory therapy. Counselling Psychology Quarterly, 1990, 3, 133-147.	2.3	38
228	Brief Prescriptive Therapy in Two-plus-one Sessions: Initial Cases from the Clinic. Behavioural Psychotherapy, 1989, 17, 161-175.	0.5	20
229	Change in prescriptive versus exploratory therapy: Older clients' responses to therapy. Counselling Psychology Quarterly, 1989, 2, 395-403.	2.3	2
230	Exploratory Therapy in Two-Plus-One Sessions I - Rationale for a Brief Psychotherapy Model. British Journal of Psychotherapy, 1989, 6, 81-88.	0.2	18
231	Exploratory Therapy in Two-Plus-One Sessions II - A Single Case Study. British Journal of Psychotherapy, 1989, 6, 89-100.	0.2	14
232	Personal questionnaire changes in prescriptive vs. exploratory psychotherapy. British Journal of Clinical Psychology, 1989, 28, 97-107.	3.5	15
233	Empathy in Counselling and Psychotherapy: Present status and future directions. Counselling Psychology Quarterly, 1988, 1, 407-428.	2.3	11
234	Counselor verbal response modes and experienced empathy.. Journal of Counseling Psychology, 1986, 33, 3-10.	2.0	55

#	ARTICLE	IF	CITATIONS
235	The reliability of a modified Helper Behaviour Rating System. The British Journal of Medical Psychology, 1984, 57, 45-48.	0.5	9
236	Hearing voices. , 0, , 237-254.		28