

# Fumitake Nishimura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/798883/publications.pdf>

Version: 2024-02-01

44  
papers

497  
citations

840776  
11  
h-index

677142  
22  
g-index

45  
all docs

45  
docs citations

45  
times ranked

649  
citing authors

#	ARTICLE	IF	CITATIONS
1	Determination of Sex Hormones and Nonylphenol Ethoxylates in the Aqueous Matrixes of Two Pilot-Scale Municipal Wastewater Treatment Plants. <i>Environmental Science &amp; Technology</i> , 2004, 38, 3028-3035.	10.0	96
2	O <sub>3</sub> /H <sub>2</sub> O <sub>2</sub> Process for Both Removal of Odorous Algal-Derived Compounds and Control of Bromate Ion Formation. <i>Ozone: Science and Engineering</i> , 2011, 33, 121-135.	2.5	41
3	Impact of Long-Term Perfluorooctanoic Acid (PFOA) Exposure on Activated Sludge Process. <i>Water, Air, and Soil Pollution</i> , 2018, 229, 1.	2.4	39
4	Effects of microbial activity on perfluorinated carboxylic acids (PFCAs) generation during aerobic biotransformation of fluorotelomer alcohols in activated sludge. <i>Science of the Total Environment</i> , 2018, 610-611, 776-785.	8.0	35
5	Effect of alkaline microwaving pretreatment on anaerobic digestion and biogas production of swine manure. <i>Scientific Reports</i> , 2017, 7, 1668.	3.3	33
6	A simple biofilm model of bacterial competition for attached surface. <i>Water Research</i> , 2002, 36, 996-1006.	11.3	28
7	Biodegradation Property of 8:2 Fluorotelomer Alcohol (8:2 FTOH) under Aerobic/Anoxic/Anaerobic Conditions. <i>Journal of Water and Environment Technology</i> , 2016, 14, 177-190.	0.7	28
8	Behavior of inorganic elements during sludge ozonation and their effects on sludge solubilization. <i>Water Research</i> , 2011, 45, 2029-2037.	11.3	23
9	Enhanced generation of perfluoroalkyl carboxylic acids (PFCAs) from fluorotelomer alcohols (FTOHs) via ammonia-oxidation process. <i>Chemosphere</i> , 2018, 198, 311-319.	8.2	18
10	Changes of microbial substrate metabolic patterns through a wastewater reuse process, including WWTP and SAT concerning depth. <i>Water Research</i> , 2014, 60, 105-117.	11.3	15
11	Removal of high concentration ammonia from wastewater by a combination of partial nitrification and anammox treatment. <i>Environmental Technology (United Kingdom)</i> , 2012, 33, 1485-1489.	2.2	13
12	Investigation of 1,4-dioxane originating from incineration residues produced by incineration of municipal solid waste. <i>Chemosphere</i> , 2008, 71, 894-901.	8.2	12
13	Anammox reactor exposure to thiocyanate: Long-term performance and microbial community dynamics. <i>Bioresource Technology</i> , 2020, 317, 123960.	9.6	11
14	Evaluation of a novel oxidation ditch system with dual DO control technology for biological nutrient removal by mass balance analysis. <i>Desalination</i> , 2012, 286, 24-33.	8.2	10
15	REMOVAL OF AMMONIUM NITROGEN IN BIO-ZEOLITE REACTOR. <i>Doboku Gakkai Ronbunshu</i> , 1994, 1994, 159-166.	0.2	9
16	Removal of Dissolved Organic Matter and Disinfection By-products Formation Potential in the Upper Layer during Soil Aquifer Treatment. <i>Journal of Water and Environment Technology</i> , 2015, 13, 107-118.	0.7	9
17	Occurrence of tributyltin (TBT)-resistant bacteria is not related to TBT pollution in Mekong River and coastal sediment: With a hypothesis of selective pressure from suspended solid. <i>Chemosphere</i> , 2007, 68, 1459-1464.	8.2	8
18	Applicability of Corbicula as a bioindicator for monitoring organochlorine pesticides in fresh and brackish waters. <i>Environmental Monitoring and Assessment</i> , 2011, 179, 47-63.	2.7	8

#	ARTICLE	IF	CITATIONS
19	Anaerobic Digestion of Oxidation Ditch Sludge at Low Temperatures with Hyperthermophilic Pretreatment. Journal of Water and Environment Technology, 2019, 17, 67-75.	0.7	8
20	Bioaccumulation and primary risk assessment of persistent organic pollutants with various bivalves. Water Science and Technology, 2012, 66, 2620-2629.	2.5	7
21	Spatial and daily variations of nitrous oxide emissions from biological reactors in a full-scale activated sludge anoxic/oxic process. Journal of Bioscience and Bioengineering, 2019, 127, 333-339.	2.2	7
22	Effects of using lactic acid bacteria in the storage and subsequent anaerobic co-digestion of crushed kitchen garbage. Bioresource Technology Reports, 2021, 13, 100640.	2.7	6
23	Development of a combined BAC and bz reactor for removal of nitrogen in wastewater from sludge drying process. Water Science and Technology, 1996, 34, 145.	2.5	5
24	Nitrogen behavior during sludge ozonation: a long-term observation by pilot experiments. Water Science and Technology, 2014, 70, 289-296.	2.5	5
25	Utilization of high solid waste activated sludge from small facilities by anaerobic digestion and application as fertilizer. Water Science and Technology, 2019, 80, 2320-2327.	2.5	5
26	Growth Characteristics of Photosynthetic Bacteria Cultured in Anaerobic Digestate of Sewage Sludge to be Used as Fertilizer. Waste and Biomass Valorization, 0, , 1.	3.4	4
27	Evaluation of PFCA removal by SAT using a pilot-scale reactor. Water Practice and Technology, 2017, 12, 706-716.	2.0	2
28	Evaluation of Dissolved Organic Matter Removals through WWT and SAT Using Pilot-Scale and Lab-Scale Reactors. Water, Air, and Soil Pollution, 2019, 230, 1.	2.4	2
29	Cultivation of Filtered Anaerobically Digested Sewage Sludge under Light Illumination for Improvement of Fertilizer Quality. Journal of Japan Society on Water Environment, 2021, 44, 27-33.	0.4	2
30	Development of a combined BAC and BZ reactor for removal of nitrogen in wastewater from sludge drying process. Water Science and Technology, 1996, 34, 145-151.	2.5	2
31	MODELING OF BIOACCUMULATION CHARACTERISTICS OF POPs IN BIVALVES. Journal of Japan Society of Civil Engineers Ser G (Environmental Research), 2013, 69, 137-156.	0.1	1
32	Nitrogen Behavior in the Advanced Sewage Treatment Process Combined Sludge Ozonation and Phosphorus Recovery. Proceedings of the Water Environment Federation, 2013, 2013, 578-587.	0.0	1
33	DEVELOPMENT OF STORAGE METHOD OF CRUSHED KITCHEN GARBAGE USING LACTIC ACID FERMENTATION IN JOHKASOU FOR METHANE FERMENTATION. Journal of Japan Society of Civil Engineers Ser G (Environmental Research), 2020, 76, III_491-III_501.	0.1	1
34	GENETIC DIVERSITY AND GENETIC STRUCTURE OF AN ENDANGERED SPECIES, ERIOCAULON NUDICUSPE, GROWING IN ARTIFICIAL DISTURBING HABITATS. International Journal of GEOMATE, 2017, 13, .	0.3	1
35	MODELING AND OPERATION PARAMETERS FOR SINGLE HIGH-LOADED DENITRIFICATION REACTOR. Doboku Gakkai Ronbunshu, 1994, 1994, 149-158.	0.2	0
36	OPERATIONAL PARAMETERS OF COMBINED BAC AND BZ REACTOR FOR NITROGEN REMOVAL FROM SLUDGE-DRYING SCRUBBER WASTEWATER. Doboku Gakkai Ronbunshu, 1997, 1997, 61-69.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Water Quality of Grove Soil Leachate under Artificial Acid Rain and Its Effects on the Growth of Aquatic Microorganisms.. Journal of Japan Society on Water Environment, 2000, 23, 510-515.	0.4	0
38	CHARACTERISTICS OF NUTRIENTS RUNOFF FROM SIGENOBU RIVER BASINS. Journal of Japan Society of Civil Engineers Ser B1 (Hydraulic Engineering), 2014, 70, I_1225-I_1230.	0.1	0
39	Effects of Crush Process on Methane Conversion Efficiency in Thermophilic Anaerobic Digestion with Coffee Grounds. Journal of Water and Environment Technology, 2014, 12, 245-257.	0.7	0
40	Approach to Performance Stabilization for High-Efficiency Solid-Liquid Separation and Anammox Treatment of Mainstream Municipal Wastewater. Journal of Environmental Conservation Engineering, 2016, 45, 313-324.	0.1	0
41	Improvement of Anammox Rate in High-Efficiency Solid-Liquid Separation and Anammox Treatment of Mainstream Municipal Wastewater. Journal of Japan Society on Water Environment, 2016, 39, 145-152.	0.4	0
42	RUNOFF CHARACTERISTICS OF STORMWATER AND WASHOFF WATER QUALITY FROM ROOF AND ROAD SURFACES. Proceedings of Hydraulic Engineering, 2001, 45, 55-60.	0.0	0
43	AMMONIA REMOVAL CHARACTERISTICS OF POROUS CONCRETE WITH ZEOLITE FOR ENHANCING SELF-PURIFICATION ABILITY IN RIVER SYSTEM. International Journal of GEOMATE, 2015, , .	0.3	0
44	TREATMENT CHARACTERISTICS AND OPERATIONAL PARAMETERS OF A NEWLY DEVELOPED REACTOR WITH SLUDGE SEPARATION FILTER AND AIRLIFT PUMP FOR CARBON AND NITROGEN REMOVAL. Journal of Urban and Environmental Engineering, 0, , 136-141.	0.3	0