Chien-Hao Huang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7989636/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Innateâ€like bystanderâ€activated CD38+HLAâ€DR+CD8+T cells play a pathogenic role in patients with chronic hepatitis C. Hepatology, 2022, 76, 803-818.	7.3	11
2	Dynamic Change of Albumin-Bilirubin Score Is Good Predictive Parameter for Prognosis in Chronic Hepatitis C-hepatocellular Carcinoma Patients Receiving Transarterial Chemoembolization. Diagnostics, 2022, 12, 665.	2.6	4
3	MELD score is the better predictor for 30-day mortality in patients with ruptured hepatocellular carcinoma treated by trans-arterial embolization. American Journal of Cancer Research, 2021, 11, 3726-3734.	1.4	1
4	Complete response at first transarterial chemoembolization predicts favorable outcome in hepatocellular carcinoma. American Journal of Cancer Research, 2021, 11, 4956-4965.	1.4	2
5	The incidence and predictors of post transarterial chemoembolization variceal bleeding in hepatocellular carcinoma patients. Journal of the Formosan Medical Association, 2020, 119, 635-643.	1.7	7
6	Add-on sorafenib is beneficial for hepatocellular carcinoma patients with transarterial chemoembolization refractoriness: a real-world experience. European Journal of Gastroenterology and Hepatology, 2020, 32, 1192-1199.	1.6	9
7	Interferon Is Superior to Direct Acting Antiviral Therapy in Tertiary Prevention of Early Recurrence of Hepatocellular Carcinoma. Cancers, 2020, 12, 23.	3.7	7
8	Therapeutic Role of Inducible Nitric Oxide Synthase Expressing Myeloid-Derived Suppressor Cells in Acetaminophen-Induced Murine Liver Failure. Frontiers in Immunology, 2020, 11, 574839.	4.8	9
9	Poor dietary intake improved by total excision of oral cavity metastases in a patient with hepatocellular carcinoma and elevated myeloid-derived suppressor cells. Hepatobiliary Surgery and Nutrition, 2020, 9, 558-561.	1.5	1
10	Hepatic Encephalopathy and Spontaneous Bacterial Peritonitis Improve Cirrhosis Outcome Prediction: A Modified Seven-Stage Model as a Clinical Alternative to MELD. Journal of Personalized Medicine, 2020, 10, 186.	2.5	3
11	Postembolization fever after transarterial chemoembolization is a sign of unfavorable therapeutic response in hepatocellular carcinoma patients. Advances in Digestive Medicine, 2020, 7, 83-92.	0.2	2
12	Fibrosis index predicts variceal bleeding and reduces need for nonselective beta-blocker in compensated cirrhosis with initial small esophageal varices without red-color sign. Annals of Translational Medicine, 2020, 8, 1223-1223.	1.7	6
13	Risk of cardiac arrhythmias in patients with chronic hepatitis B and C infections – A 13-year nationwide population-based study. Journal of Cardiology, 2019, 74, 333-338.	1.9	10
14	In HCV-related liver cirrhosis, local pulse wave velocity increases and in decompensated patients correlates with poorer survival. PLoS ONE, 2019, 14, e0212770.	2.5	10
15	Timely eradication of HCV viremia by PegIFN/RBV is crucial in prevention of post RFA recurrence in CHC-HCC patients. Journal of the Formosan Medical Association, 2019, 118, 1239-1246.	1.7	4
16	Memory Regulatory T cells Increase Only In Inflammatory Phase of Chronic Hepatitis B Infection and Related to Galectin-9/Tim-3 interaction. Scientific Reports, 2017, 7, 15280.	3.3	16
17	Increased EMR2 expression on neutrophils correlates with disease severity and predicts overall mortality in cirrhotic patients. Scientific Reports, 2016, 6, 38250.	3.3	25
18	Differences in Liver Fibrosis Between Patients With Chronic Hepatitis B and C. Journal of Ultrasound in Medicine, 2015, 34, 813-821.	1.7	23

CHIEN-HAO HUANG

#	Article	IF	CITATIONS
19	<i>IL28B</i> polymorphism and early anemia predict the rapid null response in genotypeâ€1 chronic hepatitis C with dualÂtherapy. Advances in Digestive Medicine, 2015, 2, 128-134.	0.2	Ο
20	Increased regulatory <scp>T</scp> cells in patients with liver cirrhosis correlated with hyperbilirubinemia and predict bacterial complications. Journal of Gastroenterology and Hepatology (Australia), 2015, 30, 775-783.	2.8	13
21	Blockade of TNF- \hat{l}_{\pm} signaling benefits cancer therapy by suppressing effector regulatory T cell expansion. Oncolmmunology, 2015, 4, e1040215.	4.6	40
22	Patients younger than forty years old with hepatitis C virus genotype–1 chronic infection had treatment responses similar to genotype–2 infection and not related to interleukin–28B polymorphism. Annals of Hepatology, 2013, 12, 62-69.	1.5	5
23	Recurrence of spontaneous bacterial peritonitis in cirrhotic patients non-prophylactically treated with norfloxacin: serum albumin as an easy but reliable predictive factor. Liver International, 2011, 31, 184-191.	3.9	28