

Klaus Oliver Schubert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7989950/publications.pdf>

Version: 2024-02-01

37
papers

1,397
citations

448610

19
h-index

406436

35
g-index

41
all docs

41
docs citations

41
times ranked

5324
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide interaction study with major depression identifies novel variants associated with cognitive function. <i>Molecular Psychiatry</i> , 2022, 27, 1111-1119.	4.1	24
2	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.	1.7	11
3	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	4.1	44
4	Demonstration of automated non-adherence and service disengagement risk monitoring with active follow-up for severe mental illness. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 976-982.	1.3	7
5	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	1.7	20
6	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. <i>Neuropsychopharmacology</i> , 2021, 46, 2304-2311.	2.8	5
7	Autoantibody profiles associated with clinical features in psychotic disorders. <i>Translational Psychiatry</i> , 2021, 11, 474.	2.4	8
8	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	1.6	10
9	No evidence for clinical efficacy of adjunctive celecoxib with vortioxetine in the treatment of depression: A 6-week double-blind placebo controlled randomized trial. <i>European Neuropsychopharmacology</i> , 2021, 53, 34-46.	0.3	22
10	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	2.4	25
11	Multimodal modeling for personalized psychiatry. , 2020, , 521-536.		0
12	Exploratory study of association between blood immune markers and cognitive symptom severity in major depressive disorder: Stratification by body mass index status. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 242-251.	2.0	10
13	Is telepsychiatry care a realistic option for community mental health services during the COVID-19 pandemic?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 1228-1228.	1.3	18
14	Downregulated transferrin receptor in the blood predicts recurrent MDD in the elderly cohort: A fuzzy forests approach. <i>Journal of Affective Disorders</i> , 2020, 267, 42-48.	2.0	12
15	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.1	20
16	The association of obesity and coronary artery disease genes with response to SSRIs treatment in major depression. <i>Journal of Neural Transmission</i> , 2019, 126, 35-45.	1.4	27
17	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	6.0	102
18	Targeted proteomic analysis of cognitive dysfunction in remitted major depressive disorder: Opportunities of multi-omics approaches towards predictive, preventive, and personalized psychiatry. <i>Journal of Proteomics</i> , 2018, 188, 63-70.	1.2	23

#	ARTICLE	IF	CITATIONS
19	Elevated clozapine levels associated with infection: A systematic review. <i>Schizophrenia Research</i> , 2018, 192, 50-56.	1.1	100
20	Should the Australian Therapeutic Goods Administration recommend rapid dosing of lithium carbonate in acute mania?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 387-387.	1.3	3
21	Cognitive and Functional Assessment of Psychosis Stratification Study (CoFAPSS): Rationale, Design, and Characteristics. <i>Frontiers in Psychiatry</i> , 2018, 9, 662.	1.3	2
22	Co-expression network analysis of peripheral blood transcriptome identifies dysregulated protein processing in endoplasmic reticulum and immune response in recurrent MDD in older adults. <i>Journal of Psychiatric Research</i> , 2018, 107, 19-27.	1.5	27
23	A gene co-expression module implicating the mitochondrial electron transport chain is associated with long-term response to lithium treatment in bipolar affective disorder. <i>Translational Psychiatry</i> , 2018, 8, 183.	2.4	21
24	Association of the Polygenic Scores for Personality Traits and Response to Selective Serotonin Reuptake Inhibitors in Patients with Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 65.	1.3	38
25	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	1.3	28
26	Impact of a history of maternal depression and anxiety on asthma control during pregnancy. <i>Journal of Asthma</i> , 2017, 54, 706-713.	0.9	27
27	Depressive symptom trajectories in late adolescence and early adulthood: A systematic review. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 477-499.	1.3	81
28	Pharmacogenomics in the treatment of mood disorders: Strategies and Opportunities for personalized psychiatry. <i>EPMA Journal</i> , 2017, 8, 211-227.	3.3	81
29	Trajectories of anxiety and health related quality of life during pregnancy. <i>PLoS ONE</i> , 2017, 12, e0181149.	1.1	34
30	The use of MALDI-MSI in the investigation of psychiatric and neurodegenerative disorders: A review. <i>Proteomics</i> , 2016, 16, 1747-1758.	1.3	39
31	Proteome and pathway effects of chronic haloperidol treatment in mouse hippocampus. <i>Proteomics</i> , 2016, 16, 532-538.	1.3	5
32	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093.	6.3	306
33	Peripheral blood gene expression analysis implicates B lymphocyte proliferation and ribosomal S26 transcripts in cognitive dysfunction in people with remitted Major Depression. <i>Journal of Affective Disorders</i> , 2016, 190, 754-756.	2.0	5
34	Proteomic pathway analysis of the hippocampus in schizophrenia and bipolar affective disorder implicates 14-3-3 signaling, aryl hydrocarbon receptor signaling, and glucose metabolism: Potential roles in GABAergic interneuron pathology. <i>Schizophrenia Research</i> , 2015, 167, 64-72.	1.1	79
35	In-vivo administration of clozapine affects behaviour but does not reverse dendritic spine deficits in the 14-3-3 η KO mouse model of schizophrenia-like disorders. <i>Pharmacology Biochemistry and Behavior</i> , 2015, 138, 1-8.	1.3	14
36	The use of clinical and biological characteristics to predict outcome following First Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 24-35.	1.3	27

#	ARTICLE	IF	CITATIONS
37	Common Proteomic Changes in the Hippocampus in Schizophrenia and Bipolar Disorder and Particular Evidence for Involvement of Cornu Ammonis Regions 2 and 3. Archives of General Psychiatry, 2011, 68, 477.	13.8	90