

Vincent P Markowski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7990152/publications.pdf>

Version: 2024-02-01

15
papers

661
citations

858243

12
h-index

1113639

15
g-index

16
all docs

16
docs citations

16
times ranked

603
citing authors

#	ARTICLE	IF	CITATIONS
1	Sex-specific behavioral impairments produced by neonatal exposure to MK-801 are partially reversed by adolescent CDPBB treatment. <i>Neurotoxicology and Teratology</i> , 2022, 89, 107053.	1.2	1
2	Early postnatal decabromodiphenyl ether exposure reduces thyroid hormone and astrocyte density in the juvenile mouse dentate gyrus. <i>Physiology and Behavior</i> , 2020, 216, 112798.	1.0	2
3	Motor deficits, impaired response inhibition, and blunted response to methylphenidate following neonatal exposure to decabromodiphenyl ether. <i>Neurotoxicology and Teratology</i> , 2017, 63, 51-59.	1.2	7
4	Prenatal exposure to the brominated flame retardant hexabromocyclododecane (HBCD) impairs measures of sustained attention and increases age-related morbidity in the Long-Evans rat. <i>Neurotoxicology and Teratology</i> , 2014, 45, 34-43.	1.2	19
5	Effects of prenatal exposure to sodium arsenite on motor and food-motivated behaviors from birth to adulthood in C57BL/6J mice. <i>Neurotoxicology and Teratology</i> , 2012, 34, 221-231.	1.2	21
6	Tissue-Specific and Dose-Related Accumulation of Arsenic in Mouse Offspring Following Maternal Consumption of Arsenic-Contaminated Water. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2011, 108, 326-332.	1.2	31
7	Behavioral Changes in Aging but Not Young Mice after Neonatal Exposure to the Polybrominated Flame Retardant DecaBDE. <i>Environmental Health Perspectives</i> , 2009, 117, 1903-1911.	2.8	35
8	Developmental delays and locomotor activity in the C57BL/6J mouse following neonatal exposure to the fully-brominated PBDE, decabromodiphenyl ether. <i>Neurotoxicology and Teratology</i> , 2007, 29, 511-520.	1.2	128
9	Learning deficits expressed as delayed extinction of a conditioned running response following perinatal exposure to vinclozolin. <i>Neurotoxicology and Teratology</i> , 2006, 28, 482-488.	1.2	21
10	Perinatal Exposure to Low Levels of the Environmental Antiandrogen Vinclozolin Alters Sex-Differentiated Social Play and Sexual Behaviors in the Rat. <i>Environmental Health Perspectives</i> , 2005, 113, 700-707.	2.8	51
11	Impaired cued delayed alternation behavior in adult rat offspring following exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin on gestation day 15. <i>Neurotoxicology and Teratology</i> , 2002, 24, 209-218.	1.2	42
12	Effects of age and gender but not prenatal cocaine on random ratio and delayed spatial alternation responding in rats. <i>Neurotoxicology and Teratology</i> , 2000, 22, 421-428.	1.2	13
13	Opposite influence of medial preoptic D1 and D2 receptors on genital reflexes: Implications for copulation. <i>Life Sciences</i> , 1992, 51, 1705-1713.	2.0	115
14	Microinjection of the dopamine antagonist cis-flupenthixol into the MPOA impairs copulation, penile reflexes and sexual motivation in male rats. <i>Brain Research</i> , 1991, 540, 177-182.	1.1	113
15	D2 receptors in the paraventricular nucleus regulate genital responses and copulation in male rats. <i>Pharmacology Biochemistry and Behavior</i> , 1991, 39, 177-181.	1.3	62