

David Masson

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7990899/david-masson-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

6,667
citations

34
h-index

81
g-index

119
ext. papers

7,597
ext. citations

7
avg, IF

4.55
L-index

#	Paper	IF	Citations
108	Biological, clinical and population relevance of 95 loci for blood lipids. <i>Nature</i> , 2010 , 466, 707-13	50.4	2742
107	Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. <i>Nature Genetics</i> , 2011 , 43, 1131-8	36.3	415
106	Novel loci for adiponectin levels and their influence on type 2 diabetes and metabolic traits: a multi-ethnic meta-analysis of 45,891 individuals. <i>PLoS Genetics</i> , 2012 , 8, e1002607	6	326
105	Stat3 and Gfi-1 transcription factors control Th17 cell immunosuppressive activity via the regulation of ectonucleotidase expression. <i>Immunity</i> , 2012 , 36, 362-73	32.3	231
104	Quantification of liver fat content: comparison of triple-echo chemical shift gradient-echo imaging and in vivo proton MR spectroscopy. <i>Radiology</i> , 2009 , 250, 95-102	20.5	148
103	C-reactive protein is an early predictor of septic complications after elective colorectal surgery. <i>World Journal of Surgery</i> , 2010 , 34, 808-14	3.3	144
102	Intravoxel incoherent motion diffusion-weighted imaging in nonalcoholic fatty liver disease: a 3.0-T MR study. <i>Radiology</i> , 2012 , 265, 96-103	20.5	131
101	Phospholipid transfer protein (PLTP) deficiency reduces brain vitamin E content and increases anxiety in mice. <i>FASEB Journal</i> , 2005 , 19, 296-7	0.9	96
100	Human apolipoprotein C-I accounts for the ability of plasma high density lipoproteins to inhibit the cholesteryl ester transfer protein activity. <i>Journal of Biological Chemistry</i> , 2000 , 275, 37504-9	5.4	96
99	The role of plasma lipid transfer proteins in lipoprotein metabolism and atherogenesis. <i>Journal of Lipid Research</i> , 2009 , 50 Suppl, S201-6	6.3	93
98	Diagnostic Accuracy of Inflammatory Markers As Early Predictors of Infection After Elective Colorectal Surgery: Results From the IMACORS Study. <i>Annals of Surgery</i> , 2016 , 263, 961-6	7.8	81
97	Plasma phospholipid transfer protein prevents vascular endothelium dysfunction by delivering alpha-tocopherol to endothelial cells. <i>FASEB Journal</i> , 1999 , 13, 883-92	0.9	76
96	Induction of transglutaminase 2 by a liver X receptor/retinoic acid receptor alpha pathway increases the clearance of apoptotic cells by human macrophages. <i>Circulation Research</i> , 2009 , 105, 393-401	15.7	75
95	Induction of the phospholipid transfer protein gene accounts for the high density lipoprotein enlargement in mice treated with fenofibrate. <i>Journal of Biological Chemistry</i> , 2001 , 276, 25841-7	5.4	72
94	Myocardial injury in critically ill patients: relation to increased cardiac troponin I and hospital mortality. <i>Chest</i> , 2005 , 128, 2758-64	5.3	70
93	Increased HDL cholesterol and apoA-I in humans and mice treated with a novel SR-BI inhibitor. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 2054-60	9.4	66
92	Phospholipid transfer protein is present in human atherosclerotic lesions and is expressed by macrophages and foam cells. <i>Journal of Lipid Research</i> , 2003 , 44, 1453-61	6.3	60

91	Structure and function of the plasma phospholipid transfer protein. <i>Current Opinion in Lipidology</i> , 1998 , 9, 203-9	4.4	55
90	High serum cholesteryl ester transfer rates and small high-density lipoproteins are associated with young age in patients with acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 1948-55	15.1	51
89	Effect of plasma phospholipid transfer protein deficiency on lethal endotoxemia in mice. <i>Journal of Biological Chemistry</i> , 2008 , 283, 18702-10	5.4	50
88	Liver x receptor regulates arachidonic acid distribution and eicosanoid release in human macrophages: a key role for lysophosphatidylcholine acyltransferase 3. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 1171-9	9.4	47
87	Mapping of liver fat with triple-echo gradient echo imaging: validation against 3.0-T proton MR spectroscopy. <i>European Radiology</i> , 2009 , 19, 1786-93	8	46
86	Cholesteryl ester transfer protein modulates the effect of liver X receptor agonists on cholesterol transport and excretion in the mouse. <i>Journal of Lipid Research</i> , 2004 , 45, 543-50	6.3	41
85	Caspase-2, a novel lipid sensor under the control of sterol regulatory element binding protein 2. <i>Molecular and Cellular Biology</i> , 2005 , 25, 9621-31	4.8	41
84	Liver X receptor activation promotes polyunsaturated fatty acid synthesis in macrophages: relevance in the context of atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 1357-65	9.4	40
83	Biological activities of Schottenol and Spinasterol, two natural phytosterols present in argan oil and in cactus pear seed oil, on murine microglial BV2 cells. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 446, 798-804	3.4	39
82	CXCL10 could drive longer duration of mechanical ventilation during COVID-19 ARDS. <i>Critical Care</i> , 2020 , 24, 632	10.8	38
81	Low preoperative cholesterol level is a risk factor of sepsis and poor clinical outcome in patients undergoing cardiac surgery with cardiopulmonary bypass. <i>Critical Care Medicine</i> , 2014 , 42, 1065-73	1.4	38
80	Worsening of diet-induced atherosclerosis in a new model of transgenic rabbit expressing the human plasma phospholipid transfer protein. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 766-74	9.4	38
79	Molecular mechanism of the blockade of plasma cholesteryl ester transfer protein by its physiological inhibitor apolipoprotein CI. <i>Journal of Biological Chemistry</i> , 2005 , 280, 38108-16	5.4	38
78	Knock-down of the oxysterol receptor LXR α impairs cholesterol efflux in human primary macrophages: lack of compensation by LXR β activation. <i>Biochemical Pharmacology</i> , 2013 , 86, 122-9	6	37
77	Apolipoprotein CI deficiency markedly augments plasma lipoprotein changes mediated by human cholesteryl ester transfer protein (CETP) in CETP transgenic/ApoCI-knocked out mice. <i>Journal of Biological Chemistry</i> , 2002 , 277, 31354-63	5.4	37
76	Activation of the constitutive androstane receptor decreases HDL in wild-type and human apoA-I transgenic mice. <i>Journal of Lipid Research</i> , 2008 , 49, 1682-91	6.3	34
75	Alpha-tocopherol modulates phosphatidylserine externalization in erythrocytes: relevance in phospholipid transfer protein-deficient mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 2160-7	9.4	34
74	Inhibition of progesterone production in human luteinized granulosa cells treated with LXR agonists. <i>Molecular Human Reproduction</i> , 2007 , 13, 373-9	4.4	33

73	Constitutive androstane receptor activation stimulates faecal bile acid excretion and reverse cholesterol transport in mice. <i>Journal of Hepatology</i> , 2011 , 55, 154-61	13.4	32
72	Human luteinized granulosa cells secrete apoB100-containing lipoproteins. <i>Journal of Lipid Research</i> , 2010 , 51, 2245-52	6.3	32
71	Specifically PNPLA3-mediated accumulation of liver fat in obese patients with type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, E430-6	5.6	31
70	Expression of the pregnane X receptor in mice antagonizes the cholic acid-mediated changes in plasma lipoprotein profile. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 2164-9	9.4	31
69	Inhibition of mitophagy drives macrophage activation and antibacterial defense during sepsis. <i>Journal of Clinical Investigation</i> , 2020 , 130, 5858-5874	15.9	31
68	Influence of the electrostatic charge of lipoprotein particles on the activity of the human plasma phospholipid transfer protein. <i>Journal of Lipid Research</i> , 1998 , 39, 131-142	6.3	29
67	LXR agonist treatment of blastic plasmacytoid dendritic cell neoplasm restores cholesterol efflux and triggers apoptosis. <i>Blood</i> , 2016 , 128, 2694-2707	2.2	29
66	Hemodialysis reduces plasma apolipoprotein C-I concentration making VLDL a better substrate for lipoprotein lipase. <i>Kidney International</i> , 2007 , 72, 871-8	9.9	28
65	Alterations in plasma vitamin E distribution in type 2 diabetic patients with elevated plasma phospholipid transfer protein activity. <i>Diabetes</i> , 2004 , 53, 2633-9	0.9	28
64	Prevention of LDL alpha-tocopherol consumption, cholesterol oxidation, and vascular endothelium dysfunction by polyphenolic compounds from red wine. <i>Atherosclerosis</i> , 2002 , 165, 41-50	3.1	27
63	Prediction for steatosis in type-2 diabetes: clinico-biological markers versus 1H-MR spectroscopy. <i>European Radiology</i> , 2012 , 22, 855-63	8	24
62	Constitutive androstane receptor activation decreases plasma apolipoprotein B-containing lipoproteins and atherosclerosis in low-density lipoprotein receptor-deficient mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 2232-9	9.4	24
61	The anti-inflammatory effects of platelet-derived microparticles in human plasmacytoid dendritic cells involve liver X receptor activation. <i>Haematologica</i> , 2016 , 101, e72-6	6.6	23
60	Role of lipoprotein-bound NEFAs in enhancing the specific activity of plasma CETP in the nephrotic syndrome. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 2559-67	9.4	23
59	Interplay between Liver X Receptor and Hypoxia Inducible Factor 1[Potentiates Interleukin-1] Production in Human Macrophages. <i>Cell Reports</i> , 2020 , 31, 107665	10.6	22
58	Apolipoprotein CI is a physiological regulator of cholesteryl ester transfer protein activity in human plasma but not in rabbit plasma. <i>Journal of Lipid Research</i> , 2009 , 50, 1842-51	6.3	21
57	Human seminal plasma displays significant phospholipid transfer activity due to the presence of active phospholipid transfer protein. <i>Molecular Human Reproduction</i> , 2003 , 9, 457-64	4.4	21
56	PNPLA3 polymorphism influences liver fibrosis in unselected patients with type 2 diabetes. <i>Liver International</i> , 2011 , 31, 1332-6	7.9	20

55	Liver X receptor-mediated induction of cholesteryl ester transfer protein expression is selectively impaired in inflammatory macrophages. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 1923-9	9.4	20
54	LPCAT3 deficiency in hematopoietic cells alters cholesterol and phospholipid homeostasis and promotes atherosclerosis. <i>Atherosclerosis</i> , 2018 , 275, 409-418	3.1	19
53	Hepatic lipid accumulation in apolipoprotein C-I-deficient mice is potentiated by cholesteryl ester transfer protein. <i>Journal of Lipid Research</i> , 2007 , 48, 30-40	6.3	19
52	Serum adiponectin and metabolic parameters in HIV-1-infected patients after substitution of nevirapine for protease inhibitors. <i>European Journal of Clinical Investigation</i> , 2004 , 34, 569-75	4.6	19
51	Fatty acid metabolism in macrophages: a target in cardio-metabolic diseases. <i>Current Opinion in Lipidology</i> , 2017 , 28, 19-26	4.4	18
50	Biological activities of the LXRI and β agonist, 4 β -hydroxycholesterol, and of its isomer, 3 β -hydroxycholesterol, on oligodendrocytes: effects on cell growth and viability, oxidative and inflammatory status. <i>Biochimie</i> , 2013 , 95, 518-30	4.6	18
49	Development of abdominal aortic aneurysm is decreased in mice with plasma phospholipid transfer protein deficiency. <i>American Journal of Pathology</i> , 2013 , 183, 975-86	5.8	18
48	Phospholipid transfer protein deficiency reduces sperm motility and impairs fertility of mouse males. <i>FASEB Journal</i> , 2006 , 20, 794-6	0.9	18
47	Lack of association between microsomal triglyceride transfer protein gene polymorphism and liver steatosis in HCV-infected patients. <i>Molecular Genetics and Metabolism</i> , 2006 , 88, 196-8	3.7	18
46	Apolipoprotein C1 overexpression is not a relevant strategy to block cholesteryl ester transfer protein (CETP) activity in CETP transgenic mice. <i>Biochemical Journal</i> , 2005 , 385, 189-95	3.8	18
45	Expression of simian CETP in normolipidemic Fisher rats has a profound effect on large sized apoE-containing HDL. <i>Journal of Lipid Research</i> , 2002 , 43, 2164-71	6.3	18
44	Recombinant human plasma phospholipid transfer protein (PLTP) to prevent bacterial growth and to treat sepsis. <i>Scientific Reports</i> , 2017 , 7, 3053	4.9	17
43	Insulin response dysregulation explains abnormal fat storage and increased risk of diabetes mellitus type 2 in Cohen Syndrome. <i>Human Molecular Genetics</i> , 2015 , 24, 6603-13	5.6	16
42	The impairment of endothelium-dependent arterial relaxation by 7-ketocholesterol is associated with an early activation of protein kinase C. <i>British Journal of Pharmacology</i> , 2002 , 137, 655-62	8.6	16
41	Macrophage fatty acid metabolism and atherosclerosis: The rise of PUFAs. <i>Atherosclerosis</i> , 2019 , 291, 52-61	3.1	15
40	End-Stage Renal Disease-Associated Gut Bacterial Translocation: Evolution and Impact on Chronic Inflammation and Acute Rejection After Renal Transplantation. <i>Frontiers in Immunology</i> , 2019 , 10, 1630	8.4	14
39	Insulin Dissociates the Effects of Liver X Receptor on Lipogenesis, Endoplasmic Reticulum Stress, and Inflammation. <i>Journal of Biological Chemistry</i> , 2016 , 291, 1115-22	5.4	14
38	Healthy adiposity and extended lifespan in obese mice fed a diet supplemented with a polyphenol-rich plant extract. <i>Scientific Reports</i> , 2019 , 9, 9134	4.9	13

37	Specific enrichment of 2-arachidonoyl-lysophosphatidylcholine in carotid atheroma plaque from type 2 diabetic patients. <i>Atherosclerosis</i> , 2016 , 251, 339-347	3.1	13
36	Differential interaction of the human cholesteryl ester transfer protein with plasma high density lipoproteins (HDLs) from humans, control mice, and transgenic mice to human HDL apolipoproteins. Lack of lipid transfer inhibitory activity in transgenic mice expressing human apoA1. <i>Journal of Biological Chemistry</i> , 1997 , 272, 24287-93	5.4	12
35	Effect of cholesteryl ester transfer protein (CETP) expression on diet-induced hyperlipidemias in transgenic rats. <i>Atherosclerosis</i> , 2005 , 178, 279-86	3.1	12
34	Liver methylene fraction by dual- and triple-echo gradient-echo imaging at 3.0T: Correlation with proton MR spectroscopy and estimation of robustness after SPIO administration. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 33, 119-27	5.6	11
33	Low cholesteryl ester transfer protein (CETP) concentration but normal CETP activity in serum from patients with short-term hypothyroidism Lack of relationship to lipoprotein abnormalities. <i>Clinical Endocrinology</i> , 2003 , 58, 581-8	3.4	11
32	Alveolar SARS-CoV-2 Viral Load Is Tightly Correlated With Severity in COVID-19 ARDS. <i>Clinical Infectious Diseases</i> , 2021 , 72, e446-e447	11.6	11
31	Revisiting the Role of LXRs in PUFA Metabolism and Phospholipid Homeostasis. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	10
30	Identification of biological markers of liver X receptor (LXR) activation at the cell surface of human monocytes. <i>PLoS ONE</i> , 2012 , 7, e48738	3.7	9
29	Reduced VLDL clearance in Apoe(-/-)Npc1(-/-) mice is associated with increased Pcsk9 and Idol expression and decreased hepatic LDL-receptor levels. <i>Journal of Lipid Research</i> , 2010 , 51, 2655-63	6.3	9
28	Tumor-induced reshuffling of lipid composition on the endoplasmic reticulum membrane sustains macrophage survival and pro-tumorigenic activity. <i>Nature Immunology</i> , 2021 , 22, 1403-1415	19.1	9
27	Triglycerides and risk of atherosclerotic cardiovascular disease: An update. <i>Archives of Cardiovascular Diseases</i> , 2021 , 114, 132-139	2.7	9
26	Fructose and glucose can regulate mammalian target of rapamycin complex 1 and lipogenic gene expression via distinct pathways. <i>Journal of Biological Chemistry</i> , 2018 , 293, 2006-2014	5.4	9
25	Anacetrapib, a cholesterol ester transfer protein (CETP) inhibitor for the treatment of atherosclerosis. <i>Current Opinion in Investigational Drugs</i> , 2009 , 10, 980-7		9
24	GCKR polymorphism influences liver fat content in patients with type 2 diabetes. <i>Acta Diabetologica</i> , 2016 , 53, 237-42	3.9	8
23	Improved quantification of plasma lipopolysaccharide (LPS) burden in sepsis using 3-hydroxy myristate (3HM): a cohort study. <i>Intensive Care Medicine</i> , 2019 , 45, 1678-1680	14.5	8
22	High plasma concentration of non-esterified polyunsaturated fatty acids is a specific feature of severe COVID-19 pneumonia. <i>Scientific Reports</i> , 2021 , 11, 10824	4.9	8
21	Polysaccharide Chain Length of Lipopolysaccharides From Minnesota Is a Determinant of Aggregate Stability, Plasma Residence Time and Proinflammatory Propensity. <i>Frontiers in Microbiology</i> , 2019 , 10, 1774	5.7	7
20	The potential of cholesteryl ester transfer protein as a therapeutic target. <i>Expert Opinion on Therapeutic Targets</i> , 2016 , 20, 47-59	6.4	7

19	Human apoA-I expression in CETP transgenic rats leads to lower levels of apoC-I in HDL and to magnification of CETP-mediated lipoprotein changes. <i>Journal of Lipid Research</i> , 2006 , 47, 356-65	6.3	5
18	Human apolipoprotein C1 transgenesis reduces atherogenesis in hypercholesterolemic rabbits. <i>Atherosclerosis</i> , 2021 , 320, 10-18	3.1	4
17	Intra-Abdominal Lipopolysaccharide Clearance and Inactivation in Peritonitis: Key Roles for Lipoproteins and the Phospholipid Transfer Protein. <i>Frontiers in Immunology</i> , 2021 , 12, 622935	8.4	4
16	Regulation of glycolytic genes in human macrophages by oxysterols: a potential role for liver X receptors. <i>British Journal of Pharmacology</i> , 2021 , 178, 3124-3139	8.6	4
15	Brown adipose tissue monocytes support tissue expansion. <i>Nature Communications</i> , 2021 , 12, 5255	17.4	4
14	Are Adiponectin and Leptin Good Predictors of Surgical Infection after Colorectal Surgery? A Prospective Study. <i>Surgical Infections</i> , 2015 , 16, 566-71	2	3
13	Deletion of lysophosphatidylcholine acyltransferase 3 in myeloid cells worsens hepatic steatosis after a high-fat diet. <i>Journal of Lipid Research</i> , 2020 , 62, 100013	6.3	3
12	Lack of an association between an apolipoprotein C3 genetic variant and the liver fat content in patients with type 2 diabetes. <i>Hepatology</i> , 2011 , 54, 1109-10	11.2	2
11	Extreme hyperferritinemia in the setting of acute myeloid leukaemia: a case report of hemophagocytic lymphohistiocytosis. <i>Biochemia Medica</i> , 2016 , 26, 255-9	2.5	2
10	New therapeutic horizons for plasma phospholipid transfer protein (PLTP): Targeting endotoxemia, infection and sepsis.. <i>Pharmacology & Therapeutics</i> , 2021 , 108105	13.9	2
9	LDL apheresis as an alternate method for plasma LPS purification in healthy volunteers and dyslipidemic and septic patients. <i>Journal of Lipid Research</i> , 2020 , 61, 1776-1783	6.3	2
8	Muricholic Acids Promote Resistance to Hypercholesterolemia in Cholesterol-Fed Mice. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
7	The authors reply. <i>Critical Care Medicine</i> , 2014 , 42, e686-7	1.4	1
6	Glucocorticoids impair HDL-mediated cholesterol efflux besides increased HDL cholesterol concentration: a proof of concept. <i>European Journal of Endocrinology</i> , 2020 , 183, 297-306	6.5	1
5	Increased Phospholipid Transfer Protein Activity Is Associated With Markers of Enhanced Lipopolysaccharide Clearance in Human During Cardiopulmonary Bypass. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 756269	5.4	1
4	Non-lipogenic ABCA1 inducers: The holy grail in cardio-metabolic diseases?. <i>EBioMedicine</i> , 2021 , 66, 103324	3.4	0
3	Cholesterol and HIF-1β Dangerous Liaisons in Atherosclerosis.. <i>Frontiers in Immunology</i> , 2022 , 13, 8689588.4	8.4	0
2	La protéine plasmatique de transfert des phospholipides (PLTP) : un nouveau facteur athérogène. <i>Medicine/Sciences</i> , 2002 , 18, 398-400		

- 1 Liver X Receptor Agonists: A Potential Treatment for Blastic Plasmacytoid Dendritic Cell Neoplasm. *Blood*, **2015**, 126, 4933-4933 2.2