

# Tomas Jernberg

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7992490/tomas-jernberg-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

204  
papers

6,725  
citations

41  
h-index

78  
g-index

235  
ext. papers

8,731  
ext. citations

7.3  
avg, IF

5.92  
L-index

#	Paper	IF	Citations
204	Development and validation of an artificial neural network algorithm to predict mortality and admission to hospital for heart failure after myocardial infarction: a nationwide population-based study.. <i>The Lancet Digital Health</i> , <b>2022</b> , 4, e37-e45	14.4	2
203	Estimation of recurrent atherosclerotic cardiovascular event risk in patients with established cardiovascular disease: the updated SMART2 algorithm.. <i>European Heart Journal</i> , <b>2022</b> ,	9.5	1
202	Stopping renin-angiotensin system inhibitors after hyperkalemia and risk of adverse outcomes. <i>American Heart Journal</i> , <b>2022</b> , 243, 177-186	4.9	2
201	The value of combining individual and small area sociodemographic data for assessing and handling selective participation in cohort studies: Evidence from the Swedish CardioPulmonary biolmage Study.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0265088	3.7	0
200	Lipid-lowering treatment intensity, persistence, adherence and goal attainment in patients with coronary heart disease. <i>American Heart Journal</i> , <b>2022</b> , 251, 78-78	4.9	0
199	Avoiding Routine Oxygen Therapy in Patients With Myocardial Infarction Saves Significant Expenditure for the Health Care System-Insights From the Randomized DETO2X-AMI Trial.. <i>Frontiers in Public Health</i> , <b>2021</b> , 9, 711222	6	
198	Safety of Early hospital discharge following admission with ST-elevation myocardial infarction treated with percutaneous coronary intervention: a nationwide cohort study. <i>EuroIntervention</i> , <b>2021</b> ,	3.1	1
197	Association of cardiometabolic risk factors with hospitalisation or death due to COVID-19: population-based cohort study in Sweden (SCAPIS). <i>BMJ Open</i> , <b>2021</b> , 11, e051359	3	1
196	Cardiovascular Family History Increases the Risk of Disease Recurrence After a First Myocardial Infarction. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e022264	6	
195	Survival in Patients With Suspected Myocardial Infarction With Nonobstructive Coronary Arteries: A Comprehensive Systematic Review and Meta-Analysis From the MINOCA Global Collaboration. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2021</b> , 14, e007880	5.8	9
194	Remission, relapse, and risk of major cardiovascular events after metabolic surgery in persons with hypertension: A Swedish nationwide registry-based cohort study. <i>PLoS Medicine</i> , <b>2021</b> , 18, e1003817	11.6	1
193	Association between Eblocker dose and cardiovascular outcomes after myocardial infarction: insights from the SWEDEHEART registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2021</b> , 10, 372-379	4.3	4
192	Glucagon-like peptide-1 receptor agonists and the risk of cardiovascular events in diabetes patients surviving an acute myocardial infarction. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , <b>2021</b> , 7, 104-111	6.4	7
191	Low-density lipoprotein cholesterol reduction and statin intensity in myocardial infarction patients and major adverse outcomes: a Swedish nationwide cohort study. <i>European Heart Journal</i> , <b>2021</b> , 42, 243-252	9.5	22
190	Poor long-term prognosis in patients admitted with strong suspicion of acute myocardial infarction but discharged with another diagnosis. <i>Journal of Internal Medicine</i> , <b>2021</b> , 290, 359-372	10.8	2
189	Routine Oxygen Therapy Does Not Improve Health-Related Quality of Life in Patients With Acute Myocardial Infarction-Insights From the Randomized DETO2X-AMI Trial. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 638829	5.4	2
188	Comparison of management and outcomes of ST-segment elevation myocardial infarction patients in Estonia, Hungary, Norway and Sweden according to national ongoing registries. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2021</b> ,	4.6	1

187	Differences in characteristics, treatments and outcomes in patients with non-ST-elevation myocardial infarction -novel insights from four national European continuous real-world registries. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2021</b> ,	4.6	1
186	Association of Socioeconomic Status With Risk Factor Target Achievements and Use of Secondary Prevention After Myocardial Infarction. <i>JAMA Network Open</i> , <b>2021</b> , 4, e211129	10.4	3
185	Sex-differences in circulating biomarkers during acute myocardial infarction: An analysis from the SWEDEHEART registry. <i>PLoS ONE</i> , <b>2021</b> , 16, e0249830	3.7	4
184	Sex differences in investigations and outcomes among patients with type 2 myocardial infarction. <i>Heart</i> , <b>2021</b> , 107, 1480-1486	5.1	4
183	Long-term mortality in patients with ischaemic heart failure revascularized with coronary artery bypass grafting or percutaneous coronary intervention: insights from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). <i>European Heart Journal</i> , <b>2021</b> , 42, 2657-2664	9.5	7
182	Myocardial infarction in diffuse large B-cell lymphoma patients - a population-based matched cohort study. <i>Journal of Internal Medicine</i> , <b>2021</b> , 290, 1048-1060	10.8	3
181	The SWEDEHEART secondary prevention and cardiac rehabilitation registry (SWEDEHEART CR registry). <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2021</b> , 7, 431-437	4.6	3
180	Predicting outcome in acute myocardial infarction: an analysis investigating 175 circulating biomarkers. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2021</b> , 10, 806-812	4.3	3
179	Comparing Effect Estimates in Randomized Trials and Observational Studies From the Same Population: An Application to Percutaneous Coronary Intervention. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e020357	6	2
178	Low-density lipoprotein-cholesterol target attainment according to the 2011 and 2016 ESC/EAS dyslipidaemia guidelines in patients with a recent myocardial infarction: nationwide cohort study, 2013-17. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2021</b> , 7, 59-67	4.6	4
177	Helicobacter pylori screening in clinical routine during hospitalization for acute myocardial infarction. <i>American Heart Journal</i> , <b>2021</b> , 231, 105-109	4.9	4
176	Adherence to beta-blockers and long-term risk of heart failure and mortality after a myocardial infarction. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 344-355	3.7	1
175	Randomized evaluation of beta blocker and ACE-inhibitor/angiotensin receptor blocker treatment in patients with myocardial infarction with non-obstructive coronary arteries (MINOCA-BAT): Rationale and design. <i>American Heart Journal</i> , <b>2021</b> , 231, 96-104	4.9	20
174	Findings on Coronary Angiographies in Patients With Rheumatoid Arthritis and Ischemic Heart Disease: Are They Different From Patients Without Rheumatoid Arthritis?. <i>Arthritis Care and Research</i> , <b>2021</b> , 73, 658-665	4.7	0
173	Association of Metabolic Surgery With Major Adverse Cardiovascular Outcomes in Patients With Previous Myocardial Infarction and Severe Obesity: A Nationwide Cohort Study. <i>Circulation</i> , <b>2021</b> , 143, 1458-1467	16.7	13
172	Characteristics and outcome of a first acute myocardial infarction in patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , <b>2021</b> , 40, 1321-1329	3.9	3
171	Content comparison and person-centeredness of standards for quality improvement in cardiovascular health care. <i>PLoS ONE</i> , <b>2021</b> , 16, e0244874	3.7	0
170	2020 Update of the quality indicators for acute myocardial infarction: a position paper of the Association for Acute Cardiovascular Care: the study group for quality indicators from the ACVC and the NSTEMI-ACS guideline group. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2021</b> , 10, 224-233	4.3	15

169	Association between cardiometabolic disease and severe COVID-19: a nationwide case-control study of patients requiring invasive mechanical ventilation. <i>BMJ Open</i> , <b>2021</b> , 11, e044486	3	9
168	Prasugrel versus ticagrelor in patients with myocardial infarction undergoing percutaneous coronary intervention. <i>Heart</i> , <b>2021</b> , 107, 1145-1151	5.1	4
167	Randomized comparison of early supplemental oxygen versus ambient air in patients with confirmed myocardial infarction: Sex-related outcomes from DETO2X-AMI. <i>American Heart Journal</i> , <b>2021</b> , 237, 13-24	4.9	1
166	Arginase 1 is upregulated at admission in patients with ST-elevation myocardial infarction. <i>Journal of Internal Medicine</i> , <b>2021</b> , 290, 1061-1070	10.8	0
165	Extended dual antiplatelet therapy with ticagrelor 60 mg in patients with prior myocardial infarction: The design of ALETHEIA, a multi-country observational study. <i>Clinical Cardiology</i> , <b>2021</b> , 44, 1333-1343	3.3	1
164	Incidence, associated outcomes, and predictors of upper gastrointestinal bleeding following acute myocardial infarction: a SWEDEHEART-based nationwide cohort study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , <b>2021</b> ,	6.4	8
163	Differences in biomarker concentrations and predictions of long-term outcome in patients with ST-elevation and non-ST-elevation myocardial infarction. <i>Clinical Biochemistry</i> , <b>2021</b> , 98, 17-23	3.5	0
162	Prevalence of Subclinical Coronary Artery Atherosclerosis in the General Population. <i>Circulation</i> , <b>2021</b> , 144, 916-929	16.7	17
161	Short- and Long-Term Clinical Outcomes for Patients With Takotsubo Syndrome and Patients With Myocardial Infarction: A Report From the Swedish Coronary Angiography and Angioplasty Registry. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e017290	6	3
160	Pretreatment With P2Y12 Inhibitors in Patients With Chronic Coronary Syndrome Undergoing Percutaneous Coronary Intervention: A Report From the Swedish Coronary Angiography and Angioplasty Registry. <i>Circulation: Cardiovascular Interventions</i> , <b>2021</b> , 14, e010849	6	2
159	Risk-associated management disparities in acute myocardial infarction.. <i>Scientific Reports</i> , <b>2021</b> , 11, 244889	4.8	9
158	Subcategorizing the Expected Value of Perfect Implementation to Identify When and Where to Invest in Implementation Initiatives. <i>Medical Decision Making</i> , <b>2020</b> , 40, 327-338	2.5	2
157	Use of proteomics to identify biomarkers associated with chronic kidney disease and long-term outcomes in patients with myocardial infarction. <i>Journal of Internal Medicine</i> , <b>2020</b> , 288, 581-592	10.8	2
156	Application of the 2019 ESC/EAS dyslipidaemia guidelines to nationwide data of patients with a recent myocardial infarction: a simulation study. <i>European Heart Journal</i> , <b>2020</b> , 41, 3900-3909	9.5	28
155	Abdominal obesity and the risk of recurrent atherosclerotic cardiovascular disease after myocardial infarction. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 1944-1952	3.9	7
154	Design and rationale of the Danish trial of beta-blocker treatment after myocardial infarction without reduced ejection fraction: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2020</b> , 21, 415	2.8	5
153	Blood haemoglobin, renal insufficiency, fractional flow reserve and plasma NT-proBNP is associated with index of microcirculatory resistance in chronic coronary syndrome. <i>International Journal of Cardiology</i> , <b>2020</b> , 317, 1-6	3.2	2
152	Prediction of recurrent event in patients with coronary heart disease: the EUROASPIRE Risk Model. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> ,	3.9	4

151	Temporal trends in bleeding events in acute myocardial infarction: insights from the SWEDEHEART registry. <i>European Heart Journal</i> , <b>2020</b> , 41, 833-843	9.5	36
150	New candidate genes for ST-elevation myocardial infarction. <i>Journal of Internal Medicine</i> , <b>2020</b> , 287, 66-77.8		4
149	Weight gain and blood pressure. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 387-394	1.9	2
148	Effect of Oxygen Therapy on Cardiovascular Outcomes in Relation to Baseline Oxygen Saturation. <i>JACC: Cardiovascular Interventions</i> , <b>2020</b> , 13, 502-513	5	9
147	SWEDEHEART-1-year data show no benefit of newer generation drug-eluting stents over bare-metal stents in patients with severe kidney dysfunction following percutaneous coronary intervention. <i>Coronary Artery Disease</i> , <b>2020</b> , 31, 49-58	1.4	1
146	Higher risk of major adverse cardiac events after acute myocardial infarction in patients with schizophrenia. <i>Open Heart</i> , <b>2020</b> , 7,	3	5
145	Acceleration of kidney function decline after incident hospitalization with cardiovascular disease: the Stockholm CREATinine Measurements (SCREAM) project. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 1790-1799	12.3	8
144	Incidence and Predictors of Out-of-Hospital Cardiac Arrest Within 90 Days After Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , <b>2020</b> , 76, 2926-2936	15.1	7
143	Comparison Between Ticagrelor and Clopidogrel in Elderly Patients With an Acute Coronary Syndrome: Insights From the SWEDEHEART Registry. <i>Circulation</i> , <b>2020</b> , 142, 1700-1708	16.7	37
142	Sex-specific effects of implementing a high-sensitivity troponin I assay in patients with suspected acute coronary syndrome: results from SWEDEHEART registry. <i>Scientific Reports</i> , <b>2020</b> , 10, 15227	4.9	7
141	Association between metabolic surgery and cardiovascular outcome in patients with hypertension: A nationwide matched cohort study. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003307	11.6	6
140	A nationwide causal mediation analysis of survival following ST-elevation myocardial infarction. <i>Heart</i> , <b>2020</b> , 106, 765-771	5.1	3
139	Family history of coronary artery disease is associated with acute coronary syndrome in 28,188 chest pain patients. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2020</b> , 9, 741-747	4.3	5
138	Statistics on mortality following acute myocardial infarction in 842 897 Europeans. <i>Cardiovascular Research</i> , <b>2020</b> , 116, 149-157	9.9	19
137	Association between metabolic surgery and cardiovascular outcome in patients with hypertension: A nationwide matched cohort study <b>2020</b> , 17, e1003307		
136	Association between metabolic surgery and cardiovascular outcome in patients with hypertension: A nationwide matched cohort study <b>2020</b> , 17, e1003307		
135	Association between metabolic surgery and cardiovascular outcome in patients with hypertension: A nationwide matched cohort study <b>2020</b> , 17, e1003307		
134	Association between metabolic surgery and cardiovascular outcome in patients with hypertension: A nationwide matched cohort study <b>2020</b> , 17, e1003307		

133	Association between metabolic surgery and cardiovascular outcome in patients with hypertension: A nationwide matched cohort study <b>2020</b> , 17, e1003307		
132	Association between metabolic surgery and cardiovascular outcome in patients with hypertension: A nationwide matched cohort study <b>2020</b> , 17, e1003307		
131	Oxygen Therapy in Myocardial Infarction Patients With or Without Diabetes: A Predefined Subgroup Analysis From the DETO2X-AMI Trial. <i>Diabetes Care</i> , <b>2019</b> , 42, 2032-2041	14.6	5
130	Treatments and Mortality Trends in Cases With and Without Dialysis Who Have an Acute Myocardial Infarction: An 18-Year Nationwide Experience. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2019</b> , 12, e005879	5.8	10
129	From Early Pharmacology to Recent Pharmacology Interventions in Acute Coronary Syndromes: JACC State-of-the-Art Review. <i>Journal of the American College of Cardiology</i> , <b>2019</b> , 74, 1618-1636	15.1	17
128	Incidence of, Associations With and Prognostic Impact of Worsening Renal Function in Heart Failure With Different Ejection Fraction Categories. <i>American Journal of Cardiology</i> , <b>2019</b> , 124, 1575-1583	3	8
127	The association of body mass index, weight gain and central obesity with activity-related breathlessness: the Swedish Cardiopulmonary Bioimage Study. <i>Thorax</i> , <b>2019</b> , 74, 958-964	7.3	9
126	A Rule-Out Strategy Based on High-Sensitivity Troponin and HEART Score Reduces Hospital Admissions. <i>Annals of Emergency Medicine</i> , <b>2019</b> , 73, 491-499	2.1	18
125	hsCRP Level and the Risk of Death or Recurrent Cardiovascular Events in Patients With Myocardial Infarction: a Healthcare-Based Study. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e012638	6	35
124	Combined association of key risk factors on ischaemic outcomes and bleeding in patients with myocardial infarction. <i>Heart</i> , <b>2019</b> , 105, 1175-1181	5.1	6
123	Impact of ischaemic heart disease severity and age on risk of cardiovascular outcome in diabetes patients in Sweden: a nationwide observational study. <i>BMJ Open</i> , <b>2019</b> , 9, e027199	3	2
122	Circadian onset and prognosis of myocardial infarction with non-obstructive coronary arteries (MINOCA). <i>PLoS ONE</i> , <b>2019</b> , 14, e0216073	3.7	10
121	Plasma potassium ranges associated with mortality across stages of chronic kidney disease: the Stockholm CREAtinine Measurements (SCREAM) project. <i>Nephrology Dialysis Transplantation</i> , <b>2019</b> , 34, 1534-1541	4.3	23
120	High-sensitivity C-reactive protein and the risk of chronic kidney disease progression or acute kidney injury in post-myocardial infarction patients. <i>American Heart Journal</i> , <b>2019</b> , 216, 20-29	4.9	17
119	Lipid levels achieved after a first myocardial infarction and the prediction of recurrent atherosclerotic cardiovascular disease. <i>International Journal of Cardiology</i> , <b>2019</b> , 296, 1-7	3.2	7
118	Myocardial infarction and peripheral arterial disease: Treatment patterns and long-term outcome in men and women results from a Swedish nationwide study. <i>European Journal of Preventive Cardiology</i> , <b>2019</b> , 2047487319893046	3.9	8
117	Morbidity and cause-specific mortality in first-time myocardial infarction with nonobstructive coronary arteries. <i>Journal of Internal Medicine</i> , <b>2019</b> , 285, 419-428	10.8	20
116	Sensitivity of undetectable level of high-sensitivity troponin T at presentation in a large non-ST-segment elevation myocardial infarction cohort of early presenters. <i>International Journal of Cardiology</i> , <b>2019</b> , 284, 6-11	3.2	4

115	Cardiac Troponin Elevation in Patients Without a Specific Diagnosis. <i>Journal of the American College of Cardiology</i> , <b>2019</b> , 73, 1-9	15.1	46
114	Air pollution in relation to very short-term risk of ST-segment elevation myocardial infarction: Case-crossover analysis of SWEDEHEART. <i>International Journal of Cardiology</i> , <b>2019</b> , 275, 26-30	3.2	7
113	Reinfarction in Patients with Myocardial Infarction with Nonobstructive Coronary Arteries (MINOCA): Coronary Findings and Prognosis. <i>American Journal of Medicine</i> , <b>2019</b> , 132, 335-346	2.4	23
112	Personality Traits in Patients with Myocardial Infarction with Nonobstructive Coronary Arteries. <i>American Journal of Medicine</i> , <b>2019</b> , 132, 374-381.e1	2.4	7
111	Clinical and research implications of serum versus plasma potassium measurements. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 536-537	12.3	9
110	Potassium levels and risk of in-hospital arrhythmias and mortality in patients admitted with suspected acute coronary syndrome. <i>International Journal of Cardiology</i> , <b>2019</b> , 274, 52-58	3.2	13
109	Registry-based randomised clinical trial: efficient evaluation of generic pharmacotherapies in the contemporary era. <i>Heart</i> , <b>2018</b> , 104, 1562-1567	5.1	13
108	Socioeconomic status predicts second cardiovascular event in 29,226 survivors of a first myocardial infarction. <i>European Journal of Preventive Cardiology</i> , <b>2018</b> , 25, 985-993	3.9	20
107	Incidence, predictors and clinical management of hyperkalaemia in new users of mineralocorticoid receptor antagonists. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 1217-1226	12.3	61
106	Development and external validation of a post-discharge bleeding risk score in patients with acute coronary syndrome: The BleeMACS score. <i>International Journal of Cardiology</i> , <b>2018</b> , 254, 10-15	3.2	40
105	Culprit and Nonculprit Recurrent Ischemic Events in Patients With Myocardial Infarction: Data From SWEDEHEART (Swedish Web System for Enhancement and Development of Evidence-Based Care in Heart Disease Evaluated According to Recommended Therapies). <i>Journal of the American Heart Association</i> , <b>2018</b> , 7, e007174	6	17
104	Myocardial Infarction with Nonobstructive Coronary Arteries: The Importance of Achieving Secondary Prevention Targets. <i>American Journal of Medicine</i> , <b>2018</b> , 131, 524-531.e6	2.4	7
103	High-sensitivity cardiac troponin T, left ventricular function, and outcome in non-ST elevation acute coronary syndrome. <i>American Heart Journal</i> , <b>2018</b> , 197, 70-76	4.9	4
102	Antithrombotic therapy after myocardial infarction in patients with atrial fibrillation undergoing percutaneous coronary intervention. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , <b>2018</b> , 4, 36-45	6.4	10
101	Outcomes in patients treated with ticagrelor versus clopidogrel after acute myocardial infarction stratified by renal function. <i>Heart</i> , <b>2018</b> , 104, 1575-1582	5.1	16
100	Predictors of adverse outcome in patients with myocardial infarction with non-obstructive coronary artery (MINOCA) disease. <i>International Journal of Cardiology</i> , <b>2018</b> , 261, 18-23	3.2	46
99	Prognosis in relation to high-sensitivity cardiac troponin T levels in patients with myocardial infarction and non-obstructive coronary arteries. <i>American Heart Journal</i> , <b>2018</b> , 200, 60-66	4.9	18
98	The value of pre-discharge exercise ECG testing in chest pain patients in the era of high-sensitivity troponins. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2018</b> , 7, 278-284	4.3	0

97	High-Sensitivity Cardiac Troponin-Based Strategies for the Assessment of Chest Pain Patients-A Review of Validation and Clinical Implementation Studies. <i>Clinical Chemistry</i> , <b>2018</b> , 64, 1572-1585	5.5	18
96	Dyskalemias and adverse events associated with discharge potassium in acute myocardial infarction. <i>American Heart Journal</i> , <b>2018</b> , 205, 53-62	4.9	7
95	Association Between Mineralocorticoid Receptor Antagonist Use and Outcome in Myocardial Infarction Patients With Heart Failure. <i>Journal of the American Heart Association</i> , <b>2018</b> , 7,	6	2
94	External Validation of the DAPT Score in a Nationwide Population. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 72, 1069-1078	15.1	43
93	Prevalence of Anxiety and Depression Symptoms in Patients with Myocardial Infarction with Non-Obstructive Coronary Arteries. <i>American Journal of Medicine</i> , <b>2018</b> , 131, 1118-1124	2.4	20
92	Oxygen therapy in ST-elevation myocardial infarction. <i>European Heart Journal</i> , <b>2018</b> , 39, 2730-2739	9.5	25
91	Multimorbidity and survival for patients with acute myocardial infarction in England and Wales: Latent class analysis of a nationwide population-based cohort. <i>PLoS Medicine</i> , <b>2018</b> , 15, e1002501	11.6	47
90	Absence of chest pain and long-term mortality in patients with acute myocardial infarction. <i>Open Heart</i> , <b>2018</b> , 5, e000909	3	10
89	Long-Term Effects of Oxygen Therapy on Death or Hospitalization for Heart Failure in Patients With Suspected Acute Myocardial Infarction. <i>Circulation</i> , <b>2018</b> , 138, 2754-2762	16.7	14
88	Christmas, national holidays, sport events, and time factors as triggers of acute myocardial infarction: SWEDEHEART observational study 1998-2013. <i>BMJ, The</i> , <b>2018</b> , 363, k4811	5.9	23
87	Relations between implementation of new treatments and improved outcomes in patients with non-ST-elevation myocardial infarction during the last 20 years: experiences from SWEDEHEART registry 1995 to 2014. <i>European Heart Journal</i> , <b>2018</b> , 39, 3766-3776	9.5	65
86	Association of Weather With Day-to-Day Incidence of Myocardial Infarction: A SWEDEHEART Nationwide Observational Study. <i>JAMA Cardiology</i> , <b>2018</b> , 3, 1081-1089	16.2	41
85	Reply to: The SAFER score in predicting in-hospital cardiac arrest: A decision curve analysisQ <i>Resuscitation</i> , <b>2018</b> , 129, e9	4	
84	Systematic underutilisation of secondary preventive drugs in patients with acute coronary syndrome and reduced renal function. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 724-734	3.9	13
83	Association between enrolment in a heart failure quality registry and subsequent mortality-a nationwide cohort study. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 1107-1116	12.3	47
82	Prognostic Utility of a Modified HEART Score in Chest Pain Patients in the Emergency Department. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2017</b> , 10,	5.8	48
81	Medical Therapy for Secondary Prevention and Long-Term Outcome in Patients With Myocardial Infarction With Nonobstructive Coronary Artery Disease. <i>Circulation</i> , <b>2017</b> , 135, 1481-1489	16.7	189
80	Effect of Myocardial Infarction With Nonobstructive Coronary Arteries on Physical Capacity and Quality-of-Life. <i>American Journal of Cardiology</i> , <b>2017</b> , 120, 341-346	3	22



79	Cardiac Troponins and Their Prognostic Importance in Patients with Suspected Acute Coronary Syndrome and Renal Dysfunction. <i>Clinical Chemistry</i> , <b>2017</b> , 63, 1409-1417	5.5	7
78	High sensitivity cardiac troponin T in patients not having an acute coronary syndrome: results from the TRAPID-AMI study. <i>Biomarkers</i> , <b>2017</b> , 22, 709-714	2.6	6
77	βBlockers and Mortality After Acute Myocardial Infarction in Patients Without Heart Failure or Ventricular Dysfunction. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 69, 2710-2720	15.1	127
76	Associations with and prognostic impact of chronic kidney disease in heart failure with preserved, mid-range, and reduced ejection fraction. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 1606-1614	12.3	86
75	An algorithm for rule-in and rule-out of acute myocardial infarction using a novel troponin I assay. <i>Heart</i> , <b>2017</b> , 103, 125-131	5.1	14
74	The Reply. <i>American Journal of Medicine</i> , <b>2017</b> , 130, e417-e418	2.4	
73	A user-friendly risk-score for predicting in-hospital cardiac arrest among patients admitted with suspected non ST-elevation acute coronary syndrome - The SAFER-score. <i>Resuscitation</i> , <b>2017</b> , 121, 41-48 <sup>4</sup>		9
72	Long-term outcomes and secondary prevention after acute coronary events in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 2017-2024	2.4	12
71	Improved outcomes in patients with ST-elevation myocardial infarction during the last 20 years are related to implementation of evidence-based treatments: experiences from the SWEDEHEART registry 1995-2014. <i>European Heart Journal</i> , <b>2017</b> , 38, 3056-3065	9.5	174
70	Response by Lindahl et al to Letter Regarding Article, "Medical Therapy for Secondary Prevention and Long-Term Outcome in Patients With Myocardial Infarction With Nonobstructive Coronary Artery Disease". <i>Circulation</i> , <b>2017</b> , 136, 1082-1083	16.7	0
69	Outcomes associated to serum phosphate levels in patients with suspected acute coronary syndrome. <i>International Journal of Cardiology</i> , <b>2017</b> , 245, 20-26	3.2	1
68	Quantitation of 87 Proteins by nLC-MRM/MS in Human Plasma: Workflow for Large-Scale Analysis of Biobank Samples. <i>Journal of Proteome Research</i> , <b>2017</b> , 16, 3242-3254	5.6	8
67	Risk factors for worsening renal function and their association with long-term mortality following transcatheter aortic valve implantation: data from the SWEDEHEART registry. <i>Open Heart</i> , <b>2017</b> , 4, e000354	3.54	6
66	Unstable Angina in the Era of Cardiac Troponin Assays with Improved Sensitivity-A Clinical Dilemma. <i>American Journal of Medicine</i> , <b>2017</b> , 130, 1423-1430.e5	2.4	28
65	Risk and predictors of readmission for heart failure following a myocardial infarction between 2004 and 2013: A Swedish nationwide observational study. <i>International Journal of Cardiology</i> , <b>2017</b> , 248, 221-226	3.26	11
64	Long-term versus short-term dual antiplatelet therapy was similarly associated with a lower risk of death, stroke, or infarction in patients with acute coronary syndrome regardless of underlying kidney disease. <i>Kidney International</i> , <b>2017</b> , 91, 216-226	9.9	14
63	Sex Differences in Treatments, Relative Survival, and Excess Mortality Following Acute Myocardial Infarction: National Cohort Study Using the SWEDEHEART Registry. <i>Journal of the American Heart Association</i> , <b>2017</b> , 6,	6	74
62	Oxygen Therapy in Suspected Acute Myocardial Infarction. <i>New England Journal of Medicine</i> , <b>2017</b> , 377, 1240-1249	59.2	186

61	Digitalis use and risk of gastrointestinal cancers: A nationwide population-based cohort study. <i>Oncotarget</i> , <b>2017</b> , 8, 34727-34735	3.3	9
60	Outcomes in patients treated with ticagrelor or clopidogrel after acute myocardial infarction: experiences from SWEDEHEART registry. <i>European Heart Journal</i> , <b>2016</b> , 37, 3335-3342	9.5	109
59	Prevalence and recognition of chronic kidney disease in Stockholm healthcare. <i>Nephrology Dialysis Transplantation</i> , <b>2016</b> , 31, 2086-2094	4.3	71
58	Association of Resting Heart Rate and Blood Pressure in Late Adolescence With Subsequent Mental Disorders: A Longitudinal Population Study of More Than 1 Million Men in Sweden. <i>JAMA Psychiatry</i> , <b>2016</b> , 73, 1268-1275	14.5	32
57	Long-term resource use patterns and healthcare costs after myocardial infarction in a clinical practice setting: results from a contemporary nationwide registry study. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2016</b> , 2, 291-298	4.6	12
56	Prognostic Importance of Sex-Specific Cardiac Troponin T 99(th) Percentiles in Suspected Acute Coronary Syndrome. <i>American Journal of Medicine</i> , <b>2016</b> , 129, 880.e1-880.e12	2.4	20
55	Renal function is associated with long-term outcomes independent of degree of atherosclerosis: 6-year data from the Swedish Coronary Angiography and Angioplasty Registry. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2016</b> , 2, 91-98	4.6	5
54	Multicenter Evaluation of a 0-Hour/1-Hour Algorithm in the Diagnosis of Myocardial Infarction With High-Sensitivity Cardiac Troponin T. <i>Annals of Emergency Medicine</i> , <b>2016</b> , 68, 76-87.e4	2.1	214
53	Using big data from health records from four countries to evaluate chronic disease outcomes: a study in 114 364 survivors of myocardial infarction. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2016</b> , 2, 172-183	4.6	60
52	Consequences of implementing a cardiac troponin assay with improved sensitivity at Swedish coronary care units: an analysis from the SWEDEHEART registry. <i>European Heart Journal</i> , <b>2016</b> , 37, 2417-2424	9.5	43
51	Impact on Long-Term Mortality of Presence of Obstructive Coronary Artery Disease and Classification of Myocardial Infarction. <i>American Journal of Medicine</i> , <b>2016</b> , 129, 398-406	2.4	48
50	The Use of Very Low Concentrations of High-sensitivity Troponin T to Rule Out Acute Myocardial Infarction Using a Single Blood Test. <i>Academic Emergency Medicine</i> , <b>2016</b> , 23, 1004-13	3.4	53
49	Prevalence and prognostic impact of kidney disease on heart failure patients. <i>Open Heart</i> , <b>2016</b> , 3, e000324	3.24	38
48	All types of atrial fibrillation in the setting of myocardial infarction are associated with impaired outcome. <i>Heart</i> , <b>2016</b> , 102, 926-33	5.1	43
47	Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers in Myocardial Infarction Patients With Renal Dysfunction. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 67, 1687-1697	15.1	30
46	Contemporary use of ticagrelor in patients with acute coronary syndrome: insights from Swedish Web System for Enhancement and Development of Evidence-Based Care in Heart Disease Evaluated According to Recommended Therapies (SWEDEHEART). <i>European Heart Journal - Quality of Care &amp; Clinical Outcomes</i> , <b>2016</b> , 2, 291-298	6.4	30
45	Heart failure with normal ejection fraction is uncommon in acute myocardial infarction settings but associated with poor outcomes: a study of 91,360 patients admitted with index myocardial infarction between 1998 and 2010. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 46-53	12.3	16
44	Risk Factors and Markers for Acute Myocardial Infarction With Angiographically Normal Coronary Arteries. <i>American Journal of Cardiology</i> , <b>2015</b> , 116, 838-44	3	31

43	Implications of Introducing High-Sensitivity Cardiac Troponin T Into Clinical Practice: Data From the SWEDEHEART Registry. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 65, 1655-1664	15.1	48
42	Incidence, temporal trends, and prognostic impact of heart failure complicating acute myocardial infarction. The SWEDEHEART Registry (Swedish Web-System for Enhancement and Development of Evidence-Based Care in Heart Disease Evaluated According to Recommended Therapies): a study of 199,851 patients admitted with index acute myocardial infarctions, 1996 to 2008. <i>JACC: Heart Failure</i> , <b>2015</b> , 3, 100-107	7.9	83
41	Rheumatoid arthritis is associated with a more severe presentation of acute coronary syndrome and worse short-term outcome. <i>European Heart Journal</i> , <b>2015</b> , 36, 3413-22	9.5	68
40	Type 2 myocardial infarction in clinical practice. <i>Heart</i> , <b>2015</b> , 101, 101-6	5.1	140
39	Higher mortality after myocardial infarction in patients with severe mental illness: a nationwide cohort study. <i>Journal of Internal Medicine</i> , <b>2015</b> , 277, 727-36	10.8	38
38	Use of relative survival to evaluate non-ST-elevation myocardial infarction quality of care and clinical outcomes. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2015</b> , 1, 85-91	4.6	12
37	Comparison of hospital variation in acute myocardial infarction care and outcome between Sweden and United Kingdom: population based cohort study using nationwide clinical registries. <i>BMJ, The</i> , <b>2015</b> , 351, h3913	5.9	77
36	Authors Reply to Gupta. <i>BMJ, The</i> , <b>2015</b> , 351, h5140	5.9	
35	The Swedish CardioPulmonary BiImage Study: objectives and design. <i>Journal of Internal Medicine</i> , <b>2015</b> , 278, 645-59	10.8	141
34	Association between the use of fondaparinux vs low-molecular-weight heparin and clinical outcomes in patients with non-ST-segment elevation myocardial infarction. <i>JAMA - Journal of the American Medical Association</i> , <b>2015</b> , 313, 707-16	27.4	24
33	Cardiovascular risk in post-myocardial infarction patients: nationwide real world data demonstrate the importance of a long-term perspective. <i>European Heart Journal</i> , <b>2015</b> , 36, 1163-70	9.5	418
32	DETermination of the role of OXYgen in suspected Acute Myocardial Infarction trial. <i>American Heart Journal</i> , <b>2014</b> , 167, 322-8	4.9	43
31	Survival in acute myocardial infarction - Authors Reply. <i>Lancet, The</i> , <b>2014</b> , 384, 1574-5	4.0	
30	Incidence, trends, and predictors of ischemic stroke 1 year after an acute myocardial infarction. <i>Stroke</i> , <b>2014</b> , 45, 3263-8	6.7	27
29	International comparisons of acute myocardial infarction - Authors Reply. <i>Lancet, The</i> , <b>2014</b> , 384, 305-6	4.0	
28	Hemorrhagic stroke the first 30 days after an acute myocardial infarction: incidence, time trends and predictors of risk. <i>International Journal of Cardiology</i> , <b>2014</b> , 176, 133-8	3.2	13
27	International comparisons of the management of patients with non-ST segment elevation acute myocardial infarction in the United Kingdom, Sweden, and the United States: The MINAP/NICOR, SWEDEHEART/RIKS-HIA, and ACTION Registry-GWTG/NCDR registries. <i>International Journal of Cardiology</i> , <b>2014</b> , 175, 240-7	3.2	52
26	Coronary plaque burden, as determined by cardiac computed tomography, in patients with myocardial infarction and angiographically normal coronary arteries compared to healthy volunteers: a prospective multicenter observational study. <i>PLoS ONE</i> , <b>2014</b> , 9, e99783	3.7	10

25	Annual report SWEDEHEART 2012. <i>Scandinavian Cardiovascular Journal</i> , <b>2014</b> , 48 Suppl 63, 2-133	2	8
24	Impact of chronic obstructive pulmonary disease on morbidity and mortality after myocardial infarction. <i>Open Heart</i> , <b>2014</b> , 1, e000002	3	39
23	Influence of chronic kidney disease on warfarin therapy for atrial fibrillation--reply. <i>JAMA - Journal of the American Medical Association</i> , <b>2014</b> , 311, 2542-3	27.4	
22	Warfarin, kidney dysfunction, and outcomes following acute myocardial infarction in patients with atrial fibrillation. <i>JAMA - Journal of the American Medical Association</i> , <b>2014</b> , 311, 919-28	27.4	104
21	Acute myocardial infarction: a comparison of short-term survival in national outcome registries in Sweden and the UK. <i>Lancet, The</i> , <b>2014</b> , 383, 1305-1312	40	202
20	Comparison of 30-day outcome in ST-elevation myocardial infarction patients treated in Sweden or Hungary: results from SWEDEHEART and the Hungarian myocardial infarction registry. <i>European Heart Journal</i> , <b>2013</b> , 34, P457-P457	9.5	1
19	In hospital complications and short- and long-term mortality in patients with type 1 and type 2 myocardial infarction. Data from the SWEDEHEART registry. <i>European Heart Journal</i> , <b>2013</b> , 34, P3146-P3146	9.5	146
18	Differences in background characteristics between patients with type 1 and type 2 myocardial infarction. Data from the SWEDEHEART registry. <i>European Heart Journal</i> , <b>2013</b> , 34, P3133-P3133	9.5	
17	Renal function and outcome in patients with stable coronary artery disease undergoing coronary angiography. Data from 6 years of consecutive patients in a nationwide registry. <i>European Heart Journal</i> , <b>2013</b> , 34, P3986-P3986	9.5	
16	Evidence-Based Treatment and ST-Segment Elevation Myocardial InfarctionReply. <i>JAMA - Journal of the American Medical Association</i> , <b>2011</b> , 306, 706	27.4	
15	Association between adoption of evidence-based treatment and survival for patients with ST-elevation myocardial infarction. <i>JAMA - Journal of the American Medical Association</i> , <b>2011</b> , 305, 1677-84	27.4	271
14	The Swedish Web-system for enhancement and development of evidence-based care in heart disease evaluated according to recommended therapies (SWEDEHEART). <i>Heart</i> , <b>2010</b> , 96, 1617-21	5.1	414
13	Prasugrel achieves greater inhibition of platelet aggregation and a lower rate of non-responders compared with clopidogrel in aspirin-treated patients with stable coronary artery disease. <i>European Heart Journal</i> , <b>2006</b> , 27, 1166-73	9.5	465
12	Prasugrel, clopidogrel, and combining Swedish apples with American oranges: reply. <i>European Heart Journal</i> , <b>2006</b> , 27, 1887-1888	9.5	1
11	Cystatin C: a novel predictor of outcome in suspected or confirmed non-ST-elevation acute coronary syndrome. <i>Circulation</i> , <b>2004</b> , 110, 2342-8	16.7	198
10	NT-proBNP in unstable coronary artery disease--experiences from the FAST, GUSTO IV and FRISC II trials. <i>European Journal of Heart Failure</i> , <b>2004</b> , 6, 319-25	12.3	38
9	Biochemical indicators of cardiac and renal function in a healthy elderly population. <i>Clinical Biochemistry</i> , <b>2004</b> , 37, 210-6	3.5	77
8	Comparison between second and third generation troponin T assay in patients with symptoms suggestive of an acute coronary syndrome but without ST segment elevation. <i>Cardiology</i> , <b>2003</b> , 100, 29-35	1.6	10

7	N-terminal pro-brain natriuretic peptide in relation to inflammation, myocardial necrosis, and the effect of an invasive strategy in unstable coronary artery disease. <i>Journal of the American College of Cardiology</i> , <b>2003</b> , 42, 1909-16	15.1	124
6	Usefulness of plasma N-terminal proatrial natriuretic peptide (proANP) as an early predictor of outcome in unstable angina pectoris or non-ST-elevation acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>2002</b> , 89, 64-6	3	19
5	Observer variability and optimal criteria of transient ischemia during ST monitoring with continuous 12-lead ECG. <i>Annals of Noninvasive Electrocardiology</i> , <b>2002</b> , 7, 181-90	1.5	2
4	Continuous multilead ST-monitoring identifies patients with unstable coronary artery disease who benefit from extended antithrombotic treatment. <i>European Heart Journal</i> , <b>2002</b> , 23, 1093-101	9.5	16
3	N-terminal pro brain natriuretic peptide on admission for early risk stratification of patients with chest pain and no ST-segment elevation. <i>Journal of the American College of Cardiology</i> , <b>2002</b> , 40, 437-45	15.1	282
2	A combination of troponin T and 12-lead electrocardiography: a valuable tool for early prediction of long-term mortality in patients with chest pain without ST-segment elevation. <i>American Heart Journal</i> , <b>2002</b> , 144, 804-10	4.9	18
1	The combination of a continuous 12-lead ECG and troponin T; a valuable tool for risk stratification during the first 6 hours in patients with chest pain and a non-diagnostic ECG. <i>European Heart Journal</i> , <b>2000</b> , 21, 1464-72	9.5	30