

Matty P Weijnenberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7992537/publications.pdf>

Version: 2024-02-01

126
papers

3,883
citations

117571

34
h-index

149623

56
g-index

128
all docs

128
docs citations

128
times ranked

5923
citing authors

#	ARTICLE	IF	CITATIONS
1	K-ras oncogene mutations in sporadic colorectal cancer in The Netherlands Cohort Study. <i>Carcinogenesis</i> , 2003, 24, 703-710.	1.3	264
2	Effects of dietary folate and alcohol intake on promoter methylation in sporadic colorectal cancer: the Netherlands cohort study on diet and cancer. <i>Cancer Research</i> , 2003, 63, 3133-7.	0.4	229
3	Low skeletal muscle radiation attenuation and visceral adiposity are associated with overall survival and surgical site infections in patients with pancreatic cancer. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017, 8, 317-326.	2.9	176
4	The CpG Island Methylator Phenotype: What's in a Name?. <i>Cancer Research</i> , 2013, 73, 5858-5868.	0.4	154
5	Early Life Exposure to Famine and Colorectal Cancer Risk: A Role for Epigenetic Mechanisms. <i>PLoS ONE</i> , 2009, 4, e7951.	1.1	104
6	Lifestyle, Diet, and Colorectal Cancer Risk According to (Epi)genetic Instability: Current Evidence and Future Directions of Molecular Pathological Epidemiology. <i>Current Colorectal Cancer Reports</i> , 2017, 13, 455-469.	1.0	91
7	Associations of dietary methyl donor intake with MLH1 promoter hypermethylation and related molecular phenotypes in sporadic colorectal cancer. <i>Carcinogenesis</i> , 2008, 29, 1765-1773.	1.3	89
8	The CpG island methylator phenotype in colorectal cancer: Progress and problems. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2012, 1825, 77-85.	3.3	89
9	A novel classification of colorectal tumors based on microsatellite instability, the CpG island methylator phenotype and chromosomal instability: implications for prognosis. <i>Annals of Oncology</i> , 2013, 24, 2048-2056.	0.6	79
10	Genetic Variants of Methyl Metabolizing Enzymes and Epigenetic Regulators: Associations with Promoter CpG Island Hypermethylation in Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3086-3096.	1.1	78
11	Consumption of red and processed meat and breast cancer incidence: A systematic review and meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2018, 143, 2787-2799.	2.3	73
12	Body size and risk for colorectal cancers showing BRAF mutations or microsatellite instability: a pooled analysis. <i>International Journal of Epidemiology</i> , 2012, 41, 1060-1072.	0.9	65
13	Body Size, Physical Activity and Risk of Colorectal Cancer with or without the CpG Island Methylator Phenotype (CIMP). <i>PLoS ONE</i> , 2011, 6, e18571.	1.1	64
14	Physical Activity, Occupational Sitting Time, and Colorectal Cancer Risk in the Netherlands Cohort Study. <i>American Journal of Epidemiology</i> , 2013, 177, 514-530.	1.6	60
15	The Applicability of the International Classification of Functioning, Disability, and Health to Study Lifestyle and Quality of Life of Colorectal Cancer Survivors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1394-1405.	1.1	60
16	Dietary changes and dietary supplement use, and underlying motives for these habits reported by colorectal cancer survivors of the Patient Reported Outcomes Following Initial Treatment and Long-Term Evaluation of Survivorship (PROFILES) registry. <i>British Journal of Nutrition</i> , 2015, 114, 286-296.	1.2	60
17	Integrated analysis of chromosomal, microsatellite and epigenetic instability in colorectal cancer identifies specific associations between promoter methylation of pivotal tumour suppressor and DNA repair genes and specific chromosomal alterations. <i>Carcinogenesis</i> , 2008, 29, 434-439.	1.3	59
18	Candidate Predictors of Health-Related Quality of Life of Colorectal Cancer Survivors: A Systematic Review. <i>Oncologist</i> , 2016, 21, 433-452.	1.9	59

#	ARTICLE	IF	CITATIONS
19	Associations of sedentary time and patterns of sedentary time accumulation with health-related quality of life in colorectal cancer survivors. <i>Preventive Medicine Reports</i> , 2016, 4, 262-269.	0.8	58
20	Dietary heme iron and the risk of colorectal cancer with specific mutations in KRAS and APC. <i>Carcinogenesis</i> , 2013, 34, 2757-2766.	1.3	57
21	MGMT and MLH1 promoter methylation versus APC, KRAS and BRAF gene mutations in colorectal cancer: indications for distinct pathways and sequence of events. <i>Annals of Oncology</i> , 2009, 20, 1216-1222.	0.6	56
22	Cigarette Smoking and Colorectal Cancer: APC Mutations, hMLH1 Expression, and GSTM1 and GSTT1 Polymorphisms. <i>American Journal of Epidemiology</i> , 2005, 161, 806-815.	1.6	55
23	Nuclear inclusion bodies of mutant and wild-type p53 in cancer: a hallmark of p53 inactivation and proteostasis remodelling by p53 aggregation. <i>Journal of Pathology</i> , 2017, 242, 24-38.	2.1	54
24	Childhood and adolescent energy restriction and subsequent colorectal cancer risk: results from the Netherlands Cohort Study. <i>International Journal of Epidemiology</i> , 2010, 39, 1333-1344.	0.9	51
25	Vegetarianism, low meat consumption and the risk of colorectal cancer in a population based cohort study. <i>Scientific Reports</i> , 2015, 5, 13484.	1.6	46
26	Dietary fat and risk of colon and rectal cancer with aberrant MLH1 expression, APC or KRAS genes. <i>Cancer Causes and Control</i> , 2007, 18, 865-879.	0.8	44
27	Body Size and Colorectal Cancer Risk After 16.3 Years of Follow-up: An Analysis From the Netherlands Cohort Study. <i>American Journal of Epidemiology</i> , 2011, 174, 1127-1139.	1.6	43
28	Elevated risk of cancer of the urinary tract for alcohol drinkers: a meta-analysis. <i>Cancer Causes and Control</i> , 1999, 10, 445-451.	0.8	42
29	Distinct Molecular Phenotype of Sporadic Colorectal Cancers Among Young Patients Based on Multiomics Analysis. <i>Gastroenterology</i> , 2020, 158, 1155-1158.e2.	0.6	42
30	Colorectal cancers survivors' adherence to lifestyle recommendations and cross-sectional associations with health-related quality of life. <i>British Journal of Nutrition</i> , 2018, 120, 188-197.	1.2	41
31	Light Physical Activity Is Associated with Quality of Life after Colorectal Cancer. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 2493-2503.	0.2	40
32	Prognostic DNA methylation markers for sporadic colorectal cancer: a systematic review. <i>Clinical Epigenetics</i> , 2018, 10, 35.	1.8	38
33	Self-reported Clothing Size as a Proxy Measure for Body Size. <i>Epidemiology</i> , 2009, 20, 673-676.	1.2	37
34	Dietary methyl donors, methyl metabolizing enzymes, and epigenetic regulators: diet-gene interactions and promoter CpG island hypermethylation in colorectal cancer. <i>Cancer Causes and Control</i> , 2011, 22, 1-12.	0.8	37
35	Adherence to the World Cancer Research Fund/American Institute for Cancer Research lifestyle recommendations in colorectal cancer survivors: results of the PROFILES registry. <i>Cancer Medicine</i> , 2016, 5, 2587-2595.	1.3	37
36	Mitochondrial DNA copy number in colorectal cancer: between tissue comparisons, clinicopathological characteristics and survival. <i>Carcinogenesis</i> , 2015, 36, bgv151.	1.3	36

#	ARTICLE	IF	CITATIONS
37	Lifestyle-Related Factors in the Self-Management of Chemotherapy-Induced Peripheral Neuropathy in Colorectal Cancer: A Systematic Review. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-14.	0.5	36
38	Modeling how substitution of sedentary behavior with standing or physical activity is associated with health-related quality of life in colorectal cancer survivors. <i>Cancer Causes and Control</i> , 2016, 27, 513-525.	0.8	35
39	Adherence to the World Cancer Research Fund/American Institute for Cancer Research recommendations for cancer prevention is associated with better health-related quality of life among long-term colorectal cancer survivors: results of the PROFILES registry. <i>Supportive Care in Cancer</i> , 2019, 27, 4565-4574.	1.0	35
40	Cigarette smoking and KRAS oncogene mutations in sporadic colorectal cancer: Results from the Netherlands Cohort Study. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2008, 652, 54-64.	0.9	33
41	Promoter CpG island methylation of <i>RET</i> predicts poor prognosis in stage II colorectal cancer patients. <i>Molecular Oncology</i> , 2014, 8, 679-688.	2.1	33
42	Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Nutrients</i> , 2018, 10, 654.	1.7	32
43	Dietary acrylamide intake and the risk of colorectal cancer with specific mutations in KRAS and APC. <i>Carcinogenesis</i> , 2014, 35, 1032-1038.	1.3	31
44	Fat and K-ras mutations in sporadic colorectal cancer in The Netherlands Cohort Study. <i>Carcinogenesis</i> , 2004, 25, 1619-1628.	1.3	30
45	<i>CHFR</i> Promoter Methylation Indicates Poor Prognosis in Stage II Microsatellite Stable Colorectal Cancer. <i>Clinical Cancer Research</i> , 2014, 20, 3261-3271.	3.2	29
46	Associations of adipose and muscle tissue parameters at colorectal cancer diagnosis with long-term health-related quality of life. <i>Quality of Life Research</i> , 2017, 26, 1745-1759.	1.5	28
47	DNA from Nails for Genetic Analyses in Large-Scale Epidemiologic Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2703-2712.	1.1	27
48	Vitamin D, magnesium, calcium, and their interaction in relation to colorectal cancer recurrence and all-cause mortality. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 1007-1017.	2.2	27
49	Dietary glycemic load, glycemic index and colorectal cancer risk: Results from the Netherlands Cohort Study. <i>International Journal of Cancer</i> , 2008, 122, 620-629.	2.3	26
50	Plasma metabolites associated with colorectal cancer stage: Findings from an international consortium. <i>International Journal of Cancer</i> , 2020, 146, 3256-3266.	2.3	26
51	Associations of the dietary World Cancer Research Fund/American Institute for Cancer Research (WCRF/AICR) recommendations with patient-reported outcomes in colorectal cancer survivors 2-10 years post-diagnosis: a cross-sectional analysis. <i>British Journal of Nutrition</i> , 2021, 125, 1188-1200.	1.2	24
52	Pharmacoepiggenomics in colorectal cancer: a step forward in predicting prognosis and treatment response. <i>Pharmacogenomics</i> , 2008, 9, 1903-1916.	0.6	23
53	Low radiographic muscle density is associated with lower overall and disease-free survival in early-stage colorectal cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 2139-2147.	1.2	23
54	Dietary Folate and APC Mutations in Sporadic Colorectal Cancer. <i>Journal of Nutrition</i> , 2006, 136, 3015-3021.	1.3	22

#	ARTICLE	IF	CITATIONS
55	Body Size, Physical Activity, Early-Life Energy Restriction, and Associations with Methylated Insulin-like Growth Factor-1 Binding Protein Genes in Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1852-1862.	1.1	22
56	Circulating tryptophan metabolites and risk of colon cancer: Results from case-control and prospective cohort studies. <i>International Journal of Cancer</i> , 2021, 149, 1659-1669.	2.3	22
57	Vegetarianism, low meat consumption and the risk of lung, postmenopausal breast and prostate cancer in a population-based cohort study. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 723-729.	1.3	21
58	Diabetes mellitus, genetic variants in the insulin-like growth factor pathway and colorectal cancer risk. <i>International Journal of Cancer</i> , 2019, 145, 1774-1781.	2.3	21
59	The association between circulating levels of vitamin D and inflammatory markers in the first 2 years after colorectal cancer diagnosis. <i>Therapeutic Advances in Gastroenterology</i> , 2020, 13, 175628482092392.	1.4	20
60	The mTOR Pathway and the Role of Energy Balance Throughout Life in Colorectal Cancer Etiology and Prognosis: Unravelling Mechanisms Through a Multidimensional Molecular Epidemiologic Approach. <i>Current Nutrition Reports</i> , 2013, 2, 19-26.	2.1	19
61	The Impact of Body Mass Index and Waist Circumference on Health-related Quality of Life Among Colorectal Cancer Survivors: Results from the PROFILES Registry. <i>Nutrition and Cancer</i> , 2017, 69, 1177-1184.	0.9	19
62	Multi-omics Analysis Reveals Adipose-tumor Crosstalk in Patients with Colorectal Cancer. <i>Cancer Prevention Research</i> , 2020, 13, 817-828.	0.7	19
63	Analysis of RET promoter CpG island methylation using methylation-specific PCR (MSP), pyrosequencing, and methylation-sensitive high-resolution melting (MS-HRM): impact on stage II colon cancer patient outcome. <i>Clinical Epigenetics</i> , 2016, 8, 44.	1.8	18
64	Longitudinal associations of light-intensity physical activity with quality of life, functioning and fatigue after colorectal cancer. <i>Quality of Life Research</i> , 2020, 29, 2987-2998.	1.5	18
65	Lifestyle after colorectal cancer diagnosis in relation to recurrence and all-cause mortality. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 1447-1457.	2.2	18
66	Body size, physical activity, genetic variants in the insulin-like growth factor pathway and colorectal cancer risk. <i>Carcinogenesis</i> , 2015, 36, 971-981.	1.3	17
67	Associations of Abdominal Skeletal Muscle Mass, Fat Mass, and Mortality among Men and Women with Stage III Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 956-965.	1.1	17
68	Alcohol and the risk of colon and rectal cancer with mutations in the K-ras gene. <i>Alcohol</i> , 2006, 38, 147-154.	0.8	16
69	Genetic Variants in the Insulin-like Growth Factor Pathway and Colorectal Cancer Risk in the Netherlands Cohort Study. <i>Scientific Reports</i> , 2015, 5, 14126.	1.6	16
70	Alcohol intake, ADH1B and ADH1C genotypes, and the risk of colorectal cancer by sex and subsite in the Netherlands Cohort Study. <i>Carcinogenesis</i> , 2018, 39, 375-388.	1.3	16
71	Evaluating the Validity of a Food Frequency Questionnaire in Comparison with a 7-Day Dietary Record for Measuring Dietary Intake in a Population of Survivors of Colorectal Cancer. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2020, 120, 245-257.	0.4	16
72	Criterion Validity and Responsiveness of the Steep Ramp Test to Evaluate Aerobic Capacity in Survivors of Cancer Participating in a Supervised Exercise Rehabilitation Program. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 2150-2156.	0.5	16

#	ARTICLE	IF	CITATIONS
73	Is dietary supplement use longitudinally associated with fatigue in stage I-III colorectal cancer survivors?. <i>Clinical Nutrition</i> , 2020, 39, 234-241.	2.3	15
74	Inflammation Is a Mediating Factor in the Association between Lifestyle and Fatigue in Colorectal Cancer Patients. <i>Cancers</i> , 2020, 12, 3701.	1.7	14
75	Higher Serum Vitamin D Concentrations Are Longitudinally Associated with Better Global Quality of Life and Less Fatigue in Colorectal Cancer Survivors up to 2 Years after Treatment. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1135-1144.	1.1	14
76	Longitudinal Associations of Adherence to the World Cancer Research Fund/American Institute for Cancer Research (WCRF/AICR) Lifestyle Recommendations with Quality of Life and Symptoms in Colorectal Cancer Survivors up to 24 Months Post-Treatment. <i>Cancers</i> , 2022, 14, 417.	1.7	13
77	Alcohol consumption and distinct molecular pathways to colorectal cancer. <i>British Journal of Nutrition</i> , 2007, 97, 430-434.	1.2	12
78	Levels of Inflammation Markers Are Associated with the Risk of Recurrence and All-Cause Mortality in Patients with Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1089-1099.	1.1	12
79	Longitudinal associations of fiber, vegetable, and fruit intake with quality of life and fatigue in colorectal cancer survivors up to 24 months posttreatment. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 822-832.	2.2	12
80	A Systematic Literature Review and Meta-Regression Analysis on Early-Life Energy Restriction and Cancer Risk in Humans. <i>PLoS ONE</i> , 2016, 11, e0158003.	1.1	11
81	Chemotherapy and vitamin D supplement use are determinants of serum 25-hydroxyvitamin D levels during the first six months after colorectal cancer diagnosis. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020, 199, 105577.	1.2	11
82	One-carbon metabolites, B vitamins and associations with systemic inflammation and angiogenesis biomarkers among colorectal cancer patients: results from the ColoCare Study. <i>British Journal of Nutrition</i> , 2020, 123, 1187-1200.	1.2	11
83	Circulating B-vitamin biomarkers and B-vitamin supplement use in relation to quality of life in patients with colorectal cancer: results from the FOCUS consortium. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 1468-1481.	2.2	11
84	Expression of proteins associated with the Warburg effect and survival in colorectal cancer. <i>Journal of Pathology: Clinical Research</i> , 2022, 8, 169-180.	1.3	11
85	A systematic SNP selection approach to identify mechanisms underlying disease aetiology: linking height to post-menopausal breast and colorectal cancer risk. <i>Scientific Reports</i> , 2017, 7, 41034.	1.6	10
86	Development and internal validation of prediction models for colorectal cancer survivors to estimate the 1-year risk of low health-related quality of life in multiple domains. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 54.	1.5	10
87	Longitudinal Associations of Sedentary Behavior and Physical Activity with Quality of Life in Colorectal Cancer Survivors. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 2298-2308.	0.2	10
88	Circulating Folate and Folic Acid Concentrations: Associations With Colorectal Cancer Recurrence and Survival. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkaa051.	1.4	9
89	Increases in adipose tissue and muscle function are longitudinally associated with better quality of life in colorectal cancer survivors. <i>Scientific Reports</i> , 2021, 11, 12440.	1.6	9
90	Energy balance-related factors in childhood and adolescence and risk of colorectal cancer expressing different levels of proteins involved in the Warburg effect. <i>International Journal of Cancer</i> , 2022, 150, 1812-1824.	2.3	9

#	ARTICLE	IF	CITATIONS
91	Diet quality indices and dietary patterns are associated with plasma metabolites in colorectal cancer patients. <i>European Journal of Nutrition</i> , 2021, 60, 3171-3184.	1.8	8
92	Nut and peanut butter intake and the risk of colorectal cancer and its anatomical and molecular subtypes: the Netherlands Cohort Study. <i>Carcinogenesis</i> , 2020, 41, 1368-1384.	1.3	7
93	Preoperative handgrip strength is not associated with complications and health-related quality of life after surgery for colorectal cancer. <i>Scientific Reports</i> , 2020, 10, 13005.	1.6	7
94	Impact of Pre-Blood Collection Factors on Plasma Metabolomic Profiles. <i>Metabolites</i> , 2020, 10, 213.	1.3	7
95	Validity and Reproducibility of Immunohistochemical Scoring by Trained Non-Pathologists on Tissue Microarrays. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1867-1874.	1.1	7
96	A Comparative Study on the WCRF International/University of Bristol Methodology for Systematic Reviews of Mechanisms Underpinning Exposure–Cancer Associations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1583-1594.	1.1	6
97	Sirtuin 1 genetic variation, energy balance and colorectal cancer risk by sex and subsite in the Netherlands Cohort Study. <i>Scientific Reports</i> , 2018, 8, 16540.	1.6	6
98	Alcohol drinking, <i>ADH1B</i> and <i>ADH1C</i> genotypes and the risk of postmenopausal breast cancer by hormone receptor status: the Netherlands Cohort Study on diet and cancer. <i>Carcinogenesis</i> , 2018, 39, 1342-1351.	1.3	6
99	Associations of adult-attained height and early life energy restriction with postmenopausal breast cancer risk according to estrogen and progesterone receptor status. <i>International Journal of Cancer</i> , 2019, 144, 1844-1857.	2.3	6
100	Metabolomics profiling of visceral and abdominal subcutaneous adipose tissue in colorectal cancer patients: results from the ColoCare study. <i>Cancer Causes and Control</i> , 2020, 31, 723-735.	0.8	6
101	Targeted Plasma Metabolic Profiles and Risk of Recurrence in Stage II and III Colorectal Cancer Patients: Results from an International Cohort Consortium. <i>Metabolites</i> , 2021, 11, 129.	1.3	6
102	Associations between alcohol consumption and anxiety, depression, and health-related quality of life in colorectal cancer survivors. <i>Journal of Cancer Survivorship</i> , 2022, 16, 988-997.	1.5	6
103	Energy Balance-Related Factors and Risk of Colorectal Cancer Expressing Different Levels of Proteins Involved in the Warburg Effect. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 633-646.	1.1	6
104	The Association between Sleep Quality and Fatigue in Colorectal Cancer Survivors up until Two Years after Treatment: A Cross-Sectional and Longitudinal Analysis. <i>Cancers</i> , 2022, 14, 1527.	1.7	6
105	Energy restriction at young age, genetic variants in the insulin-like growth factor pathway and colorectal cancer risk in the Netherlands Cohort Study. <i>International Journal of Cancer</i> , 2017, 140, 272-284.	2.3	5
106	The impact of participation restrictions on everyday life in long-term colorectal cancer survivors in the EnCoRe study: A mixed-method study. <i>European Journal of Oncology Nursing</i> , 2020, 45, 101724.	0.9	5
107	The burden of colorectal cancer survivors in the Netherlands: costs, utilities, and associated patient characteristics. <i>Journal of Cancer Survivorship</i> , 2022, 16, 1055-1064.	1.5	4
108	Longitudinal Associations of Former and Current Alcohol Consumption with Psychosocial Outcomes among Colorectal Cancer Survivors 15 Years after Diagnosis. <i>Nutrition and Cancer</i> , 2022, 74, 3109-3117.	0.9	4

#	ARTICLE	IF	CITATIONS
109	Association between mutational subgroups, Warburgâ€™subtypes, and survival in patients with colorectal cancer. <i>Cancer Medicine</i> , 0, , .	1.3	4
110	Investigation of sirtuin 1 polymorphisms in relation to the risk of colorectal cancer by molecular subtype. <i>Scientific Reports</i> , 2020, 10, 3359.	1.6	3
111	Sufficient 25-Hydroxyvitamin D Levels 2 Years after Colorectal Cancer Diagnosis are Associated with a Lower Risk of All-cause Mortality. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 765-773.	1.1	3
112	Longitudinal associations of physical activity with plasma metabolites among colorectal cancer survivors up to 2Âyears after treatment. <i>Scientific Reports</i> , 2021, 11, 13738.	1.6	3
113	Family history of cancer in first degree relatives and risk of cancer of unknown primary. <i>European Journal of Cancer Care</i> , 2021, 30, e13485.	0.7	3
114	Is sleep associated with BMI, waist circumference, and diet among long-term colorectal cancer survivors? Results from the population-based PROFILES registry. <i>Supportive Care in Cancer</i> , 2021, 29, 7225-7235.	1.0	3
115	Cross-Sectional Associations between Dietary Daily Nicotinamide Intake and Patient-Reported Outcomes in Colorectal Cancer Survivors, 2 to 10 Years Post-Diagnosis. <i>Nutrients</i> , 2021, 13, 3707.	1.7	3
116	Energy balance-related factors and risk of colorectal cancer based on KRAS, PIK3CA, and BRAF mutations and MMR status. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 2723-2742.	1.2	3
117	Longitudinal Associations between Inflammatory Markers and Fatigue up to Two Years after Colorectal Cancer Treatment. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1638-1649.	1.1	3
118	Significantly higher rates of multiple and proximally located adenomas among patients with diabetes mellitus: A crossâ€sectional populationâ€based study. <i>United European Gastroenterology Journal</i> , 2017, 5, 415-423.	1.6	2
119	Polymorphisms in the mTOR-PI3K-Akt pathway, energy balance-related exposures and colorectal cancer risk in the Netherlands Cohort Study. <i>BioData Mining</i> , 2022, 15, 2.	2.2	2
120	Higher vitamin B6 status is associated with improved survival among patients with stage Iâ€III colorectal cancer. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 303-313.	2.2	2
121	WITHDRAWALâ€Administrative Duplicate Publication: The essential role of prevention in reducing the cancer burden in Europe: a commentary from Cancer Prevention Europe. <i>Tumori</i> , 2020, 106, NP2-NP4.	0.6	1
122	Longitudinal associations of sociodemographic, lifestyle, and clinical factors with alcohol consumption in colorectal cancer survivors up to 2 years post-diagnosis. <i>Supportive Care in Cancer</i> , 2021, 29, 5935-5943.	1.0	1
123	Dietary factors, genetic susceptibility and somatic mutations in colorectal cancer: a prospective study. <i>IARC (International Agency for Research on Cancer) Scientific Publications</i> , 2002, 156, 503-4.	0.4	1
124	CHFR promoter methylation indicates poor prognosis in stage II microsatellite stable colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2013, 31, e14503-e14503.	0.8	0
125	Empirical Investigation of Genomic Clusters Associated with Height and the Risk of Postmenopausal Breast and Colorectal Cancer in the Netherlands Cohort Study. <i>American Journal of Epidemiology</i> , 2021, , .	1.6	0
126	Sociodemographic, Clinical, Lifestyle, and Psychological Correlates of Peripheral Neuropathy among 2- to 12-Year Colorectal Cancer Survivors. <i>Oncology Research and Treatment</i> , 2022, 45, 480-493.	0.8	0