

# Claus Wittekindt

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7992781/claus-wittekindt-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32  
papers

484  
citations

14  
h-index

21  
g-index

34  
ext. papers

671  
ext. citations

4.8  
avg, IF

3.46  
L-index

#	Paper	IF	Citations
32	Nasopharyngeal cancer in non-endemic areas: Impact of treatment intensity within a large retrospective multicentre cohort. <i>European Journal of Cancer</i> , <b>2021</b> , 159, 194-204	7.5	6
31	Deep Learning Predicts HPV Association in Oropharyngeal Squamous Cell Carcinomas and Identifies Patients with a Favorable Prognosis Using Regular H&E Stains. <i>Clinical Cancer Research</i> , <b>2021</b> , 27, 1131-1138	12.9	11
30	Mutation patterns in recurrent and/or metastatic oropharyngeal squamous cell carcinomas in relation to human papillomavirus status. <i>Cancer Medicine</i> , <b>2021</b> , 10, 1347-1356	4.8	2
29	Peroxisomes in the mouse parotid glands: An in-depth morphological and molecular analysis. <i>Annals of Anatomy</i> , <b>2021</b> , 238, 151778	2.9	1
28	Lymphocyte activation gene 3 (LAG3) protein expression on tumor-infiltrating lymphocytes in aggressive and TP53-mutated salivary gland carcinomas. <i>Cancer Immunology, Immunotherapy</i> , <b>2020</b> , 69, 1363-1373	7.4	9
27	Evaluation of p16 expression as a single marker to select patients with HPV-driven oropharyngeal cancers for treatment de-escalation. <i>British Journal of Cancer</i> , <b>2020</b> , 123, 1114-1122	8.7	16
26	LAG-3, TIM-3 and VISTA Expression on Tumor-Infiltrating Lymphocytes in Oropharyngeal Squamous Cell Carcinoma-Potential Biomarkers for Targeted Therapy Concepts. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 22,	6.3	8
25	ATP synthase modulation leads to an increase of spare respiratory capacity in HPV associated cancers. <i>Scientific Reports</i> , <b>2020</b> , 10, 17339	4.9	0
24	PD-L1 Expression and a High Tumor Infiltrate of CD8+ Lymphocytes Predict Outcome in Patients with Oropharyngeal Squamous Cells Carcinoma. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	9
23	Somatic mutations and promotor methylation of the ryanodine receptor 2 is a common event in the pathogenesis of head and neck cancer. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 3299-3310	7.5	19
22	Increasing Incidence rates of Oropharyngeal Squamous Cell Carcinoma in Germany and Significance of Disease Burden Attributed to Human Papillomavirus. <i>Cancer Prevention Research</i> , <b>2019</b> , 12, 375-382	3.2	39
21	A systematic review of the HPV-attributable fraction of oropharyngeal squamous cell carcinomas in Germany. <i>Cancer Medicine</i> , <b>2019</b> , 8, 1908-1918	4.8	15
20	Impact on survival of tobacco smoking for cases with oropharyngeal squamous cell carcinoma and known human papillomavirus and p16-status: a multicenter retrospective study. <i>Oncotarget</i> , <b>2019</b> , 10, 4655-4663	3.3	14
19	Impact of extent of parotidectomy on early and long-term complications: A prospective multicenter cohort trial. <i>Head and Neck</i> , <b>2019</b> , 41, 1943-1951	4.2	11
18	Reply to "Comment on "Human papillomavirus association is the most important predictor for surgically treated patients with oropharyngeal cancer". <i>British Journal of Cancer</i> , <b>2018</b> , 118, e6	8.7	
17	The 8th edition AJCC/UICC TNM staging for p16-positive oropharyngeal carcinoma: is there space for improvement?. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2018</b> , 275, 3087-3091	3.5	16
16	Development and external validation of nomograms in oropharyngeal cancer patients with known HPV-DNA status: a European Multicentre Study (OroGrams). <i>British Journal of Cancer</i> , <b>2018</b> , 118, 1672-1681	8.7	22

15	Sensation loss after superficial parotidectomy: A prospective controlled multicenter trial. <i>Head and Neck</i> , <b>2017</b> , 39, 520-526	4.2	16
14	Human papillomavirus association is the most important predictor for surgically treated patients with oropharyngeal cancer. <i>British Journal of Cancer</i> , <b>2017</b> , 116, 1604-1611	8.7	45
13	Intraindividual homogeneity of F-FDG PET/CT parameters in HPV-positive OPSCC. <i>Oral Oncology</i> , <b>2017</b> , 73, 166-171	4.4	8
12	The role of high-risk human papillomavirus infections in laryngeal squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2017</b> , 274, 3837-3842	3.5	14
11	Tumor Staging and HPV-Related Oropharyngeal Cancer. <i>Recent Results in Cancer Research</i> , <b>2017</b> , 206, 123-133	1.5	7
10	Hypoxia-inducible factor-1 $\alpha$ activation in HPV-positive head and neck squamous cell carcinoma cell lines. <i>Oncotarget</i> , <b>2017</b> , 8, 89681-89691	3.3	10
9	Concerning: Subtotal facial nerve decompression in preventing further recurrence and promoting facial nerve recovery of severe idiopathic recurrent facial palsy (Wu SH et al., Eur Arch Otorhinolaryngol. 2015;272(11):3295-8. doi:10.1007/s00405-014-2991-9. Epub 2014 Mar 12). <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2016</b> , 273, 4051	3.5	1
8	Step-by-step protocol to perfuse and dissect the mouse parotid gland and isolation of high-quality RNA from murine and human parotid tissue. <i>BioTechniques</i> , <b>2016</b> , 60, 200-3	2.5	7
7	CD56-positive lymphocyte infiltration in relation to human papillomavirus association and prognostic significance in oropharyngeal squamous cell carcinoma. <i>International Journal of Cancer</i> , <b>2016</b> , 138, 2263-73	7.5	50
6	Frey $\text{\textcircled{C}}$ syndrome after superficial parotidectomy: role of the sternocleidomastoid muscle flap: a prospective nonrandomized controlled trial. <i>American Journal of Surgery</i> , <b>2016</b> , 212, 740-747.e1	2.7	15
5	Cone beam computed tomography (CBCT) sialography--an adjunct to salivary gland ultrasonography in the evaluation of recurrent salivary gland swelling. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2015</b> , 120, 771-5	2	21
4	Increased sensitivity of HPV-positive head and neck cancer cell lines to x-irradiation $\square$ Cisplatin due to decreased expression of E6 and E7 oncoproteins and enhanced apoptosis. <i>American Journal of Cancer Research</i> , <b>2015</b> , 5, 1017-31	4.4	28
3	No evidence of oncogenic KRAS mutations in squamous cell carcinomas of the anogenital tract and head and neck region independent of human papillomavirus and p16(INK4a) status. <i>Human Pathology</i> , <b>2014</b> , 45, 2347-54	3.7	14
2	Expression of matrix metalloproteinase-9 (MMP-9) and blood vessel density in laryngeal squamous cell carcinomas. <i>Acta Oto-Laryngologica</i> , <b>2011</b> , 131, 101-6	1.6	11
1	Botulinum toxin A for neuropathic pain after neck dissection: a dose-finding study. <i>Laryngoscope</i> , <b>2006</b> , 116, 1168-71	3.6	38