
## Massimiliano Ghinassi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7992871/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Sedimentology of a hypertidal point bar (Montâ€Saintâ€Michel Bay, northâ€western France) revealed by combining lidar timeâ€series and sedimentary core data. Sedimentology, 2022, 69, 1179-1208.	1.6	6
2	Morphoâ€sedimentary evolution of a microtidal meandering channel driven by 130 years of natural and anthropogenic modifications of the Venice Lagoon (Italy). Earth Surface Processes and Landforms, 2022, 47, 2580-2596.	1.2	8
3	An integrated approach to determine threeâ€dimensional accretion geometries of tidal point bars: Examples from the Venice Lagoon (Italy). Sedimentology, 2021, 68, 449-476.	1.6	6
4	Planformâ€asymmetry and backwater effects on riverâ€cutoff kinematics and clustering. Earth Surface Processes and Landforms, 2021, 46, 357-370.	1.2	15
5	Lifecycle of an Intermontane Plio-Pleistocene Fluvial Valley of the Northern Apennines: From Marine-Driven Incision to Tectonic Segmentation and Infill. Geosciences (Switzerland), 2021, 11, 141.	1.0	0
6	Reading tidal processes where their signature is cryptic: TheÂMaastrichtian meandering channel deposits of the TrempÂFormation (Southern Pyrenees, Spain). Sedimentology, 2021, 68, 2009-2042.	1.6	12
7	Distinguishing midâ€channel and bankâ€attached fluvial bars by flow divergence: Implications for the interpretation of stratigraphic records. Sedimentology, 2021, 68, 2783-2797.	1.6	3
8	Impact of genesis and abandonment processes of a fluvial meander on geometry and grain-size distribution of the associated point bar (Venetian Plain, Italy). Marine and Petroleum Geology, 2021, 127, 104951.	1.5	9
9	Reconstruction of an extreme flood hydrograph and morphodynamics of a meander bend in a highâ€peak discharge variability river (Powder River, USA). Sedimentology, 2021, 68, 3549-3576.	1.6	4
10	Detecting the Delayed Signatures of Changing Sediment Supply in Salt-Marsh Landscapes: The Case of the Venice Lagoon (Italy). Frontiers in Marine Science, 2021, 8, .	1.2	10
11	Remotely-sensed planform morphologies reveal fluvial and tidal nature of meandering channels. Scientific Reports, 2020, 10, 54.	1.6	41
12	Geophysical and Sedimentological Investigations Integrate Remote-Sensing Data to Depict Geometry of Fluvial Sedimentary Bodies: An Example from Holocene Point-Bar Deposits of the Venetian Plain (Italy). Remote Sensing, 2020, 12, 2568.	1.8	11
13	Piracy-controlled geometry of tide-dominated point bars: Combined evidence from ancient sedimentary successions and modern channel networks. Geomorphology, 2020, 370, 107402.	1.1	12
14	Threeâ€Dimensional Flow Structures and Morphodynamic Evolution of Microtidal Meandering Channels. Water Resources Research, 2020, 56, e2020WR027822.	1.7	22
15	Stable isotope evidence for rapid uplift of the central Apennines since the late Pliocene. Earth and Planetary Science Letters, 2020, 544, 116376.	1.8	12
16	Channel mobility drives a diverse stratigraphic architecture in the dryland Mojave River (California,) Tj ETQq0 0 0	rgBT /Over 1.2	lock 10 Tf 5

17	Point-bar brink and channel thalweg trajectories depicting interaction between vertical and lateral shifts of microtidal channels in the Venice Lagoon (Italy). Geomorphology, 2019, 342, 37-50.	1.1	19
18	Tidal currents and wind waves controlling sediment distribution in a subtidal point bar of the Venice Lagoon (Italy). Sedimentology, 2019, 66, 2926-2949.	1.6	13

#	Article	IF	CITATIONS
19	Changes in the windâ€wave field and related saltâ€marsh lateral erosion: inferences from the evolution of the Venice Lagoon in the last four centuries. Earth Surface Processes and Landforms, 2019, 44, 1633-1646.	1.2	52
20	Tidal Flow Asymmetry and Discharge of Lateral Tributaries Drive the Evolution of a Microtidal Meander in the Venice Lagoon (Italy). Journal of Geophysical Research F: Earth Surface, 2019, 124, 3043-3066.	1.0	21
21	Field migration rates of tidal meanders recapitulate fluvial morphodynamics. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 1463-1468.	3.3	66
22	Geophysical investigations unravel the vestiges of ancient meandering channels and their dynamics in tidal landscapes. Scientific Reports, 2018, 8, 1708.	1.6	23
23	Morphodynamics and facies architecture of streamflow-dominated, sand-rich alluvial fans, Pleistocene Upper Valdarno Basin, Italy. Geological Society Special Publication, 2018, 440, 175-200.	0.8	11
24	Morphodynamic evolution and stratal architecture of translating tidal point bars: Inferences from the northern Venice Lagoon (Italy). Sedimentology, 2018, 65, 1354-1377.	1.6	28
25	Precambrian snapshots: Morphodynamics of Torridonian fluvial braid bars revealed by threeâ€dimensional photogrammetry and outcrop sedimentology. Sedimentology, 2018, 65, 492-516.	1.6	20
26	Fluvial floodplains prior to greening of the continents: Stratigraphic record, geodynamic setting, and modern analogues. Sedimentary Geology, 2018, 372, 140-172.	1.0	35
27	Pleistocene paleosol development and paleoenvironmental dynamics in East Africa: A multiproxy record from the Homo-bearing Aalat pedostratigraphic succession, Dandiero basin (Eritrea). Quaternary Science Reviews, 2018, 191, 275-298.	1.4	6
28	Morphodynamic evolution and sedimentology of a microtidal meander bend of the Venice Lagoon (Italy). Marine and Petroleum Geology, 2018, 96, 391-404.	1.5	20
29	Tidal meander migration and dynamics: A case study from the Venice Lagoon. Marine and Petroleum Geology, 2017, 87, 80-90.	1.5	29
30	Morphometric convergence between Proterozoic and post-vegetation rivers. Nature Communications, 2017, 8, 15250.	5.8	44
31	Latest Holocene depositional history of the southern Venice Lagoon, Italy. Holocene, 2017, 27, 1731-1744.	0.9	8
32	Evolution of the northern tip of Afar triangle: Inferences from the Quaternary succession of the Dandiero — Massawa area (Eritrea). Tectonophysics, 2017, 717, 339-357.	0.9	13
33	Carbonate Deposition In Restricted Basins: A Pliocene Case Study From the Central Mediterranean (Northwestern Apennines), Italy. Journal of Sedimentary Research, 2016, 86, 236-267.	0.8	14
34	Deeply channelled Precambrian rivers: Remote sensing and outcrop evidence from the 1.2 Ga Stoer Group of NW Scotland. Precambrian Research, 2016, 281, 291-311.	1.2	32
35	Friction- and Inertia-Dominated Effluents In A Lacustrine, River-Dominated Deltaic Succession (Pliocene Upper Valdarno Basin, Italy). Journal of Sedimentary Research, 2016, 86, 1083-1101.	0.8	17
36	Aggradation and lateral migration shaping geometry of a tidal point bar: An example from salt marshes of the Northern Venice Lagoon (Italy). Sedimentary Geology, 2016, 343, 141-155.	1.0	36

#	Article	IF	CITATIONS
37	A sedimentary model for early Palaeozoic fluvial fans, Alderney Sandstone Formation (Channel) Tj ETQq1 1 0.784	·314 rgBT 1.0	/Oyerlock 10
38	Downstream-migrating fluvial point bars in the rock record. Sedimentary Geology, 2016, 334, 66-96.	1.0	122
39	Spatial variation of salt-marsh organic and inorganic deposition and organic carbon accumulation: Inferences from the Venice lagoon, Italy. Advances in Water Resources, 2016, 93, 276-287.	1.7	80
40	An integrated study of the Homo -bearing Aalat stratigraphic section (Eritrea): An expanded continental record at the Early–Middle Pleistocene transition. Journal of African Earth Sciences, 2015, 112, 163-185.	0.9	27
41	Planview style and palaeodrainage of Torridonian channel belts: Applecross Formation, Stoer Peninsula, Scotland. Sedimentary Geology, 2015, 325, 1-16.	1.0	48
42	Gilbertâ€ŧype deltas recording shortâ€ŧerm baseâ€level changes: Deltaâ€brink morphodynamics and related foreset facies. Sedimentology, 2015, 62, 1923-1949.	1.6	67
43	Climatic and Hydrologic Changes in Northern Ethiopia in the last 3,500ÂYears: Evidence from the Geomorphic, Stratigraphic, and Geochemical Archives of Hayk Lake. World Geomorphological Landscapes, 2015, , 239-250.	0.1	0
44	Stratal Architecture and Morphodynamics of Downstream-Migrating Fluvial Point Bars (Jurassic) Tj ETQq0 0 0 rgE	3T /Overloo 0.8	ck 10 Tf 50 4
45	Numerical modeling of tectonically driven river dynamics and deposition in an upland incised valley. Geomorphology, 2015, 241, 353-370.	1.1	14
46	Tectonically driven deposition and landscape evolution within upland incised valleys: Ambra Valley fill, Pliocene–Pleistocene, Tuscany, Italy. Sedimentology, 2015, 62, 897-927.	1.6	22
47	Reciprocal Changes In Foreset To Bottomset Facies In A Gilbert-Type Delta: Response To Short-Term Changes In Base Level. Journal of Sedimentary Research, 2014, 84, 1079-1095.	0.8	53
48	Development of an incised valleyâ€fill at an evolving rift margin: Pleistocene eustasy and tectonics on the southern side of the Gulf of Corinth, Greece. Sedimentology, 2014, 61, 1086-1119.	1.6	32
49	Planâ€form evolution of ancient meandering rivers reconstructed from longitudinal outcrop sections. Sedimentology, 2014, 61, 952-977.	1.6	83
50	Facies associations of the northern Dandiero Basin (Danakil depression, Eritrea, including the) Tj ETQq0 0 0 rgBT	/Overlock	10 Tf 50 222

51	plain (Scalby Formation, Yorkshire, <scp>UK</scp> ). Sedimentology, 2014, 61, 1923-1960.	1.6	116
52	Latest evidence of <i>Palaeoamasia</i> (Mammalia, Embrithopoda) in Turkish Anatolia. Journal of Vertebrate Paleontology, 2014, 34, 1155-1164.	0.4	13
53	Fault-sourced alluvial fans and their interaction with axial fluvial drainage: An example from the Plio-Pleistocene Upper Valdarno Basin (Tuscany, Italy). Sedimentary Geology, 2013, 289, 19-39.	1.0	35

54 Geological map of Pliocene-Pleistocene deposits of the Ambra and Ombrone valleys (Northern Siena) Tj ETQq0 0 0 rgBT /Overlock 10 Tf

3

#	Article	IF	CITATIONS
55	Shoreline fluctuations of Lake Hayk (northern Ethiopia) during the last 3500years: Geomorphological, sedimentary, and isotope records. Palaeogeography, Palaeoclimatology, Palaeoecology, 2012, 365-366, 209-226.	1.0	22
56	Chute channels in the Holocene highâ€sinuosity river deposits of the Firenze plain, Tuscany, Italy. Sedimentology, 2011, 58, 618-642.	1.6	54
57	Onset of temperate carbonate sedimentation during transgression in a low-energy siliciclastic embayment (Pliocene of the Val d'Orcia Basin, Tuscany, Italy). Facies, 2010, 56, 353-368.	0.7	13
58	Stratigraphic context and taxonomic assessment of the large cercopithecoid (Primates, Mammalia) from the late Early Pleistocene palaeoanthropological site of Buia (Eritrea). Journal of Human Evolution, 2010, 59, 692-697.	1.3	15
59	Pleistocene environments and human presence in the middle Atbara valley (Khashm El Girba, Eastern) Tj ETQq1 1	0.784314 1.8	rggT /Overl
60	The Late Pleistocene clastic deposits in the Romito Cave, southern Italy: a proxy record of environmental changes and human presence. Journal of Quaternary Science, 2009, 24, 383-398.	1.1	22
61	Palaeoenvironments of the Buia Homo site: High-resolution facies analysis and non-marine sequence stratigraphy in the Alat formation (Pleistocene Dandiero Basin, Danakil depression, Eritrea). Palaeogeography, Palaeoclimatology, Palaeoecology, 2009, 280, 415-431.	1.0	37
62	Climatic and Tectonic Signature in the Fluvial Infill of a Late Pliocene Valley (Siena Basin, Northern) Tj ETQq0 0 0 r	gBT /Overl 0.8	ock 10 Tf 5
63	The effects of differential subsidence and coastal topography on high-order transgressive–regressive cycles: Pliocene nearshore deposits of the Val d'Orcia Basin, Northern Apennines, Italy. Sedimentary Geology, 2007, 202, 677-701.	1.0	39
64	Arid climate 2.5 Ma in the Plio-Pleistocene Valdarno Basin (Northern Apennines, Italy). Palaeogeography, Palaeoclimatology, Palaeoecology, 2004, 207, 37-57.	1.0	43
65	Ontogeny of a subtidal point bar in the microtidal Venice Lagoon (Italy) revealed by threeâ€dimensional architectural analyses. Sedimentology, 0, , .	1.6	2

From electromagnetic to sediment textural maps: an integrated approach to unravel the intra-point-bar variability of sediment properties. Journal of the Geological Society, 0, , jgs2021-156.