Frederike Schirmbeck

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7994767/publications.pdf

Version: 2024-02-01

60 papers

1,039 citations

16 h-index

29 g-index

68 all docs

68
docs citations

68 times ranked 1279 citing authors

#	Article	IF	CITATIONS
1	Clozapine-Induced Obsessive-Compulsive Symptoms in Schizophrenia: A Critical Review. Current Neuropharmacology, 2012, 10, 88-95.	1.4	109
2	Comorbid obsessive-compulsive symptoms in schizophrenia: contributions of pharmacological and genetic factors. Frontiers in Pharmacology, 2013, 4, 99.	1.6	81
3	Stable Cognitive Deficits in Schizophrenia Patients With Comorbid Obsessive-Compulsive Symptoms: A 12-Month Longitudinal Study. Schizophrenia Bulletin, 2013, 39, 1261-1271.	2.3	71
4	Clozapine-Induced Obsessive-Compulsive Syndromes Improve in Combination With Aripiprazole. Clinical Neuropharmacology, 2009, 32, 227-229.	0.2	62
5	Reduced activation in ventral striatum and ventral tegmental area during probabilistic decision-making in schizophrenia. Schizophrenia Research, 2014, 156, 143-149.	1.1	52
6	Association Between Smoking Behavior and Cognitive Functioning in Patients With Psychosis, Siblings, and Healthy Control Subjects: Results From a Prospective 6-Year Follow-Up Study. American Journal of Psychiatry, 2018, 175, 1121-1128.	4.0	49
7	Differential effects of antipsychotic agents on obsessive–compulsive symptoms in schizophrenia: a longitudinal study. Journal of Psychopharmacology, 2013, 27, 349-357.	2.0	45
8	Increased orbitofrontal cortex activation associated with "pro-obsessive―antipsychotic treatment in patients with schizophrenia. Journal of Psychiatry and Neuroscience, 2015, 40, 89-99.	1.4	35
9	Smoking, symptoms, and quality of life in patients with psychosis, siblings, and healthy controls: a prospective, longitudinal cohort study. Lancet Psychiatry,the, 2019, 6, 25-34.	3.7	30
10	Use of Natural Language Processing to identify Obsessive Compulsive Symptoms in patients with schizophrenia, schizoaffective disorder or bipolar disorder. Scientific Reports, 2019, 9, 14146.	1.6	27
11	Reduced activation in the ventral striatum during probabilistic decision-making in patients in an at-risk mental state. Journal of Psychiatry and Neuroscience, 2015, 40, 163-173.	1.4	26
12	Autistic traits in psychotic disorders: prevalence, familial risk, and impact on social functioning. Psychological Medicine, 2021, 51, 1704-1713.	2.7	24
13	Deep brain stimulation versus ablative surgery for treatmentâ€refractory obsessiveâ€compulsive disorder: A metaâ€analysis. Acta Psychiatrica Scandinavica, 2021, 143, 307-318.	2.2	23
14	Metamemory in schizophrenia: Retrospective confidence ratings interact with neurocognitive deficits. Psychiatry Research, 2015, 225, 596-603.	1.7	22
15	Polymorphisms in the glutamate transporter gene SLC1A1 and obsessive–compulsive symptoms induced by second-generation antipsychotic agents. Psychiatric Genetics, 2012, 22, 245-252.	0.6	21
16	Association of <i>Toxoplasma gondii</i> Seropositivity With Cognitive Function in Healthy People. JAMA Psychiatry, 2021, 78, 1103.	6.0	20
17	Neurocognitive capabilities modulate the integration of evidence in schizophrenia. Psychiatry Research, 2014, 219, 72-78.	1.7	19
18	Obsessive–compulsive symptoms and overall psychopathology in psychotic disorders: longitudinal assessment of patients and siblings. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 279-289.	1.8	18

#	Article	IF	CITATIONS
19	Genetic copy number variants, cognition and psychosis: a meta-analysis and a family study. Molecular Psychiatry, 2021, 26, 5307-5319.	4.1	18
20	Longitudinal evidence for a relation between depressive symptoms and quality of life in schizophrenia using structural equation modeling. Schizophrenia Research, 2019, 208, 82-89.	1.1	16
21	A Network of Psychopathological, Cognitive, and Motor Symptoms in Schizophrenia Spectrum Disorders. Schizophrenia Bulletin, 2021, 47, 915-926.	2.3	16
22	Autistic Symptoms and Social Functioning in Psychosis: A Network Approach. Schizophrenia Bulletin, 2021, , .	2.3	16
23	Cognitive behavioral therapy for social activation in recent-onset psychosis: Randomized controlled trial Journal of Consulting and Clinical Psychology, 2019, 87, 151-160.	1.6	15
24	The impact of affective symptoms on personal recovery of patients with severe mental illness. International Journal of Social Psychiatry, 2018, 64, 521-527.	1.6	14
25	Childhood trauma and coping in patients with psychotic disorders and obsessive-compulsive symptoms and in un-affected siblings. Child Abuse and Neglect, 2020, 99, 104243.	1.3	12
26	Efficacy of Acceptance and Commitment Therapy in Daily Life in Early Psychosis: Results from the Multi-Center INTERACT Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2022, 91, 411-423.	4.0	12
27	Relevance of Five-Factor Model personality traits for obsessive–compulsive symptoms in patients with psychotic disorders and their un-affected siblings. Psychiatry Research, 2015, 225, 464-470.	1.7	11
28	Obsessiveâ€"compulsive symptoms in psychotic disorders: longitudinal associations of symptom clusters on between- and within-subject levels. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 245-255.	1.8	11
29	The role of cognitive functioning in the relationship between childhood trauma and a mixed phenotype of affective-anxious-psychotic symptoms in psychotic disorders. Schizophrenia Research, 2018, 192, 262-268.	1.1	10
30	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. Schizophrenia Bulletin, 2021, 47, 1018-1028.	2.3	10
31	The associations between childhood trauma, neuroticism and comorbid obsessive-compulsive symptoms in patients with psychotic disorders. Psychiatry Research, 2017, 254, 48-53.	1.7	9
32	A comparison of depressive symptom profiles between current major depressive disorder and schizophrenia spectrum disorder. Journal of Psychiatric Research, 2021, 135, 143-151.	1.5	9
33	The Community Assessment of Psychic Experiences: Optimal cutâ€off scores for detecting individuals with a psychotic disorder. International Journal of Methods in Psychiatric Research, 2021, 30, e1893.	1.1	9
34	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. Schizophrenia Bulletin, 2022, 48, 100-110.	2.3	9
35	The Puzzle of Functional Recovery in Schizophrenia-Spectrum Disorders—Replicating a Network Analysis Study. Schizophrenia Bulletin, 2022, 48, 871-880.	2.3	9
36	Economic evaluation of brief cognitive behavioural therapy for social activation in recent-onset psychosis. PLoS ONE, 2018, 13, e0206236.	1.1	8

#	Article	IF	CITATIONS
37	Reduced activity and connectivity of left amygdala in patients with schizophrenia treated with clozapine or olanzapine. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 931-940.	1.8	8
38	Association between skin autofluorescence of advanced glycation end products and affective disorders in the lifelines cohort study. Journal of Affective Disorders, 2020, 275, 230-237.	2.0	8
39	Relationship between social cognition, general cognition, and risk for suicide in individuals with a psychotic disorder. Schizophrenia Research, 2021, 231, 227-236.	1.1	8
40	Epidemiology: Prevalence and Clinical Characteristics of Obsessive-Compulsive Disorder and Obsessive-Compulsive Symptoms in Patients with Psychotic Disorders., 2015,, 47-61.		7
41	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. Schizophrenia Research, 2020, 230, 104-107.	1.1	6
42	Meta-analysis of cognitive functioning in patients with psychotic disorders and obsessive–compulsive symptoms. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 689-706.	1.8	6
43	Association between tobacco use and symptomatology in individuals at ultra-high risk to develop a psychosis: A longitudinal study. Schizophrenia Research, 2021, 236, 48-53.	1.1	6
44	Effects of Antipsychotic Treatment on Obsessive-Compulsive Symptoms., 2015,, 147-175.		6
45	Longitudinal association between motor and obsessive compulsive symptoms in patients with psychosis and their unaffected siblings. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 257-268.	1.8	5
46	An experience sampling study on the ecological validity of the SWN-20: Indication that subjective well-being is associated with momentary affective states above and beyond psychosis susceptibility. Psychiatry Research, 2017, 258, 234-238.	1.7	4
47	Insight, personality, and symptoms among individuals with psychosis: Cross-sectional and longitudinal relationships. Schizophrenia Research, 2020, 222, 243-250.	1.1	4
48	Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. JMIR Mental Health, 2021, 8, e30309.	1.7	4
49	Impact of coping styles on substance use in persons with psychosis, siblings, and controls. Schizophrenia Research, 2022, 241, 102-109.	1.1	4
50	Long-term treatment of antipsychotics and combined therapy with other psychotropic medications inducing weight gain in patients with non-affective psychotic disorder: Evidence from GROUP, a longitudinal study. Psychiatry Research, 2022, 314, 114680.	1.7	3
51	Stressful experiences affect the course of co-occurring obsessive-compulsive and psychotic symptoms: A focus on within-subject processes. Schizophrenia Research, 2020, 216, 69-76.	1.1	2
52	Skin autofluorescence of advanced glycation end products and mortality in affective disorders in the lifelines cohort study: A mediation analysis. Journal of Affective Disorders, 2021, 282, 1082-1089.	2.0	2
53	Impact of Smoking Behavior on Cognitive Functioning in Persons at Risk for Psychosis and Healthy Controls: A Longitudinal Study. European Psychiatry, 2021, 64, 1-20.	0.1	2
54	Patterns of obsessive-compulsive symptoms and social functioning in schizophrenia; a replication study. Psychiatry Research, 2019, 271, 421-427.	1.7	1

#	Article	IF	CITATION
55	Skin autofluorescence of advanced glycation end products and course of affective disorders in the lifelines cohort study, a prospective investigation. Journal of Affective Disorders, 2020, 276, 424-432.	2.0	1
56	O11.3. A LONGITUDINAL ANALYSIS OF THE EFFECTS OF NEUROTICISM AND EXTRAVERSION ON SUBJECTIVE WELL-BEING IN PATIENTS WITH SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S107-S107.	2.3	0
57	O6.2. A NETWORK FOR COGNITIVE, MOTOR, AND PSYCHOPATHOLOGICAL ALTERATIONS IN SCHIZOPHRENIA SPECTRUM DISORDERS. Schizophrenia Bulletin, 2020, 46, S13-S14.	2.3	0
58	The association between sleep disturbances and negative symptom severity in patients with non-affective psychotic disorders, unaffected siblings and healthy controls. Psychiatry Research, 2021, 297, 113728.	1.7	0
59	M83. AUTISTIC TRAITS AS LINKING PIN TO SOCIAL FUNCTIONING IN PSYCHOSIS: A NETWORK APPROACH. Schizophrenia Bulletin, 2020, 46, S166-S166.	2.3	O
60	Impact of smoking behavior on cognitive functioning in persons at risk for psychosis and healthy controls: A longitudinal study – CORRIGENDUM. European Psychiatry, 2022, 65, e17.	0.1	0