

Frederike Schirmbeck

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7994767/publications.pdf>

Version: 2024-02-01

60
papers

1,039
citations

516561

16
h-index

477173

29
g-index

68
all docs

68
docs citations

68
times ranked

1279
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	2.3	9
2	Impact of coping styles on substance use in persons with psychosis, siblings, and controls. <i>Schizophrenia Research</i> , 2022, 241, 102-109.	1.1	4
3	The Puzzle of Functional Recovery in Schizophrenia-Spectrum Disordersâ€”Replicating a Network Analysis Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 871-880.	2.3	9
4	Impact of smoking behavior on cognitive functioning in persons at risk for psychosis and healthy controls: A longitudinal study â€” CORRIGENDUM. <i>European Psychiatry</i> , 2022, 65, e17.	0.1	0
5	Efficacy of Acceptance and Commitment Therapy in Daily Life in Early Psychosis: Results from the Multi-Center INTERACT Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2022, 91, 411-423.	4.0	12
6	Long-term treatment of antipsychotics and combined therapy with other psychotropic medications inducing weight gain in patients with non-affective psychotic disorder: Evidence from GROUP, a longitudinal study. <i>Psychiatry Research</i> , 2022, 314, 114680.	1.7	3
7	Genetic copy number variants, cognition and psychosis: a meta-analysis and a family study. <i>Molecular Psychiatry</i> , 2021, 26, 5307-5319.	4.1	18
8	Autistic traits in psychotic disorders: prevalence, familial risk, and impact on social functioning. <i>Psychological Medicine</i> , 2021, 51, 1704-1713.	2.7	24
9	Meta-analysis of cognitive functioning in patients with psychotic disorders and obsessiveâ€”compulsive symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 689-706.	1.8	6
10	A comparison of depressive symptom profiles between current major depressive disorder and schizophrenia spectrum disorder. <i>Journal of Psychiatric Research</i> , 2021, 135, 143-151.	1.5	9
11	Deep brain stimulation versus ablative surgery for treatmentâ€”refractory obsessiveâ€”compulsive disorder: A metaâ€”analysis. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 307-318.	2.2	23
12	A Network of Psychopathological, Cognitive, and Motor Symptoms in Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2021, 47, 915-926.	2.3	16
13	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	2.3	10
14	The association between sleep disturbances and negative symptom severity in patients with non-affective psychotic disorders, unaffected siblings and healthy controls. <i>Psychiatry Research</i> , 2021, 297, 113728.	1.7	0
15	Skin autofluorescence of advanced glycation end products and mortality in affective disorders in the lifelines cohort study: A mediation analysis. <i>Journal of Affective Disorders</i> , 2021, 282, 1082-1089.	2.0	2
16	Relationship between social cognition, general cognition, and risk for suicide in individuals with a psychotic disorder. <i>Schizophrenia Research</i> , 2021, 231, 227-236.	1.1	8
17	Autistic Symptoms and Social Functioning in Psychosis: A Network Approach. <i>Schizophrenia Bulletin</i> , 2021, , .	2.3	16
18	Association of <i>Toxoplasma gondii</i> Seropositivity With Cognitive Function in Healthy People. <i>JAMA Psychiatry</i> , 2021, 78, 1103.	6.0	20

#	ARTICLE	IF	CITATIONS
19	The Community Assessment of Psychic Experiences: Optimal cut-off scores for detecting individuals with a psychotic disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1893.	1.1	9
20	Impact of Smoking Behavior on Cognitive Functioning in Persons at Risk for Psychosis and Healthy Controls: A Longitudinal Study. <i>European Psychiatry</i> , 2021, 64, 1-20.	0.1	2
21	Association between tobacco use and symptomatology in individuals at ultra-high risk to develop a psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2021, 236, 48-53.	1.1	6
22	Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. <i>JMIR Mental Health</i> , 2021, 8, e30309.	1.7	4
23	Stressful experiences affect the course of co-occurring obsessive-compulsive and psychotic symptoms: A focus on within-subject processes. <i>Schizophrenia Research</i> , 2020, 216, 69-76.	1.1	2
24	Childhood trauma and coping in patients with psychotic disorders and obsessive-compulsive symptoms and in un-affected siblings. <i>Child Abuse and Neglect</i> , 2020, 99, 104243.	1.3	12
25	Skin autofluorescence of advanced glycation end products and course of affective disorders in the lifelines cohort study, a prospective investigation. <i>Journal of Affective Disorders</i> , 2020, 276, 424-432.	2.0	1
26	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	1.1	6
27	Association between skin autofluorescence of advanced glycation end products and affective disorders in the lifelines cohort study. <i>Journal of Affective Disorders</i> , 2020, 275, 230-237.	2.0	8
28	Insight, personality, and symptoms among individuals with psychosis: Cross-sectional and longitudinal relationships. <i>Schizophrenia Research</i> , 2020, 222, 243-250.	1.1	4
29	O6.2. A NETWORK FOR COGNITIVE, MOTOR, AND PSYCHOPATHOLOGICAL ALTERATIONS IN SCHIZOPHRENIA SPECTRUM DISORDERS. <i>Schizophrenia Bulletin</i> , 2020, 46, S13-S14.	2.3	0
30	M83. AUTISTIC TRAITS AS LINKING PIN TO SOCIAL FUNCTIONING IN PSYCHOSIS: A NETWORK APPROACH. <i>Schizophrenia Bulletin</i> , 2020, 46, S166-S166.	2.3	0
31	Longitudinal association between motor and obsessive compulsive symptoms in patients with psychosis and their unaffected siblings. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 257-268.	1.8	5
32	Use of Natural Language Processing to identify Obsessive Compulsive Symptoms in patients with schizophrenia, schizoaffective disorder or bipolar disorder. <i>Scientific Reports</i> , 2019, 9, 14146.	1.6	27
33	Longitudinal evidence for a relation between depressive symptoms and quality of life in schizophrenia using structural equation modeling. <i>Schizophrenia Research</i> , 2019, 208, 82-89.	1.1	16
34	Reduced activity and connectivity of left amygdala in patients with schizophrenia treated with clozapine or olanzapine. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 931-940.	1.8	8
35	Smoking, symptoms, and quality of life in patients with psychosis, siblings, and healthy controls: a prospective, longitudinal cohort study. <i>Lancet Psychiatry</i> , 2019, 6, 25-34.	3.7	30
36	Patterns of obsessive-compulsive symptoms and social functioning in schizophrenia; a replication study. <i>Psychiatry Research</i> , 2019, 271, 421-427.	1.7	1

#	ARTICLE	IF	CITATIONS
37	Obsessive-compulsive symptoms in psychotic disorders: longitudinal associations of symptom clusters on between- and within-subject levels. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 245-255.	1.8	11
38	Cognitive behavioral therapy for social activation in recent-onset psychosis: Randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2019, 87, 151-160.	1.6	15
39	O11.3. A LONGITUDINAL ANALYSIS OF THE EFFECTS OF NEUROTICISM AND EXTRAVERSION ON SUBJECTIVE WELL-BEING IN PATIENTS WITH SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S107-S107.	2.3	0
40	The role of cognitive functioning in the relationship between childhood trauma and a mixed phenotype of affective-anxious-psychotic symptoms in psychotic disorders. <i>Schizophrenia Research</i> , 2018, 192, 262-268.	1.1	10
41	Obsessive-compulsive symptoms and overall psychopathology in psychotic disorders: longitudinal assessment of patients and siblings. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 279-289.	1.8	18
42	Economic evaluation of brief cognitive behavioural therapy for social activation in recent-onset psychosis. <i>PLoS ONE</i> , 2018, 13, e0206236.	1.1	8
43	Association Between Smoking Behavior and Cognitive Functioning in Patients With Psychosis, Siblings, and Healthy Control Subjects: Results From a Prospective 6-Year Follow-Up Study. <i>American Journal of Psychiatry</i> , 2018, 175, 1121-1128.	4.0	49
44	The impact of affective symptoms on personal recovery of patients with severe mental illness. <i>International Journal of Social Psychiatry</i> , 2018, 64, 521-527.	1.6	14
45	The associations between childhood trauma, neuroticism and comorbid obsessive-compulsive symptoms in patients with psychotic disorders. <i>Psychiatry Research</i> , 2017, 254, 48-53.	1.7	9
46	An experience sampling study on the ecological validity of the SWN-20: Indication that subjective well-being is associated with momentary affective states above and beyond psychosis susceptibility. <i>Psychiatry Research</i> , 2017, 258, 234-238.	1.7	4
47	Metamemory in schizophrenia: Retrospective confidence ratings interact with neurocognitive deficits. <i>Psychiatry Research</i> , 2015, 225, 596-603.	1.7	22
48	Relevance of Five-Factor Model personality traits for obsessive-compulsive symptoms in patients with psychotic disorders and their un-affected siblings. <i>Psychiatry Research</i> , 2015, 225, 464-470.	1.7	11
49	Increased orbitofrontal cortex activation associated with "pro-obsessive" antipsychotic treatment in patients with schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 89-99.	1.4	35
50	Reduced activation in the ventral striatum during probabilistic decision-making in patients in an at-risk mental state. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 163-173.	1.4	26
51	Effects of Antipsychotic Treatment on Obsessive-Compulsive Symptoms. , 2015, , 147-175.		6
52	Epidemiology: Prevalence and Clinical Characteristics of Obsessive-Compulsive Disorder and Obsessive-Compulsive Symptoms in Patients with Psychotic Disorders. , 2015, , 47-61.		7
53	Reduced activation in ventral striatum and ventral tegmental area during probabilistic decision-making in schizophrenia. <i>Schizophrenia Research</i> , 2014, 156, 143-149.	1.1	52
54	Neurocognitive capabilities modulate the integration of evidence in schizophrenia. <i>Psychiatry Research</i> , 2014, 219, 72-78.	1.7	19

#	ARTICLE	IF	CITATIONS
55	Stable Cognitive Deficits in Schizophrenia Patients With Comorbid Obsessive-Compulsive Symptoms: A 12-Month Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2013, 39, 1261-1271.	2.3	71
56	Differential effects of antipsychotic agents on obsessive-compulsive symptoms in schizophrenia: a longitudinal study. <i>Journal of Psychopharmacology</i> , 2013, 27, 349-357.	2.0	45
57	Comorbid obsessive-compulsive symptoms in schizophrenia: contributions of pharmacological and genetic factors. <i>Frontiers in Pharmacology</i> , 2013, 4, 99.	1.6	81
58	Polymorphisms in the glutamate transporter gene SLC1A1 and obsessive-compulsive symptoms induced by second-generation antipsychotic agents. <i>Psychiatric Genetics</i> , 2012, 22, 245-252.	0.6	21
59	Clozapine-Induced Obsessive-Compulsive Symptoms in Schizophrenia: A Critical Review. <i>Current Neuropharmacology</i> , 2012, 10, 88-95.	1.4	109
60	Clozapine-Induced Obsessive-Compulsive Syndromes Improve in Combination With Aripiprazole. <i>Clinical Neuropharmacology</i> , 2009, 32, 227-229.	0.2	62