Judit M Nagy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7995895/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Discovery of new risk loci for IgA nephropathy implicates genes involved in immunity against intestinal pathogens. Nature Genetics, 2014, 46, 1187-1196.	21.4	505
2	Geographic Differences in Genetic Susceptibility to IgA Nephropathy: GWAS Replication Study and Geospatial Risk Analysis. PLoS Genetics, 2012, 8, e1002765.	3.5	301
3	Improvement of mineral and bone metabolism markers is associated with better survival in haemodialysis patients: the COSMOS study. Nephrology Dialysis Transplantation, 2015, 30, 1542-1551.	0.7	140
4	Use of phosphate-binding agents is associated with a lower risk of mortality. Kidney International, 2013, 84, 998-1008.	5.2	136
5	Nϵ-(carboxymethyl) ysine levels in patients with type 2 diabetes: Role of renal function. American Journal of Kidney Diseases, 2001, 38, 785-791.	1.9	90
6	Serum Carboxymethyllysine Predicts Mortality in Hemodialysis Patients. American Journal of Kidney Diseases, 2006, 47, 294-300.	1.9	81
7	Oxidative Stress and Antioxidant Defense Mechanism in Glomerular Diseases. Free Radical Biology and Medicine, 1997, 22, 161-168.	2.9	80
8	COSMOS: the dialysis scenario of CKD–MBD in Europe. Nephrology Dialysis Transplantation, 2013, 28, 1922-1935.	0.7	79
9	Induction of Endothelial Cell Injury by Cigarette Smoke. Endothelium: Journal of Endothelial Cell Research, 1997, 5, 251-263.	1.7	62
10	A history of diabetes mellitus or how a disease of the kidneys evolved into a kidney disease. Advances in Chronic Kidney Disease, 2005, 12, 223-229.	1.4	54
11	Influence of Body Mass Index on the Association of Weight Changes with Mortality in Hemodialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 1725-1733.	4.5	49
12	Do Intestinal Hyperpermeability and the Related Food Antigens Play a Role in the Progression of IgA Nephropathy?. American Journal of Nephrology, 1996, 16, 500-505.	3.1	45
13	Urinary ortho-tyrosine excretion in diabetes mellitus and renal failure: Evidence for hydroxyl radical production. Kidney International, 2005, 68, 2281-2287.	5.2	45
14	Effect of Inflammatory Mediators Lipopolysaccharide and Lipoteichoic Acid on Iron Metabolism of Differentiated SH-SY5Y Cells Alters in the Presence of BV-2 Microglia. International Journal of Molecular Sciences, 2019, 20, 17.	4.1	39
15	Association of a uteroglobin polymorphism with rate of progression in patients with IgA nephropathy. American Journal of Kidney Diseases, 2000, 36, 468-473.	1.9	33
16	A second field metachronous Merkel cell carcinoma of the lip and the palatine tonsil confirmed by microarray-based comparative genomic hybridisation. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2005, 446, 278-286.	2.8	28
17	Membrane Attack Complex and Membrane Cofactor Protein Are Related to Tubulointerstitial Inflammation in Various Human Glomerulopathies. Nephron, 1997, 75, 179-187.	0.6	25
18	Renal protection in IgA nephropathy requires strict blood pressure control. Nephrology Dialysis Transplantation, 2005, 20, 1533-1539.	0.7	25

JUDIT M NAGY

#	Article	IF	CITATIONS
19	αâ€1 Antitrypsin binds preprohepcidin intracellularly and prohepcidin in the serum. FEBS Journal, 2009, 276, 2012-2021.	4.7	24
20	Serum phosphate optimal timing and range associated with patients survival in haemodialysis: the COSMOS study. Nephrology Dialysis Transplantation, 2019, 34, 673-681.	0.7	23
21	Polymorphisms of the IL23R Gene Are Associated with Psoriasis but not with Immunoglobulin A Nephropathy in a Hungarian Population. Inflammation, 2011, 34, 603-608.	3.8	22
22	Quality of life in head and neck cancer patients after tumor therapy and subsequent rehabilitation: an exploratory study. Quality of Life Research, 2014, 23, 135-143.	3.1	22
23	Prohepcidin binds to the <i>HAMP</i> promoter and autoregulates its own expression. Biochemical Journal, 2013, 451, 301-311.	3.7	21
24	Current management of secondary hyperparathyroidism: a multicenter observational study (COSMOS). Journal of Nephrology, 2008, 21, 290-8.	2.0	21
25	Circadian Blood Pressure Changes and Cardiac Abnormalities in IgA Nephropathy. American Journal of Nephrology, 1999, 19, 546-551.	3.1	20
26	Data processing of digital recordings of microscopic examination of urinary sediment. Clinica Chimica Acta, 2000, 297, 225-237.	1.1	18
27	Different Effect of IgA Nephropathy and Polycystic Kidney Disease on Arterial Stiffness. Kidney and Blood Pressure Research, 2011, 34, 158-166.	2.0	18
28	Metabolic syndrome and other cardiovascular risk factors associated with the progression of IgA nephropathy. CKJ: Clinical Kidney Journal, 2013, 6, 395-401.	2.9	18
29	Prevention and treatment of diabetic nephropathy. Diabetes Research and Clinical Practice, 2005, 68, S36-S42.	2.8	15
30	Analgesic nephropathy in Hungary: the HANS study. Nephrology Dialysis Transplantation, 2004, 19, 840-843.	0.7	14
31	Hepcidin and its potential clinical utility. Cell Biology International, 2015, 39, 1191-1202.	3.0	14
32	HBsAg IN RENAL DISEASE. Lancet, The, 1978, 312, 315-316.	13.7	13
33	A Note on the Early History of Renal Transplantation: Emerich (Imre) Ullmann. American Journal of Nephrology, 1999, 19, 346-349.	3.1	13
34	Serum prohepcidin levels in chronic inflammatory bowel diseases. Journal of Crohn's and Colitis, 2010, 4, 649-653.	1.3	13
35	Effect of tonsillectomy and its timing on renal outcomes in Caucasian IgA nephropathy patients. International Urology and Nephrology, 2014, 46, 2175-2182.	1.4	13
36	Role of iron in the interaction of red blood cells with methylglyoxal. Modification of l-arginine by methylglyoxal is catalyzed by iron redox cycling. Chemico-Biological Interactions, 2001, 138, 171-187.	4.0	10

Judit M Nagy

#	Article	IF	CITATIONS
37	Microalbuminuria, Indicated by Total versus Immunoreactive Urinary Albumins, in Acute Ischemic Stroke Patients. Journal of Stroke and Cerebrovascular Diseases, 2011, 20, 510-516.	1.6	10
38	An unusual multiplex cause of severe gastrointestinal bleeding in a haemodialysed patient. Nephrology Dialysis Transplantation, 2000, 15, 1869-1871.	0.7	9
39	Heart rate recovery after exercise is associated with renal function in patients with a homogenous chronic renal disease. Nephrology Dialysis Transplantation, 2010, 25, 509-513.	0.7	9
40	Diagnosis and successful management of calciphylaxis in a pancreas–kidney transplant patient. Nephrology Dialysis Transplantation, 2005, 20, 1520-1521.	0.7	5
41	Prognostic histological and immune markers of renal cell carcinoma. Pathology and Oncology Research, 2001, 7, 118-124.	1.9	4
42	Risk of hospitalization associated with body mass index and weight changes among prevalent haemodialysis patients. Nefrologia, 2018, 38, 520-527.	0.4	3
43	Risk of hospitalization associated with body mass index and weight changes among prevalent haemodialysis patients. Nefrologia, 2018, 38, 520-527.	0.4	3
44	The prognostic role of heart rate recovery after exercise and metabolic syndrome in IgA nephropathy. BMC Nephrology, 2021, 22, 390.	1.8	3
45	Specific von Hippel-Lindau protein expression of clear cell renal cell carcinoma with "immunogenic― features. Pathology and Oncology Research, 2001, 7, 42-45.	1.9	2
46	Richard Bright in Hungary: A Reevaluation. American Journal of Nephrology, 1997, 17, 387-391.	3.1	1
47	Diagnosis and successful management of calciphylaxis in a pancreas–kidney transplant patient. Nephrology Dialysis Transplantation, 2005, 20, 2295-2295.	0.7	1
48	Special Clinical Syndromes. , 2009, , 121-138.		1
49	Serum Total LDH Activity and LDH-2 Isozyme in Nephrotic Syndrome. Kidney and Blood Pressure Research, 2008, 31, 47-54.	2.0	0
50	HPLC is more sensitive to assess urinary albumin than nephelometry in acute stroke patients. FASEB Journal, 2009, 23, 613.10.	0.5	0
51	Correlation between acute stroke and microalbuminuria. Potential role of underlying systemic microvascular endothelial disease. FASEB Journal, 2009, 23, 613.9.	0.5	0