
## Judit M Nagy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7995895/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The prognostic role of heart rate recovery after exercise and metabolic syndrome in IgA nephropathy. BMC Nephrology, 2021, 22, 390.	0.8	3
2	Serum phosphate optimal timing and range associated with patients survival in haemodialysis: the COSMOS study. Nephrology Dialysis Transplantation, 2019, 34, 673-681.	0.4	23
3	Effect of Inflammatory Mediators Lipopolysaccharide and Lipoteichoic Acid on Iron Metabolism of Differentiated SH-SY5Y Cells Alters in the Presence of BV-2 Microglia. International Journal of Molecular Sciences, 2019, 20, 17.	1.8	39
4	Risk of hospitalization associated with body mass index and weight changes among prevalent haemodialysis patients. Nefrologia, 2018, 38, 520-527.	0.2	3
5	Risk of hospitalization associated with body mass index and weight changes among prevalent haemodialysis patients. Nefrologia, 2018, 38, 520-527.	0.2	3
6	Hepcidin and its potential clinical utility. Cell Biology International, 2015, 39, 1191-1202.	1.4	14
7	Improvement of mineral and bone metabolism markers is associated with better survival in haemodialysis patients: the COSMOS study. Nephrology Dialysis Transplantation, 2015, 30, 1542-1551.	0.4	140
8	Effect of tonsillectomy and its timing on renal outcomes in Caucasian IgA nephropathy patients. International Urology and Nephrology, 2014, 46, 2175-2182.	0.6	13
9	Quality of life in head and neck cancer patients after tumor therapy and subsequent rehabilitation: an exploratory study. Quality of Life Research, 2014, 23, 135-143.	1.5	22
10	Discovery of new risk loci for IgA nephropathy implicates genes involved in immunity against intestinal pathogens. Nature Genetics, 2014, 46, 1187-1196.	9.4	505
11	COSMOS: the dialysis scenario of CKD–MBD in Europe. Nephrology Dialysis Transplantation, 2013, 28, 1922-1935.	0.4	79
12	Use of phosphate-binding agents is associated with a lower risk of mortality. Kidney International, 2013, 84, 998-1008.	2.6	136
13	Influence of Body Mass Index on the Association of Weight Changes with Mortality in Hemodialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 1725-1733.	2.2	49
14	Prohepcidin binds to the <i>HAMP</i> promoter and autoregulates its own expression. Biochemical Journal, 2013, 451, 301-311.	1.7	21
15	Metabolic syndrome and other cardiovascular risk factors associated with the progression of IgA nephropathy. CKJ: Clinical Kidney Journal, 2013, 6, 395-401.	1.4	18
16	Geographic Differences in Genetic Susceptibility to IgA Nephropathy: GWAS Replication Study and Geospatial Risk Analysis. PLoS Genetics, 2012, 8, e1002765.	1.5	301
17	Microalbuminuria, Indicated by Total versus Immunoreactive Urinary Albumins, in Acute Ischemic Stroke Patients. Journal of Stroke and Cerebrovascular Diseases, 2011, 20, 510-516.	0.7	10
18	Polymorphisms of the IL23R Gene Are Associated with Psoriasis but not with Immunoglobulin A Nephropathy in a Hungarian Population. Inflammation, 2011, 34, 603-608.	1.7	22

Judit M Nagy

#	Article	IF	CITATIONS
19	Different Effect of IgA Nephropathy and Polycystic Kidney Disease on Arterial Stiffness. Kidney and Blood Pressure Research, 2011, 34, 158-166.	0.9	18
20	Heart rate recovery after exercise is associated with renal function in patients with a homogenous chronic renal disease. Nephrology Dialysis Transplantation, 2010, 25, 509-513.	0.4	9
21	Serum prohepcidin levels in chronic inflammatory bowel diseases. Journal of Crohn's and Colitis, 2010, 4, 649-653.	0.6	13
22	αâ€1 Antitrypsin binds preprohepcidin intracellularly and prohepcidin in the serum. FEBS Journal, 2009, 276, 2012-2021.	2.2	24
23	Special Clinical Syndromes. , 2009, , 121-138.		1
24	HPLC is more sensitive to assess urinary albumin than nephelometry in acute stroke patients. FASEB Journal, 2009, 23, 613.10.	0.2	0
25	Correlation between acute stroke and microalbuminuria. Potential role of underlying systemic microvascular endothelial disease. FASEB Journal, 2009, 23, 613.9.	0.2	0
26	Serum Total LDH Activity and LDH-2 Isozyme in Nephrotic Syndrome. Kidney and Blood Pressure Research, 2008, 31, 47-54.	0.9	0
27	Current management of secondary hyperparathyroidism: a multicenter observational study (COSMOS). Journal of Nephrology, 2008, 21, 290-8.	0.9	21
28	Serum Carboxymethyllysine Predicts Mortality in Hemodialysis Patients. American Journal of Kidney Diseases, 2006, 47, 294-300.	2.1	81
29	Diagnosis and successful management of calciphylaxis in a pancreas–kidney transplant patient. Nephrology Dialysis Transplantation, 2005, 20, 2295-2295.	0.4	1
30	Urinary ortho-tyrosine excretion in diabetes mellitus and renal failure: Evidence for hydroxyl radical production. Kidney International, 2005, 68, 2281-2287.	2.6	45
31	A second field metachronous Merkel cell carcinoma of the lip and the palatine tonsil confirmed by microarray-based comparative genomic hybridisation. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2005, 446, 278-286.	1.4	28
32	Diagnosis and successful management of calciphylaxis in a pancreas–kidney transplant patient. Nephrology Dialysis Transplantation, 2005, 20, 1520-1521.	0.4	5
33	Renal protection in IgA nephropathy requires strict blood pressure control. Nephrology Dialysis Transplantation, 2005, 20, 1533-1539.	0.4	25
34	Prevention and treatment of diabetic nephropathy. Diabetes Research and Clinical Practice, 2005, 68, S36-S42.	1.1	15
35	A history of diabetes mellitus or how a disease of the kidneys evolved into a kidney disease. Advances in Chronic Kidney Disease, 2005, 12, 223-229.	0.6	54
36	Analgesic nephropathy in Hungary: the HANS study. Nephrology Dialysis Transplantation, 2004, 19, 840-843.	0.4	14

Judit M Nagy

#	Article	IF	CITATIONS
37	Prognostic histological and immune markers of renal cell carcinoma. Pathology and Oncology Research, 2001, 7, 118-124.	0.9	4
38	Specific von Hippel-Lindau protein expression of clear cell renal cell carcinoma with "immunogenic― features. Pathology and Oncology Research, 2001, 7, 42-45.	0.9	2
39	Role of iron in the interaction of red blood cells with methylglyoxal. Modification of l-arginine by methylglyoxal is catalyzed by iron redox cycling. Chemico-Biological Interactions, 2001, 138, 171-187.	1.7	10
40	NΪμ-(carboxymethyl)lysine levels in patients with type 2 diabetes: Role of renal function. American Journal of Kidney Diseases, 2001, 38, 785-791.	2.1	90
41	An unusual multiplex cause of severe gastrointestinal bleeding in a haemodialysed patient. Nephrology Dialysis Transplantation, 2000, 15, 1869-1871.	0.4	9
42	Association of a uteroglobin polymorphism with rate of progression in patients with IgA nephropathy. American Journal of Kidney Diseases, 2000, 36, 468-473.	2.1	33
43	Data processing of digital recordings of microscopic examination of urinary sediment. Clinica Chimica Acta, 2000, 297, 225-237.	0.5	18
44	A Note on the Early History of Renal Transplantation: Emerich (Imre) Ullmann. American Journal of Nephrology, 1999, 19, 346-349.	1.4	13
45	Circadian Blood Pressure Changes and Cardiac Abnormalities in IgA Nephropathy. American Journal of Nephrology, 1999, 19, 546-551.	1.4	20
46	Membrane Attack Complex and Membrane Cofactor Protein Are Related to Tubulointerstitial Inflammation in Various Human Glomerulopathies. Nephron, 1997, 75, 179-187.	0.6	25
47	Induction of Endothelial Cell Injury by Cigarette Smoke. Endothelium: Journal of Endothelial Cell Research, 1997, 5, 251-263.	1.7	62
48	Richard Bright in Hungary: A Reevaluation. American Journal of Nephrology, 1997, 17, 387-391.	1.4	1
49	Oxidative Stress and Antioxidant Defense Mechanism in Glomerular Diseases. Free Radical Biology and Medicine, 1997, 22, 161-168.	1.3	80
50	Do Intestinal Hyperpermeability and the Related Food Antigens Play a Role in the Progression of IgA Nephropathy?. American Journal of Nephrology, 1996, 16, 500-505.	1.4	45
51	HBsAg IN RENAL DISEASE. Lancet, The, 1978, 312, 315-316.	6.3	13