
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7997745/publications.pdf Version: 2024-02-01



DILAD CALAN

#	Article	IF	CITATIONS
1	New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. Nature Genetics, 2010, 42, 105-116.	9.4	1,982
2	Genetics of rheumatoid arthritis contributes to biology and drug discovery. Nature, 2014, 506, 376-381.	13.7	1,974
3	Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. Nature, 2011, 478, 103-109.	13.7	1,855
4	Determinants of pulse wave velocity in healthy people and in the presence of cardiovascular risk factors: â€~establishing normal and reference values'. European Heart Journal, 2010, 31, 2338-2350.	1.0	1,637
5	Newly identified loci that influence lipid concentrations and risk of coronary artery disease. Nature Genetics, 2008, 40, 161-169.	9.4	1,488
6	Genome-Wide Association Scan Shows Genetic Variants in the FTO Gene Are Associated with Obesity-Related Traits. PLoS Genetics, 2007, 3, e115.	1.5	1,446
7	Prevalence of Vitamin D Insufficiency in an Adult Normal Population. Osteoporosis International, 1997, 7, 439-443.	1.3	1,296
8	Common variants at 30 loci contribute to polygenic dyslipidemia. Nature Genetics, 2009, 41, 56-65.	9.4	1,234
9	Genome-wide association study identifies eight loci associated with blood pressure. Nature Genetics, 2009, 41, 666-676.	9.4	1,104
10	The SU.VI.MAX Study. Archives of Internal Medicine, 2004, 164, 2335.	4.3	844
11	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. Nature Genetics, 2012, 44, 659-669.	9.4	762
12	Associations of Omega-3 Fatty Acid Supplement Use With Cardiovascular Disease Risks. JAMA Cardiology, 2018, 3, 225.	3.0	526
13	Ultra-processed food intake and risk of cardiovascular disease: prospective cohort study (NutriNet-Santé). BMJ: British Medical Journal, 2019, 365, l1451.	2.4	512
14	Meta-analysis of SHANK Mutations in Autism Spectrum Disorders: A Gradient of Severity in Cognitive Impairments. PLoS Genetics, 2014, 10, e1004580.	1.5	501
15	A SUMOylation-defective MITF germline mutation predisposes to melanoma and renal carcinoma. Nature, 2011, 480, 94-98.	13.7	466
16	Genome-wide association study identifies three loci associated with melanoma risk. Nature Genetics, 2009, 41, 920-925.	9.4	422
17	Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. Nature Genetics, 2011, 43, 1005-1011.	9.4	403
18	Effects of B vitamins and omega 3 fatty acids on cardiovascular diseases: a randomised placebo controlled trial. BMJ: British Medical Journal, 2010, 341, c6273-c6273.	2.4	394

#	Article	IF	CITATIONS
19	The Nutrinet-Santé Study: a web-based prospective study on the relationship between nutrition and health and determinants of dietary patterns and nutritional status. BMC Public Health, 2010, 10, 242.	1.2	355
20	Dietary intake of 337 polyphenols in French adults. American Journal of Clinical Nutrition, 2011, 93, 1220-1228.	2.2	351
21	A Primary Prevention Trial Using Nutritional Doses of Antioxidant Vitamins and Minerals in Cardiovascular Diseases and Cancers in a General Population. Contemporary Clinical Trials, 1998, 19, 336-351.	2.0	332
22	Effects of folic acid supplementation on overall and site-specific cancer incidence during the randomised trials: meta-analyses of data on 50â€^000 individuals. Lancet, The, 2013, 381, 1029-1036.	6.3	289
23	Diet and physical activity during the coronavirus disease 2019 (COVID-19) lockdown (March–May 2020): results from the French NutriNet-Santé cohort study. American Journal of Clinical Nutrition, 2021, 113, 924-938.	2.2	284
24	Common susceptibility alleles are unlikely to contribute as strongly as the FV and ABO loci to VTE risk: results from a GWAS approach. Blood, 2009, 113, 5298-5303.	0.6	283
25	Statin therapy is associated with lower prevalence of gut microbiota dysbiosis. Nature, 2020, 581, 310-315.	13.7	283
26	Genetic Structure of Europeans: A View from the North–East. PLoS ONE, 2009, 4, e5472.	1.1	279
27	Impact of Trace Elements and Vitamin Supplementation on Immunity and Infections in Institutionalized Elderly Patients. Archives of Internal Medicine, 1999, 159, 748.	4.3	263
28	Insulin-like Growth Factors, Their Binding Proteins, and Prostate Cancer Risk: Analysis of Individual Patient Data from 12 Prospective Studies. Annals of Internal Medicine, 2008, 149, 461.	2.0	263
29	Effect of iron supplementation on the iron status of pregnant women: consequences for newborns. American Journal of Clinical Nutrition, 1997, 66, 1178-1182.	2.2	260
30	Genome-wide association study of glioma subtypes identifies specific differences in genetic susceptibility to glioblastoma and non-glioblastoma tumors. Nature Genetics, 2017, 49, 789-794.	9.4	259
31	Ultraprocessed Food Consumption and Risk of Type 2 Diabetes Among Participants of the NutriNet-Santé Prospective Cohort. JAMA Internal Medicine, 2020, 180, 283.	2.6	257
32	Serum concentrations of β-carotene, vitamins C and E, zinc and selenium are influenced by sex, age, diet, smoking status, alcohol consumption and corpulence in a general French adult population. European Journal of Clinical Nutrition, 2005, 59, 1181-1190.	1.3	253
33	Betaâ€carotene supplementation and cancer risk: a systematic review and metaanalysis of randomized controlled trials. International Journal of Cancer, 2010, 127, 172-184.	2.3	235
34	From The Cover: Role of transcription factor KLF11 and its diabetes-associated gene variants in pancreatic beta cell function. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 4807-4812.	3.3	231
35	Genome-wide association study identifies three new melanoma susceptibility loci. Nature Genetics, 2011, 43, 1108-1113.	9.4	230
36	Genome-wide association meta-analysis of human longevity identifies a novel locus conferring survival beyond 90 years of age. Human Molecular Genetics, 2014, 23, 4420-4432.	1.4	227

#	Article	IF	CITATIONS
37	Genome-wide meta-analysis identifies five new susceptibility loci for cutaneous malignant melanoma. Nature Genetics, 2015, 47, 987-995.	9.4	218
38	A meta-analysis of genome-wide association studies identifies multiple longevity genes. Nature Communications, 2019, 10, 3669.	5.8	214
39	Antioxidant vitamin and mineral supplementation and prostate cancer prevention in the SU.VI.MAX trial. International Journal of Cancer, 2005, 116, 182-186.	2.3	212
40	Sedentary Behaviors, Physical Activity, and Metabolic Syndrome in Middleâ€aged French Subjects. Obesity, 2005, 13, 936-944.	4.0	201
41	Validity of Web-Based Self-Reported Weight and Height: Results of the Nutrinet-Santé Study. Journal of Medical Internet Research, 2013, 15, e152.	2.1	198
42	A Genome-Wide Association Search for Type 2 Diabetes Genes in African Americans. PLoS ONE, 2012, 7, e29202.	1.1	197
43	Iron deficiency in Europe. Public Health Nutrition, 2001, 4, 537-545.	1.1	188
44	Effects of homocysteine lowering with B vitamins on cognitive aging: meta-analysis of 11 trials with cognitive data on 22,000 individuals. American Journal of Clinical Nutrition, 2014, 100, 657-666.	2.2	180
45	Reduced expression of the <i>Kinesin-Associated Protein 3</i> (<i>KIFAP3</i>) gene increases survival in sporadic amyotrophic lateral sclerosis. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 9004-9009.	3.3	177
46	Dietary intakes and food sources of nâ^'6 and nâ^'3 PUFA in french adult men and women. Lipids, 2004, 39, 527-535.	0.7	174
47	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. PLoS Genetics, 2011, 7, e1001333.	1.5	158
48	Homocysteine-lowering trials for prevention of cardiovascular events: A review of the design and power of the large randomized trials. American Heart Journal, 2006, 151, 282-287.	1.2	156
49	Urinary flavonoids and phenolic acids as biomarkers of intake for polyphenol-rich foods. British Journal of Nutrition, 2006, 96, 191.	1.2	155
50	Adherence to the French Programme National Nutrition Santé Guideline Score Is Associated with Better Nutrient Intake and Nutritional Status. Journal of the American Dietetic Association, 2009, 109, 1031-1041.	1.3	152
51	Effect of daily iron supplementation on iron status, cell-mediated immunity, and incidence of infections in 6–36 month old Togolese children. European Journal of Clinical Nutrition, 2000, 54, 29-35.	1.3	151
52	Self-administered questionnaire compared with interview to assess past-year physical activity. Medicine and Science in Sports and Exercise, 2000, 32, 1119-1124.	0.2	150
53	Consumption of Foods Rich in Flavonoids Is Related to a Decreased Cardiovascular Risk in Apparently Healthy French Women. Journal of Nutrition, 2004, 134, 923-926.	1.3	148
54	Investigation of the fine structure of European populations with applications to disease association studies. European Journal of Human Genetics, 2008, 16, 1413-1429.	1.4	147

#	Article	IF	CITATIONS
55	Mass Spectrometry-based Metabolomics for the Discovery of Biomarkers of Fruit and Vegetable Intake: Citrus Fruit as a Case Study. Journal of Proteome Research, 2013, 12, 1645-1659.	1.8	147
56	PHACTR1 Is a Genetic Susceptibility Locus for Fibromuscular Dysplasia Supporting Its Complex Genetic Pattern of Inheritance. PLoS Genetics, 2016, 12, e1006367.	1.5	146
57	Effects of Long-Term Daily Low-Dose Supplementation With Antioxidant Vitamins and Minerals on Structure and Function of Large Arteries. Arteriosclerosis, Thrombosis, and Vascular Biology, 2004, 24, 1485-1491.	1.1	141
58	Antioxidant supplementation does not affect fasting plasma glucose in the Supplementation with Antioxidant Vitamins and Minerals (SU.VI.MAX) study in France: association with dietary intake and plasma concentrations 1–3. American Journal of Clinical Nutrition, 2006, 84, 395-399.	2.2	141
59	Pulse wave velocity and vascular calcification at different stages of chronic kidney disease. Journal of Hypertension, 2010, 28, 163-169.	0.3	141
60	Antioxidant Supplementation Increases the Risk of Skin Cancers in Women but Not in Men. Journal of Nutrition, 2007, 137, 2098-2105.	1.3	140
61	Ultra-processed food intake in association with BMI change and risk of overweight and obesity: AÂprospective analysis of the French NutriNet-Santé cohort. PLoS Medicine, 2020, 17, e1003256.	3.9	140
62	A double stable isotope technique for measuring iron absorption in infants. British Journal of Nutrition, 1994, 71, 411-424.	1.2	138
63	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. Nature Genetics, 2020, 52, 494-504.	9.4	138
64	Effects of long-term antioxidant supplementation and association of serum antioxidant concentrations with risk of metabolic syndrome in adults. American Journal of Clinical Nutrition, 2009, 90, 329-335.	2.2	137
65	Validation of a Web-based, self-administered, non-consecutive-day dietary record tool against urinary biomarkers. British Journal of Nutrition, 2015, 113, 953-962.	1.2	134
66	Metabolite analysis of human fecal water by gas chromatography/mass spectrometry with ethyl chloroformate derivatization. Analytical Biochemistry, 2009, 393, 163-175.	1.1	132
67	Total and Specific Polyphenol Intakes in Midlife Are Associated with Cognitive Function Measured 13 Years Later3. Journal of Nutrition, 2012, 142, 76-83.	1.3	131
68	Serum beta-carotene and vitamin C as biomarkers of vegetable and fruit intakes in a community-based sample of French adults. American Journal of Clinical Nutrition, 1997, 65, 1796-1802.	2.2	130
69	Cross-Sectional and Longitudinal Associations of Different Sedentary Behaviors with Cognitive Performance in Older Adults. PLoS ONE, 2012, 7, e47831.	1.1	130
70	Sugary drink consumption and risk of cancer: results from NutriNet-Santé prospective cohort. BMJ: British Medical Journal, 2019, 366, I2408.	2.4	129
71	Iron Bioavailability Studied in Infants: The Influence of Phytic Acid and Ascorbic Acid in Infant Formulas Based on Soy Isolate. Pediatric Research, 1994, 36, 816-822.	1.1	125
72	Mediterranean diet and cognitive function: a French study. American Journal of Clinical Nutrition, 2013, 97, 369-376.	2.2	125

#	Article	IF	CITATIONS
73	Imidazole propionate is increased in diabetes and associated with dietary patterns and altered microbial ecology. Nature Communications, 2020, 11, 5881.	5.8	122
74	Effect of Micronutrient Supplementation on Infection in Institutionalized Elderly Subjects: A Controlled Trial. Annals of Nutrition and Metabolism, 1997, 41, 98-107.	1.0	121
75	Determining factors in the iron status of adult women in the SU.VI.MAX study. European Journal of Clinical Nutrition, 1998, 52, 383-388.	1.3	121
76	Successful discontinuation of eltrombopag after complete remission in patients with primary immune thrombocytopenia. American Journal of Hematology, 2015, 90, E40-3.	2.0	121
77	Correlations between Fruit, Vegetables, Fish, Vitamins, and Fatty Acids Estimated by Web-Based Nonconsecutive Dietary Records and Respective Biomarkers of Nutritional Status. Journal of the Academy of Nutrition and Dietetics, 2016, 116, 427-438.e5.	0.4	121
78	Antioxidant supplementation does not affect fasting plasma glucose in the Supplementation with Antioxidant Vitamins and Minerals (SU.VI.MAX) study in France: association with dietary intake and plasma concentrations. American Journal of Clinical Nutrition, 2006, 84, 395-399.	2.2	121
79	The potential role of antioxidant vitamins in preventing cardiovascular diseases and cancers. Nutrition, 1998, 14, 513-520.	1.1	120
80	Profiles of Organic Food Consumers in a Large Sample of French Adults: Results from the Nutrinet-Santé Cohort Study. PLoS ONE, 2013, 8, e76998.	1.1	119
81	Determinants of Vitamin D Status in Caucasian Adults: Influence of Sun Exposure, Dietary Intake, Sociodemographic, Lifestyle, Anthropometric, and Genetic Factors. Journal of Investigative Dermatology, 2015, 135, 378-388.	0.3	119
82	Association of Frequency of Organic Food Consumption With Cancer Risk. JAMA Internal Medicine, 2018, 178, 1597.	2.6	119
83	The Pro115Gln and Pro12Ala PPAR gamma gene mutations in obesity and type 2 diabetes. International Journal of Obesity, 2000, 24, 391-393.	1.6	118
84	Cholesterol and breast cancer risk: a systematic review and meta-analysis of prospective studies. British Journal of Nutrition, 2015, 114, 347-357.	1.2	118
85	Effect of type of TAG fatty acids on lutein and zeaxanthin bioavailability. British Journal of Nutrition, 2013, 110, 1-10.	1.2	117
86	A Meta-analysis of Individual Participant Data Reveals an Association between Circulating Levels of IGF-I and Prostate Cancer Risk. Cancer Research, 2016, 76, 2288-2300.	0.4	117
87	Effect of a two-year supplementation with low doses of antioxidant vitamins and/or minerals in elderly subjects on levels of nutrients and antioxidant defense parameters Journal of the American College of Nutrition, 1997, 16, 357-365.	1.1	116
88	Prospective association between ultra-processed food consumption and incident depressive symptoms in the French NutriNet-Santé cohort. BMC Medicine, 2019, 17, 78.	2.3	113
89	A variant in FTO shows association with melanoma risk not due to BMI. Nature Genetics, 2013, 45, 428-432.	9.4	111
90	Factors influencing blood concentration of retinol, α-tocopherol, vitamin C, and β-carotene in the French participants of the SU.VI.MAX trial. European Journal of Clinical Nutrition, 2006, 60, 706-717.	1.3	110

#	Article	IF	CITATIONS
91	CD36 and SR-BI Are Involved in Cellular Uptake of Provitamin A Carotenoids by Caco-2 and HEK Cells, and Some of Their Genetic Variants Are Associated with Plasma Concentrations of These Micronutrients in Humans. Journal of Nutrition, 2013, 143, 448-456.	1.3	109
92	New Biomarkers of Coffee Consumption Identified by the Non-Targeted Metabolomic Profiling of Cohort Study Subjects. PLoS ONE, 2014, 9, e93474.	1.1	108
93	Prospective associations between serum biomarkers of lipid metabolism and overall, breast and prostate cancer risk. European Journal of Epidemiology, 2014, 29, 119-132.	2.5	108
94	Artificial sweeteners and cancer risk: Results from the NutriNet-Santé population-based cohort study. PLoS Medicine, 2022, 19, e1003950.	3.9	108
95	Carotenoids, retinol, tocopherols, and prostate cancer risk: pooled analysis of 15 studies. American Journal of Clinical Nutrition, 2015, 102, 1142-1157.	2.2	107
96	Dietary patterns in six European populations: results from EURALIM, a collaborative European data harmonization and information campaign. European Journal of Clinical Nutrition, 2000, 54, 253-262.	1.3	106
97	Prospective association between the dietary inflammatory index and metabolic syndrome: Findings from the SU.VI.MAX study. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 988-996.	1.1	106
98	Contribution of snacks and meals in the diet of French adults: a diet-diary study. Physiology and Behavior, 2003, 79, 183-189.	1.0	103
99	Combinatorial, additive and dose-dependent drug–microbiome associations. Nature, 2021, 600, 500-505.	13.7	102
100	Microbiome and metabolome features of the cardiometabolic disease spectrum. Nature Medicine, 2022, 28, 303-314.	15.2	102
101	Determinants of thyroid volume in healthy French adults participating in the SU.VI.MAX cohort. Clinical Endocrinology, 2000, 52, 273-278.	1.2	100
102	Association Between Prediagnostic Biomarkers of Inflammation and Endothelial Function and Cancer Risk: A Nested Case-Control Study. American Journal of Epidemiology, 2013, 177, 3-13.	1.6	100
103	Alcohol intake in relation to body mass index and waist-to-hip ratio: the importance of type of alcoholic beverage. Public Health Nutrition, 2005, 8, 315-320.	1.1	99
104	Serum selenium determinants in French adults: the SU.VI.M.AX study. British Journal of Nutrition, 2006, 95, 313-320.	1.2	98
105	Body composition and fat repartition in relation to structure and function of large arteries in middle-aged adults (the SU.VI.MAX study). International Journal of Obesity, 2005, 29, 826-832.	1.6	97
106	Red and processed meat intake and cancer risk: Results from the prospective NutriNet anté cohort study. International Journal of Cancer, 2018, 142, 230-237.	2.3	96
107	A Healthy Dietary Pattern at Midlife Is Associated with Subsequent Cognitive Performance. Journal of Nutrition, 2012, 142, 909-915.	1.3	95
108	An iterative workflow for mining the human intestinal metaproteome. BMC Genomics, 2011, 12, 6.	1.2	93

#	Article	IF	CITATIONS
109	Food Choice Motives When Purchasing in Organic and Conventional Consumer Clusters: Focus on Sustainable Concerns (The NutriNet-Santé Cohort Study). Nutrients, 2017, 9, 88.	1.7	93
110	Homocysteine, cardiovascular disease risk factors, and habitual diet in the French Supplementation with Antioxidant Vitamins and Minerals Study. American Journal of Clinical Nutrition, 2002, 76, 1279-1289.	2.2	92
111	French adults' cognitive performance after daily supplementation with antioxidant vitamins and minerals at nutritional doses: a post hoc analysis of the Supplementation in Vitamins and Mineral Antioxidants (SU.VI.MAX) trial. American Journal of Clinical Nutrition, 2011, 94, 892-899.	2.2	89
112	Food additives: distribution and co-occurrence in 126,000 food products of the French market. Scientific Reports, 2020, 10, 3980.	1.6	89
113	Incidence of cancers, ischemic cardiovascular diseases and mortality during 5â€year followâ€up after stopping antioxidant vitamins and minerals supplements: A postintervention followâ€up in the SU.VI.MAX Study. International Journal of Cancer, 2010, 127, 1875-1881.	2.3	84
114	Sociodemographic and Geographic Correlates of Meeting Current Recommendations for Physical Activity in Middle-Aged French Adults: the Supplémentation en Vitamines et Minéraux Antioxydants (SUVIMAX) Study. American Journal of Public Health, 2004, 94, 1560-1566.	1.5	83
115	Transethnic Genome-Wide Association Study Provides Insights in the Genetic Architecture and Heritability of Long QT Syndrome. Circulation, 2020, 142, 324-338.	1.6	83
116	Breakfast Type, Daily Nutrient Intakes and Vitamin and Mineral Status of French Children, Adolescents and Adults. Journal of the American College of Nutrition, 1999, 18, 171-178.	1.1	82
117	Relative Validity and Reproducibility of a Food Frequency Questionnaire Designed for French Adults. Annals of Nutrition and Metabolism, 2010, 57, 153-162.	1.0	82
118	Dietary patterns and their sociodemographic and behavioural correlates in French middle-aged adults from the SU.VI.MAX cohort. European Journal of Clinical Nutrition, 2009, 63, 521-528.	1.3	81
119	The immune response in iron-deficient young children: Effect of iron supplementation on cell-mediated immunity. European Journal of Pediatrics, 1993, 152, 120-124.	1.3	80
120	Cognitive function after supplementation with B vitamins and long-chain omega-3 fatty acids: ancillary findings from the SU.FOL.OM3 randomized trial. American Journal of Clinical Nutrition, 2011, 94, 278-286.	2.2	80
121	Metabolic Syndrome in Relation to Structure and Function of Large Arteries: A Predominant Effect of Blood PressureA Report From the SU.VI.MAX. Vascular Study. American Journal of Hypertension, 2005, 18, 1154-1160.	1.0	78
122	Weight fluctuations and risk for metabolic syndrome in an adult cohort. International Journal of Obesity, 2008, 32, 315-321.	1.6	78
123	Associations between dietary patterns, physical activity (leisure-time and occupational) and television viewing in middle-aged French adults. British Journal of Nutrition, 2011, 105, 902-910.	1.2	78
124	Relationship between Single Nucleotide Polymorphisms in Leptin, IL6 and Adiponectin Genes and their Circulating Product in Morbidly Obese Subjects before and after Gastric Banding Surgery. Obesity Surgery, 2005, 15, 11-23.	1.1	77
125	Carotenoid-rich dietary patterns during midlife and subsequent cognitive function. British Journal of Nutrition, 2014, 111, 915-923.	1.2	75
126	Hypertriglyceridemic waist and 7.5-year prospective risk of cardiovascular disease in asymptomatic middle-aged men. International Journal of Obesity, 2007, 31, 791-796.	1.6	74

#	Article	IF	CITATIONS
127	Effects of Long-Term Averaging of Quantitative Blood Pressure Traits on the Detection of Genetic Associations. American Journal of Human Genetics, 2014, 95, 49-65.	2.6	73

128 Contribution of Organic Food to the Diet in a Large Sample of French Adults (the NutriNet-Santé) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5

129	Long-term association between the dietary inflammatory index and cognitive functioning: findings from the SU.VI.MAX study. European Journal of Nutrition, 2017, 56, 1647-1655.	1.8	72
130	Plasma n-6 and n-3 polyunsaturated fatty acids as biomarkers of their dietary intakes: a cross-sectional study within a cohort of middle-aged French men and women. European Journal of Clinical Nutrition, 2008, 62, 1155-1161.	1.3	71
131	Contribution of Mineral Waters to Dietary Calcium and Magnesium Intake in a French Adult Population. Journal of the American Dietetic Association, 2002, 102, 1658-1662.	1.3	70
132	Variations of physical activity and sedentary behavior between before and after cancer diagnosis. Medicine (United States), 2016, 95, e4629.	0.4	69
133	Identification and characterization of two functional variants in the human longevity gene FOXO3. Nature Communications, 2017, 8, 2063.	5.8	69
134	Fruit and vegetable intake and cognitive function in the SU.VI.MAX 2 prospective study. American Journal of Clinical Nutrition, 2011, 94, 1295-1303.	2.2	67
135	Association of fish and long-chain n-3 polyunsaturated fatty acid intakes with the occurrence of depressive episodes in middle-aged French men and women. Prostaglandins Leukotrienes and Essential Fatty Acids, 2008, 78, 171-182.	1.0	66
136	Associations between usual diet and gut microbiota composition: results from the Milieu Intérieur cross-sectional study. American Journal of Clinical Nutrition, 2019, 109, 1472-1483.	2.2	66
137	Bioavailability in infants of iron from infant cereals: effect of dephytinization. American Journal of Clinical Nutrition, 1997, 65, 916-920.	2.2	65
138	lodine deficiency in France. Lancet, The, 1999, 353, 1766-1767.	6.3	65
139	Effect of supplementation with antioxidants upon long-term risk of hypertension in the SU.VI.MAX study: association with plasma antioxidant levels. Journal of Hypertension, 2005, 23, 2013-2018.	0.3	65
140	Composition and metabolism of the intestinal microbiota in consumers and non-consumers of yogurt. British Journal of Nutrition, 2007, 97, 126-133.	1.2	65
141	Dairy products, calcium and phosphorus intake, and the risk of prostate cancer: results of the French prospective SU.VI.MAX (Supplémentation en Vitamines et Minéraux Antioxydants) study. British Journal of Nutrition, 2006, 95, 539-545.	1.2	64
142	Circadian nutritional behaviours and cancer risk: New insights from the NutriNetâ€santé prospective cohort study: Disclaimers. International Journal of Cancer, 2018, 143, 2369-2379.	2.3	64
143	Self-reported skin sensitivity in a general adult population in France: data of the SU.VI.MAX cohort. Journal of the European Academy of Dermatology and Venereology, 2006, 20, 380-390.	1.3	63
144	Associations between dietary patterns and arterial stiffness, carotid artery intima-media thickness and atherosclerosis. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 718-724.	3.1	63

#	Article	IF	CITATIONS
145	Interpretation of Plasma PTH Concentrations According to 25OHD Status, Gender, Age, Weight Status, and Calcium Intake: Importance of the Reference Values. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 1196-1203.	1.8	63
146	Performance of the Front-of-Pack Nutrition Label Nutri-Score to Discriminate the Nutritional Quality of Foods Products: A Comparative Study across 8 European Countries. Nutrients, 2020, 12, 1303.	1.7	63
147	Prospective Association Between the Dietary Inflammatory Index and Cardiovascular Diseases in the SUpplémentation en Vltamines et Minéraux AntioXydants (SU.VI.MAX) Cohort. Journal of the American Heart Association, 2016, 5, e002735.	1.6	62
148	Antioxidant status and risk of cancer in the SU.VI.MAX study: is the effect of supplementation dependent on baseline levels?. British Journal of Nutrition, 2005, 94, 125-132.	1.2	61
149	Risk factors for stunting among under-fives in Libya. Public Health Nutrition, 2009, 12, 1141-1149.	1.1	61
150	Iron Status of a Healthy French Population: Factors Determining Biochemical Markers. Annals of Nutrition and Metabolism, 1994, 38, 192-202.	1.0	60
151	Obesity and other health determinants across Europe: The EURALIM Project. Journal of Epidemiology and Community Health, 2000, 54, 424-430.	2.0	60
152	Urinary excretion of 13 dietary flavonoids and phenolic acids in free-living healthy subjects – variability and possible use as biomarkers of polyphenol intake. European Journal of Clinical Nutrition, 2008, 62, 519-525.	1.3	60
153	Functional MC1R-Gene Variants Are Associated with Increased Risk for Severe Photoaging of Facial Skin. Journal of Investigative Dermatology, 2010, 130, 1107-1115.	0.3	60
154	Rare melanocortin-3 receptor mutations with in vitro functional consequences are associated with human obesity. Human Molecular Genetics, 2011, 20, 392-399.	1.4	60
155	The Inflammatory Potential of the Diet Is Associated with Depressive Symptoms in Different Subgroups of the General Population. Journal of Nutrition, 2017, 147, 879-887.	1.3	60
156	Associations between consumption of dietary fibers and the risk of cardiovascular diseases, cancers, type 2 diabetes, and mortality in the prospective NutriNet-Santé cohort. American Journal of Clinical Nutrition, 2020, 112, 195-207.	2.2	60
157	Adherence to nutritional recommendations and subsequent cognitive performance: findings from the prospective Supplementation with Antioxidant Vitamins and Minerals 2 (SU.VI.MAX 2) study. American Journal of Clinical Nutrition, 2011, 93, 200-210.	2.2	59
158	Total and added sugar intakes, sugar types, and cancer risk: results from the prospective NutriNet-Santé cohort. American Journal of Clinical Nutrition, 2020, 112, 1267-1279.	2.2	59
159	Dairy consumption and 6-y changes in body weight and waist circumference in middle-aged French adults. American Journal of Clinical Nutrition, 2008, 88, 1248-55.	2.2	59
160	A Follow-Up Study of a Genome-wide Association Scan Identifies a Susceptibility Locus for Venous Thrombosis on Chromosome 6p24.1. American Journal of Human Genetics, 2010, 86, 592-595.	2.6	57
161	Ability of the Nutri-Score front-of-pack nutrition label to discriminate the nutritional quality of foods in the German food market and consistency with nutritional recommendations. Archives of Public Health, 2019, 77, 28.	1.0	57
162	Diet Quality Measures and Cardiovascular Risk Factors in France: Applying the Healthy Eating Index to the SU.VI.MAX Study. Journal of the American College of Nutrition, 2009, 28, 22-29.	1.1	56

#	Article	IF	CITATIONS
163	Microvascular dysfunction in healthy insulin-sensitive overweight individuals. Journal of Hypertension, 2010, 28, 325-332.	0.3	55
164	Unemployment is associated with high cardiovascular event rate and increased all-cause mortality in middle-aged socially privileged individuals. International Archives of Occupational and Environmental Health, 2015, 88, 707-716.	1.1	55
165	Alterations of the lipid profile after 7.5 years of low-dose antioxidant supplementation in the SU.VI.MAX study. Lipids, 2005, 40, 335-342.	0.7	54
166	Macrovascular and microvascular dysfunction in the metabolic syndrome. Hypertension Research, 2010, 33, 293-297.	1.5	54
167	Individual and Combined Effects of Dietary Factors on Risk of Incident Hypertension. Hypertension, 2017, 70, 712-720.	1.3	54
168	Relationship Between Vitamin D Status and Skin Phototype in General Adult Population. Photochemistry and Photobiology, 2000, 71, 466.	1.3	54
169	Impairment of gut microbial biotin metabolism and host biotin status in severe obesity: effect of biotin and prebiotic supplementation on improved metabolism. Gut, 2022, 71, 2463-2480.	6.1	53
170	Interleukin 2 production in iron-deficient children. Biological Trace Element Research, 1992, 32, 421-426.	1.9	52
171	Nutritional anaemias. Best Practice and Research: Clinical Haematology, 1992, 5, 143-168.	1.1	51
172	Artificial and natural ultraviolet radiation exposure: beliefs and behaviour of 7200 French adults. Journal of the European Academy of Dermatology and Venereology, 2007, 22, 070712005557019-???.	1.3	51
173	Effects of Different Degrees of Iron Deficiency on Cytochrome P450 Complex and Pentose Phosphate Pathway Dehydrogenases in the Rat. Journal of Nutrition, 1989, 119, 40-47.	1.3	50
174	Effects of Supplementation with a Combination of Antioxidant Vitamins and Trace Elements, at Nutritional Doses, on Biochemical Indicators and Markers of the Antioxidant System in Adult Subjects. Journal of the American College of Nutrition, 1998, 17, 244-249.	1.1	50
175	High plasma aldosterone and low renin predict blood pressure increase and hypertension in middle-aged Caucasian populations. Journal of Human Hypertension, 2008, 22, 550-558.	1.0	50
176	How Healthy Lifestyle Factors at Midlife Relate to Healthy Aging. Nutrients, 2018, 10, 854.	1.7	50
177	"THE SU.VI.MAX STUDY†A Primary Prevention Trial using Nutritional Doses of Antioxidant Vitamins and Minerals in Cardiovascular Diseases and Cancers. Food and Chemical Toxicology, 1999, 37, 925-930.	1.8	49
178	The use of computerised 24â€h dietary recalls in the French SU.VI.MAX Study: number of recalls required. European Journal of Clinical Nutrition, 2002, 56, 659-665.	1.3	49
179	Dairy Products, Calcium and the Risk of Breast Cancer: Results of the French SU.VI.MAX Prospective Study. Annals of Nutrition and Metabolism, 2007, 51, 139-145.	1.0	49
180	Socioeconomic, Lifestyle and Dietary Factors Associated with Dietary Supplement Use during Pregnancy. PLoS ONE, 2013, 8, e70733.	1.1	49

#	Article	IF	CITATIONS
181	Consumers' Responses to Front-of-Pack Nutrition Labelling: Results from a Sample from The Netherlands. Nutrients, 2019, 11, 1817.	1.7	49
182	Iron status, immune capacity and resistance to infections. Comparative Biochemistry and Physiology A, Comparative Physiology, 1989, 94, 11-19.	0.7	48
183	Objective understanding of the Nutri-score front-of-pack label by European consumers and its effect on food choices: an online experimental study. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 146.	2.0	48
184	Low iron stores: a risk factor for excessive hair loss in non-menopausal women. European Journal of Dermatology, 2007, 17, 507-12.	0.3	48
185	Contribution of Ready-to-Eat Cereals to Nutrition Intakes in French Adults and Relations with Corpulence. Annals of Nutrition and Metabolism, 2000, 44, 249-255.	1.0	47
186	Epidemiologic determinants of skin photoaging: Baseline data of the SU.VI.MAX. cohort. Journal of the American Academy of Dermatology, 2000, 42, 47-55.	0.6	47
187	Weight-Loss Strategies Used by the General Population: How Are They Perceived?. PLoS ONE, 2014, 9, e97834.	1.1	47
188	Prospective association between consumption frequency of organic food and body weight change, risk of overweight or obesity: results from the NutriNet-Santé Study. British Journal of Nutrition, 2017, 117, 325-334.	1.2	47
189	NMR metabolomic signatures reveal predictive plasma metabolites associated with long-term risk of developing breast cancer. International Journal of Epidemiology, 2018, 47, 484-494.	0.9	47
190	Compared to other front-of-pack nutrition labels, the Nutri-Score emerged as the most efficient to inform Swiss consumers on the nutritional quality of food products. PLoS ONE, 2020, 15, e0228179.	1.1	47
191	The French National Nutrition and Health Program Score Is Associated with Nutritional Status and Risk of Major Chronic Diseases3. Journal of Nutrition, 2008, 138, 946-953.	1.3	46
192	Impact of cancer occurrence on health-related quality of life: a longitudinal pre-post assessment. Health and Quality of Life Outcomes, 2004, 2, 4.	1.0	45
193	Prospective association between adherence to the Mediterranean diet and risk of depressive symptoms in the French SU.VI.MAX cohort. European Journal of Nutrition, 2018, 57, 1225-1235.	1.8	45
194	Improvement of diet sustainability with increased level of organic food in the diet: findings from the BioNutriNet cohort. American Journal of Clinical Nutrition, 2019, 109, 1173-1188.	2.2	45
195	Freckles and solar lentigines have different risk factors in Caucasian women. Journal of the European Academy of Dermatology and Venereology, 2013, 27, e345-56.	1.3	44
196	Clustering of Midlife Lifestyle Behaviors and Subsequent Cognitive Function: A Longitudinal Study. American Journal of Public Health, 2014, 104, e170-e177.	1.5	44
197	The Dietary Inflammatory Index Is Associated with Prostate Cancer Risk in French Middle-Aged Adults in a Prospective Study. Journal of Nutrition, 2016, 146, 785-791.	1.3	44
198	Relationship Between Nutrition and Blood Pressure: A Cross-Sectional Analysis from the NutriNet-Sante Study, a French Web-based Cohort Study. American Journal of Hypertension, 2015, 28, 362-371.	1.0	44

#	Article	IF	CITATIONS
199	Association between organic food consumption and metabolic syndrome: cross-sectional results from the NutriNet-SantA© study. European Journal of Nutrition, 2018, 57, 2477-2488.	1.8	44
200	Urinary pesticide concentrations in French adults with low and high organic food consumption: results from the general population-based NutriNet-Santé. Journal of Exposure Science and Environmental Epidemiology, 2019, 29, 366-378.	1.8	44
201	Relation between homocysteine concentrations and the consumption of different types of alcoholic beverages: the French Supplementation with Antioxidant Vitamins and Minerals Study. American Journal of Clinical Nutrition, 2003, 78, 334-338.	2.2	43
202	A Genome-Wide Association Study in Caucasian Women Points Out a Putative Role of the STXBP5L Gene in Facial Photoaging. Journal of Investigative Dermatology, 2013, 133, 929-935.	0.3	43
203	Dual association between polyphenol intake and breast cancer risk according to alcohol consumption level: a prospective cohort study. Breast Cancer Research and Treatment, 2013, 137, 225-236.	1.1	43
204	Associations between dietary scores with asthma symptoms and asthma control in adults. European Respiratory Journal, 2018, 52, 1702572.	3.1	43
205	Consequences of Schistosoma Haematobium Infection on the Iron Status of Schoolchildren in Niger. American Journal of Tropical Medicine and Hygiene, 1992, 47, 291-297.	0.6	43
206	Use of multiple correspondence analysis and cluster analysis to study dietary behaviour: food consumption questionnaire in the SU.VI.MAX. cohort. European Journal of Epidemiology, 2001, 17, 505-516.	2.5	42
207	Thirteen-year prospective study between fish consumption, long-chain N-3 fatty acids intakes and cognitive function. Journal of Nutrition, Health and Aging, 2011, 15, 115-120.	1.5	42
208	Dietary intakes and diet quality according to levels of organic food consumption by French adults: cross-sectional findings from the NutriNet-Santé Cohort Study. Public Health Nutrition, 2017, 20, 638-648.	1.1	42
209	Assessment of the Sustainability of the Mediterranean Diet Combined with Organic Food Consumption: An Individual Behaviour Approach. Nutrients, 2017, 9, 61.	1.7	42
210	Comparing nutritional, economic, and environmental performances of diets according to their levels of greenhouse gas emissions. Climatic Change, 2018, 148, 155-172.	1.7	42
211	Participant Profiles According to Recruitment Source in a Large Web-Based Prospective Study: Experience From the Nutrinet-Santé Study. Journal of Medical Internet Research, 2013, 15, e205.	2.1	42
212	Supplementation with B vitamins or nâ°'3 fatty acids and depressive symptoms in cardiovascular disease survivors: ancillary findings from the SUpplementation with FOLate, vitamins B-6 and B-12 and/or OMega-3 fatty acids (SU.FOL.OM3) randomized trial. American Journal of Clinical Nutrition, 2012, 96, 208-214.	2.2	41
213	Dietary patterns and risk of elevated C-reactive protein concentrations 12 years later. British Journal of Nutrition, 2013, 110, 747-754.	1.2	41
214	Effect of Iron Supplementation during Pregnancy on Trace Element (Cu, Se, Zn) Concentrations in Serum and Breast Milk from Nigerien Women. Annals of Nutrition and Metabolism, 1993, 37, 262-271.	1.0	40
215	Consumption of Antioxidant-Rich Beverages and Risk for Breast Cancer in French Women. Annals of Epidemiology, 2006, 16, 503-508.	0.9	40
216	Incidence of skin cancers during 5-year follow-up after stopping antioxidant vitamins and mineral supplementation. European Journal of Cancer, 2010, 46, 3316-3322.	1.3	40

#	Article	IF	CITATIONS
217	Prospective association between the Dietary Inflammatory Index and mortality: modulation by antioxidant supplementation in the SU.VI.MAX randomized controlled trial. American Journal of Clinical Nutrition, 2016, 103, 878-885.	2.2	40
218	Effect of Multimorbidity on Health-Related Quality of Life in Adults Aged 55 Years or Older: Results from the SU.VI.MAX 2 Cohort. PLoS ONE, 2016, 11, e0169282.	1.1	40
219	Single nucleotide polymorphisms of protein tyrosine phosphatase 1B gene are associated with obesity in morbidly obese French subjects. Diabetologia, 2004, 47, 1278-1284.	2.9	39
220	Analysis of sequence variability in the CART gene in relation to obesity in a Caucasian population. BMC Genetics, 2005, 6, 19.	2.7	39
221	Health and dietary traits of organic food consumers: results from the NutriNet-Santé study. British Journal of Nutrition, 2015, 114, 2064-2073.	1.2	39
222	Prevalences of hyperhomocysteinemia, unfavorable cholesterol profile and hypertension in European populations. European Journal of Clinical Nutrition, 2005, 59, 480-488.	1.3	38
223	Relationship between iron status and dietary fruit and vegetables based on their vitamin C and fiber content. American Journal of Clinical Nutrition, 2008, 87, 1298-1305.	2.2	38
224	Plasma Carotenoids and Retinol and Overall and Breast Cancer Risk: A Nested Case-Control Study. Nutrition and Cancer, 2014, 66, 980-988.	0.9	38
225	Consumption of black, green and herbal tea and iron status in French adults. European Journal of Clinical Nutrition, 2007, 61, 1174-1179.	1.3	37
226	The SU.FOL.OM3 Study: a secondary prevention trial testing the impact of supplementation with folate and B-vitamins and/or Omega-3 PUFA on fatal and non fatal cardiovascular events, design, methods and participants characteristics. Trials, 2008, 9, 35.	0.7	37
227	Selenium and Prostate Cancer: Analysis of Individual Participant Data From Fifteen Prospective Studies. Journal of the National Cancer Institute, 2016, 108, djw153.	3.0	37
228	Exposure to food additive mixtures in 106,000 French adults from the NutriNet-Santé cohort. Scientific Reports, 2021, 11, 19680.	1.6	37
229	Antioxidant vitamins and minerals in prevention of cancers: lessons from the SU.VI.MAX study. British Journal of Nutrition, 2006, 96, S28-S30.	1.2	36
230	Association of folate intake with the occurrence of depressive episodes in middle-aged French men and women. British Journal of Nutrition, 2008, 100, 183-187.	1.2	36
231	Typology of eaters based on conventional and organic food consumption: results from the NutriNet-Santé cohort study. British Journal of Nutrition, 2016, 116, 700-709.	1.2	36
232	A Healthy Dietary Pattern at Midlife, Combined with a Regulated Energy Intake, Is Related to Increased Odds for Healthy Aging. Journal of Nutrition, 2015, 145, 2139-2145.	1.3	35
233	Serum ferritin, cardiovascular risk factors and ischaemic heart diseases: a prospective analysis in the SU.VI.MAX (SUpplementation en VItamines et Minéraux AntioXydants) cohort. Public Health Nutrition, 2006, 9, 70-74.	1.1	34
234	Determinants of serum zinc concentrations in a population of French middle-age subjects (SU.VI.MAX) Tj ETQq) 0 0 rgBT	/Overlock 10

14

#	Article	IF	CITATIONS
235	B Vitamin and/or ï‰-3 Fatty Acid Supplementation and Cancer. Archives of Internal Medicine, 2012, 172, 540.	4.3	34
236	Integration of Sequence Data from a Consanguineous Family with Genetic Data from an Outbred Population Identifies PLB1 as a Candidate Rheumatoid Arthritis Risk Gene. PLoS ONE, 2014, 9, e87645.	1.1	34
237	Prospective Associations between Plasma Saturated, Monounsaturated and Polyunsaturated Fatty Acids and Overall and Breast Cancer Risk – Modulation by Antioxidants: A Nested Case-Control Study. PLoS ONE, 2014, 9, e90442.	1.1	34
238	Associations between fruit, vegetable and legume intakes and prostate cancer risk: results from the prospective Supplémentation en Vitamines et Minéraux Antioxydants (SU.VI.MAX) cohort. British Journal of Nutrition, 2016, 115, 1579-1585.	1.2	34
239	Front-of-Pack Labeling and the Nutritional Quality of Students' Food Purchases: A 3-Arm Randomized Controlled Trial. American Journal of Public Health, 2019, 109, 1122-1129.	1.5	34
240	Effectiveness of Different Front-of-Pack Nutrition Labels among Italian Consumers: Results from an Online Randomized Controlled Trial. Nutrients, 2020, 12, 2307.	1.7	34
241	Prognostic value of multiple emerging biomarkers in cardiovascular risk prediction in patients with stable cardiovascular disease. Atherosclerosis, 2013, 228, 478-484.	0.4	33
242	Association between Adherence to Nutritional Guidelines, the Metabolic Syndrome and Adiposity Markers in a French Adult General Population. PLoS ONE, 2013, 8, e76349.	1.1	33
243	Energy density and 6-year anthropometric changes in a middle-aged adult cohort. British Journal of Nutrition, 2009, 102, 302-309.	1.2	32
244	Cardiovascular effects of B-vitamins and/or N-3 fatty acids: The Su.Fol.Om3 trial. International Journal of Cardiology, 2013, 167, 508-513.	0.8	32
245	Relationships between adipokines, biomarkers of endothelial function and inflammation and risk of type 2 diabetes. Diabetes Research and Clinical Practice, 2014, 105, 231-238.	1.1	32
246	Prospective association between combined healthy lifestyles and risk of depressive symptoms in the French NutriNet-Santé cohort. Journal of Affective Disorders, 2018, 238, 554-562.	2.0	32
247	Evidence for a protective (synergistic?) effect of B-vitamins and omega-3 fatty acids on cardiovascular diseases. European Journal of Clinical Nutrition, 2004, 58, 732-744.	1.3	31
248	Intake of specific nutrients and foods and hearing level measured 13 years later. British Journal of Nutrition, 2013, 109, 2079-2088.	1.2	31
249	Exome sequencing in seven families and gene-based association studies indicate genetic heterogeneity and suggest possible candidates for fibromuscular dysplasia. Journal of Hypertension, 2015, 33, 1802-1810.	0.3	31
250	Occupational Asbestos Exposure and Incidence of Colon and Rectal Cancers in French Men: The Asbestos-Related Diseases Cohort (ARDCo-Nut). Environmental Health Perspectives, 2017, 125, 409-415.	2.8	31
251	Saturated, mono- and polyunsaturated fatty acid intake and cancer risk: results from the French prospective cohort NutriNet-Santé. European Journal of Nutrition, 2019, 58, 1515-1527.	1.8	31
252	Lymphocyte Subpopulations in the Thymus, Lymph Nodes and Spleen of Iron-Deficient and Rehabilitated Mice. Journal of Nutrition, 1991, 121, 1418-1424.	1.3	30

#	Article	IF	CITATIONS
253	Indicators of abdominal adiposity in middle-aged participants of the SU.VI.MAX study: relationships with educational level, smoking status and physical inactivity. Diabetes and Metabolism, 2004, 30, 153-159.	1.4	30
254	What Do People Know and Believe about Vitamin D?. Nutrients, 2016, 8, 718.	1.7	30
255	A prospective study of plasma 25-hydroxyvitamin D concentration and prostate cancer risk. British Journal of Nutrition, 2016, 115, 305-314.	1.2	30
256	Impact of Front-of-Pack Nutrition Labels on Portion Size Selection: An Experimental Study in a French Cohort. Nutrients, 2018, 10, 1268.	1.7	30
257	Plasma Metabolomic Signatures Associated with Long-term Breast Cancer Risk in the SU.VI.MAX Prospective Cohort. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1300-1307.	1.1	30
258	Prevalence of iron deficiency and iron-deficiency anaemia in Benin. Public Health, 1988, 102, 73-83.	1.4	29
259	Dietary fibre intake and clinical indices in the French Supplementation en Vitamines et Minéraux AntioXydants (SU.VI.MAX) adult cohort. Proceedings of the Nutrition Society, 2003, 62, 11-15.	0.4	29
260	Homocysteine is not associated with arterial thickness and stiffness in healthy middle-aged French volunteers. International Journal of Cardiology, 2006, 113, 332-340.	0.8	29
261	Contribution of the low-frequency, loss-of-function p.R270H mutation in <i>FFAR4</i> (<i>GPR120</i>) to increased fasting plasma glucose levels. Journal of Medical Genetics, 2015, 52, 595-598.	1.5	29
262	Dietary iron intake and breast cancer risk: modulation by an antioxidant supplementation. Oncotarget, 2016, 7, 79008-79016.	0.8	29
263	Quick and Easy Screening for Vitamin D Insufficiency in Adults. Medicine (United States), 2016, 95, e2783.	0.4	29
264	Association between a pro plantâ€based dietary score and cancer risk in the prospective <scp>N</scp> utri <scp>N</scp> etâ€santé cohort. International Journal of Cancer, 2018, 143, 2168-2176.	2.3	29
265	Dietary Monounsaturated Fatty Acids Intake and Risk of Skin Photoaging. PLoS ONE, 2012, 7, e44490.	1.1	29
266	Relationships between different types of fruit and vegetable consumption and serum concentrations of antioxidant vitamins. British Journal of Nutrition, 2008, 100, 633-641.	1.2	28
267	Association Between the French Nutritional Guideline-based Score and 6-Year Anthropometric Changes in a French Middle-aged Adult Cohort. American Journal of Epidemiology, 2009, 170, 757-765.	1.6	28
268	Cross-Sectional but Not Longitudinal Association Between n-3 Fatty Acid Intake and Depressive Symptoms: Results From the SU.VI.MAX 2 Study. American Journal of Epidemiology, 2012, 175, 979-987.	1.6	28
269	Intakes of PUFAs Were Inversely Associated with Plasma C-Reactive Protein 12 Years Later in a Middle-Aged Population with Vitamin E Intake as an Effect Modifier. Journal of Nutrition, 2013, 143, 1760-1766.	1.3	28
270	Prospective Association between Dietary Fiber Intake and Breast Cancer Risk. PLoS ONE, 2013, 8, e79718.	1.1	28

#	Article	IF	CITATIONS
271	Demographic, socioeconomic, disease history, dietary and lifestyle cancer risk factors associated with alcohol consumption. International Journal of Cancer, 2014, 134, 445-459.	2.3	28
272	Association Between Adherence to the Mediterranean Diet at Midlife and Healthy Aging in a Cohort of French Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 347-354.	1.7	28
273	Association between Neu5Gc carbohydrate and serum antibodies against it provides the molecular link to cancer: French NutriNet-Santé study. BMC Medicine, 2020, 18, 262.	2.3	28
274	Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. British Journal of Nutrition, 1987, 57, 185-193.	1.2	27
275	Iron deficiency, cell-mediated immunity and infection among 6–36 month old children living in rural Togo. Nutrition Research, 1992, 12, 39-49.	1.3	27
276	Use of 'light' foods and drinks in French adults: biological, anthropometric and nutritional correlates. Journal of Human Nutrition and Dietetics, 2001, 14, 191-206.	1.3	27
277	Promoter adiponectin polymorphisms and waist/hip ratio variation in a prospective French adults study. International Journal of Obesity, 2008, 32, 669-675.	1.6	27
278	Dietary supplement use among cancer survivors of the NutriNet-Santé cohort study. British Journal of Nutrition, 2015, 113, 1319-1329.	1.2	27
279	Consumption of dairy products and cognitive functioning: Findings from the SU.VI.MAX 2 study. Journal of Nutrition, Health and Aging, 2016, 20, 128-137.	1.5	27
280	Modifications in dietary and alcohol intakes between before and after cancer diagnosis: Results from the prospective population-based NutriNet-Santé cohort. International Journal of Cancer, 2017, 141, 457-470.	2.3	27
281	Nitrites and nitrates from food additives and natural sources and cancer risk: results from the NutriNet-Santé cohort. International Journal of Epidemiology, 2022, 51, 1106-1119.	0.9	27
282	Relationship between selenium, immunity and resistance against infection. Comparative Biochemistry and Physiology Part C: Comparative Pharmacology, 1990, 96, 271-280.	0.2	26
283	Low Total and Nonheme Iron Intakes Are Associated with a Greater Risk of Hypertension. Journal of Nutrition, 2010, 140, 75-80.	1.3	26
284	Nutritional risk factors for SARS-CoV-2 infection: a prospective study within the NutriNet-Santé cohort. BMC Medicine, 2021, 19, 290.	2.3	26
285	Consumption of soup and nutritional intake in French adults: consequences for nutritional status. Journal of Human Nutrition and Dietetics, 2001, 14, 121-128.	1.3	25
286	Iron Status and Risk of Cancers in the SU.VI.MAX Cohort. Journal of Nutrition, 2005, 135, 2664-2668.	1.3	25
287	Higher adherence to French dietary guidelines and chronic diseases in the prospective SU.VI.MAX cohort. European Journal of Clinical Nutrition, 2011, 65, 887-894.	1.3	25
288	Genetic Association and Gene Expression Analysis Identify <i>FGFR1</i> as a New Susceptibility Gene for Human Obesity. Journal of Clinical Endocrinology and Metabolism, 2011, 96, E962-E966.	1.8	25

#	Article	IF	CITATIONS
289	Prospective association between alcohol intake and hormone-dependent cancer risk: modulation by dietary fiber intake. American Journal of Clinical Nutrition, 2015, 102, 182-189.	2.2	25
290	Blood pressure variability: cardiovascular risk integrator or independent risk factor?. Journal of Human Hypertension, 2015, 29, 122-126.	1.0	25
291	Overall and abdominal adiposity in midlife and subsequent cognitive function. Journal of Nutrition, Health and Aging, 2015, 19, 183-189.	1.5	25
292	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. Cancer Research, 2019, 79, 274-285.	0.4	25
293	Evidence of a cumulative effect of cardiometabolic disorders at midlife and subsequent cognitive function. Age and Ageing, 2015, 44, 648-654.	0.7	24
294	Sex-Specific Sociodemographic Correlates of Dietary Patterns in a Large Sample of French Elderly Individuals. Nutrients, 2016, 8, 484.	1.7	24
295	Healthy Aging 5 Years After a Period of Daily Supplementation With Antioxidant Nutrients: A Post Hoc Analysis of the French Randomized Trial SU.VI.MAX. American Journal of Epidemiology, 2015, 182, 694-704.	1.6	23
296	10-year cumulative and bidirectional associations of domain-specific physical activity and sedentary behaviour with health-related quality of life in French adults: Results from the SU.VI.MAX studies. Preventive Medicine, 2016, 88, 66-72.	1.6	23
297	Unsaturated Fatty Acid Intakes During Midlife Are Positively Associated with Later Cognitive Function in Older Adults with Modulating Effects of Antioxidant Supplementation. Journal of Nutrition, 2018, 148, 1938-1945.	1.3	23
298	Combination of Healthy Lifestyle Factors on the Risk of Hypertension in a Large Cohort of French Adults. Nutrients, 2019, 11, 1687.	1.7	23
299	Consequences of iron depletion on health in menstruating women. European Journal of Clinical Nutrition, 2003, 57, 1169-1175.	1.3	22
300	Case for Folic Acid and Vitamin B12Fortification in Europe. Seminars in Vascular Medicine, 2005, 5, 156-162.	2.1	22
301	<i>MC1R</i> Gene Polymorphism Affects Skin Color and Phenotypic Features Related to Sun Sensitivity in a Population of French Adult Women. Photochemistry and Photobiology, 2009, 85, 1451-1458.	1.3	22
302	Effect of B-vitamins and n-3 PUFA supplementation for 5 years on blood pressure in patients with CVD. British Journal of Nutrition, 2012, 107, 921-927.	1.2	22
303	Association between dietary intake of n-3 polyunsaturated fatty acids and severity of skin photoaging in a middle-aged Caucasian population. Journal of Dermatological Science, 2013, 72, 233-239.	1.0	22
304	A locus at 7p14.3 predisposes to refractory celiac disease progression from celiac disease. European Journal of Gastroenterology and Hepatology, 2018, 30, 828-837.	0.8	22
305	Association between dietary fibre intake and asthma (symptoms and control): results from the French national e-cohort NutriNet-Santé. British Journal of Nutrition, 2019, 122, 1040-1051.	1.2	22
306	Prospective association between adherence to the MIND diet and subjective memory complaints in the French NutriNet-Santé cohort. Journal of Neurology, 2019, 266, 942-952.	1.8	22

#	Article	IF	CITATIONS
307	The impact of the Nutri-Score front-of-pack nutrition label on purchasing intentions of unprocessed and processed foods: post-hoc analyses from three randomized controlled trials. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 38.	2.0	22
308	Comparison Between a Self-Administered and Supervised Version of a Web-Based Cognitive Test Battery: Results From the NutriNet-Santé Cohort Study. Journal of Medical Internet Research, 2016, 18, e68.	2.1	22
309	Occurrence of coronary artery disease has an adverse impact on health-related quality of life: A longitudinal controlled study. International Journal of Cardiology, 2006, 113, 215-222.	0.8	21
310	Long-term antioxidant supplementation has no effect on health-related quality of life: The randomized, double-blind, placebo-controlled, primary prevention SU.VI.MAX trial. International Journal of Epidemiology, 2011, 40, 1605-1616.	0.9	21
311	Prospective association between several dietary scores and risk of cardiovascular diseases: Is the Mediterranean diet equally associated to cardiovascular diseases compared to National Nutritional Scores?. American Heart Journal, 2019, 217, 1-12.	1.2	21
312	Prospective association between organic food consumption and the risk of type 2 diabetes: findings from the NutriNet-Santé cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 136.	2.0	21
313	Pre-diagnostic levels of adiponectin and soluble vascular cell adhesion molecule-1 are associated with colorectal cancer risk. World Journal of Gastroenterology, 2012, 18, 2805.	1.4	21
314	The activity of tissue enzymes in iron-deficient rat and man: An overview. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1984, 77, 647-653.	0.2	20
315	11β-hydroxy-11-ketosteroids equilibrium, a source of misinterpretation in steroid synthesis: Evidence through the effects of trilostane on 11β-hydroxysteroid dehydrogenase in sheep and human adrenals in vitro. The Journal of Steroid Biochemistry, 1984, 20, 763-768.	1.3	20
316	Effect of Low Dose Antioxidant Vitamin and Trace Element Supplementation on the Urinary Concentrations of Thromboxane and Prostacyclin Metabolites. Journal of the American College of Nutrition, 2007, 26, 405-411.	1.1	20
317	A Novel Risk Locus at 6p21.3 for Epstein–Barr Virus-Positive Hodgkin Lymphoma. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1838-1843.	1.1	20
318	Dietary scores at midlife and healthy ageing in a French prospective cohort. British Journal of Nutrition, 2016, 116, 666-676.	1.2	20
319	Immunochip analysis identifies association of the <i> <scp>RAD</scp> 50/ <scp>IL</scp> 13 </i> region with human longevity. Aging Cell, 2016, 15, 585-588.	3.0	20
320	Total and specific dietary polyphenol intakes and 6-year anthropometric changes in a middle-aged general population cohort. International Journal of Obesity, 2018, 42, 310-317.	1.6	20
321	International evidence for the effectiveness of the front-of-package nutrition label called Nutri-Score. Central European Journal of Public Health, 2021, 29, 76-79.	0.4	20
322	Are foods â€~healthy' or â€~healthier'? Front-of-pack labelling and the concept of healthiness applied to foods. British Journal of Nutrition, 2022, 127, 948-952.	1.2	20
323	Iron absorption from typical West African meals containing contaminating Fe. British Journal of Nutrition, 1990, 64, 541-546.	1.2	19
324	Long-chain n-3 fatty acid levels in baseline serum phospholipids do not predict later occurrence of depressive episodes: A nested case-control study within a cohort of middle-aged French men and women. Prostaglandins Leukotrienes and Essential Fatty Acids, 2009, 81, 265-271.	1.0	19

#	Article	IF	CITATIONS
325	Weight Status and Alcohol Intake Modify the Association between Vitamin D and Breast Cancer Risk. Journal of Nutrition, 2016, 146, 576-585.	1.3	19
326	Beverage Consumption Habits among the European Population: Association with Total Water and Energy Intakes. Nutrients, 2017, 9, 383.	1.7	19
327	B-Vitamin Intake from Diet and Supplements and Breast Cancer Risk in Middle-Aged Women: Results from the Prospective NutriNet-SantA© Cohort. Nutrients, 2017, 9, 488.	1.7	19
328	Prospective association between adherence to dietary recommendations and incident depressive symptoms in the French NutriNet-SantÃ $ \odot$ cohort. British Journal of Nutrition, 2018, 120, 290-300.	1.2	19
329	The Inflammatory Potential of the Diet is Directly Associated with Incident Depressive Symptoms Among French Adults. Journal of Nutrition, 2019, 149, 1198-1207.	1.3	19
330	Effect of Decreased Food Consumption during Iron Deficiency upon Growth Rate and Iron Status Indicators in the Rat. Annals of Nutrition and Metabolism, 1990, 34, 280-287.	1.0	18
331	Consequences of Iron Deficiency in Pregnant Women. Clinical Drug Investigation, 2000, 19, 1-7.	1.1	18
332	A Prospective Study of the Insulin-Like Growth Factor Axis in Relation with Prostate Cancer in the SU.VI.MAX Trial. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2269-2272.	1.1	18
333	Differential associations of dietary sodium and potassium intake with blood pressure: a focus on pulse pressure. Journal of Hypertension, 2009, 27, 1158-1164.	0.3	18
334	Adherence to French Nutritional Guidelines Is Associated with Lower Risk of Metabolic Syndrome. Journal of Nutrition, 2011, 141, 1134-1139.	1.3	18
335	Antioxidant intake from diet and supplements and risk of digestive cancers in middle-aged adults: results from the prospective NutriNet-Santé cohort. British Journal of Nutrition, 2017, 118, 541-549.	1.2	18
336	Compliance with Nutritional and Lifestyle Recommendations in 13,000 Patients with a Cardiometabolic Disease from the Nutrinet-Santé Study. Nutrients, 2017, 9, 546.	1.7	18
337	Diet-Related Metabolomic Signature of Long-Term Breast Cancer Risk Using Penalized Regression: An Exploratory Study in the SU.VI.MAX Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 396-405.	1.1	18
338	Baseline Plasma Fatty Acids Profile and Incident Cardiovascular Events in the SU.FOL.OM3 Trial: The Evidence Revisited. PLoS ONE, 2014, 9, e92548.	1.1	18
339	SCORE should be preferred to Framingham to predict cardiovascular death in French population. European Journal of Cardiovascular Prevention and Rehabilitation, 2009, 16, 609-615.	3.1	17
340	Does Compliance with Nutrition Guidelines Lead to Healthy Aging? A Quality-of-Life Approach. Journal of the Academy of Nutrition and Dietetics, 2013, 113, 228-240.e2.	0.4	17
341	The Inflammatory Potential of the Diet at Midlife Is Associated with Later Healthy Aging in French Adults. Journal of Nutrition, 2018, 148, 437-444.	1.3	17
342	Bulgarian consumers' objective understanding of front-of-package nutrition labels: a comparative, randomized study. Archives of Public Health, 2020, 78, 35.	1.0	17

#	Article	IF	CITATIONS
343	Using Prior Information from the Medical Literature in GWAS of Oral Cancer Identifies Novel Susceptibility Variant on Chromosome 4 - the AdAPT Method. PLoS ONE, 2012, 7, e36888.	1.1	17
344	Nutri-Score: The Most Efficient Front-of-Pack Nutrition Label to Inform Portuguese Consumers on the Nutritional Quality of Foods and Help Them Identify Healthier Options in Purchasing Situations. Nutrients, 2021, 13, 4335.	1.7	17
345	Alcohol Consumption in Midlife and Cognitive Performance Assessed 13 Years Later in the SU.VI.MAX 2 Cohort. PLoS ONE, 2012, 7, e52311.	1.1	16
346	Differential association between adherence to nutritional recommendations and body weight status across educational levels: a cross-sectional study. Preventive Medicine, 2013, 57, 488-493.	1.6	16
347	B Vitamin and/or n-3 Fatty Acid Supplementation and Health-Related Quality of Life: Ancillary Findings from the SU.FOL.OM3 Randomized Trial. PLoS ONE, 2014, 9, e84844.	1.1	16
348	Integrated pathway and epistasis analysis reveals interactive effect of genetic variants at <scp><i>TERF1</i></scp> and <scp><i>AFAP1L2</i></scp> loci on melanoma risk. International Journal of Cancer, 2015, 137, 1901-1909.	2.3	16
349	Sustained response after discontinuation of short-and medium-term treatment with eltrombopag in patients with immune thrombocytopenia. Platelets, 2015, 26, 83-86.	1.1	16
350	Prospective association between dietary folate intake and skin cancer risk: results from the Supplémentation en Vitamines et Minéraux Antioxydants cohort. American Journal of Clinical Nutrition, 2015, 102, 471-478.	2.2	16
351	The <i>MITF</i> , p.E318K Variant, as a Risk Factor for Pheochromocytoma and Paraganglioma. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 4764-4768.	1.8	16
352	Key Findings of the French BioNutriNet Project on Organic Food–Based Diets: Description, Determinants, and Relationships to Health and the Environment. Advances in Nutrition, 2022, 13, 208-224.	2.9	16
353	Parental Longevity, Carotid Atherosclerosis, and Aortic Arterial Stiffness in Adult Offspring. Stroke, 2006, 37, 2702-2707.	1.0	15
354	Ten-year risk prediction in French men using the Framingham coronary score: Results from the national SU.VI.MAX cohort. Preventive Medicine, 2008, 47, 61-65.	1.6	15
355	Dietary Quality and 6-Year Anthropometric Changes in a Sample of French Middle-Aged Overweight and Obese Adults. PLoS ONE, 2014, 9, e87083.	1.1	15
356	A genomeâ€wide association study in Caucasian women suggests the involvement of <i><scp>HLA</scp></i> genes in the severity of facial solar lentigines. Pigment Cell and Melanoma Research, 2016, 29, 550-558.	1.5	15
357	The genetic history of France. European Journal of Human Genetics, 2020, 28, 853-865.	1.4	15
358	Randomised controlled trial in an experimental online supermarket testing the effects of front-of-pack nutrition labelling on food purchasing intentions in a low-income population. BMJ Open, 2021, 11, e041196.	0.8	15
359	Relation between Mood and the Host-Microbiome Co-Metabolite 3-Indoxylsulfate: Results from the Observational Prospective NutriNet-Santé Study. Microorganisms, 2021, 9, 716.	1.6	15
360	Impact of the Front-of-Pack Label Nutri-Score on the Nutritional Quality of Food Choices in a Quasi-Experimental Trial in Catering. Nutrients, 2021, 13, 4530.	1.7	15

#	Article	IF	CITATIONS
361	Characteristics of Beverage Consumption Habits among a Large Sample of French Adults: Associations with Total Water and Energy Intakes. Nutrients, 2016, 8, 627.	1.7	14
362	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGFâ€I, IGFâ€I, IGFBPâ€1, IGFBPâ€2 and IGFBPâ€3 in a pooled analysis of 16,024 men from 22 studies. International Journal of Cancer, 2019, 145, 3244-3256.	2.3	14
363	Exome-Wide Association Study Identifies <i>FN3KRP</i> and <i>PGP</i> as New Candidate Longevity Genes. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 786-795.	1.7	14
364	Effects of iron deficiency upon the antibody response to influenza virus in rats. Journal of Nutritional Biochemistry, 1990, 1, 629-634.	1.9	13
365	Iron and Folate Status in Zairian Mothers and Their Newborns. Annals of Nutrition and Metabolism, 1991, 35, 309-314.	1.0	13
366	Intake of Added Oils and Fats among Middle-Aged French Adults: Relationships with Educational Level and Region of Residence. Journal of the American Dietetic Association, 2005, 105, 1889-1894.	1.3	13
367	Expatriates in High–UV Index and Tropical Countries: Sun Exposure and Protection Behavior in 9,416 French Adults. Journal of Travel Medicine, 2007, 14, 85-91.	1.4	13
368	Relationships between selenium, lipids, iron status and hormonal therapy in women of the SU.VI.M.AX cohort. Journal of Trace Elements in Medicine and Biology, 2007, 21, 66-69.	1.5	13
369	Midlife plasma vitamin D concentrations and performance in different cognitive domains assessed 13 years later. British Journal of Nutrition, 2015, 113, 1628-1637.	1.2	13
370	Association of the Dietary Index Underpinning the Nutri-Score Label with Oral Health: Preliminary Evidence from a Large, Population-Based Sample. Nutrients, 2019, 11, 1998.	1.7	13
371	Association between an individual dietary index based on the British Food Standard Agency Nutrient Profiling System and asthma symptoms. British Journal of Nutrition, 2019, 122, 63-70.	1.2	13
372	Sociodemographic correlates of eating disorder subtypes among men and women in France, with a focus on age. Journal of Epidemiology and Community Health, 2019, 73, 56-64.	2.0	13
373	Sun-reactive Skin Type in 4912 French Adults Participating in the SU.VI.MAX Study¶. Photochemistry and Photobiology, 2005, 81, 934.	1.3	13
374	Lessons Learned From Methodological Validation Research in E-Epidemiology. JMIR Public Health and Surveillance, 2016, 2, e160.	1.2	13
375	Effect of folic acid deficiency upon lymphocyte subsets from lymphoid organs in mice. Comparative Biochemistry and Physiology A, Comparative Physiology, 1991, 98, 235-240.	0.7	12
376	Relationship Between Soup Consumption, Folate, Beta-Carotene, and Vitamin C Status in a French Adult Population. International Journal for Vitamin and Nutrition Research, 2003, 73, 315-321.	0.6	12
377	Blood lipid and lipoprotein levels: relationships with educational level and region of residence in the French SU.VI.MAX study. Preventive Medicine, 2005, 40, 803-811.	1.6	12
378	Dietary iron intake andÂserum ferritin inÂrelation toÂ7.5Âyears structure andÂfunction ofÂlarge arteries inÂtheÂSUVIMAX cohort. Diabetes and Metabolism, 2007, 33, 366-371.	1.4	12

#	Article	IF	CITATIONS
379	Travellers to high UV-index countries: Sun-exposure behaviour in 7822 French adults. Travel Medicine and Infectious Disease, 2007, 5, 176-182.	1.5	12
380	Tell Me What Your Blood Î ² -Carotene Level Is, I Will Tell You What Your Health Risk Is! The Viewpoint of the SUVIMAX Researchers. Annals of Nutrition and Metabolism, 2009, 54, 310-312.	1.0	12
381	Assessment of Response Consistency and Respective Participant Profiles in the Internet-based NutriNet-Sante Cohort. American Journal of Epidemiology, 2014, 179, 910-916.	1.6	12
382	Midlife Dietary Vitamin D Intake and Subsequent Performance in Different Cognitive Domains. Annals of Nutrition and Metabolism, 2014, 65, 81-89.	1.0	12
383	Prospective associations between vitamin D status, vitamin D–related gene polymorphisms, and risk of tobacco-related cancers. American Journal of Clinical Nutrition, 2015, 102, 1207-1215.	2.2	12
384	Association Between Blood Pressure and Adherence to French Dietary Guidelines. American Journal of Hypertension, 2016, 29, 948-958.	1.0	12
385	Macronutrient Intake in Relation to Migraine and Non-Migraine Headaches. Nutrients, 2018, 10, 1309.	1.7	12
386	Adherence to National Dietary Guidelines in Association with Oral Health Impact on Quality of Life. Nutrients, 2018, 10, 527.	1.7	12
387	MTHFR 677C → T genotype modulates the effect of a 5-year supplementation with B-vitamins on homocysteine concentration: The SU.FOL.OM3 randomized controlled trial. PLoS ONE, 2018, 13, e0193352.	1.1	12
388	How Computer Literacy and Socioeconomic Status Affect Attitudes Toward a Web-Based Cohort: Results From the NutriNet-Santé Study. Journal of Medical Internet Research, 2015, 17, e34.	2.1	12
389	Evaluation of the iron status of a rural population in South Benin. Nutrition Research, 1986, 6, 627-634.	1.3	11
390	Iron status and food intakes in a representative sample of children and adolescents living in a mediterranean city of spain. Nutrition Research, 1990, 10, 379-390.	1.3	11
391	Tea consumption and cardiovascular risk in the SU.VI.MAX Study: Are life-style factors important?. Nutrition Research, 2003, 23, 879-890.	1.3	11
392	Plasma vitamin D status and recurrent depressive symptoms in the French SU.VI.MAX cohort. European Journal of Nutrition, 2017, 56, 2289-2298.	1.8	11
393	Fasting and weightâ€loss restrictive diet practices among 2,700 cancer survivors: results from the NutriNetâ€Sant© cohort. International Journal of Cancer, 2018, 143, 2687-2697.	2.3	11
394	Some Differences in Nutritional Biomarkers are Detected Between Consumers and Nonconsumers of Organic Foods: Findings from the BioNutriNet Project. Current Developments in Nutrition, 2019, 3, nzy090.	0.1	11
395	Is FOP Nutrition Label Nutri-Score Well Understood by Consumers When Comparing the Nutritional Quality of Added Fats, and Does It Negatively Impact the Image of Olive Oil?. Foods, 2021, 10, 2209.	1.9	11
396	Sociodemographic and economic factors are associated with weight gain between before and after cancer diagnosis: results from the prospective population-based NutriNet-Santé cohort. Oncotarget, 2017, 8, 54640-54653.	0.8	11

#	Article	IF	CITATIONS
397	Is basic red cell ferritin a more specific indicator than serum ferritin in the assessment of iron stores in the elderly?. Clinica Chimica Acta, 1990, 189, 159-162.	0.5	10
398	Parental Longevity and 7-Year Changes in Blood Pressures in Adult Offspring. Hypertension, 2005, 46, 287-294.	1.3	10
399	Control of baseline cardiovascular risk factors in the SU-FOL-OM3 study cohort: does the localization of the arterial event matter?. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 541-548.	3.1	10
400	Associations Between Dietary Patterns and Skin Microcirculation in Healthy Subjects. Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, 463-469.	1.1	10
401	Leisure-Time Physical Activity and Sedentary Behavior and Their Cross-Sectional Associations with Excessive Daytime Sleepiness in the French SU.VI.MAX-2 Study. International Journal of Behavioral Medicine, 2016, 23, 143-152.	0.8	10
402	Obesity and Migraine: Effect Modification by Gender and Perceived Stress. Neuroepidemiology, 2018, 51, 25-32.	1.1	10
403	Quantitative assessment of dietary supplement intake in 77,000 French adults: impact on nutritional intake inadequacy and excessive intake. European Journal of Nutrition, 2019, 58, 2679-2692.	1.8	10
404	Association between processed meat intake and asthma symptoms in the French NutriNet-SantÃ $^{\odot}$ cohort. European Journal of Nutrition, 2020, 59, 1553-1562.	1.8	10
405	Untargeted plasma metabolomic profiles associated with overall diet in women from the SU.VI.MAX cohort. European Journal of Nutrition, 2020, 59, 3425-3439.	1.8	10
406	Plasma Metabolomics for Discovery of Early Metabolic Markers of Prostate Cancer Based on Ultra-High-Performance Liquid Chromatography-High Resolution Mass Spectrometry. Cancers, 2021, 13, 3140.	1.7	10
407	Polish Consumers' Understanding of Different Front-of-Package Food Labels: A Randomized Experiment. Foods, 2022, 11, 134.	1.9	10
408	Exposome Profiles and Asthma among French Adults. American Journal of Respiratory and Critical Care Medicine, 2022, 206, 1208-1219.	2.5	10
409	Iron absorption from african pearl millet and rice meals. Nutrition Research, 1991, 11, 885-893.	1.3	9
410	Vitamin A Deficiency and Immunity Journal of Clinical Biochemistry and Nutrition, 1991, 11, 1-19.	0.6	9
411	Factors determining the use of hormone replacement therapy in recent naturally postmenopausal women participating in the French SU.VI.MAX cohort. European Journal of Epidemiology, 2000, 16, 477-482.	2.5	9
412	Midlife Iron Status Is Inversely Associated with Subsequent Cognitive Performance, Particularly in Perimenopausal Women. Journal of Nutrition, 2013, 143, 1974-1981.	1.3	9
413	Major Change in Body Weight over 5ÂYears and Total Sleep Time: Investigation of Effect Modification by Sex and Obesity in a Large e-Cohort. International Journal of Behavioral Medicine, 2017, 24, 493-500.	0.8	9
414	Prospective association between body mass index at midlife and healthy aging among French adults. Obesity, 2017, 25, 1254-1262.	1.5	9

#	Article	IF	CITATIONS
415	ls organic food consumption associated with life satisfaction? A cross-sectional analysis from the NutriNet-Santé study. Preventive Medicine Reports, 2017, 8, 190-196.	0.8	9
416	Sex-specific associations of different anthropometric indices with acute and chronic insomnia. European Journal of Public Health, 2017, 27, 1026-1031.	0.1	9
417	The Mediating Role of Overweight and Obesity in the Prospective Association between Overall Dietary Quality and Healthy Aging. Nutrients, 2018, 10, 515.	1.7	9
418	A genome wide association study identifies new genes potentially associated with eyelid sagging. Experimental Dermatology, 2019, 28, 892-898.	1.4	9
419	A Comparison of Sugar Intake between Individuals with High and Low Trait Anxiety: Results from the NutriNet-Santé Study. Nutrients, 2021, 13, 1526.	1.7	9
420	Prevalence of vitamin D deficiency in rheumatoid arthritis and association with disease activity and cardiovascular risk factors: data from the COMEDRA study. Clinical and Experimental Rheumatology, 2016, 34, 984-990.	0.4	9
421	Bases scientifiques deÂl'étude SUFOLOM3: essai deÂprévention secondaire visant ÃÂtester l'impact d'une supplémentation enÂfolates, vitamines B6 etÂB12 et/ouÂacides gras oméga-3 dansÂlaÂprévention deÂlaÂr deÀpathologies ischémiques. Sang Thrombose Vaisseaux, 2009, 21, 207-213.	ÂQ cidive	8
422	Association between CST3 rs2424577 Polymorphism and Corpulence Related Phenotypes during Lifetime in Populations of European Ancestry. Obesity Facts, 2011, 4, 131-144.	1.6	8
423	Determining the association between types of sedentary behaviours and cardiometabolic risk factors: A 6-year longitudinal study of French adults. Diabetes and Metabolism, 2016, 42, 112-121.	1.4	8
424	Adherence to dietary guidelines as a protective factor against chronic or recurrent depressive symptoms in the French SU.VI.MAX cohort. Preventive Medicine, 2016, 91, 335-343.	1.6	8
425	Search for new loci and low-frequency variants influencing glioma risk by exome-array analysis. European Journal of Human Genetics, 2016, 24, 717-724.	1.4	8
426	Déterminants et corrélats de la consommation d'aliments issus de l'agriculture biologique. Résulta du projet BioNutriNet. Cahiers De Nutrition Et De Dietetique, 2018, 53, 43-52.	ts 0.2	8
427	Osmolality-based normalization enhances statistical discrimination of untargeted metabolomic urine analysis: results from a comparative study. Metabolomics, 2021, 17, 2.	1.4	8
428	NMR metabolomic profiles associated with long-term risk of prostate cancer. Metabolomics, 2021, 17, 32.	1.4	8
429	Acides gras polyinsaturés en oméga-3 et santé : aperçu des connaissances actuelles. Sciences Des Aliments, 2006, 26, 8-28.	0.2	8
430	Modulation of the association between plasma intercellular adhesion molecule-1 and cancer risk by n-3 PUFA intake: a nested case-control study. American Journal of Clinical Nutrition, 2012, 95, 944-950.	2.2	7
431	Cluster analysis of polyphenol intake in a French middle-aged population (aged 35–64 years). Journal of Nutritional Science, 2016, 5, e28.	0.7	7
432	Effect of Sample Storage on the Assay of Erythrocyte Protoporphyrin by the Hematofluorometer Method. Acta Haematologica, 1987, 78, 57-58.	0.7	6

#	Article	IF	CITATIONS
433	Évolution de la consommation alimentaire dans l'étude SU.VI.MAX (1995-2002). Cahiers De Nutrition Et De Dietetique, 2005, 40, 97-102.	0.2	6
434	Mode de vie et cancer du sein: quels conseils pour la prise en charge de l'après cancer ?. Oncologie, 2010, 12, 289-297.	0.2	6
435	Antioxidant Status and the Risk of Elevated C-Reactive Protein 12 Years Later. Annals of Nutrition and Metabolism, 2014, 65, 289-298.	1.0	6
436	Are different vascular risk scores calculated at midlife uniformly associated with subsequent poor cognitive performance?. Atherosclerosis, 2015, 243, 286-292.	0.4	6
437	Differential Associations of Walking and Cycling with Body Weight, Body Fat and Fat Distribution - the ACTI-Cités Project. Obesity Facts, 2018, 11, 221-231.	1.6	6
438	<p>Association Between Adherence To The French Dietary Guidelines And Lower Resting Heart Rate, Longer Diastole Duration, And Lower Myocardial Oxygen Consumption. The NUTRIVASC Study</p> . Vascular Health and Risk Management, 2019, Volume 15, 463-475.	1.0	6
439	Depressive symptoms, fruit and vegetables consumption and urinary 3-indoxylsulfate concentration: a nested case–control study in the French Nutrinet-Sante cohort. European Journal of Nutrition, 2021, 60, 1059-1069.	1.8	6
440	Consumption of dairy products and CVD risk: results from the French prospective cohort NutriNet-Santé. British Journal of Nutrition, 2022, 127, 752-762.	1.2	6
441	Trends in breastfeeding practices and mothers' experience in the French NutriNet-Santé cohort. International Breastfeeding Journal, 2021, 16, 50.	0.9	6
442	Caffeine Intake and Its Sex-Specific Association with General Anxiety: A Cross-Sectional Analysis among General Population Adults. Nutrients, 2022, 14, 1242.	1.7	6
443	Effects of Iron Supplementation on Serum Ferritin and Other Hematological Indices of Iron Status in Menstruating Women. Annals of Nutrition and Metabolism, 1985, 29, 232-238.	1.0	5
444	Evaluation of the Frequency of Anaemia and Iron-Deficiency Anaemia in a Group of Algerian Menstruating Women by a Mixed Distribution Analysis: Contribution of Folate Deficiency and Inflammatory Processes in the Determination of Anaemia. International Journal of Epidemiology, 1988, 17, 136-141.	0.9	5
445	Antioxidant supplementation does not affect fasting plasma glucose in the Supplementation with Antioxidant Vitamins and Minerals (SU.VI.MAX) study in France: association with dietary intake and plasma concentrations. American Journal of Clinical Nutrition, 2006, 84, 395-399.	2.2	5
446	Association between adherence to the French dietary guidelines and the risk of type 2 diabetes. Nutrition, 2021, 84, 111107.	1.1	5
447	Dietary macronutrient intake according to sex and trait anxiety level among non-diabetic adults: a cross-sectional study. Nutrition Journal, 2021, 20, 78.	1.5	5
448	Glycaemic index, glycaemic load and cancer risk: results from the prospective NutriNet-Santé cohort. International Journal of Epidemiology, 2022, 51, 250-264.	0.9	5
449	Dietary intake and other determinants of iron and folate status in female adolescents Journal of Clinical Biochemistry and Nutrition, 1989, 7, 143-151.	0.6	5
450	Iron and folate status of Algerian pregnant women. Ecology of Food and Nutrition, 1988, 21, 181-187.	0.8	4

#	Article	IF	CITATIONS
451	Iron Bioavailability from African Meals with Rice, Cassava, or Plantain Forming the Staple Food Journal of Clinical Biochemistry and Nutrition, 1991, 10, 217-224.	0.6	4
452	<scp>MC</scp> 1R major variants are a risk factor of sleep lines in Caucasian women. Journal of the European Academy of Dermatology and Venereology, 2014, 28, 805-809.	1.3	4
453	Dyslipidemia as a potential moderator of the association between hearing loss and depressive symptoms. Journal of Nutrition, Health and Aging, 2017, 21, 1291-1298.	1.5	4
454	Association Between Alexithymia and Risk of Incident Cardiovascular Diseases in the SUpplémentation en VItamines et Minéraux AntioXydants (SU.VI.MAX) Cohort. Psychosomatic Medicine, 2018, 80, 460-467.	1.3	4
455	Associations between untargeted plasma metabolomic signatures and gut microbiota composition in the Milieu Intérieur population of healthy adults. British Journal of Nutrition, 2020, 126, 1-11.	1.2	4
456	Sun-reactive Skin Type in 4912 French adults participating in the SU.VI.MAX study. Photochemistry and Photobiology, 2005, 81, 934-40.	1.3	4
457	Influence of inflammation on laboratory indicators of iron deficiency in the elderly. Nutrition Research, 1986, 6, 1259-1266.	1.3	3
458	Vitamin Supplementation in Elderly Persons. JAMA - Journal of the American Medical Association, 2003, 289, 173.	3.8	3
459	Impact of 6-year body weight change on cardiac geometry and function in ageing adults: the SUpplémentation en Vitamines et Minéraux AntioXydants -2 (SU.VI.MAX-2) cardiovascular ultrasound substudy. Journal of Hypertension, 2010, 28, 2309-2315.	0.3	3
460	Distinctive unhealthy eating pattern in free-living middle-aged hypertensives when compared with dyslipidemic or overweight patients. Journal of Hypertension, 2013, 31, 1554-1563.	0.3	3
461	Reply to T Aalbers et al. American Journal of Clinical Nutrition, 2013, 97, 1412-1413.	2.2	3
462	Risk of Tinnitus After Medial Temporal Lobe Surgery. JAMA Neurology, 2017, 74, 1376.	4.5	3
463	Association of diet quality and physical activity with healthy ageing in the French NutriNet-SantÃ $^{\odot}$ cohort. British Journal of Nutrition, 2019, 122, 93-102.	1.2	3
464	Estimating sodium intake from spot urine samples at population level: a validation and application study in French adults. British Journal of Nutrition, 2019, 122, 186-194.	1.2	3
465	Consumption of ultra-processed foods and the risk of overweight and obesity, and weight trajectories in the French cohort NutriNet-Santé. Proceedings of the Nutrition Society, 2020, 79, .	0.4	3
466	The inflammatory potential of the diet is prospectively associated with subjective hearing loss. European Journal of Nutrition, 2021, 60, 3669-3678.	1.8	3
467	Nutri-Score in tug-of-war between public health and economic interests in the European Union. Nature Food, 2022, 3, 181-181.	6.2	3
468	Ultra-processed food intake and eating disorders: Cross-sectional associations among French adults. Journal of Behavioral Addictions, 2022, 11, 588-599.	1.9	3

#	Article	lF	CITATIONS
469	High incidence of hypertension in middle-aged French adults in the late 1990s. Journal of Human Hypertension, 2008, 22, 211-213.	1.0	2
470	Fortification of Vitamin B12 to Flour and the Metabolic Response. , 2011, , 437-449.		2
471	Starchy Food Consumption in French Adults: A Cross-Sectional Analysis of the Profile of Consumers and Contribution to Nutritional Intake in a Web-Based Prospective Cohort. Annals of Nutrition and Metabolism, 2014, 64, 28-37.	1.0	2
472	Association between dietary polyphenols intake and an oxidative stress biomarker: interest of multiple imputation for handling missing covariates and outcomes. BMC Nutrition, 2016, 2, .	0.6	2
473	Mindfulness Is Associated with the Metabolic Syndrome among Individuals with a Depressive Symptomatology. Nutrients, 2018, 10, 232.	1.7	2
474	Relationship between Acute Phase Reactants, Visceral Proteins, and Biochemical Indicators of Iron Status in a Free Living Population of Children. Journal of Clinical Biochemistry and Nutrition, 1987, 3, 257-263.	0.6	2
475	Fermentable Oligosaccharides, Disaccharides, Monosaccharides, and Polyols (FODMAPs) and Cancer Risk in the Prospective NutriNet-Santé Cohort. Journal of Nutrition, 2022, 152, 1059-1069.	1.3	2
476	Dairy product consumption and risk of cancer: A short report from the <scp>NutriNetâ€Santé</scp> prospective cohort study. International Journal of Cancer, 2022, 150, 1978-1986.	2.3	2
477	Abstract P1-09-01: Breast and prostate cancer risk associated with nitrites and nitrates from food additives: Results from the NutriNet-Santé cohort. Cancer Research, 2022, 82, P1-09-01-P1-09-01.	0.4	2
478	Comment on Muzzioli et al. Are Front-of-Pack Labels a Health Policy Tool? Nutrients 2022, 14, 771. Nutrients, 2022, 14, 2165.	1.7	2
479	A population-based study of macronutrient intake according to mental health status with a focus on pure and comorbid anxiety and eating disorders. European Journal of Nutrition, 2022, 61, 3685-3696.	1.8	2
480	Effects of doses and duration of iron supplement on iron deficiency in rats Journal of Clinical Biochemistry and Nutrition, 1989, 7, 193-200.	0.6	1
481	Assessment of Iron Status in Children and Adolescents with Crohn's Disease: Value of Basic Red Cell Ferritin. Annals of Nutrition and Metabolism, 1996, 40, 331-335.	1.0	1
482	Influence of Centrifugation Temperature on the Plasma Total Homocysteine Concentration. Clinical Chemistry, 2003, 49, 1026-1027.	1.5	1
483	Sunâ€reactive Skin Type in 4912 French Adults Participating in the SU.VI.MAX Study [¶] . Photochemistry and Photobiology, 2005, 81, 934-940.	1.3	1
484	Relationship Between Vitamin D Status and Skin Phototype in General Adult Population. Photochemistry and Photobiology, 2007, 71, 466-469.	1.3	1
485	Physical Activity does not Influence the Effect of Antioxidant Supplementation at Nutritional Doses on the Incidence of Impaired Fasting Glucose: A 7.5 Year Post-hoc Analysis from the SU.VI.MAX Study. Hormone and Metabolic Research, 2010, 42, 826-827.	0.7	1
486	Investigation of the Matrix Metalloproteinase-2 Gene in Patients with Non-Syndromic Mitral Valve Prolapse. Journal of Cardiovascular Development and Disease, 2015, 2, 176-189.	0.8	1

#	Article	IF	CITATIONS
487	Consumption of dairy products and cardiovascular disease risk: results from the French prospective cohort NutriNet-Santé. Proceedings of the Nutrition Society, 2020, 79, .	0.4	1
488	P4-12-06: Risk Factors for Relative Weight Gain >10% in Breast Cancer Survivors: Findings from the SU.VI.MAX Cohort , 2011, , .		1
489	Association between positive psychological traits and changes in dietary behaviour related to first COVID-19 lockdown: A general population-based study. Appetite, 2022, 171, 105885.	1.8	1
490	Dietary Iron Intake and Iron Status of French Adults Participating in the SU.VI.MAX Cohort. , 2002, , 488-489.		0
491	Consommation d'huiles et matières grasses en France : relations avec le niveau d'étude et la région (résidence dans la cohorte SU.VI.MAX. Cahiers De Nutrition Et De Dietetique, 2005, 40, 254-259.	de 0.2	0
492	Effets biologiques des anti-oxydantsÂ: les données de l'étude SU.VI.MAX. Oleagineux Corps Gras Lipides, 2006, 13, 35-38.	0.2	0
493	A Follow-Up Study of a Genome-wide Association Scan Identifies a Susceptibility Locus for Venous Thrombosis on Chromosome 6p24.1. American Journal of Human Genetics, 2010, 86, 655.	2.6	0
494	Letter by Olié et al Regarding Article, "Dietary Flavonoids and Risk of Stroke in Women― Stroke, 2012, 43, e59; author reply e60.	1.0	0
495	FRI0094â€Prevalence of Vitamin D Deficiency in Rheumatoid Arthritis (RA): Data from the Comedra Cohort. Annals of the Rheumatic Diseases, 2014, 73, 415.3-415.	0.5	0
496	Le comportement alimentaire, ses déterminants et son lien avec la santé bucco-dentaireÂ: résultats épidémiologiques chez les seniors inscrits à la cohorte NutriNet-Santé. Cahiers De Nutrition Et De Dietetique, 2021, 56, 111-116.	0.2	0
497	Abstract GS2-07: Glycemic index, glycemic load and breast cancer risk: Results from the prospective NutriNet-Santé cohort. , 2021, , .		0
498	Aliments ultra-transformés, maladies chroniques, et mortalitéÂ: résultats de la cohorte prospective NutriNet-Santé. Cahiers De Nutrition Et De Dietetique, 2021, , .	0.2	0
499	Iodine Nutrition of French Adults Issued from the SU.VI.MAX Cohort. , 2002, , 486-487.		0
500	The Role of Complementary Vitamins, Folate, Vitamin B6, and Vitamin B12, in Cardiovascular Disease. , 2005, , 77-109.		0
501	Tanning Devices: Behaviour of French Adults Participating to the SU.VI.MAX Cohort. Epidemiology, 2006, 17, S381.	1.2	0
502	A Meta-Analysis Of Hodgkin Lymphoma Reveals 19p13.3 (TCF3) As a Novel Susceptibility Loc. Blood, 2013, 122, 626-626.	0.6	0
503	Effects of Vitamin A Deficiency on Lymphocyte Subpopulations in the Thymus, Lymph Nodes, and Spleen in Mice Journal of Clinical Biochemistry and Nutrition, 1991, 11, 101-110.	0.6	0
504	Prevalence of Latent Vitamin D Insufficiency in a Middle-Aged Normal Population from SU. VI. MAX Study. , 1998, , 289-297.		0

29

#	Article	IF	CITATIONS
505	Use of Eltrombopag after Romiplostim in Primary ITP Patients. Blood, 2014, 124, 2790-2790.	0.6	0
506	Abstract P1-09-25: Determinants of weight gain after breast cancer diagnosis: Results from the prospective SU.VI.MAX cohort. , 2015, , .		0
507	Abstract P5-13-01: Sociodemographic and economic factors are essential determinants of weight gain between before and after cancer diagnosis: Results from the prospective population-based NutriNet-Santé cohort. , 2017, , .		0
508	Abstract P1-09-02: Risk of breast and other cancers associated with the consumption of artificial sweeteners: Results from the prospective NutriNet-Santé cohort. Cancer Research, 2022, 82, P1-09-02-P1-09-02.	0.4	0
509	Title is missing!. , 2020, 17, e1003256.		0
510	Title is missing!. , 2020, 17, e1003256.		0
511	Title is missing!. , 2020, 17, e1003256.		0
512	Title is missing!. , 2020, 17, e1003256.		0
513	Title is missing!. , 2020, 17, e1003256.		0
514	Title is missing!. , 2020, 17, e1003256.		0