Jianqiu Guo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7998021/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Prenatal exposure to mixture of heavy metals, pesticides and phenols and IQ in children at 7Âyears of age: The SMBCS study. Environment International, 2020, 139, 105692.	10.0	53
2	Urinary paraben concentrations and their associations with anthropometric measures of children aged 3 years. Environmental Pollution, 2017, 222, 307-314.	7.5	49
3	Associations of prenatal and childhood chlorpyrifos exposure with Neurodevelopment of 3-year-old children. Environmental Pollution, 2019, 251, 538-546.	7.5	44
4	Sex-Specific Differences in Cognitive Abilities Associated with Childhood Cadmium and Manganese Exposures in School-Age Children: a Prospective Cohort Study. Biological Trace Element Research, 2020, 193, 89-99.	3.5	42
5	Associations of prenatal exposure to five chlorophenols with adverse birth outcomes. Environmental Pollution, 2016, 214, 478-484.	7.5	36
6	Adverse associations between maternal and neonatal cadmium exposure and birth outcomes. Science of the Total Environment, 2017, 575, 581-587.	8.0	36
7	Umbilical cord serum perfluoroalkyl substance mixtures in relation to thyroid function of newborns: Findings from Sheyang Mini Birth Cohort Study. Chemosphere, 2021, 273, 129664.	8.2	31
8	Maternal and childhood urinary phenol concentrations, neonatal thyroid function, and behavioral problems at 10Âyears of age: The SMBCS study. Science of the Total Environment, 2020, 743, 140678.	8.0	30
9	Birth outcome measures and prenatal exposure to 4-tert-octylphenol. Environmental Pollution, 2016, 212, 65-70.	7.5	25
10	Associations of melamine and cyanuric acid exposure with markers of kidney function in adults: Results from NHANES 2003–2004. Environment International, 2020, 141, 105815.	10.0	25
11	Umbilical cord serum PBDE concentrations and child adiposity measures at 7Âyears. Ecotoxicology and Environmental Safety, 2020, 203, 111009.	6.0	23
12	Effects of prenatal exposure to five parabens on neonatal thyroid function and birth weight: Evidence from SMBCS study. Environmental Research, 2020, 188, 109710.	7.5	17
13	Urinary bisphenol A concentrations and adiposity measures at age 7 years in a prospective birth cohort. Chemosphere, 2020, 251, 126340.	8.2	16
14	Early life triclosan exposure and neurodevelopment of children at 3 years in a prospective birth cohort. International Journal of Hygiene and Environmental Health, 2020, 224, 113427.	4.3	15
15	Early-life carbamate exposure and intelligence quotient of seven-year-old children. Environment International, 2020, 145, 106105.	10.0	14
16	Maternal urinary carbofuranphenol levels before delivery and birth outcomes in Sheyang Birth Cohort. Science of the Total Environment, 2018, 625, 1667-1672.	8.0	12
17	Exposure to carbamate and neurodevelopment in children: Evidence from the SMBCS cohort in China. Environmental Research, 2019, 177, 108590.	7.5	12
18	Carbamate pesticides exposure and delayed physical development at the age of seven: Evidence from the SMBCS study. Environment International, 2022, 160, 107076.	10.0	9

Jianqiu Guo

#	Article	IF	CITATIONS
19	Cord Blood Manganese Concentrations in Relation to Birth Outcomes and Childhood Physical Growth: A Prospective Birth Cohort Study. Nutrients, 2021, 13, 4304.	4.1	8
20	Anthropometric measures at age 3 years in associations with prenatal and postnatal exposures to chlorophenols. Chemosphere, 2019, 228, 204-211.	8.2	4
21	Prenatal exposure to multiple phenolic compounds, fetal reproductive hormones, and the second to fourth digit ratio of children aged 10 years in a prospective birth cohort. Chemosphere, 2021, 263, 127877.	8.2	4
22	Prenatal exposure to parabens in association with cord serum adipokine levels and offspring size at birth. Chemosphere, 2022, 301, 134725.	8.2	4