
Jianqiu Guo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7998021/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Carbamate pesticides exposure and delayed physical development at the age of seven: Evidence from the SMBCS study. Environment International, 2022, 160, 107076.	10.0	9
2	Prenatal exposure to parabens in association with cord serum adipokine levels and offspring size at birth. Chemosphere, 2022, 301, 134725.	8.2	4
3	Prenatal exposure to multiple phenolic compounds, fetal reproductive hormones, and the second to fourth digit ratio of children aged 10 years in a prospective birth cohort. Chemosphere, 2021, 263, 127877.	8.2	4
4	Umbilical cord serum perfluoroalkyl substance mixtures in relation to thyroid function of newborns: Findings from Sheyang Mini Birth Cohort Study. Chemosphere, 2021, 273, 129664.	8.2	31
5	Cord Blood Manganese Concentrations in Relation to Birth Outcomes and Childhood Physical Growth: A Prospective Birth Cohort Study. Nutrients, 2021, 13, 4304.	4.1	8
6	Sex-Specific Differences in Cognitive Abilities Associated with Childhood Cadmium and Manganese Exposures in School-Age Children: a Prospective Cohort Study. Biological Trace Element Research, 2020, 193, 89-99.	3.5	42
7	Early life triclosan exposure and neurodevelopment of children at 3 years in a prospective birth cohort. International Journal of Hygiene and Environmental Health, 2020, 224, 113427.	4.3	15
8	Maternal and childhood urinary phenol concentrations, neonatal thyroid function, and behavioral problems at 10Âyears of age: The SMBCS study. Science of the Total Environment, 2020, 743, 140678.	8.0	30
9	Umbilical cord serum PBDE concentrations and child adiposity measures at 7Âyears. Ecotoxicology and Environmental Safety, 2020, 203, 111009.	6.0	23
10	Early-life carbamate exposure and intelligence quotient of seven-year-old children. Environment International, 2020, 145, 106105.	10.0	14
11	Associations of melamine and cyanuric acid exposure with markers of kidney function in adults: Results from NHANES 2003–2004. Environment International, 2020, 141, 105815.	10.0	25
12	Effects of prenatal exposure to five parabens on neonatal thyroid function and birth weight: Evidence from SMBCS study. Environmental Research, 2020, 188, 109710.	7.5	17
13	Urinary bisphenol A concentrations and adiposity measures at age 7 years in a prospective birth cohort. Chemosphere, 2020, 251, 126340.	8.2	16
14	Prenatal exposure to mixture of heavy metals, pesticides and phenols and IQ in children at 7Âyears of age: The SMBCS study. Environment International, 2020, 139, 105692.	10.0	53
15	Exposure to carbamate and neurodevelopment in children: Evidence from the SMBCS cohort in China. Environmental Research, 2019, 177, 108590.	7.5	12
16	Associations of prenatal and childhood chlorpyrifos exposure with Neurodevelopment of 3-year-old children. Environmental Pollution, 2019, 251, 538-546.	7.5	44
17	Anthropometric measures at age 3 years in associations with prenatal and postnatal exposures to chlorophenols. Chemosphere, 2019, 228, 204-211.	8.2	4
18	Maternal urinary carbofuranphenol levels before delivery and birth outcomes in Sheyang Birth Cohort. Science of the Total Environment, 2018, 625, 1667-1672.	8.0	12

Jianqiu Guo

#	Article	IF	CITATIONS
19	Urinary paraben concentrations and their associations with anthropometric measures of children aged 3 years. Environmental Pollution, 2017, 222, 307-314.	7.5	49
20	Adverse associations between maternal and neonatal cadmium exposure and birth outcomes. Science of the Total Environment, 2017, 575, 581-587.	8.0	36
21	Associations of prenatal exposure to five chlorophenols with adverse birth outcomes. Environmental Pollution, 2016, 214, 478-484.	7.5	36
22	Birth outcome measures and prenatal exposure to 4-tert-octylphenol. Environmental Pollution, 2016, 212, 65-70.	7.5	25