
## Muhammad Sohail S Akram

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7998604/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cadmium spiked soil modulates root organic acids exudation and ionic contents of two differentially Cd tolerant maize ( Zea mays L.) cultivars. Ecotoxicology and Environmental Safety, 2017, 141, 216-225.	6.0	103
2	Deciphering Staphylococcus sciuri SAT-17 Mediated Anti-oxidative Defense Mechanisms and Growth Modulations in Salt Stressed Maize (Zea mays L.). Frontiers in Microbiology, 2016, 7, 867.	3.5	79
3	Efficacy of silicon priming and fertigation to modulate seedling's vigor and ion homeostasis of wheat (Triticum aestivum L.) under saline environment. Environmental Science and Pollution Research, 2015, 22, 14367-14371.	5.3	45
4	Cadmium-induced rhizospheric pH dynamics modulated nutrient acquisition and physiological attributes of maize (Zea mays L.). Environmental Science and Pollution Research, 2015, 22, 9193-9203.	5.3	44
5	A phytobeneficial strain <i>Planomicrobium</i> sp. MSSA-10 triggered oxidative stress responsive mechanisms and regulated the growth of pea plants under induced saline environment. Journal of Applied Microbiology, 2018, 124, 1566-1579.	3.1	44
6	Phytoremediation of Cadmium-Polluted Water/Sediment by Aquatic Macrophytes: Role of Plant-Induced pH Changes. , 2019, , 495-529.		43
7	Exogenous triacontanol-mediated increase in phenolics, proline, activity of nitrate reductase, and shoot k+ confers salt tolerance in maize (Zea mays L.). Revista Brasileira De Botanica, 2017, 40, 1-11.	1.3	32
8	Serratia sp. CP-13 alleviates Cd toxicity by morpho-physio-biochemical improvements, antioxidative potential and diminished Cd uptake in Zea mays L. cultivars differing in Cd tolerance. Ecotoxicology and Environmental Safety, 2021, 208, 111584.	6.0	32
9	Deciphering the growth, organic acid exudations, and ionic homeostasis of Amaranthus viridis L. and Portulaca oleracea L. under lead chloride stress. Environmental Science and Pollution Research, 2018, 25, 2958-2971.	5.3	29
10	<i>Serratia</i> sp. <scp>CP</scp> â€13 augments the growth of cadmium (Cd)â€stressed <i>Linum usitatissimum</i> L by limited Cd uptake, enhanced nutrient acquisition and antioxidative potential. Journal of Applied Microbiology, 2019, 126, 1708-1721.	3.1	25
11	Elucidating distinct oxidative stress management, nutrient acquisition and yield responses of Pisum sativum L. fertigated with diluted and treated wastewater. Agricultural Water Management, 2021, 247, 106720.	5.6	25
12	Identification of a novel copper-activated and halide-tolerant laccase in Geobacillus thermopakistaniensis. Extremophiles, 2017, 21, 563-571.	2.3	24
13	Biologically treated wastewater fertigation induced growth and yield enhancement effects in Vigna radiata L Agricultural Water Management, 2014, 146, 124-130.	5.6	21
14	Plant growth-promoting Bacillus sp. strain SDA-4 confers Cd tolerance by physio-biochemical improvements, better nutrient acquisition and diminished Cd uptake in Spinacia oleracea L Physiology and Molecular Biology of Plants, 2020, 26, 2417-2433.	3.1	21
15	Enhancement of salt tolerance in maize (Zea mays L.) using locally isolated Bacillus sp. SR-2-1/1. Biologia (Poland), 2020, 75, 1425-1436.	1.5	20
16	Microbe-Mediated Mitigation of Cadmium Toxicity in Plants. , 2019, , 427-449.		18
17	Peptone-Induced Physio-Biochemical Modulations Reduce Cadmium Toxicity and Accumulation in Spinach (Spinacia oleracea L.). Plants, 2020, 9, 1806.	3.5	12
18	Elucidating Cd-mediated distinct rhizospheric and in planta ionomic and physio-biochemical responses of two contrasting Zea mays L. cultivars. Physiology and Molecular Biology of Plants, 2021, 27, 297-312.	3.1	12

#	Article	IF	CITATIONS
19	Exogenous Caffeine (1,3,7-Trimethylxanthine) Application Diminishes Cadmium Toxicity by Modulating Physio-Biochemical Attributes and Improving the Growth of Spinach (Spinacia oleracea L.). Sustainability, 2022, 14, 2806.	3.2	9
20	A highly stable laccase from <i>Bacillus subtilis</i> strain R5: gene cloning and characterization. Bioscience, Biotechnology and Biochemistry, 2019, 83, 436-445.	1.3	7
21	Plant-Microbe Interactions: Current Perspectives of Mechanisms Behind Symbiotic and Pathogenic Associations. , 2017, , 97-126.		6
22	The effect of lead pollution on nutrient solution pH and concomitant changes in plant physiology of two contrasting Solanum melongena L. cultivars. Environmental Science and Pollution Research, 2019, 26, 34633-34644.	5.3	4
23	Polychlorinated biphenyls (PCBs): Characteristics, toxicity, phytoremediation, and use of transgenic plants for PCBs degradation. , 2021, , 677-687.		4
24	Antioxidant defense systems in bioremediation of organic pollutants. , 2021, , 505-521.		3
25	Deciphering distinct root exudation, ionomics, and physio-biochemical attributes of Serratia marcescens CP-13 inoculated differentially Cd tolerant Zea mays cultivars. Environmental Science and Pollution Research, 2022, 29, 71632-71649.	5.3	3
26	Physiological and molecular basis of plants tolerance to linear halogenated hydrocarbons. , 2021, , 591-602.		2
27	Physiological and molecular basis of bioremediation of micropollutants. , 2021, , 447-464.		2
28	Ecophysiology and Stress Responses of Aquatic Macrophytes Under Metal/Metalloid Toxicity. , 2020, , 485-511.		2
29	Enhanced in vitro Regeneration in Sugarcane (Saccharum officinarum L.) by Use of Alternate High-Low Picloram Doses and Thidiazuron Supplementation. Cytology and Genetics, 2021, 55, 566-575.	0.5	2
30	DNA Nanobiotechnology and Plant Breeding. , 2020, , 85-100.		1