
## Lalitagauri M Deshpande

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7999040/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Azole resistance in Candida glabrata clinical isolates from global surveillance is associated with efflux overexpression. Journal of Global Antimicrobial Resistance, 2022, 29, 371-377.	0.9	13
2	Evaluation of Synergistic Activity of Isavuconazole or Voriconazole plus Anidulafungin and the Occurrence and Genetic Characterization of Candida auris Detected in a Surveillance Program. Antimicrobial Agents and Chemotherapy, 2021, 65, .	1.4	26
3	Isavuconazole nonwildtype <i>Aspergillus fumigatus</i> isolates from a global surveillance study display alterations in multiple genes involved in the ergosterol biosynthesis pathway not previously associated with resistance to other azoles. Mycoses, 2021, 64, 1279-1290.	1.8	9
4	Characterization of a vga gene variant recovered from a Staphylococcus saprophyticus causing a community-acquired urinary tract infection: report from the SENTRY Antimicrobial Surveillance Program 2017. Diagnostic Microbiology and Infectious Disease, 2021, 100, 115398.	0.8	0
5	Activity of ceftazidime/avibactam, meropenem/vaborbactam and imipenem/relebactam against carbapenemase-negative carbapenem-resistant Enterobacterales isolates from US hospitals. International Journal of Antimicrobial Agents, 2021, 58, 106439.	1.1	36
6	Analysis of global antifungal surveillance results reveals predominance of Erg11 Y132F alteration among azole-resistant Candida parapsilosis and Candida tropicalis and country-specific isolate dissemination. International Journal of Antimicrobial Agents, 2020, 55, 105799.	1.1	61
7	Updated Prevalence of <i>mcr</i> -Like Genes among <i>Escherichia coli</i> and <i>Klebsiella pneumoniae</i> in the SENTRY Program and Characterization of <i>mcr-1.11</i> Variant. Antimicrobial Agents and Chemotherapy, 2019, 63, .	1.4	16
8	Variations in the Occurrence of Resistance Phenotypes and Carbapenemase Genes Among Enterobacteriaceae Isolates in 20 Years of the SENTRY Antimicrobial Surveillance Program. Open Forum Infectious Diseases, 2019, 6, S23-S33.	0.4	124
9	Aminoglycoside-modifying enzyme and 16S ribosomal RNA methyltransferase genes among a global collection of Gram-negative isolates. Journal of Global Antimicrobial Resistance, 2019, 16, 278-285.	0.9	30
10	ZAAPS programme results for 2016: an activity and spectrum analysis of linezolid using clinical isolates from medical centres in 42 countries. Journal of Antimicrobial Chemotherapy, 2018, 73, 1880-1887.	1.3	56
11	Activity of plazomicin compared with other aminoglycosides against isolates from European and adjacent countries, including Enterobacteriaceae molecularly characterized for aminoglycoside-modifying enzymes and other resistance mechanisms. Journal of Antimicrobial Chemotherapy, 2018, 73, 3346-3354.	1.3	50
12	Empyema thoracis caused by an optrA -positive and linezolid-intermediate Enterococcus faecalis strain. Journal of Infection, 2017, 75, 182-184.	1.7	8
13	Case report of transient mcr-1 -haboring Escherichia coli with concurrent Staphylococcus aureus bacteremia in Long Beach, California. Diagnostic Microbiology and Infectious Disease, 2017, 89, 303-304.	0.8	6
14	Monitoring Antifungal Resistance in a Global Collection of Invasive Yeasts and Molds: Application of CLSI Epidemiological Cutoff Values and Whole-Genome Sequencing Analysis for Detection of Azole Resistance in Candida albicans. Antimicrobial Agents and Chemotherapy, 2017, 61, .	1.4	87
15	Detection of <i>mcr-1</i> among Escherichia coli Clinical Isolates Collected Worldwide as Part of the SENTRY Antimicrobial Surveillance Program in 2014 and 2015. Antimicrobial Agents and Chemotherapy, 2016, 60, 5623-5624.	1.4	100
16	High Rates of Nonsusceptibility to Ceftazidime-avibactam and Identification of New Delhi Metallo-1²-lactamase Production in <i>Enterobacteriaceae</i> Bloodstream Infections at a Major Cancer Center: Table 1 Clinical Infectious Diseases, 2016, 63, 954-958.	2.9	55
17	Klebsiella pneumoniae Isolate from a New York City Hospital Belonging to Sequence Type 258 and CarryingblaKPC-2andblaVIM-4. Antimicrobial Agents and Chemotherapy, 2016, 60, 1924-1927.	1.4	15
18	Genotypic Characterization of Methicillin-Resistant <i>Staphylococcus aureus</i> Recovered at Baseline from Phase 3 Pneumonia Clinical Trials for Ceftobiprole. Microbial Drug Resistance, 2016, 22, 53-58.	0.9	5

#	ARTICLE	IF	CITATIONS
19	Detection of a New <i>cfr</i> -Like Gene, <i>cfr</i> (B), in Enterococcus faecium Isolates Recovered from Human Specimens in the United States as Part of the SENTRY Antimicrobial Surveillance Program. Antimicrobial Agents and Chemotherapy, 2015, 59, 6256-6261.	1.4	124
20	MSSA ST398/t034 carrying a plasmid-mediated Cfr and Erm(B) in Brazil. Journal of Antimicrobial Chemotherapy, 2015, 70, 303-305.	1.3	22
21	Retrospective Molecular Analysis of DIM-1 Metallo-β-Lactamase Discovered in Pseudomonas stutzeri from India in 2000. Antimicrobial Agents and Chemotherapy, 2014, 58, 596-598.	1.4	10
22	Linezolid update: Stable in vitro activity following more than a decade of clinical use and summary of associated resistance mechanisms. Drug Resistance Updates, 2014, 17, 1-12.	6.5	195
23	Detection of NDM-1-producing Enterobacteriaceae in Romania: report of the SENTRY Antimicrobial Surveillance Program. Journal of Medical Microbiology, 2014, 63, 483-484.	0.7	4
24	Epidemiology and carbapenem resistance mechanisms of carbapenem-non-susceptible Pseudomonas aeruginosa collected during 2009-11 in 14 European and Mediterranean countries. Journal of Antimicrobial Chemotherapy, 2014, 69, 1804-1814.	1.3	173
25	Evaluation of Clonality and Carbapenem Resistance Mechanisms among Acinetobacter baumannii-Acinetobacter calcoaceticus Complex and Enterobacteriaceae Isolates Collected in European and Mediterranean Countries and Detection of Two Novel Î <sup>2</sup> -Lactamases, GES-22 and VIM-35. Antimicrobial Agents and Chemotherapy. 2014. 58. 7358-7366.	1.4	53
26	Update on the prevalence and genetic characterization of NDM-1–producing Enterobacteriaceae in Indian hospitals during 2010. Diagnostic Microbiology and Infectious Disease, 2013, 75, 210-213.	0.8	21
27	Prevalence of β-Lactamase-Encoding Genes among Enterobacteriaceae Bacteremia Isolates Collected in 26 U.S. Hospitals: Report from the SENTRY Antimicrobial Surveillance Program (2010). Antimicrobial Agents and Chemotherapy, 2013, 57, 3012-3020.	1.4	100
28	IMP-33, a New IMP Variant Detected in Pseudomonas aeruginosa from Sicily. Antimicrobial Agents and Chemotherapy, 2013, 57, 6401-6403.	1.4	5
29	Streptococcus sanguinis Isolate Displaying a Phenotype with Cross-Resistance to Several rRNA-Targeting Agents. Journal of Clinical Microbiology, 2013, 51, 2728-2731.	1.8	16
30	Dissemination of a pSCFS3-Like <i>cfr</i> -Carrying Plasmid in Staphylococcus aureus and Staphylococcus epidermidis Clinical Isolates Recovered from Hospitals in Ohio. Antimicrobial Agents and Chemotherapy, 2013, 57, 2923-2928.	1.4	40
31	Expansion of Clonal Complex 258 KPC-2-Producing Klebsiella pneumoniae in Latin American Hospitals: Report of the SENTRY Antimicrobial Surveillance Program. Antimicrobial Agents and Chemotherapy, 2012, 56, 1668-1669.	1.4	39
32	Molecular Epidemiology of Staphylococcus epidermidis Clinical Isolates from U.S. Hospitals. Antimicrobial Agents and Chemotherapy, 2012, 56, 4656-4661.	1.4	75
33	Characterization of Methicillin-Resistant Staphylococcus aureus Strains Recovered from a Phase IV Clinical Trial for Linezolid versus Vancomycin for Treatment of Nosocomial Pneumonia. Journal of Clinical Microbiology, 2012, 50, 3694-3702.	1.8	34
34	Evaluation of quinolone resistance–determining region mutations and efflux pump expression in Neisseria meningitidis resistant to fluoroquinolones. Diagnostic Microbiology and Infectious Disease, 2012, 72, 263-266.	0.8	15
35	Plasmid-borne vga(A)-encoding gene in methicillin-resistant Staphylococcus aureus ST398 recovered from swine and a swine farmer in the United States. Diagnostic Microbiology and Infectious Disease, 2011, 71, 177-180.	0.8	18
36	Early Dissemination of NDM-1- and OXA-181-Producing <i>Enterobacteriaceae</i> in Indian Hospitals: Report from the SENTRY Antimicrobial Surveillance Program, 2006-2007. Antimicrobial Agents and Chemotherapy, 2011, 55, 1274-1278.	1.4	303

#	Article	IF	CITATIONS
37	Comment on: Role of changes in the L3 loop of the active site in the evolution of enzymatic activity of VIM-type metallo-Â-lactamases. Journal of Antimicrobial Chemotherapy, 2011, 66, 684-685.	1.3	12
38	Assessment of linezolid resistance mechanisms among Staphylococcus epidermidis causing bacteraemia in Rome, Italy. Journal of Antimicrobial Chemotherapy, 2010, 65, 2329-2335.	1.3	126
39	Characterization of Baseline Methicillin-Resistant <i>Staphylococcus aureus</i> Isolates Recovered from Phase IV Clinical Trial for Linezolid. Journal of Clinical Microbiology, 2010, 48, 568-574.	1.8	40
40	First Report of Staphylococcal Clinical Isolates in Mexico with Linezolid Resistance Caused by <i>cfr</i> : Evidence of <i>In Vivo cfr</i> Mobilization. Journal of Clinical Microbiology, 2010, 48, 3041-3043.	1.8	56
41	Determination of the mutant selection window for clindamycin, doxycycline, linezolid, moxifloxacin and trimethoprim/sulfamethoxazole against community-associated meticillin-resistant Staphylococcus aureus (MRSA). International Journal of Antimicrobial Agents, 2010, 35, 45-49.	1.1	16
42	Dissemination of a blaVIM-2-Carrying Integron Among Enterobacteriaceae Species in Mexico: Report from the SENTRY Antimicrobial Surveillance Program. Microbial Drug Resistance, 2009, 15, 33-35.	0.9	19
43	Daptomycin Activity Tested Against Linezolid-Nonsusceptible Gram-Positive Clinical Isolates. Microbial Drug Resistance, 2009, 15, 245-249.	0.9	14
44	First Descriptions of <i>bla</i> <sub>KPC</sub> in <i>Raoultella</i> spp. ( <i>R. planticola</i> and) Tj ETQq0 0 0 Clinical Microbiology, 2009, 47, 4129-4130.	rgBT /Over 1.8	rlock 10 Tf 5 92
45	Codetection of <i>bla</i> <sub>OXA-23</sub> -Like Gene ( <i>bla</i> <sub>OXA-133</sub> ) and <i>bla</i> <sub>OXA-58</sub> in <i>Acinetobacter radioresistens</i> : Report from the SENTRY Antimicrobial Surveillance Program. Antimicrobial Agents and Chemotherapy, 2009, 53, 843-844.	1.4	16
46	Antimicrobial activity of tigecycline against community-acquired methicillin-resistant Staphylococcus aureus isolates recovered from North American medical centers. Diagnostic Microbiology and Infectious Disease, 2008, 60, 433-436.	0.8	41
47	First Report of <i>cfr</i> -Mediated Resistance to Linezolid in Human Staphylococcal Clinical Isolates Recovered in the United States. Antimicrobial Agents and Chemotherapy, 2008, 52, 2244-2246.	1.4	203
48	Antimicrobial Activities of Tigecycline and Other Broad-Spectrum Antimicrobials Tested against Serine Carbapenemase- and Metallo-Î <sup>2</sup> -Lactamase-Producing Enterobacteriaceae : Report from the SENTRY Antimicrobial Surveillance Program. Antimicrobial Agents and Chemotherapy, 2008, 52, 570-573.	1.4	131
49	Emergence and Clonal Dissemination of OXA-24- and OXA-58-Producing Acinetobacter baumannii Strains in Houston, Texas: Report from the SENTRY Antimicrobial Surveillance Program. Journal of Clinical Microbiology, 2008, 46, 3179-3180.	1.8	16
50	Increasing carbapenem resistance due to the clonal dissemination of oxacillinase (OXA-23 and) Tj ETQq0 0 0 rgBT of Medical Microbiology, 2008, 57, 1529-1532.	/Overlock 0.7	10 Tf 50 22 46
51	IMP-15-Producing <i>Pseudomonas aeruginosa</i> Strain Isolated in a U.S. Medical Center: a Recent Arrival from Mexico. Antimicrobial Agents and Chemotherapy, 2008, 52, 2289-2290.	1.4	10
52	Molecular Characterization of Staphylococcus aureus Isolates from a 2005 Clinical Trial of Uncomplicated Skin and Skin Structure Infections. Antimicrobial Agents and Chemotherapy, 2007, 51, 3381-3384.	1.4	20
53	Antimicrobial resistance and molecular epidemiology of vancomycin-resistant enterococci from North America and Europe: a report from the SENTRY antimicrobial surveillance program. Diagnostic Microbiology and Infectious Disease, 2007, 58, 163-170.	0.8	280
54	Activity of meropenem as serine carbapenemases evolve in US Medical Centers: monitoring report from the MYSTIC Program (2006). Diagnostic Microbiology and Infectious Disease, 2007, 59, 425-432.	0.8	36

#	Article	IF	CITATIONS
55	Occurrence and Characterization of Carbapenemase-Producing Enterobacteriaceae: Report from the SENTRY Antimicrobial Surveillance Program (2000–2004). Microbial Drug Resistance, 2006, 12, 223-230.	0.9	133
56	Emergence of serine carbapenemases (KPC and SME) among clinical strains of Enterobacteriaceae isolated in the United States Medical Centers: Report from the MYSTIC Program (1999–2005). Diagnostic Microbiology and Infectious Disease, 2006, 56, 367-372.	0.8	124
57	Pseudomonas aeruginosa strains harbouring an unusual blaVIM-4 gene cassette isolated from hospitalized children in Poland (1998-2001). Journal of Antimicrobial Chemotherapy, 2004, 53, 451-456.	1.3	62
58	Determination of epidemic clonality among multidrug-resistant strains of Acinetobacter spp. and Pseudomonas aeruginosa in the MYSTIC Programme (USA, 1999–2003). Diagnostic Microbiology and Infectious Disease, 2004, 49, 211-216.	0.8	32