

# Caroline Free

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7999997/publications.pdf>

Version: 2024-02-01

76  
papers

4,751  
citations

279701

23  
h-index

110317

64  
g-index

91  
all docs

91  
docs citations

91  
times ranked

7804  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adapting an evidence-based contraceptive behavioural intervention delivered by mobile phone for young people in Zimbabwe. BMC Health Services Research, 2022, 22, 106.	0.9	0
2	A dynamic and collaborative approach to trial recruitment in safetxt, a UK sexual health randomised controlled trial. Clinical Trials, 2022, 19, 251-258.	0.7	2
3	Mobile phone-based interventions for improving adherence to medication prescribed for the primary prevention of cardiovascular disease in adults. The Cochrane Library, 2021, 2021, CD012675.	1.5	21
4	Exploring Barriers to Medication Adherence Using COM-B Model of Behaviour Among Patients with Cardiovascular Diseases in Low- and Middle-Income Countries: A Qualitative Study. Patient Preference and Adherence, 2021, Volume 15, 1359-1371.	0.8	7
5	Efficacy and Safety of Text Messages Targeting Adherence to Cardiovascular Medications in Secondary Prevention: TXT2HEART Colombia Randomized Controlled Trial. JMIR MHealth and UHealth, 2021, 9, e25548.	1.8	9
6	Sexual health interventions delivered to participants by mobile technology: a systematic review and meta-analysis of randomised controlled trials. Sexually Transmitted Infections, 2021, 97, 190-200.	0.8	16
7	Development of an intervention to support reproductive health of garment factory workers in Cambodia: a qualitative study. BMJ Open, 2021, 11, e049254.	0.8	2
8	Expanding choice through online contraception: a theory of change to inform service development and evaluation. BMJ Sexual and Reproductive Health, 2020, 46, 108-115.	0.9	6
9	How do users of a "digital-only"™ contraceptive service provide biometric measurements and what does this teach us about safe and effective online care? A qualitative interview study. BMJ Open, 2020, 10, e037851.	0.8	3
10	Participant engagement with a text message delivered intervention for weight loss and maintenance of weight loss in the postpartum period. Proceedings of the Nutrition Society, 2020, 79, .	0.4	0
11	Family planning practices of women working in the Cambodian garment industry: a qualitative study. Contraception and Reproductive Medicine, 2020, 5, 11.	0.7	4
12	Towards a conceptual framework of the working alliance in a blended low-intensity cognitive behavioural therapy intervention for depression in primary mental health care: a qualitative study. BMJ Open, 2020, 10, e036299.	0.8	9
13	Targeted client communication via mobile devices for improving maternal, neonatal, and child health. The Cochrane Library, 2020, 2020, CD013679.	1.5	28
14	Targeted client communication via mobile devices for improving sexual and reproductive health. The Cochrane Library, 2020, 2020, CD013680.	1.5	26
15	A cohort study of the service-users of online contraception. BMJ Sexual and Reproductive Health, 2020, 46, 287-293.	0.9	9
16	Safetxt: a safer sex intervention delivered by mobile phone messaging on sexually transmitted infections (STI) among young people in the UK - protocol for a randomised controlled trial. BMJ Open, 2020, 10, e031635.	0.8	9
17	A Mobile Phone-Based Support Intervention to Increase Use of Postabortion Family Planning in Cambodia: Cost-Effectiveness Evaluation. JMIR MHealth and UHealth, 2020, 8, e16276.	1.8	6
18	An Intervention Delivered by Mobile Phone Instant Messaging to Increase Acceptability and Use of Effective Contraception Among Young Women in Bolivia: Randomized Controlled Trial. Journal of Medical Internet Research, 2020, 22, e14073.	2.1	13

#	ARTICLE	IF	CITATIONS
19	Development of an Intervention to Support the Reproductive Health of Cambodian Women Who Seek Medical Abortion: Research Protocol. <i>JMIR Research Protocols</i> , 2020, 9, e17779.	0.5	1
20	Text messaging to help women with overweight or obesity lose weight after childbirth: the intervention adaptation and SMS feasibility RCT. <i>Public Health Research</i> , 2020, 8, 1-152.	0.5	7
21	Target women: Equity in access to mHealth technology in a non-communicable disease care intervention in Kenya. <i>PLoS ONE</i> , 2019, 14, e0220834.	1.1	6
22	Does internet-accessed STI (e-STI) testing increase testing uptake for chlamydia and other STIs among a young population who have never tested? Secondary analyses of data from a randomised controlled trial. <i>Sexually Transmitted Infections</i> , 2019, 95, 569-574.	0.8	30
23	Characteristics and contraceptive outcomes of women seeking medical or surgical abortion in reproductive health clinics in Cambodia. <i>Contraception and Reproductive Medicine</i> , 2019, 4, 5.	0.7	4
24	A randomized controlled trial of an intervention delivered by mobile phone text message to increase the acceptability of effective contraception among young women in Palestine. <i>Trials</i> , 2019, 20, 228.	0.7	24
25	Cross-sectional analysis of chemsex drug use and gonorrhoea diagnosis among men who have sex with men in the UK. <i>Sexual Health</i> , 2019, 16, 464.	0.4	20
26	Evaluation of the efficacy and safety of text messages targeting adherence to cardiovascular medications in secondary prevention: the txt2heart Colombia randomised controlled trial protocol. <i>BMJ Open</i> , 2019, 9, e028017.	0.8	4
27	Using Digital Technology for Sexual and Reproductive Health: Are Programs Adequately Considering Risk?. <i>Global Health, Science and Practice</i> , 2019, 7, 507-514.	0.6	31
28	Predictors of postabortion contraception use in Cambodia. <i>Contraception</i> , 2019, 99, 155-159.	0.8	4
29	Comparing the characteristics of users of an online service for STI self-sampling with clinic service users: a cross-sectional analysis. <i>Sexually Transmitted Infections</i> , 2018, 94, 377-383.	0.8	39
30	Cochrane corner: text messaging to improve adherence to drugs for secondary prevention of cardiovascular disease. <i>Heart</i> , 2018, 104, 1814-1816.	1.2	3
31	A randomized controlled trial of an intervention delivered by mobile phone app instant messaging to increase the acceptability of effective contraception among young people in Tajikistan. <i>Reproductive Health</i> , 2018, 15, 28.	1.2	27
32	Development of an intervention delivered by mobile phone aimed at decreasing unintended pregnancy among young people in three lower middle income countries. <i>BMC Public Health</i> , 2018, 18, 576.	1.2	32
33	Assessing the validity and reliability of self-report data on contraception use in the MOBILE Technology for Improved Family Planning (MOTIF) randomised controlled trial. <i>Reproductive Health</i> , 2018, 15, 50.	1.2	16
34	The effectiveness of smoking cessation, physical activity/diet and alcohol reduction interventions delivered by mobile phones for the prevention of non-communicable diseases: A systematic review of randomised controlled trials. <i>PLoS ONE</i> , 2018, 13, e0189801.	1.1	88
35	Web-Based Activity Within a Sexual Health Economy: Observational Study. <i>Journal of Medical Internet Research</i> , 2018, 20, e74.	2.1	16
36	Mobile phone text messaging to improve medication adherence in secondary prevention of cardiovascular disease. <i>The Cochrane Library</i> , 2017, 2017, CD011851.	1.5	85

#	ARTICLE	IF	CITATIONS
37	Women's views and experiences of a mobile phone-based intervention to support post-abortion contraception in Cambodia. <i>Reproductive Health</i> , 2017, 14, 72.	1.2	16
38	Process evaluation of a mobile phone-based intervention to support post-abortion contraception in Cambodia. <i>Contraception and Reproductive Medicine</i> , 2017, 2, 16.	0.7	10
39	Mobile phone-based interventions for improving adherence to medication prescribed for the primary prevention of cardiovascular disease in adults. <i>The Cochrane Library</i> , 2017, , .	1.5	6
40	Internet-accessed sexually transmitted infection (e-STI) testing and results service: A randomised, single-blind, controlled trial. <i>PLoS Medicine</i> , 2017, 14, e1002479.	3.9	88
41	Lb3.259...E-STI testing and results service: a single blind randomised controlled trial. , 2017, , .		1
42	An intervention delivered by text message to increase the acceptability of effective contraception among young women in Palestine: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 454.	0.7	11
43	Assessing loss to follow-up in the MOBILE Technology for Improved Family Planning (MOTIF) randomised controlled trial. <i>Trials</i> , 2017, 18, 577.	0.7	3
44	An Intervention Delivered by App Instant Messaging to Increase Acceptability and Use of Effective Contraception Among Young Women in Bolivia: Protocol of a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2017, 6, e252.	0.5	12
45	Text messaging reminders for influenza vaccine in primary care: a cluster randomised controlled trial (TXT4FLUJAB). <i>BMJ Open</i> , 2016, 6, e010069.	0.8	34
46	Safetxt: a pilot randomised controlled trial of an intervention delivered by mobile phone to increase safer sex behaviours in young people. <i>BMJ Open</i> , 2016, 6, e013045.	0.8	9
47	P072...Equity of access to online sexually transmitted infection self-sampling services in Lambeth and Southwark: An early view of the data: Abstract P072 Table 1. <i>Sexually Transmitted Infections</i> , 2016, 92, A43.2-A44.	0.8	1
48	A systematic review of randomised control trials of sexual health interventions delivered by mobile technologies. <i>BMC Public Health</i> , 2016, 16, 778.	1.2	56
49	Simple steps to develop trial follow-up procedures. <i>Trials</i> , 2016, 17, 28.	0.7	8
50	Participant-level meta-analysis of mobile phone-based interventions for smoking cessation across different countries. <i>Preventive Medicine</i> , 2016, 89, 90-97.	1.6	35
51	Young People's Views and Experiences of a Mobile Phone Texting Intervention to Promote Safer Sex Behavior. <i>JMIR MHealth and UHealth</i> , 2016, 4, e26.	1.8	30
52	Can Internet-Based Sexual Health Services Increase Diagnoses of Sexually Transmitted Infections (STI)? Protocol for a Randomized Evaluation of an Internet-Based STI Testing and Results Service. <i>JMIR Research Protocols</i> , 2016, 5, e9.	0.5	11
53	Can text messages increase safer sex behaviours in young people? Intervention development and pilot randomised controlled trial. <i>Health Technology Assessment</i> , 2016, 20, 1-82.	1.3	30
54	How online sexual health services could work; generating theory to support development. <i>BMC Health Services Research</i> , 2015, 15, 540.	0.9	17

#	ARTICLE	IF	CITATIONS
55	Mobile Technology for Improved Family Planning (MOTIF): the development of a mobile phone-based (mHealth) intervention to support post-abortion family planning (PAFP) in Cambodia. <i>Reproductive Health</i> , 2015, 13, 1.	1.2	98
56	Mobile phone-based interventions for improving contraception use. <i>The Cochrane Library</i> , 2015, 2015, CD011159.	1.5	86
57	Developing and Pretesting a Text Messaging Program for Health Behavior Change: Recommended Steps. <i>JMIR MHealth and UHealth</i> , 2015, 3, e107.	1.8	131
58	Effect of a mobile phone-based intervention on post-abortion contraception: a randomized controlled trial in Cambodia. <i>Bulletin of the World Health Organization</i> , 2015, 93, 842-850A.	1.5	71
59	Sexual health promotion for young people delivered via digital media: a scoping review. <i>Public Health Research</i> , 2015, 3, 1-120.	0.5	74
60	Women's perspectives on termination service delivery in Vietnam: a cross-sectional survey in three provinces. <i>International Journal of Women's Health</i> , 2014, 6, 927.	1.1	2
61	Attributes and perspectives of public providers related to provision of medical abortion at public health facilities in Vietnam: a cross-sectional study in three provinces. <i>International Journal of Women's Health</i> , 2014, 6, 789.	1.1	0
62	Knowledge and provision practices regarding medical abortion among public providers in Hanoi, Khanh Hoa, and Ho Chi Minh City, Vietnam. <i>International Journal of Gynecology and Obstetrics</i> , 2014, 124, 216-221.	1.0	5
63	Service users' attributes associated with the uptake of medical versus surgical abortion at public health facilities in Vietnam. <i>International Journal of Gynecology and Obstetrics</i> , 2014, 125, 247-252.	1.0	3
64	The cost-effectiveness of smoking cessation support delivered by mobile phone text messaging: Txt2stop. <i>European Journal of Health Economics</i> , 2013, 14, 789-797.	1.4	140
65	MOBILE Technology for Improved Family Planning Services (MOTIF): study protocol for a randomised controlled trial. <i>Trials</i> , 2013, 14, 427.	0.7	29
66	Text messaging to prevent onset of type 2 diabetes. <i>Lancet Diabetes and Endocrinology</i> , 2013, 1, 165-166.	5.5	2
67	The Effectiveness of Mobile-Health Technologies to Improve Health Care Service Delivery Processes: A Systematic Review and Meta-Analysis. <i>PLoS Medicine</i> , 2013, 10, e1001363.	3.9	853
68	The Effectiveness of Mobile-Health Technology-Based Health Behaviour Change or Disease Management Interventions for Health Care Consumers: A Systematic Review. <i>PLoS Medicine</i> , 2013, 10, e1001362.	3.9	1,406
69	"Someone battling in my corner": experiences of smoking-cessation support via text message. <i>British Journal of General Practice</i> , 2013, 63, e768-e776.	0.7	55
70	Characterising the "Txt2Stop" Smoking Cessation Text Messaging Intervention in Terms of Behaviour Change Techniques. <i>Journal of Smoking Cessation</i> , 2012, 7, 55-60.	0.3	32
71	Smoking cessation support delivered via mobile phone text messaging (txt2stop): a single-blind, randomised trial. <i>Lancet, The</i> , 2011, 378, 49-55.	6.3	674
72	A systematic review of randomised controlled trials of interventions promoting effective condom use. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 100-110.	2.0	37

#	ARTICLE	IF	CITATIONS
73	Sex workers' accounts of condom use: implications for condom production, promotion and health policy. <i>Journal of Family Planning and Reproductive Health Care</i> , 2007, 33, 107-111.	0.9	5
74	Emergency contraception use and non-use in young women: The application of a contextual and dynamic model. <i>British Journal of Health Psychology</i> , 2005, 10, 237-253.	1.9	14
75	Young women's contraception use as a contextual and dynamic behaviour: A qualitative study. <i>Psychology and Health</i> , 2005, 20, 673-690.	1.2	24
76	Methods to increase response rates for data collected by telephone. <i>The Cochrane Library</i> , 0, , .	1.5	3