

Zhen-Chuan Fan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8000662/zhen-chuan-fan-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

937
citations

19
h-index

28
g-index

61
ext. papers

1,185
ext. citations

4.8
avg, IF

4.27
L-index

#	Paper	IF	Citations
57	Intraflagellar transport (IFT) protein IFT25 is a phosphoprotein component of IFT complex B and physically interacts with IFT27 in <i>Chlamydomonas</i> . <i>PLoS ONE</i> , 2009 , 4, e5384	3.7	76
56	Functional characterization and pharmacological rescue of melanocortin-4 receptor mutations identified from obese patients. <i>Journal of Cellular and Molecular Medicine</i> , 2009 , 13, 3268-82	5.6	67
55	Synthesis and anti-cancer activity evaluation of novel prenylated and geranylated chalcone natural products and their analogs. <i>European Journal of Medicinal Chemistry</i> , 2015 , 92, 439-48	6.8	58
54	<i>Chlamydomonas</i> IFT70/CrDYF-1 is a core component of IFT particle complex B and is required for flagellar assembly. <i>Molecular Biology of the Cell</i> , 2010 , 21, 2696-706	3.5	50
53	Synthesis and anti-cancer activity evaluation of 5-(2-carboxyethenyl)-isatin derivatives. <i>European Journal of Medicinal Chemistry</i> , 2016 , 112, 145-156	6.8	39
52	Functions of acidic transmembrane residues in human melanocortin-3 receptor binding and activation. <i>Biochemical Pharmacology</i> , 2008 , 76, 520-30	6	36
51	Pharmacological analyses of two naturally occurring porcine melanocortin-4 receptor mutations in domestic pigs. <i>Domestic Animal Endocrinology</i> , 2008 , 34, 383-90	2.3	30
50	Effect of salt-tolerant yeast of <i>Candida versatilis</i> and <i>Zygosaccharomyces rouxii</i> on the production of biogenic amines during soy sauce fermentation. <i>Journal of the Science of Food and Agriculture</i> , 2014 , 94, 1537-42	4.3	26
49	A novel bicistronic expression system composed of the intraflagellar transport protein gene <i>ift25</i> and FMDV 2A sequence directs robust nuclear gene expression in <i>Chlamydomonas reinhardtii</i> . <i>Applied Microbiology and Biotechnology</i> , 2017 , 101, 4227-4245	5.7	25
48	Arginase participates in the methyl jasmonate-regulated quality maintenance of postharvest <i>Agaricus bisporus</i> fruit bodies. <i>Postharvest Biology and Technology</i> , 2017 , 132, 7-14	6.2	24
47	Novel reassortant influenza viruses between pandemic (H1N1) 2009 and other influenza viruses pose a risk to public health. <i>Microbial Pathogenesis</i> , 2015 , 89, 62-72	3.8	24
46	Recombinant expression, purification and antimicrobial activity of a novel antimicrobial peptide PaDef in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2017 , 130, 90-99	2	24
45	Molecular cloning and pharmacological characterization of porcine melanocortin-3 receptor. <i>Journal of Endocrinology</i> , 2008 , 196, 139-48	4.7	24
44	Expression, purification and characterization of a recombinant antimicrobial peptide Hispidalin in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2019 , 160, 19-27	2	23
43	Proteinase and glycoside hydrolase production is enhanced in solid-state fermentation by manipulating the carbon and nitrogen fluxes in <i>Aspergillus oryzae</i> . <i>Food Chemistry</i> , 2019 , 271, 606-613	8.5	23
42	Expression, purification and initial characterization of a novel recombinant antimicrobial peptide Mytichitin-A in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2016 , 127, 35-43	2	23
41	A novel melanocortin-4 receptor gene mutation in a female patient with severe childhood obesity. <i>Endocrine</i> , 2009 , 36, 52-9	4	20

40	Intraflagellar transport protein RABL5/IFT22 recruits the BBSome to the basal body through the GTPase ARL6/BBS3. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 2496-2505	11.5	19
39	Rescue of defective MC4R cell-surface expression and signaling by a novel pharmacoperone Ipsen 17. <i>Journal of Molecular Endocrinology</i> , 2014 , 53, 17-29	4.5	19
38	Synthesis of multivalent difluorinated zanamivir analogs as potent antiviral inhibitors. <i>Tetrahedron Letters</i> , 2016 , 57, 2579-2582	2	19
37	Multivalent S-sialoside protein conjugates block influenza hemagglutinin and neuraminidase. <i>Carbohydrate Research</i> , 2016 , 435, 68-75	2.9	19
36	An improved reverse genetics system for generation of bovine viral diarrhea virus as a BAC cDNA. <i>Journal of Virological Methods</i> , 2008 , 149, 309-15	2.6	18
35	Multivalent oleanolic acid human serum albumin conjugate as nonglycosylated neomucin for influenza virus capture and entry inhibition. <i>European Journal of Medicinal Chemistry</i> , 2018 , 143, 1723-1731	6.8	17
34	Bovine viral diarrhea virus is a suitable viral vector for stable expression of heterologous gene when inserted in between N(pro) and C genes. <i>Virus Research</i> , 2008 , 138, 97-104	6.4	17
33	Multimer of the antimicrobial peptide Mytichitin-A expressed in <i>Chlamydomonas reinhardtii</i> exerts a broader antibacterial spectrum and increased potency. <i>Journal of Bioscience and Bioengineering</i> , 2018 , 125, 175-179	3.3	14
32	5-(2-carboxyethenyl) isatin derivative induces G ₂ M cell cycle arrest and apoptosis in human leukemia K562 cells. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 450, 1650-5	3.4	13
31	Total synthesis of 8-(6?-umbelliferyl)-apigenin and its analogs as anti-diabetic reagents. <i>European Journal of Medicinal Chemistry</i> , 2016 , 122, 674-683	6.8	13
30	CDC42 is required for epicardial and pro-epicardial development by mediating FGF receptor trafficking to the plasma membrane. <i>Development (Cambridge)</i> , 2017 , 144, 1635-1647	6.6	11
29	Synthesis and immunogenicity of PG-tb1 monovalent glycoconjugate. <i>European Journal of Medicinal Chemistry</i> , 2017 , 134, 140-146	6.8	11
28	IFT25 is dispensable for flagellar assembly but required to export the BBSome from flagella. <i>Biology Open</i> , 2017 , 6, 1680-1691	2.2	11
27	<i>Chlamydomonas reinhardtii</i> -expressed multimer of ToAMP4 inhibits the growth of bacteria of both Gram-positive and Gram-negative. <i>Process Biochemistry</i> , 2020 , 91, 311-318	4.8	11
26	Cardiomyocyte orientation modulated by the Numb family proteins-N-cadherin axis is essential for ventricular wall morphogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 15560-15569	11.5	11
25	Bardet-Biedl syndrome 3 protein promotes ciliary exit of the signaling protein phospholipase D via the BBSome. <i>ELife</i> , 2021 , 10,	8.9	11
24	<i>Chlamydomonas reinhardtii</i> -expressed multimer of Bacteriocin LS2 potently inhibits the growth of bacteria. <i>Process Biochemistry</i> , 2020 , 95, 139-147	4.8	10
23	Generation and characterization of an Npro-disrupted marker bovine viral diarrhea virus derived from a BAC cDNA. <i>Journal of Virological Methods</i> , 2008 , 151, 257-263	2.6	10

22	Non-targeted metabolomic reveals the effect of salt stress on global metabolite of halotolerant yeast <i>Candida versatilis</i> and principal component analysis. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2014 , 41, 1553-62	4.2	9
21	Application of antimicrobial peptide mytichitin-CB in pork preservation during cold storage. <i>Food Control</i> , 2021 , 125, 108041	6.2	9
20	Efficient production of a recombinant <i>Venerupis philippinarum</i> defensin (VpDef) in <i>Pichia pastoris</i> and characterization of its antibacterial activity and stability. <i>Protein Expression and Purification</i> , 2018 , 147, 78-84	2	8
19	Ornithine decarboxylase is involved in methyl jasmonate-regulated postharvest quality retention in button mushrooms (<i>Agaricus bisporus</i>). <i>Journal of the Science of Food and Agriculture</i> , 2019 , 99, 790-796	4.3	8
18	Low toxic and high soluble camptothecin derivative 2-47 effectively induces apoptosis of tumor cells in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 472, 477-81	3.4	7
17	Development of a reporter bovine viral diarrhea virus and initial evaluation of its application for high throughput antiviral drug screening. <i>Journal of Virological Methods</i> , 2012 , 180, 54-61	2.6	6
16	Thiosialoside-decorated polymers use a two-step mechanism to inhibit both early and late stages of influenza virus infection. <i>European Journal of Medicinal Chemistry</i> , 2020 , 199, 112357	6.8	6
15	LZTFL1 mediates phototaxis via controlling BBSome recruitment to the basal body and its reassembly at the ciliary tip. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	5
14	The potential of antimicrobial peptide Hispidalin application in pork preservation during cold storage. <i>Journal of Food Processing and Preservation</i> , 2020 , 44, e14443	2.1	4
13	Comparative study of physiological adaptation to salt stress in the genome shuffled <i>Candida versatilis</i> and a wild-type salt-tolerant yeast strain. <i>European Food Research and Technology</i> , 2014 , 238, 675-682	3.4	4
12	An alternative -1/+2 open reading frame exists within viral N(pro)(1-19) region of bovine viral diarrhea virus SD-1. <i>Virus Research</i> , 2012 , 163, 341-51	6.4	4
11	The extra 16-amino-acid peptide at C-terminal NS2 of the hypervirulent type-2 bovine viral diarrhea viruses has no effect on viral replication and NS2-3 processing of type-1 virus. <i>Virus Genes</i> , 2010 , 41, 218-23	2.3	4
10	Epiphytic Bacteria Are Essential for the Production and Transformation of Algae-Derived Carboxyl-Rich Alicyclic Molecule (CRAM)-like DOM. <i>Microbiology Spectrum</i> , 2021 , 9, e0153121	8.9	4
9	Regeneration and characterization of a recombinant bovine viral diarrhea virus and determination of its efficacy to cross the bovine placenta. <i>Virus Genes</i> , 2009 , 38, 129-35	2.3	3
8	Apple phlorizin reduce plasma cholesterol by down-regulating hepatic HMG-CoA reductase and enhancing the excretion of fecal sterols. <i>Journal of Functional Foods</i> , 2019 , 62, 103548	5.1	2
7	Development of vaccines for prevention of peste-des-petits-ruminants virus infection. <i>Microbial Pathogenesis</i> , 2020 , 142, 104045	3.8	2
6	CDC42 is required for epicardial and pro-epicardial development by mediating FGF receptor trafficking to the plasma membrane. <i>Journal of Cell Science</i> , 2017 , 130, e1.2-e1.2	5.3	2
5	The Role of Suspension Array Technology in Rapid Detection of Foodborne Pollutants: Applications and Future Challenges. <i>Critical Reviews in Analytical Chemistry</i> , 2021 , 1-14	5.2	2

4	Chlamydomonas reinhardtii-derived multimer Mytichitin-CB possesses potent antibacterial properties. <i>Process Biochemistry</i> , 2020 , 96, 21-29	4.8	1
3	Development and perspectives of rapid detection technology in food and environment. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-20	11.5	0
2	Functions of Transmembrane Domain 6 in Human Melanocortin-4 Receptor. <i>FASEB Journal</i> , 2009 , 23, 943.4	0.9	
1	Application of antimicrobial peptide Mytichitin-A in pork preservation during refrigerated storage. <i>Journal of Food Processing and Preservation</i> , 2021 , 45, e15404	2.1	