Yasuharu Satoh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/800072/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|----------|------------|
| 1 | A microbial factory for lactate-based polyesters using a lactate-polymerizing enzyme. Proceedings of the United States of America, 2008, 105, 17323-17327. | 7.1 | 261 |
| 2 | Structure of bacterial cellulose synthase subunit D octamer with four inner passageways. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 17957-17961. | 7.1 | 118 |
| 3 | Isolation and characterization ofBacillus sp. INT005 accumulating polyhydroxyalkanoate (PHA) from gas field soil. Journal of Bioscience and Bioengineering, 2003, 95, 77-81. | 2.2 | 89 |
| 4 | Engineering of l-tyrosine oxidation in Escherichia coli and microbial production of hydroxytyrosol. Metabolic Engineering, 2012, 14, 603-610. | 7.0 | 74 |
| 5 | Cellulose complementing factor (Ccp) is a new member of the cellulose synthase complex (terminal) Tj ETQq1 I | 0.784314 | rgBT /Over |
| 6 | A novel ATP regeneration system using polyphosphate-AMP phosphotransferase and polyphosphate kinase. Journal of Bioscience and Bioengineering, 2001, 91, 557-563. | 2.2 | 62 |
| 7 | A peptide ligase and the ribosome cooperate to synthesize the peptide pheganomycin. Nature Chemical Biology, 2015, 11, 71-76. | 8.0 | 53 |
| 8 | Enzyme-catalyzed poly(3-hydroxybutyrate) synthesis from acetate with CoA recycling and NADPH regeneration in Vitro. Journal of Bioscience and Bioengineering, 2003, 95, 335-341. | 2.2 | 51 |
| 9 | Enhanced production of polyunsaturated fatty acids by enzyme engineering of tandem acyl carrier proteins. Scientific Reports, 2016, 6, 35441. | 3.3 | 51 |
| 10 | Engineering of a Tyrosol-Producing Pathway, Utilizing Simple Sugar and the Central Metabolic Tyrosine, in Escherichia coli. Journal of Agricultural and Food Chemistry, 2012, 60, 979-984. | 5.2 | 49 |
| 11 | Structural characterization of the Acetobacter xylinum endo-β-1,4-glucanase CMCax required for cellulose biosynthesis. Proteins: Structure, Function and Bioinformatics, 2006, 64, 1069-1077. | 2.6 | 47 |
| 12 | Gram-scale fermentative production of ergothioneine driven by overproduction of cysteine in Escherichia coli. Scientific Reports, 2019, 9, 1895. | 3.3 | 44 |
| 13 | Chemo-enzymatic synthesis of polyhydroxyalkanoate (PHA) incorporating 2-hydroxybutyrate by wild-type class I PHA synthase from Ralstonia eutropha. Applied Microbiology and Biotechnology, 2011, 92, 509-517. | 3.6 | 42 |
| 14 | Polyhydroxyalkanoate synthase from Bacillus sp. INT005 is composed of PhaC and PhaR. Journal of Bioscience and Bioengineering, 2002, 94, 343-350. | 2.2 | 41 |
| 15 | Heterologous and High Production of Ergothioneine in <i>Escherichia coli</i> . Journal of Agricultural and Food Chemistry, 2018, 66, 1191-1196. | 5.2 | 41 |
| 16 | Chemo-Enzymatic Synthesis of Poly(lactate- <i>co</i> -(3-hydroxybutyrate)) by a Lactate-Polymerizing Enzyme. Macromolecules, 2009, 42, 1985-1989. | 4.8 | 40 |
| 17 | Ergothioneine production with <i>Aspergillus oryzae</i> . Bioscience, Biotechnology and Biochemistry, 2019, 83, 181-184. | 1.3 | 40 |
| 18 | In vitro growth and differentiated activities of human periodontal ligament fibroblasts cultured on salmon collagen gel. Journal of Biomedical Materials Research - Part A, 2007, 82A, 395-402. | 4.0 | 38 |

Yasuharu Satoh

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Cellulose production by Enterobacter sp. CJF-002 and identification of genes for cellulose biosynthesis. Cellulose, 2012, 19, 1989-2001. | 4.9 | 35 |
| 20 | Control Mechanism for <i>cis</i> Doubleâ€Bond Formation by Polyunsaturated Fattyâ€Acid Synthases. Angewandte Chemie - International Edition, 2019, 58, 2326-2330. | 13.8 | 33 |
| 21 | Control Mechanism for Carbonâ€Chain Length in Polyunsaturated Fattyâ€Acid Synthases. Angewandte Chemie - International Edition, 2019, 58, 6605-6610. | 13.8 | 31 |
| 22 | A method of cell-sheet preparation using collagenase digestion of salmon atelocollagen fibrillar gel. Journal of Bioscience and Bioengineering, 2004, 98, 493-496. | 2.2 | 29 |
| 23 | Ergothioneine protects Streptomyces coelicolor A3(2) from oxidative stresses. Journal of Bioscience and Bioengineering, 2015, 120, 294-298. | 2.2 | 28 |
| 24 | In vitro synthesis of polyhydroxyalkanoate (PHA) incorporating lactate (LA) with a block sequence by using a newly engineered thermostable PHA synthase from Pseudomonas sp. SG4502 with acquired LA-polymerizing activity. Applied Microbiology and Biotechnology, 2012, 94, 365-376. | 3.6 | 27 |
| 25 | Polyhydroxyalkanoate production by a novel bacterium Massilia sp. UMI-21 isolated from seaweed, and molecular cloning of its polyhydroxyalkanoate synthase gene. Journal of Bioscience and Bioengineering, 2014, 118, 514-519. | 2.2 | 27 |
| 26 | Regulation of endoglucanase gene (cmcax) expression in Acetobacter xylinum. Journal of Bioscience and Bioengineering, 2008, 106, 88-94. | 2.2 | 25 |
| 27 | InÂvitro synthesis of polyhydroxyalkanoates using thermostable acetyl-CoA synthetase, CoA transferase, and PHA synthase from thermotorelant bacteria. Journal of Bioscience and Bioengineering, 2016, 122, 660-665. | 2.2 | 25 |
| 28 | Unusual change in molecular weight of polyhydroxyalkanoate (PHA) during cultivation of PHA-accumulating Escherichia coli. Polymer Degradation and Stability, 2010, 95, 2250-2254. | 5.8 | 24 |
| 29 | Isolation of a thermotolerant bacterium producing medium-chain-length polyhydroxyalkanoate. Journal of Applied Microbiology, 2011, 111, 811-817. | 3.1 | 23 |
| 30 | Polyhydroxyalkanoate Synthase from Bacillus sp. INT005 Is Composed of PhaC and PhaR. Journal of Bioscience and Bioengineering, 2002, 94, 343-350. | 2.2 | 21 |
| 31 | Enzymatic synthesis of poly(3-hydroxybutyrate-co-4-hydroxybutyrate) with CoA recycling using polyhydroxyalkanoate synthase and acyl-CoA synthetase. Journal of Bioscience and Bioengineering, 2005, 99, 508-511. | 2.2 | 20 |
| 32 | Development of a New Conversion Process Consisting of Hydrothermal Treatment and Catalytic Reaction Using ZrO2–FeO X Catalyst to Convert Fermentation Residue into Useful Chemicals. Topics in Catalysis, 2010, 53, 654-658. | 2.8 | 20 |
| 33 | Exploring Peptide Ligase Orthologs in Actinobacteria—Discovery of Pseudopeptide Natural Products, Ketomemicins. ACS Chemical Biology, 2016, 11, 1686-1692. | 3.4 | 20 |
| 34 | Chemoenzymatic Synthesis of Poly(3-hydroxybutyrate) in a Water-Organic Solvent Two-Phase System. Macromolecules, 2004, 37, 4544-4546. | 4.8 | 17 |
| 35 | High Production of Ergothioneine in <i>Escherichia coli</i> using the Sulfoxide Synthase from <i>Methylobacterium</i> strains. Journal of Agricultural and Food Chemistry, 2020, 68, 6390-6394. | 5.2 | 16 |
| 36 | Chemo-enzymatic synthesis of polyhydroxyalkanoate by an improved two-phase reaction system (TPRS). Journal of Bioscience and Bioengineering, 2009, 108, 517-523. | 2.2 | 15 |

Yasuharu Satoh

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Kinetic Analysis of Engineered Polyhydroxyalkanoate Synthases with Broad Substrate Specificity. Polymer Journal, 2009, 41, 237-240. | 2.7 | 14 |
| 38 | Recent advances in functional analysis of polyunsaturated fatty acid synthases. Current Opinion in Chemical Biology, 2020, 59, 30-36. | 6.1 | 14 |
| 39 | New gene responsible for para-aminobenzoate biosynthesis. Journal of Bioscience and Bioengineering, 2014, 117, 178-183. | 2.2 | 12 |
| 40 | <i>N</i> -Phenylacetylation and Nonribosomal Peptide Synthetases with Substrate Promiscuity for Biosynthesis of Heptapeptide Variants, JBIR-78 and JBIR-95. ACS Chemical Biology, 2017, 12, 1813-1819. | 3.4 | 11 |
| 41 | A Glycopeptidyl-Glutamate Epimerase for Bacterial Peptidoglycan Biosynthesis. Journal of the American Chemical Society, 2017, 139, 4243-4245. | 13.7 | 11 |
| 42 | Off-Loading Mechanism of Products in Polyunsaturated Fatty Acid Synthases. ACS Chemical Biology, 2020, 15, 651-656. | 3.4 | 11 |
| 43 | Isolation and Characterization of Bacillus sp. INT005 Accumulating Polyhydroxyalkanoate (PHA) from Gas Field Soil Journal of Bioscience and Bioengineering, 2003, 95, 77-81. | 2.2 | 11 |
| 44 | Biosynthetic Gene Cluster of Linaridin Peptides Contains Epimerase Gene. ChemBioChem, 2022, 23, . | 2.6 | 10 |
| 45 | Subtle Control of Carbon Chain Length in Polyunsaturated Fatty Acid Synthases. ACS Chemical Biology, 2019, 14, 2553-2556. | 3.4 | 9 |
| 46 | Activities of MC3T3-E1 cells cultured on \hat{l}^3 -irradiated salmon atelocollagen scaffold. Journal of Bioscience and Bioengineering, 2006, 101, 511-514. | 2.2 | 8 |
| 47 | Advanced functionalization of polyhydroxyalkanoate via the UV-initiated thiol-ene click reaction. Applied Microbiology and Biotechnology, 2016, 100, 4375-4383. | 3.6 | 8 |
| 48 | Synthesis of Poly(3-hydroxybutyrate) by Immobilized Poly(3-hydroxybutyrate) Synthase. Polymer Journal, 2003, 35, 407-410. | 2.7 | 5 |
| 49 | Crystallization and preliminary crystallographic analysis of the cellulose biosynthesis-related protein CMCax fromAcetobacter xylinum. Acta Crystallographica Section F: Structural Biology Communications, 2005, 61, 252-254. | 0.7 | 5 |
| 50 | Amino Acid Residues Recognizing Isomeric Glutamate Substrates in UDP- <i>N</i> -acetylmuramic acid- <scp>l</scp> -alanine-glutamate Synthetases. ACS Chemical Biology, 2019, 14, 975-978. | 3.4 | 5 |
| 51 | Purification, Crystallization and Preliminary X-Ray Studies of AxCesD Required for Efficient Cellulose Biosynthesis in Acetobacter xylinum. Protein and Peptide Letters, 2008, 15, 115-117. | 0.9 | 4 |
| 52 | Control Mechanism for <i>cis</i> Doubleâ€Bond Formation by Polyunsaturated Fattyâ€Acid Synthases. Angewandte Chemie, 2019, 131, 2348-2352. | 2.0 | 3 |
| 53 | Control Mechanism for Carbonâ€Chain Length in Polyunsaturated Fattyâ€Acid Synthases. Angewandte Chemie, 2019, 131, 6677-6682. | 2.0 | 2 |
| | | | |