

Alfredo Guglielmi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8001155/publications.pdf>

Version: 2024-02-01

138
papers

4,686
citations

101496

36
h-index

128225

60
g-index

139
all docs

139
docs citations

139
times ranked

5975
citing authors

#	ARTICLE	IF	CITATIONS
1	Exome sequencing identifies frequent inactivating mutations in BAP1, ARID1A and PBRM1 in intrahepatic cholangiocarcinomas. <i>Nature Genetics</i> , 2013, 45, 1470-1473.	9.4	564
2	The Tumor Burden Score. <i>Annals of Surgery</i> , 2018, 267, 132-141.	2.1	264
3	Mature CD10+ and immature CD10~ neutrophils present in G-CSF~treated donors display opposite effects on T cells. <i>Blood</i> , 2017, 129, 1343-1356.	0.6	248
4	Prognosis After Resection of Barcelona Clinic Liver Cancer (BCLC) Stage 0, A, and B Hepatocellular Carcinoma: A Comprehensive Assessment of the Current BCLC Classification. <i>Annals of Surgical Oncology</i> , 2019, 26, 3693-3700.	0.7	117
5	Very Early Recurrence After Liver Resection for Intrahepatic Cholangiocarcinoma. <i>JAMA Surgery</i> , 2020, 155, 823.	2.2	116
6	Assessment of the Lymph Node Status in Patients Undergoing Liver Resection for Intrahepatic Cholangiocarcinoma: the New Eighth Edition AJCC Staging System. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 52-59.	0.9	92
7	Comparative performances of the 7th and the 8th editions of the American Joint Committee on Cancer staging systems for intrahepatic cholangiocarcinoma. <i>Journal of Surgical Oncology</i> , 2017, 115, 696-703.	0.8	85
8	Hepatocellular carcinoma tumour burden score to stratify prognosis after resection. <i>British Journal of Surgery</i> , 2020, 107, 854-864.	0.1	83
9	Proposal of a New Comprehensive Notation for Hepatectomy. <i>Annals of Surgery</i> , 2021, 274, 1-3.	2.1	83
10	Patterns and Prognostic Significance of Lymph Node Dissection for Surgical Treatment of Perihilar and Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2013, 17, 1917-1928.	0.9	81
11	Assessment of neutrophil-to-lymphocyte ratio, platelet-to-lymphocyte ratio and platelet count as predictors of long-term outcome after R0 resection for colorectal cancer. <i>Scientific Reports</i> , 2017, 7, 1494.	1.6	79
12	Cholangiocarcinoma Heterogeneity Revealed by Multigene Mutational Profiling: Clinical and Prognostic Relevance in Surgically Resected Patients. <i>Annals of Surgical Oncology</i> , 2016, 23, 1699-1707.	0.7	76
13	Recurrence Patterns and Outcomes after Resection of Hepatocellular Carcinoma within and beyond the Barcelona Clinic Liver Cancer Criteria. <i>Annals of Surgical Oncology</i> , 2020, 27, 2321-2331.	0.7	76
14	Impact of adjuvant chemotherapy on survival in patients with intrahepatic cholangiocarcinoma: a multi-institutional analysis. <i>Hpb</i> , 2017, 19, 901-909.	0.1	74
15	Trends in use of lymphadenectomy in surgery with curative intent for intrahepatic cholangiocarcinoma. <i>British Journal of Surgery</i> , 2018, 105, 857-866.	0.1	74
16	Perihilar Cholangiocarcinoma ~ Novel Benchmark Values for Surgical and Oncological Outcomes From 24 Expert Centers. <i>Annals of Surgery</i> , 2021, 274, 780-788.	2.1	72
17	Intrahepatic, peri-hilar and distal cholangiocarcinoma: Three different locations of the same tumor or three different tumors?. <i>European Journal of Surgical Oncology</i> , 2015, 41, 1162-1169.	0.5	62
18	Perihilar Cholangiocarcinoma: Number of Nodes Examined and Optimal Lymph Node Prognostic Scheme. <i>Journal of the American College of Surgeons</i> , 2016, 222, 750-759e2.	0.2	61

#	ARTICLE	IF	CITATIONS
19	Assessing Textbook Outcomes Following Liver Surgery for Primary Liver Cancer Over a 12-Year Time Period at Major Hepatobiliary Centers. <i>Annals of Surgical Oncology</i> , 2020, 27, 3318-3327.	0.7	59
20	Intrahepatic cholangiocarcinoma tumor burden: A classification and regression tree model to define prognostic groups after resection. <i>Surgery</i> , 2019, 166, 983-990.	1.0	54
21	Prognostic significance of lymph node ratio after resection of peri-hilar cholangiocarcinoma. <i>Hpb</i> , 2011, 13, 240-245.	0.1	53
22	Local wound infiltration plus transversus abdominis plane (TAP) block versus local wound infiltration in laparoscopic colorectal surgery and ERAS program. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 5117-5125.	1.3	52
23	Diffusion, outcomes and implementation of minimally invasive liver surgery: a snapshot from the I Go MILS (Italian Group of Minimally Invasive Liver Surgery) Registry. <i>Updates in Surgery</i> , 2017, 69, 271-283.	0.9	52
24	Overall Tumor Burden Dictates Outcomes for Patients Undergoing Resection of Multinodular Hepatocellular Carcinoma Beyond the Milan Criteria. <i>Annals of Surgery</i> , 2020, 272, 574-581.	2.1	52
25	Association of Lymph Node Status With Survival in Patients After Liver Resection for Hilar Cholangiocarcinoma in an Italian Multicenter Analysis. <i>JAMA Surgery</i> , 2016, 151, 916.	2.2	51
26	Surgical Management of Intrahepatic Cholangiocarcinoma in Patients with Cirrhosis: Impact of Lymphadenectomy on Perioperative Outcomes. <i>World Journal of Surgery</i> , 2018, 42, 2551-2560.	0.8	47
27	Complications after liver surgery: a benchmark analysis. <i>Hpb</i> , 2019, 21, 1139-1149.	0.1	47
28	What is the most accurate lymph node staging method for perihilar cholangiocarcinoma? Comparison of UICC/AJCC pN stage, number of metastatic lymph nodes, lymph node ratio, and log odds of metastatic lymph nodes. <i>European Journal of Surgical Oncology</i> , 2017, 43, 743-750.	0.5	46
29	Defining the chance of cure after resection for hepatocellular carcinoma within and beyond the Barcelona Clinic Liver Cancer guidelines: A multi-institutional analysis of 1,010 patients. <i>Surgery</i> , 2019, 166, 967-974.	1.0	45
30	Hospital variation in Textbook Outcomes following curative-intent resection of hepatocellular carcinoma: an international multi-institutional analysis. <i>Hpb</i> , 2020, 22, 1305-1313.	0.1	45
31	Patterns of Distribution of Hepatic Nodules (Single, Satellites or Multifocal) in Intrahepatic Cholangiocarcinoma: Prognostic Impact After Surgery. <i>Annals of Surgical Oncology</i> , 2018, 25, 3719-3727.	0.7	44
32	The Impact of Preoperative CA19-9 and CEA on Outcomes of Patients with Intrahepatic Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 2888-2901.	0.7	44
33	Therapeutic Index Associated with Lymphadenectomy Among Patients with Intrahepatic Cholangiocarcinoma: Which Patients Benefit the Most from Nodal Evaluation?. <i>Annals of Surgical Oncology</i> , 2019, 26, 2959-2968.	0.7	43
34	Resection of colorectal liver metastases after second-line chemotherapy: is it worthwhile? A LiverMetSurvey analysis of 6415 patients. <i>European Journal of Cancer</i> , 2017, 78, 7-15.	1.3	42
35	A Machine-Based Approach to Preoperatively Identify Patients with the Most and Least Benefit Associated with Resection for Intrahepatic Cholangiocarcinoma: An International Multi-institutional Analysis of 1146 Patients. <i>Annals of Surgical Oncology</i> , 2020, 27, 1110-1119.	0.7	41
36	Laparoscopic liver resection of hepatocellular carcinoma located in unfavorable segments: a propensity score-matched analysis from the I Go MILS (Italian Group of Minimally Invasive Liver) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 57		

#	ARTICLE	IF	CITATIONS
37	Genetic alterations analysis in prognostic stratified groups identified TP53 and ARID1A as poor clinical performance markers in intrahepatic cholangiocarcinoma. <i>Scientific Reports</i> , 2018, 8, 7119.	1.6	39
38	Prognostic utility of albuminâ€bilirubin grade for shortâ€and longâ€term outcomes following hepatic resection for intrahepatic cholangiocarcinoma: A multiâ€institutional analysis of 706 patients. <i>Journal of Surgical Oncology</i> , 2019, 120, 206-213.	0.8	39
39	Utilizing Machine Learning for Pre- and Postoperative Assessment of Patients Undergoing Resection for BCLC-0, A and B Hepatocellular Carcinoma: Implications for Resection Beyond the BCLC Guidelines. <i>Annals of Surgical Oncology</i> , 2020, 27, 866-874.	0.7	38
40	Early Versus Late Recurrence of Hepatocellular Carcinoma After Surgical Resection Based on Post-recurrence Survival: an International Multi-institutional Analysis. <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 125-133.	0.9	38
41	Classification of Lymph Node Metastases from Carcinoma of the Stomach: Comparison of the Old (1987) and New (1997) TNM Systems. <i>World Journal of Surgery</i> , 1999, 23, 664-669.	0.8	37
42	Preoperative Risk Score and Prediction of Long-Term Outcomes after Hepatectomy for Intrahepatic Cholangiocarcinoma. <i>Journal of the American College of Surgeons</i> , 2018, 226, 393-403.	0.2	37
43	Effect of Surgical Margin Width on Patterns of Recurrence among Patients Undergoing R0 Hepatectomy for T1 Hepatocellular Carcinoma: An International Multi-Institutional Analysis. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1552-1560.	0.9	37
44	The systemic immune-inflammation index predicts prognosis in intrahepatic cholangiocarcinoma: an international multi-institutional analysis. <i>Hpb</i> , 2020, 22, 1667-1674.	0.1	37
45	Study on Ki-67 Immunoreactivity as a Prognostic Indicator in Patients with Advanced Gastric Cancer. <i>Japanese Journal of Clinical Oncology</i> , 1998, 28, 534-537.	0.6	33
46	Preoperative prognostic nutritional index predicts survival of patients with intrahepatic cholangiocarcinoma after curative resection. <i>Journal of Surgical Oncology</i> , 2018, 118, 422-430.	0.8	33
47	Impact of Morphological Status on Long-Term Outcome Among Patients Undergoing Liver Surgery for Intrahepatic Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 2491-2501.	0.7	31
48	Defining Long-Term Survivors Following Resection of Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2017, 21, 1888-1897.	0.9	31
49	Tumor Burden Dictates Prognosis Among Patients Undergoing Resection of Intrahepatic Cholangiocarcinoma: A Tool to Guide Post-Resection Adjuvant Chemotherapy?. <i>Annals of Surgical Oncology</i> , 2021, 28, 1970-1978.	0.7	30
50	Contour prognostic model for predicting survival after resection of colorectal liver metastases: development and multicentre validation study using largest diameter and number of metastases with <i>RAS</i> mutation status. <i>British Journal of Surgery</i> , 2021, 108, 968-975.	0.1	30
51	A Novel Nomogram to Predict the Prognosis of Patients Undergoing Liver Resection for Neuroendocrine Liver Metastasis: an Analysis of the Italian Neuroendocrine Liver Metastasis Database. <i>Journal of Gastrointestinal Surgery</i> , 2017, 21, 41-48.	0.9	29
52	Comparison of the 7th and 8th editions of the American Joint Committee on Cancer Staging Systems for perihilar cholangiocarcinoma. <i>Surgery</i> , 2018, 164, 244-250.	1.0	29
53	Risk-adjusted benchmarks in laparoscopic liver surgery in a national cohort. <i>British Journal of Surgery</i> , 2020, 107, 845-853.	0.1	29
54	Serum tumor markers enhance the predictive power of the AJCC and LSCGJ staging systems in resectable intrahepatic cholangiocarcinoma. <i>Hpb</i> , 2018, 20, 956-965.	0.1	28

#	ARTICLE	IF	CITATIONS
55	Tumor Necrosis Impacts Prognosis of Patients Undergoing Curative-Intent Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 797-805.	0.7	28
56	Morphological and Functional Changes in the Peritumoral Adipose Tissue of Colorectal Cancer Patients. <i>Obesity</i> , 2017, 25, S87-S94.	1.5	27
57	Perioperative and long-term outcome of intrahepatic cholangiocarcinoma involving the hepatic hilus after curative-intent resection: comparison with peripheral intrahepatic cholangiocarcinoma and hilar cholangiocarcinoma. <i>Surgery</i> , 2018, 163, 1114-1120.	1.0	27
58	A novel online prognostic tool to predict long-term survival after liver resection for intrahepatic cholangiocarcinoma: The "metro-ticket" paradigm. <i>Journal of Surgical Oncology</i> , 2019, 120, 223-230.	0.8	26
59	Synergistic Impact of Alpha-Fetoprotein and Tumor Burden on Long-Term Outcomes Following Curative-Intent Resection of Hepatocellular Carcinoma. <i>Cancers</i> , 2021, 13, 747.	1.7	26
60	Prognostic value of red cell distribution width (RDW) in colorectal cancer. Results from a single-center cohort on 591 patients. <i>Scientific Reports</i> , 2020, 10, 1072.	1.6	25
61	Evaluation of the ACS NSQIP Surgical Risk Calculator in Elderly Patients Undergoing Hepatectomy for Hepatocellular Carcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 551-559.	0.9	24
62	Trends and outcomes of simultaneous versus staged resection of synchronous colorectal cancer and colorectal liver metastases. <i>Surgery</i> , 2021, 170, 160-166.	1.0	22
63	Transhepatic fibrinolysis of mesenteric and portal vein thrombosis in a patient with ulcerative colitis: A case report. <i>World Journal of Gastroenterology</i> , 2005, 11, 2035.	1.4	21
64	Prognostication and response assessment in liver and pancreatic tumors: The new imaging. <i>World Journal of Gastroenterology</i> , 2015, 21, 6794-6808.	1.4	20
65	Liver Resection for Neuroendocrine Tumor Liver Metastases Within Milan Criteria for Liver Transplantation. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 93-100.	0.9	20
66	A Novel Machine-Learning Approach to Predict Recurrence After Resection of Colorectal Liver Metastases. <i>Annals of Surgical Oncology</i> , 2020, 27, 5139-5147.	0.7	20
67	A Novel Classification of Intrahepatic Cholangiocarcinoma Phenotypes Using Machine Learning Techniques: An International Multi-Institutional Analysis. <i>Annals of Surgical Oncology</i> , 2020, 27, 5224-5232.	0.7	20
68	Recurrence beyond the Milan criteria after curative-intent resection of hepatocellular carcinoma: A novel tumor burden based prediction model. <i>Journal of Surgical Oncology</i> , 2020, 122, 955-963.	0.8	20
69	Impact of visceral obesity and sarcobesity on surgical outcomes and recovery after laparoscopic resection for colorectal cancer. <i>Clinical Nutrition</i> , 2020, 39, 3763-3770.	2.3	20
70	Predicting Lymph Node Metastasis in Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 1156-1163.	0.9	20
71	Impact of Tumor Burden Score on Conditional Survival after Curative-Intent Resection for Hepatocellular Carcinoma: A Multi-Institutional Analysis. <i>World Journal of Surgery</i> , 2021, 45, 3438-3448.	0.8	20
72	Minimally Invasive Versus Open Liver Resection for Hepatocellular Carcinoma in the Setting of Portal Vein Hypertension: Results of an International Multi-institutional Analysis. <i>Annals of Surgical Oncology</i> , 2020, 27, 3360-3371.	0.7	19

#	ARTICLE	IF	CITATIONS
73	Validation of a Nomogram to Predict the Risk of Perioperative Blood Transfusion for Liver Resection. <i>World Journal of Surgery</i> , 2016, 40, 2481-2489.	0.8	18
74	Long-term outcomes of patients with intraductal growth sub-type of intrahepatic cholangiocarcinoma. <i>Hpb</i> , 2018, 20, 1189-1197.	0.1	18
75	Multicentre evaluation of case volume in minimally invasive hepatectomy. <i>British Journal of Surgery</i> , 2020, 107, 443-451.	0.1	18
76	Induction Chemo-Radiotherapy for Squamous Cell Carcinoma of the Thoracic Esophagus: Long-Term Results of a Phase II Study. <i>Annals of Surgical Oncology</i> , 1999, 6, 777-784.	0.7	17
77	Implications of Intrahepatic Cholangiocarcinoma Etiology on Recurrence and Prognosis after Curative-Intent Resection: a Multi-Institutional Study. <i>World Journal of Surgery</i> , 2018, 42, 849-857.	0.8	17
78	The Limitations of Standard Clinicopathologic Features to Accurately Risk-Stratify Prognosis after Resection of Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 477-485.	0.9	16
79	Role of Lymph Node Dissection in Small (≤3cm) Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 1122-1129.	0.9	16
80	Postoperative Infectious Complications Worsen Long-Term Survival After Curative-Intent Resection for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 315-324.	0.7	16
81	Outcomes of vascular resection associated with curative intent hepatectomy for intrahepatic cholangiocarcinoma. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1727-1733.	0.5	16
82	Elevated fibrinogen plasma level is not an independent predictor of poor prognosis in a large cohort of Western patients undergoing surgery for colorectal cancer. <i>World Journal of Gastroenterology</i> , 2016, 22, 9994.	1.4	16
83	Management of nodal disease from colon cancer in the laparoscopic era. <i>International Journal of Colorectal Disease</i> , 2015, 30, 303-314.	1.0	15
84	C-reactive protein as early predictor of complications after minimally invasive colorectal resection. <i>Journal of Surgical Research</i> , 2017, 210, 261-268.	0.8	15
85	Biliary Leakage After Hepatobiliary and Pancreatic Surgery: A Classification System to Guide the Proper Percutaneous Treatment. <i>CardioVascular and Interventional Radiology</i> , 2020, 43, 302-310.	0.9	15
86	Response to preoperative chemotherapy: impact of change in total burden score and mutational tumor status on prognosis of patients undergoing resection for colorectal liver metastases. <i>Hpb</i> , 2019, 21, 1230-1239.	0.1	14
87	Serum α -Fetoprotein Levels at Time of Recurrence Predict Post-Recurrence Outcomes Following Resection of Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 7673-7683.	0.7	14
88	Prognostic factors differ according to KRAS mutational status: A classification and regression tree model to define prognostic groups after hepatectomy for colorectal liver metastasis. <i>Surgery</i> , 2020, 168, 497-503.	1.0	13
89	DNA Methylation and Hydroxymethylation in Primary Colon Cancer and Synchronous Hepatic Metastasis. <i>Frontiers in Genetics</i> , 2017, 8, 229.	1.1	12
90	Role of Inflammatory and Immune-Nutritional Prognostic Markers in Patients Undergoing Surgical Resection for Biliary Tract Cancers. <i>Cancers</i> , 2021, 13, 3594.	1.7	12

#	ARTICLE	IF	CITATIONS
91	Clinical Significance of Preoperative Inflammatory Markers in Prediction of Prognosis in Node-Negative Colon Cancer: Correlation between Neutrophil-to-Lymphocyte Ratio and Poorly Differentiated Clusters. <i>Biomedicines</i> , 2021, 9, 94.	1.4	11
92	Conditional Recurrence-Free Survival after Oncologic Extended Resection for Gallbladder Cancer: An International Multicenter Analysis. <i>Annals of Surgical Oncology</i> , 2021, 28, 2675-2682.	0.7	11
93	Impact of age on feasibility and short-term outcomes of ERAS after laparoscopic colorectal resection. <i>World Journal of Gastrointestinal Surgery</i> , 2019, 11, 395-406.	0.8	11
94	Patterns of gene mutations in bile duct cancers: is it time to overcome the anatomical classification?. <i>Hpb</i> , 2019, 21, 1648-1655.	0.1	10
95	Conditional disease-free survival after curative-intent liver resection for neuroendocrine liver metastasis. <i>Journal of Surgical Oncology</i> , 2019, 120, 1087-1095.	0.8	10
96	Laparoscopic Complete Mesocolic Excision for Right-Sided Colon Cancer: Analysis of Feasibility and Safety from a Single Western Center. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 402-407.	0.9	10
97	Preoperative predictors of liver decompensation after mini-invasive liver resection. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 718-727.	1.3	10
98	Liver resection for perihilar cholangiocarcinoma: Impact of biliary drainage failure on postoperative outcome. Results of an Italian multicenter study. <i>Surgery</i> , 2021, 170, 383-389.	1.0	10
99	Is minimally invasive liver surgery a reasonable option in recurrent HCC? A snapshot from the I Go MILS registry. <i>Updates in Surgery</i> , 2022, 74, 87-96.	0.9	10
100	Prognostic value of thrombocytosis in patients undergoing surgery for colorectal cancer with synchronous liver metastases. <i>Clinical and Translational Oncology</i> , 2019, 21, 1644-1653.	1.2	8
101	Impact of time-to-surgery on outcomes of patients undergoing curative-intent liver resection for BCLC 0, A and B hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , 2021, 123, 381-388.	0.8	8
102	Comparison of short-term results after laparoscopic complete mesocolic excision and standard colectomy for right-sided colon cancer. Analysis of a Western center cohort. <i>Annals of Coloproctology</i> , 2021, 37, 166-173.	0.5	8
103	Non-transplantable Recurrence After Resection for Transplantable Hepatocellular Carcinoma: Implication for Upfront Treatment Choice. <i>Journal of Gastrointestinal Surgery</i> , 2022, 26, 1021-1029.	0.9	8
104	Surgical Management of Hepatic Benign Disease: Have the Number of Liver Resections Increased in the Era of Minimally Invasive Approach? Analysis from the I Go MILS (Italian Group of Minimally Invasive) Tj ETQq0 0 0 rgt /Overlock 10 Tf 5		
105	Simultaneous approach for patients with synchronous colon and rectal liver metastases: Impact of site of primary on postoperative and oncological outcomes. <i>European Journal of Surgical Oncology</i> , 2021, 47, 842-849.	0.5	7
106	Tumor Necrosis Impacts Prognosis of Patients Undergoing Resection for T1 Intrahepatic Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 4326-4334.	0.7	7
107	Discordance in prediction of prognosis among patients with intrahepatic cholangiocarcinoma: A preoperative vs postoperative perspective. <i>Journal of Surgical Oncology</i> , 2019, 120, 946-955.	0.8	6
108	Early ileostomy reversal after minimally invasive surgery and ERAS program for mid and low rectal cancer. <i>Updates in Surgery</i> , 2019, 71, 485-492.	0.9	6

#	ARTICLE	IF	CITATIONS
109	Analgic efficacy of pre-emptive local wound infiltration plus laparoscopic-assisted transversus abdominis plane block versus wound infiltration in patients undergoing laparoscopic colorectal resection: results from a randomized, multicenter, single-blind, non-inferiority trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 3329-3338.	1.3	6
110	Artificial neural networks for multi-omics classifications of hepato-pancreato-biliary cancers: towards the clinical application of genetic data. <i>European Journal of Cancer</i> , 2021, 148, 348-358.	1.3	6
111	Clinical Pathologic Characteristics and Long-term Outcomes of Left Flexure Colonic Cancer: A Retrospective Analysis of an International Multicenter Cohort. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 1593-1601.	0.7	6
112	Variations in risk-adjusted outcomes following 4318 laparoscopic liver resections. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 521-530.	1.4	6
113	Totally intrabiliary colorectal liver metastasis mimicking intraductal growth-type cholangiocarcinoma. <i>Updates in Surgery</i> , 2016, 68, 211-212.	0.9	5
114	Correspondence on Benchmark performance of laparoscopic left lateral sectionectomy and right hepatectomy in expert centers. <i>Journal of Hepatology</i> , 2021, 74, 985-986.	1.8	5
115	Multi-Institutional Development and External Validation of a Nomogram for Prediction of Extrahepatic Recurrence After Curative-Intent Resection for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 7624-7633.	0.7	4
116	Endoscopic Ultrasound Through-the-Needle Biopsy for the Diagnosis of an Abdominal Bronchogenic Cyst. <i>Clinical Endoscopy</i> , 2021, 54, 767-770.	0.6	4
117	Assessment of nodal status for perihilar cholangiocarcinoma location, number, or ratio of involved nodes. <i>Hepatobiliary Surgery and Nutrition</i> , 2013, 2, 281-3.	0.7	4
118	Pancreatic resections in patients who refuse blood transfusions. The application of a perioperative protocol for a true bloodless surgery. <i>Pancreatology</i> , 2020, 20, 1550-1557.	0.5	3
119	Visceral obesity enhances inflammatory response after laparoscopic colorectal resection. <i>International Journal of Clinical Practice</i> , 2021, 75, e14795.	0.8	3
120	The albumin-bilirubin score stratifies the outcomes of Child-Pugh class A patients after resection of hepatocellular carcinoma. <i>Translational Cancer Research</i> , 2019, 8, S233-S244.	0.4	3
121	Effect of peri-operative blood transfusions on long-term prognosis of patients with colorectal cancer. <i>Blood Transfusion</i> , 2020, , .	0.3	3
122	Laparoscopic versus open surgery for left flexure colon cancer: A propensity score matched analysis from an international cohort. <i>Colorectal Disease</i> , 2022, 24, 177-187.	0.7	3
123	Unenhanced magnetic resonance imaging immediately after radiofrequency ablation of liver malignancy: preliminary results. <i>Abdominal Radiology</i> , 2018, 43, 1379-1385.	1.0	2
124	Analgic efficacy of preemptive local wound infiltration plus laparoscopic-assisted transversus abdominis plane block versus wound infiltration in patients undergoing laparoscopic colorectal resection: study protocol for a randomized, multicenter, single-blind, noninferiority trial. <i>Trials</i> , 2019, 20, 391.	0.7	2
125	Surgical treatment of ductal biliary recurrence of poorly cohesive gastric cancer mimicking primary biliary tract cancer: a case report. <i>Journal of Surgical Case Reports</i> , 2022, 2022, rjac132.	0.2	2
126	A machine learning analysis of difficulty scoring systems for laparoscopic liver surgery. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 8869-8880.	1.3	2

#	ARTICLE	IF	CITATIONS
127	ASO Author Reflections: Hepatopancreatoduodenectomy: Why, When, and How?. <i>Annals of Surgical Oncology</i> , 2020, 27, 3358-3359.	0.7	1
128	Hepatopancreatoduodenectomy for Multifocal Cholangiocarcinoma in the Setting of Biliary Papillomatosis. <i>Annals of Surgical Oncology</i> , 2020, 27, 3356-3357.	0.7	1
129	ASO Visual Abstract: Postoperative Infectious Complications Worsen Long-term Survival After Curative-Intent Resection for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 668-669.	0.7	1
130	Trace Elements Status and Metallothioneins DNA Methylation Influence Human Hepatocellular Carcinoma Survival Rate. <i>Frontiers in Oncology</i> , 2020, 10, 596040.	1.3	1
131	Genome-wide DNA methylation and gene expression profiles analysis show novel regulatory pathways in alcohol-related hepatocellular carcinoma. <i>FASEB Journal</i> , 2013, 27, 248.4.	0.2	1
132	Laparoscopic surgery does not reduce the need for red blood cell transfusion after resection for colorectal tumour: a propensity score match study on 728 patients. <i>BMC Surgery</i> , 2022, 22, 123.	0.6	1
133	Kidney Disease: Improving Global Outcomes Classification of Chronic Kidney Disease and Short-Term Outcomes of Patients Undergoing Liver Resection. <i>Journal of the American College of Surgeons</i> , 2022, 234, 827-839.	0.2	1
134	ASO Visual Abstract: Prediction of Extrahepatic Recurrence (EHR) After Curative-Intent Resection of Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 494-495.	0.7	0
135	Long-term outcomes after curative resection of HCV-positive versus non-hepatitis related hepatocellular carcinoma: an international multi-institutional analysis. <i>Hpb</i> , 2020, 22, 1549-1556.	0.1	0
136	Video correspondence for laparoscopic anterior resection with natural orifice specimen extraction—a video vignette. <i>Colorectal Disease</i> , 2022, 24, 535-536.	0.7	0
137	Ablation Difficulty Score: Proposal of a new tool to predict success rate of percutaneous ablation for hepatocarcinoma. <i>European Journal of Radiology</i> , 2022, 146, 110097.	1.2	0
138	ASO Visual Abstract: Tumor Necrosis Impacts the Prognosis of Patients Undergoing Resection for T1 Intrahepatic Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2022, , 1.	0.7	0