

# Alfredo Guglielmi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8001155/alfredo-guglielmi-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133  
papers

2,634  
citations

26  
h-index

46  
g-index

139  
ext. papers

3,760  
ext. citations

3.4  
avg, IF

4.71  
L-index

#	Paper	IF	Citations
133	Surgical treatment of ductal biliary recurrence of poorly cohesive gastric cancer mimicking primary biliary tract cancer: a case report.. <i>Journal of Surgical Case Reports</i> , <b>2022</b> , 2022, rjac132	0.6	
132	Tumor Necrosis Impacts Prognosis of Patients Undergoing Resection for T1 Intrahepatic Cholangiocarcinoma.. <i>Annals of Surgical Oncology</i> , <b>2022</b> , 1	3.1	0
131	ASO Visual Abstract: Tumor Necrosis Impacts the Prognosis of Patients Undergoing Resection for T1 Intrahepatic Cholangiocarcinoma.. <i>Annals of Surgical Oncology</i> , <b>2022</b> , 1	3.1	
130	Laparoscopic surgery does not reduce the need for red blood cell transfusion after resection for colorectal tumour: a propensity score match study on 728 patients.. <i>BMC Surgery</i> , <b>2022</b> , 22, 123	2.3	
129	Kidney Disease: Improving Global Outcomes Classification of Chronic Kidney Disease and Short-Term Outcomes of Patients Undergoing Liver Resection.. <i>Journal of the American College of Surgeons</i> , <b>2022</b> , 234, 827-839	4.4	0
128	Ablation Difficulty Score: Proposal of a new tool to predict success rate of percutaneous ablation for hepatocarcinoma.. <i>European Journal of Radiology</i> , <b>2021</b> , 146, 110097	4.7	
127	Non-transplantable Recurrence After Resection for Transplantable Hepatocellular Carcinoma: Implication for Upfront Treatment Choice. <i>Journal of Gastrointestinal Surgery</i> , <b>2021</b> , 1	3.3	1
126	Is minimally invasive liver surgery a reasonable option in recurrent HCC? A snapshot from the I Go MILS registry. <i>Updates in Surgery</i> , <b>2021</b> , 1	2.9	4
125	Laparoscopic versus open surgery for left flexure colon cancer: A propensity score matched analysis from an international cohort. <i>Colorectal Disease</i> , <b>2021</b> ,	2.1	1
124	Conditional Recurrence-Free Survival after Oncologic Extended Resection for Gallbladder Cancer: An International Multicenter Analysis. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 2675-2682	3.1	1
123	Comparison of Short-term Results after Laparoscopic Complete Mesocolic Excision and Standard Colectomy for Right-Sided Colon Cancer: Analysis of a Western Center Cohort. <i>Annals of Coloproctology</i> , <b>2021</b> , 37, 166-173	1.9	1
122	Contour prognostic model for predicting survival after resection of colorectal liver metastases: development and multicentre validation study using largest diameter and number of metastases with RAS mutation status. <i>British Journal of Surgery</i> , <b>2021</b> , 108, 968-975	5.3	10
121	Correspondence on "Benchmark performance of laparoscopic left lateral sectionectomy and right hepatectomy in expert centers". <i>Journal of Hepatology</i> , <b>2021</b> , 74, 985-986	13.4	1
120	Serum $\alpha$ Fetoprotein Levels at Time of Recurrence Predict Post-Recurrence Outcomes Following Resection of Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 7673-7683	3.1	4
119	Multi-Institutional Development and External Validation of a Nomogram for Prediction of Extrahepatic Recurrence After Curative-Intent Resection for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 7624-7633	3.1	3
118	Artificial neural networks for multi-omics classifications of hepato-pancreato-biliary cancers: towards the clinical application of genetic data. <i>European Journal of Cancer</i> , <b>2021</b> , 148, 348-358	7.5	0
117	ASO Visual Abstract: Prediction of Extrahepatic Recurrence (EHR) After Curative-Intent Resection of Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 494-495	3.1	

116	Trends and outcomes of simultaneous versus staged resection of synchronous colorectal cancer and colorectal liver metastases. <i>Surgery</i> , <b>2021</b> , 170, 160-166	3.6	6
115	Preoperative predictors of liver decompensation after mini-invasive liver resection. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2021</b> , 35, 718-727	5.2	5
114	Analgesic efficacy of pre-emptive local wound infiltration plus laparoscopic-assisted transversus abdominis plane block versus wound infiltration in patients undergoing laparoscopic colorectal resection: results from a randomized, multicenter, single-blind, non-inferiority trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2021</b> , 35, 3329-3338	5.2	1
113	Early Versus Late Recurrence of Hepatocellular Carcinoma After Surgical Resection Based on Post-recurrence Survival: an International Multi-institutional Analysis. <i>Journal of Gastrointestinal Surgery</i> , <b>2021</b> , 25, 125-133	3.3	11
112	Impact of time-to-surgery on outcomes of patients undergoing curative-intent liver resection for BCLC-0, A and B hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , <b>2021</b> , 123, 381-388	2.8	2
111	Predicting Lymph Node Metastasis in Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , <b>2021</b> , 25, 1156-1163	3.3	7
110	Simultaneous approach for patients with synchronous colon and rectal liver metastases: Impact of site of primary on postoperative and oncological outcomes. <i>European Journal of Surgical Oncology</i> , <b>2021</b> , 47, 842-849	3.6	2
109	Tumor Necrosis Impacts Prognosis of Patients Undergoing Curative-Intent Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 797-805	3.1	7
108	Tumor Burden Dictates Prognosis Among Patients Undergoing Resection of Intrahepatic Cholangiocarcinoma: A Tool to Guide Post-Resection Adjuvant Chemotherapy?. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 1970-1978	3.1	14
107	Clinical Significance of Preoperative Inflammatory Markers in Prediction of Prognosis in Node-Negative Colon Cancer: Correlation between Neutrophil-to-Lymphocyte Ratio and Poorly Differentiated Clusters. <i>Biomedicines</i> , <b>2021</b> , 9,	4.8	3
106	Liver resection for perihilar cholangiocarcinoma: Impact of biliary drainage failure on postoperative outcome. Results of an Italian multicenter study. <i>Surgery</i> , <b>2021</b> , 170, 383-389	3.6	1
105	Synergistic Impact of Alpha-Fetoprotein and Tumor Burden on Long-Term Outcomes Following Curative-Intent Resection of Hepatocellular Carcinoma. <i>Cancers</i> , <b>2021</b> , 13,	6.6	4
104	Proposal of a New Comprehensive Notation for Hepatectomy: The "New World" Terminology. <i>Annals of Surgery</i> , <b>2021</b> , 274, 1-3	7.8	22
103	Perihilar Cholangiocarcinoma - Novel Benchmark Values for Surgical and Oncological Outcomes From 24 Expert Centers. <i>Annals of Surgery</i> , <b>2021</b> , 274, 780-788	7.8	10
102	Impact of Tumor Burden Score on Conditional Survival after Curative-Intent Resection for Hepatocellular Carcinoma: A Multi-Institutional Analysis. <i>World Journal of Surgery</i> , <b>2021</b> , 45, 3438-3448	3.3	3
101	Postoperative Infectious Complications Worsen Long-Term Survival After Curative-Intent Resection for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 1	3.1	1
100	Visceral obesity enhances inflammatory response after laparoscopic colorectal resection. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14795	2.9	
99	Endoscopic Ultrasound Through-the-Needle Biopsy for the Diagnosis of an Abdominal Bronchogenic Cyst. <i>Clinical Endoscopy</i> , <b>2021</b> , 54, 767-770	2.5	0

98	ASO Visual Abstract: Postoperative Infectious Complications Worsen Long-term Survival After Curative-Intent Resection for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 668-669	3.1	0
97	ASO Author Reflections: Hepatopancreatoduodenectomy: Why, When, and How?. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 3358-3359	3.1	1
96	Assessing Textbook Outcomes Following Liver Surgery for Primary Liver Cancer Over a 12-Year Time Period at Major Hepatobiliary Centers. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 3318-3327	3.1	23
95	A Novel Classification of Intrahepatic Cholangiocarcinoma Phenotypes Using Machine Learning Techniques: An International Multi-Institutional Analysis. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 5224-5232 <sup>1</sup>	3.1	7
94	The Impact of Preoperative CA19-9 and CEA on Outcomes of Patients with Intrahepatic Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 2888-2901	3.1	16
93	Recurrence beyond the Milan criteria after curative-intent resection of hepatocellular carcinoma: A novel tumor-burden based prediction model. <i>Journal of Surgical Oncology</i> , <b>2020</b> , 122, 955-963	2.8	5
92	Hepatocellular carcinoma tumour burden score to stratify prognosis after resection. <i>British Journal of Surgery</i> , <b>2020</b> , 107, 854-864	5.3	27
91	Prognostic value of red cell distribution width (RDW) in colorectal cancer. Results from a single-center cohort on 591 patients. <i>Scientific Reports</i> , <b>2020</b> , 10, 1072	4.9	11
90	Minimally Invasive Versus Open Liver Resection for Hepatocellular Carcinoma in the Setting of Portal Vein Hypertension: Results of an International Multi-institutional Analysis. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 3360-3371	3.1	8
89	The systemic immune-inflammation index predicts prognosis in intrahepatic cholangiocarcinoma: an international multi-institutional analysis. <i>Hpb</i> , <b>2020</b> , 22, 1667-1674	3.8	14
88	Impact of visceral obesity and sarcobesity on surgical outcomes and recovery after laparoscopic resection for colorectal cancer. <i>Clinical Nutrition</i> , <b>2020</b> , 39, 3763-3770	5.9	4
87	Clinical-Pathologic Characteristics and Long-term Outcomes of Left Flexure Colonic Cancer: A Retrospective Analysis of an International Multicenter Cohort. <i>Diseases of the Colon and Rectum</i> , <b>2020</b> , 63, 1593-1601	3.1	3
86	Long-term outcomes after curative resection of HCV-positive versus non-hepatitis related hepatocellular carcinoma: an international multi-institutional analysis. <i>Hpb</i> , <b>2020</b> , 22, 1549-1556	3.8	
85	Effect of peri-operative blood transfusions on long-term prognosis of patients with colorectal cancer. <i>Blood Transfusion</i> , <b>2020</b> ,	3.6	2
84	Outcomes of vascular resection associated with curative intent hepatectomy for intrahepatic cholangiocarcinoma. <i>European Journal of Surgical Oncology</i> , <b>2020</b> , 46, 1727-1733	3.6	7
83	Utilizing Machine Learning for Pre- and Postoperative Assessment of Patients Undergoing Resection for BCLC-0, A and B Hepatocellular Carcinoma: Implications for Resection Beyond the BCLC Guidelines. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 866-874	3.1	21
82	A Machine-Based Approach to Preoperatively Identify Patients with the Most and Least Benefit Associated with Resection for Intrahepatic Cholangiocarcinoma: An International Multi-institutional Analysis of 1146 Patients. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 1110-1119	3.1	26
81	Risk-adjusted benchmarks in laparoscopic liver surgery in a national cohort. <i>British Journal of Surgery</i> , <b>2020</b> , 107, 845-853	5.3	12

80	Hospital variation in Textbook Outcomes following curative-intent resection of hepatocellular carcinoma: an international multi-institutional analysis. <i>Hpb</i> , <b>2020</b> , 22, 1305-1313	3.8	19
79	Multicentre evaluation of case volume in minimally invasive hepatectomy. <i>British Journal of Surgery</i> , <b>2020</b> , 107, 443-451	5.3	9
78	Biliary Leakage After Hepatobiliary and Pancreatic Surgery: A Classification System to Guide the Proper Percutaneous Treatment. <i>CardioVascular and Interventional Radiology</i> , <b>2020</b> , 43, 302-310	2.7	7
77	Pancreatic resections in patients who refuse blood transfusions. The application of a perioperative protocol for a true bloodless surgery. <i>Pancreatology</i> , <b>2020</b> , 20, 1550-1557	3.8	2
76	Prognostic factors differ according to KRAS mutational status: A classification and regression tree model to define prognostic groups after hepatectomy for colorectal liver metastasis. <i>Surgery</i> , <b>2020</b> , 168, 497-503	3.6	6
75	A Novel Machine-Learning Approach to Predict Recurrence After Resection of Colorectal Liver Metastases. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 5139-5147	3.1	11
74	Very Early Recurrence After Liver Resection for Intrahepatic Cholangiocarcinoma: Considering Alternative Treatment Approaches. <i>JAMA Surgery</i> , <b>2020</b> , 155, 823-831	5.4	42
73	Overall Tumor Burden Dictates Outcomes for Patients Undergoing Resection of Multinodular Hepatocellular Carcinoma Beyond the Milan Criteria. <i>Annals of Surgery</i> , <b>2020</b> , 272, 574-581	7.8	15
72	Evaluation of the ACS NSQIP Surgical Risk Calculator in Elderly Patients Undergoing Hepatectomy for Hepatocellular Carcinoma. <i>Journal of Gastrointestinal Surgery</i> , <b>2020</b> , 24, 551-559	3.3	15
71	Effect of Surgical Margin Width on Patterns of Recurrence among Patients Undergoing R0 Hepatectomy for T1 Hepatocellular Carcinoma: An International Multi-Institutional Analysis. <i>Journal of Gastrointestinal Surgery</i> , <b>2020</b> , 24, 1552-1560	3.3	15
70	Surgical Management of Hepatic Benign Disease: Have the Number of Liver Resections Increased in the Era of Minimally Invasive Approach? Analysis from the I Go MILS (Italian Group of Minimally Invasive Liver Surgery) Registry. <i>Journal of Gastrointestinal Surgery</i> , <b>2020</b> , 24, 2233-2243	3.3	1
69	Recurrence Patterns and Outcomes after Resection of Hepatocellular Carcinoma within and beyond the Barcelona Clinic Liver Cancer Criteria. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 2321-2331	3.1	26
68	Hepatopancreatoduodenectomy for Multifocal Cholangiocarcinoma in the Setting of Biliary Papillomatosis. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 3356-3357	3.1	1
67	Trace Elements Status and Metallothioneins DNA Methylation Influence Human Hepatocellular Carcinoma Survival Rate. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 596040	5.3	
66	Complications after liver surgery: a benchmark analysis. <i>Hpb</i> , <b>2019</b> , 21, 1139-1149	3.8	19
65	Therapeutic Index Associated with Lymphadenectomy Among Patients with Intrahepatic Cholangiocarcinoma: Which Patients Benefit the Most from Nodal Evaluation?. <i>Annals of Surgical Oncology</i> , <b>2019</b> , 26, 2959-2968	3.1	21
64	Prognostic utility of albumin-bilirubin grade for short- and long-term outcomes following hepatic resection for intrahepatic cholangiocarcinoma: A multi-institutional analysis of 706 patients. <i>Journal of Surgical Oncology</i> , <b>2019</b> , 120, 206-213	2.8	16
63	A novel online prognostic tool to predict long-term survival after liver resection for intrahepatic cholangiocarcinoma: The "metro-ticket" paradigm. <i>Journal of Surgical Oncology</i> , <b>2019</b> , 120, 223-230	2.8	14

62	Response to preoperative chemotherapy: impact of change in total burden score and mutational tumor status on prognosis of patients undergoing resection for colorectal liver metastases. <i>Hpb</i> , <b>2019</b> , 21, 1230-1239	3.8	8
61	Prognostic value of thrombocytosis in patients undergoing surgery for colorectal cancer with synchronous liver metastases. <i>Clinical and Translational Oncology</i> , <b>2019</b> , 21, 1644-1653	3.6	4
60	Discordance in prediction of prognosis among patients with intrahepatic cholangiocarcinoma: A preoperative vs postoperative perspective. <i>Journal of Surgical Oncology</i> , <b>2019</b> , 120, 946-955	2.8	5
59	Patterns of gene mutations in bile duct cancers: is it time to overcome the anatomical classification?. <i>Hpb</i> , <b>2019</b> , 21, 1648-1655	3.8	4
58	Intrahepatic cholangiocarcinoma tumor burden: A classification and regression tree model to define prognostic groups after resection. <i>Surgery</i> , <b>2019</b> , 166, 983-990	3.6	31
57	Prognosis After Resection of Barcelona Clinic Liver Cancer (BCLC) Stage 0, A, and B Hepatocellular Carcinoma: A Comprehensive Assessment of the Current BCLC Classification. <i>Annals of Surgical Oncology</i> , <b>2019</b> , 26, 3693-3700	3.1	57
56	Analgesic efficacy of preemptive local wound infiltration plus laparoscopic-assisted transversus abdominis plane block versus wound infiltration in patients undergoing laparoscopic colorectal resection: study protocol for a randomized, multicenter, single-blind, noninferiority trial. <i>Trials</i> , <b>2019</b> , 20, 391	2.8	2
55	Conditional disease-free survival after curative-intent liver resection for neuroendocrine liver metastasis. <i>Journal of Surgical Oncology</i> , <b>2019</b> , 120, 1087-1095	2.8	6
54	Defining the chance of cure after resection for hepatocellular carcinoma within and beyond the Barcelona Clinic Liver Cancer guidelines: A multi-institutional analysis of 1,010 patients. <i>Surgery</i> , <b>2019</b> , 166, 967-974	3.6	24
53	The albumin-bilirubin score stratifies the outcomes of Child-Pugh class A patients after resection of hepatocellular carcinoma.. <i>Translational Cancer Research</i> , <b>2019</b> , 8, S233-S244	0.3	2
52	Impact of age on feasibility and short-term outcomes of ERAS after laparoscopic colorectal resection. <i>World Journal of Gastrointestinal Surgery</i> , <b>2019</b> , 11, 395-406	2.4	6
51	Role of Lymph Node Dissection in Small (≤1cm) Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , <b>2019</b> , 23, 1122-1129	3.3	9
50	Laparoscopic liver resection of hepatocellular carcinoma located in unfavorable segments: a propensity score-matched analysis from the I Go MILS (Italian Group of Minimally Invasive Liver Surgery) Registry. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2019</b> , 33, 1451-1458	5.2	26
49	Laparoscopic Complete Mesocolic Excision for Right-Sided Colon Cancer: Analysis of Feasibility and Safety from a Single Western Center. <i>Journal of Gastrointestinal Surgery</i> , <b>2019</b> , 23, 402-407	3.3	5
48	Liver Resection for Neuroendocrine Tumor Liver Metastases Within Milan Criteria for Liver Transplantation. <i>Journal of Gastrointestinal Surgery</i> , <b>2019</b> , 23, 93-100	3.3	10
47	Early ileostomy reversal after minimally invasive surgery and ERAS program for mid and low rectal cancer. <i>Updates in Surgery</i> , <b>2019</b> , 71, 485-492	2.9	4
46	Trends in use of lymphadenectomy in surgery with curative intent for intrahepatic cholangiocarcinoma. <i>British Journal of Surgery</i> , <b>2018</b> , 105, 857-866	5.3	40
45	Perioperative and long-term outcome of intrahepatic cholangiocarcinoma involving the hepatic hilus after curative-intent resection: comparison with peripheral intrahepatic cholangiocarcinoma and hilar cholangiocarcinoma. <i>Surgery</i> , <b>2018</b> , 163, 1114-1120	3.6	19

44	The Limitations of Standard Clinicopathologic Features to Accurately Risk-Stratify Prognosis after Resection of Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , <b>2018</b> , 22, 477-485	3.3	11
43	Preoperative Risk Score and Prediction of Long-Term Outcomes after Hepatectomy for Intrahepatic Cholangiocarcinoma. <i>Journal of the American College of Surgeons</i> , <b>2018</b> , 226, 393-403	4.4	26
42	Surgical Management of Intrahepatic Cholangiocarcinoma in Patients with Cirrhosis: Impact of Lymphadenectomy on Peri-Operative Outcomes. <i>World Journal of Surgery</i> , <b>2018</b> , 42, 2551-2560	3.3	21
41	Assessment of the Lymph Node Status in Patients Undergoing Liver Resection for Intrahepatic Cholangiocarcinoma: the New Eighth Edition AJCC Staging System. <i>Journal of Gastrointestinal Surgery</i> , <b>2018</b> , 22, 52-59	3.3	54
40	The Tumor Burden Score: A New "Metro-ticket" Prognostic Tool For Colorectal Liver Metastases Based on Tumor Size and Number of Tumors. <i>Annals of Surgery</i> , <b>2018</b> , 267, 132-141	7.8	100
39	Implications of Intrahepatic Cholangiocarcinoma Etiology on Recurrence and Prognosis after Curative-Intent Resection: a Multi-Institutional Study. <i>World Journal of Surgery</i> , <b>2018</b> , 42, 849-857	3.3	12
38	Long-term outcomes of patients with intraductal growth sub-type of intrahepatic cholangiocarcinoma. <i>Hpb</i> , <b>2018</b> , 20, 1189-1197	3.8	15
37	Unenhanced magnetic resonance imaging immediately after radiofrequency ablation of liver malignancy: preliminary results. <i>Abdominal Radiology</i> , <b>2018</b> , 43, 1379-1385	3	1
36	Genetic alterations analysis in prognostic stratified groups identified TP53 and ARID1A as poor clinical performance markers in intrahepatic cholangiocarcinoma. <i>Scientific Reports</i> , <b>2018</b> , 8, 7119	4.9	25
35	Patterns of Distribution of Hepatic Nodules (Single, Satellites or Multifocal) in Intrahepatic Cholangiocarcinoma: Prognostic Impact After Surgery. <i>Annals of Surgical Oncology</i> , <b>2018</b> , 25, 3719-3727	3.1	28
34	Serum tumor markers enhance the predictive power of the AJCC and LCSGJ staging systems in resectable intrahepatic cholangiocarcinoma. <i>Hpb</i> , <b>2018</b> , 20, 956-965	3.8	21
33	Comparison of the 7th and 8th editions of the American Joint Committee on Cancer Staging Systems for perihilar cholangiocarcinoma. <i>Surgery</i> , <b>2018</b> , 164, 244-250	3.6	18
32	Preoperative prognostic nutritional index predicts survival of patients with intrahepatic cholangiocarcinoma after curative resection. <i>Journal of Surgical Oncology</i> , <b>2018</b> , 118, 422-430	2.8	18
31	What is the most accurate lymph node staging method for perihilar cholangiocarcinoma? Comparison of UICC/AJCC pN stage, number of metastatic lymph nodes, lymph node ratio, and log odds of metastatic lymph nodes. <i>European Journal of Surgical Oncology</i> , <b>2017</b> , 43, 743-750	3.6	35
30	Mature CD10 and immature CD10 neutrophils present in G-CSF-treated donors display opposite effects on T cells. <i>Blood</i> , <b>2017</b> , 129, 1343-1356	2.2	159
29	Comparative performances of the 7th and the 8th editions of the American Joint Committee on Cancer staging systems for intrahepatic cholangiocarcinoma. <i>Journal of Surgical Oncology</i> , <b>2017</b> , 115, 696-703	2.8	60
28	Resection of colorectal liver metastases after second-line chemotherapy: is it worthwhile? A LiverMetSurvey analysis of 6415 patients. <i>European Journal of Cancer</i> , <b>2017</b> , 78, 7-15	7.5	30
27	Assessment of neutrophil-to-lymphocyte ratio, platelet-to-lymphocyte ratio and platelet count as predictors of long-term outcome after R0 resection for colorectal cancer. <i>Scientific Reports</i> , <b>2017</b> , 7, 1494	4.9	59

26	Impact of Morphological Status on Long-Term Outcome Among Patients Undergoing Liver Surgery for Intrahepatic Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 2491-2501	3.1	24
25	C-reactive protein as early predictor of complications after minimally invasive colorectal resection. <i>Journal of Surgical Research</i> , <b>2017</b> , 210, 261-268	2.5	11
24	Morphological and Functional Changes in the Peritumoral Adipose Tissue of Colorectal Cancer Patients. <i>Obesity</i> , <b>2017</b> , 25 Suppl 2, S87-S94	8	13
23	DNA Methylation and Hydroxymethylation in Primary Colon Cancer and Synchronous Hepatic Metastasis. <i>Frontiers in Genetics</i> , <b>2017</b> , 8, 229	4.5	7
22	Defining Long-Term Survivors Following Resection of Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , <b>2017</b> , 21, 1888-1897	3.3	19
21	Diffusion, outcomes and implementation of minimally invasive liver surgery: a snapshot from the I Go MILS (Italian Group of Minimally Invasive Liver Surgery) Registry. <i>Updates in Surgery</i> , <b>2017</b> , 69, 271-283	3.9	35
20	Impact of adjuvant chemotherapy on survival in patients with intrahepatic cholangiocarcinoma: a multi-institutional analysis. <i>Hpb</i> , <b>2017</b> , 19, 901-909	3.8	44
19	A Novel Nomogram to Predict the Prognosis of Patients Undergoing Liver Resection for Neuroendocrine Liver Metastasis: an Analysis of the Italian Neuroendocrine Liver Metastasis Database. <i>Journal of Gastrointestinal Surgery</i> , <b>2017</b> , 21, 41-48	3.3	28
18	Association of Lymph Node Status With Survival in Patients After Liver Resection for Hilar Cholangiocarcinoma in an Italian Multicenter Analysis. <i>JAMA Surgery</i> , <b>2016</b> , 151, 916-922	5.4	33
17	Local wound infiltration plus transversus abdominis plane (TAP) block versus local wound infiltration in laparoscopic colorectal surgery and ERAS program. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2016</b> , 30, 5117-5125	5.2	48
16	Totally intrabiliary colorectal liver metastasis mimicking intraductal growth-type cholangiocarcinoma. <i>Updates in Surgery</i> , <b>2016</b> , 68, 211-2	2.9	3
15	Cholangiocarcinoma Heterogeneity Revealed by Multigene Mutational Profiling: Clinical and Prognostic Relevance in Surgically Resected Patients. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 1699-707	3.1	52
14	Elevated fibrinogen plasma level is not an independent predictor of poor prognosis in a large cohort of Western patients undergoing surgery for colorectal cancer. <i>World Journal of Gastroenterology</i> , <b>2016</b> , 22, 9994-10001	5.6	13
13	Perihilar Cholangiocarcinoma: Number of Nodes Examined and Optimal Lymph Node Prognostic Scheme. <i>Journal of the American College of Surgeons</i> , <b>2016</b> , 222, 750-759.e2	4.4	37
12	Validation of a Nomogram to Predict the Risk of Perioperative Blood Transfusion for Liver Resection. <i>World Journal of Surgery</i> , <b>2016</b> , 40, 2481-9	3.3	12
11	Intrahepatic, peri-hilar and distal cholangiocarcinoma: Three different locations of the same tumor or three different tumors?. <i>European Journal of Surgical Oncology</i> , <b>2015</b> , 41, 1162-9	3.6	46
10	Management of nodal disease from colon cancer in the laparoscopic era. <i>International Journal of Colorectal Disease</i> , <b>2015</b> , 30, 303-14	3	12
9	Patterns and prognostic significance of lymph node dissection for surgical treatment of perihilar and intrahepatic cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , <b>2013</b> , 17, 1917-28	3.3	66



8	Exome sequencing identifies frequent inactivating mutations in BAP1, ARID1A and PBRM1 in intrahepatic cholangiocarcinomas. <i>Nature Genetics</i> , <b>2013</b> , 45, 1470-1473	36.3	464
7	Assessment of nodal status for perihilar cholangiocarcinoma location, number, or ratio of involved nodes. <i>Hepatobiliary Surgery and Nutrition</i> , <b>2013</b> , 2, 281-3	2.1	3
6	Genome-wide DNA methylation and gene expression profiles analysis show novel regulatory pathways in alcohol-related hepatocellular carcinoma. <i>FASEB Journal</i> , <b>2013</b> , 27, 248.4	0.9	1
5	Prognostic significance of lymph node ratio after resection of peri-hilar cholangiocarcinoma. <i>Hpb</i> , <b>2011</b> , 13, 240-5	3.8	43
4	Transhepatic fibrinolysis of mesenteric and portal vein thrombosis in a patient with ulcerative colitis: a case report. <i>World Journal of Gastroenterology</i> , <b>2005</b> , 11, 2035-8	5.6	16
3	Classification of lymph node metastases from carcinoma of the stomach: comparison of the old (1987) and new (1997) TNM systems. <i>World Journal of Surgery</i> , <b>1999</b> , 23, 664-9	3.3	31
2	Induction chemo-radiotherapy for squamous cell carcinoma of the thoracic esophagus: long-term results of a phase II study. <i>Annals of Surgical Oncology</i> , <b>1999</b> , 6, 777-84	3.1	15
1	Study on Ki-67 immunoreactivity as a prognostic indicator in patients with advanced gastric cancer. <i>Japanese Journal of Clinical Oncology</i> , <b>1998</b> , 28, 534-7	2.8	33