## Koji Kurosawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8001927/publications.pdf

Version: 2024-02-01

1039880 996849 20 230 9 15 citations h-index g-index papers 20 20 20 257 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Functional Tricuspid Regurgitation and Right Atrial Remodeling in Heart Failure With Preserved Ejection Fraction. American Journal of Cardiology, 2022, 162, 129-135.	0.7	20
2	Incremental Value of Myocardial Work over Global Longitudinal Strain in the Surveillance for Cancer-Treatment-Related Cardiac Dysfunction: A Case–Control Study. Journal of Clinical Medicine, 2022, 11, 912.	1.0	8
3	Cardiac Power Output Is Independently and Incrementally Associated With Adverse Outcomes in Heart Failure With Preserved Ejection Fraction. Circulation: Cardiovascular Imaging, 2022, 15, CIRCIMAGING121013495.	1.3	16
4	Right atrial pressure represents cumulative cardiac burden in heart failure with preserved ejection fraction. ESC Heart Failure, 2022, 9, 1454-1462.	1.4	8
5	Methicillin-resistant Staphylococcus aureus-induced right-sided infective endocarditis detected by transthoracic echocardiography: the importance of parasternal short-axis view screening. Journal of Medical Ultrasonics (2001), 2021, 48, 361-362.	0.6	1
6	Impact of Right Atrial Remodeling in Heart Failure With Preserved Ejection Fraction. Journal of Cardiac Failure, 2021, 27, 577-584.	0.7	21
7	A case of subvalvular pulmonary stenosis differentiated from a double-chambered right ventricle by transesophageal echocardiography: importance of detecting the pulmonary valve. Journal of Medical Ultrasonics (2001), 2020, 47, 643-644.	0.6	2
8	A case of hemolysis after mitral valve repair: evaluation of hydrodynamic patterns by three-dimensional transesophageal echocardiography. Journal of Medical Ultrasonics (2001), 2020, 47, 645-647.	0.6	0
9	Independent and incremental prognostic value of semiquantitative measures of tricuspid regurgitation severity in heart failure with preserved ejection fraction. European Heart Journal Cardiovascular Imaging, 2020, , .	0.5	11
10	Pathophysiological role of fatty acidâ€binding protein 4 in Asian patients with heart failure and preserved ejection fraction. ESC Heart Failure, 2020, 7, 4256-4266.	1.4	21
11	Echocardiography-based pressure–volume loop assessment in the evaluation for the effects of indoxyl sulfate on cardiovascular function. Journal of Echocardiography, 2019, 17, 35-43.	0.4	5
12	Sex differences in left ventricular afterload and diastolic function are independent from the aortic size. PLoS ONE, 2019, 14, e0214907.	1.1	8
13	Relationships of high cardiac output with ventricular morphology, myocardial energetics, and energy costs in hemodialysis patients with preserved ejection fraction. International Journal of Cardiovascular Imaging, 2019, 35, 469-479.	0.7	5
14	Reduced variability of visual left ventricular ejection fraction assessment with reference images: The Japanese Association of Young Echocardiography Fellows multicenter study. Journal of Cardiology, 2018, 72, 74-80.	0.8	26
15	Incremental Prognostic Value of Ventricular-Arterial Coupling over Ejection Fraction in Patients with Maintenance Hemodialysis. Journal of the American Society of Echocardiography, 2017, 30, 444-453.e2.	1.2	23
16	Postprandial cardiogenic syncope caused by gastric polyp-induced pyloric obstruction in an elderly woman with a giant hiatal hernia: a case report. Surgical Case Reports, 2017, 3, 124.	0.2	4
17	Effect of Sex Differences on the Association Between Stroke Risk and Left Atrial Anatomy or Mechanics in Patients With Atrial Fibrillation. Circulation: Cardiovascular Imaging, 2016, 9, .	1.3	35
18	Comparison of different interdialytic intervals among hemodialysis patients on their echocardiogram-based cardiovascular parameters. American Heart Journal, 2015, 169, 523-530.e2.	1.2	15

#	Article	IF	CITATIONS
19	Abstract 15182: Calibration and Feedback of Speckle Strain Measurement Improves Segmental Strain Concordance. Circulation, 2014, 130, .	1.6	0
20	Multiple papillary fibroelastomas of the aortic valve detected by real time three-dimensional transesophageal echocardiographic images. Journal of Cardiology Cases, 2013, 8, e9-e12.	0.2	1