

Rennae S Taylor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8003768/publications.pdf>

Version: 2024-02-01

47
papers

2,331
citations

236925

25
h-index

214800

47
g-index

48
all docs

48
docs citations

48
times ranked

3060
citing authors

#	ARTICLE	IF	CITATIONS
1	Longitudinal serum concentrations of placental growth factor: Evidence for abnormal placental angiogenesis in pathologic pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 177-182.	1.3	373
2	Clinical risk prediction for pre-eclampsia in nulliparous women: development of model in international prospective cohort. <i>BMJ: British Medical Journal</i> , 2011, 342, d1875-d1875.	2.3	343
3	Early Pregnancy Prediction of Preeclampsia in Nulliparous Women, Combining Clinical Risk and Biomarkers. <i>Hypertension</i> , 2014, 64, 644-652.	2.7	193
4	Risk Factors for Excessive Gestational Weight Gain in a Healthy, Nulliparous Cohort. <i>Journal of Obesity</i> , 2014, 2014, 1-9.	2.7	115
5	Duration of sexual relationship and its effect on preeclampsia and small for gestational age perinatal outcome. <i>Journal of Reproductive Immunology</i> , 2009, 82, 66-73.	1.9	100
6	Evaluation of a definition of pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999, 106, 767-773.	2.3	93
7	Gestational weight gain and adverse pregnancy outcomes in a nulliparous cohort. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 167, 149-153.	1.1	92
8	Prevalence and predictors of alcohol use during pregnancy: findings from international multicentre cohort studies. <i>BMJ Open</i> , 2015, 5, e006323.	1.9	92
9	Risk of First-Stage and Second-Stage Cesarean Delivery by Maternal Body Mass Index Among Nulliparous Women in Labor at Term. <i>Obstetrics and Gynecology</i> , 2011, 117, 1315-1322.	2.4	61
10	How Do Home and Clinic Blood Pressure Readings Compare in Pregnancy?. <i>Hypertension</i> , 2018, 72, 686-694.	2.7	59
11	Effect of antenatal dietary interventions in maternal obesity on pregnancy weight-gain and birthweight: Healthy Mums and Babies (HUMBA) randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 152.e1-152.e13.	1.3	58
12	Use of automated home blood pressure monitoring in pregnancy: Is it safe?. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 1321-1328.	1.3	50
13	Maternal plasma miRNAs as biomarkers during mid-pregnancy to predict later spontaneous preterm birth: a pilot study. <i>Scientific Reports</i> , 2017, 7, 815.	3.3	50
14	Inherited thrombophilias are not increased in idiopathic small-for-gestational-age pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 981-985.	1.3	49
15	Serum activin A, inhibin A, and follistatin concentrations in preeclampsia or small for gestational age pregnancies. <i>Obstetrics and Gynecology</i> , 2002, 99, 267-274.	2.4	45
16	Paternal Contribution to Small for Gestational Age Babies: A Multicenter Prospective Study. <i>Obesity</i> , 2011, 19, 1035-1039.	3.0	45
17	Exploration and confirmation of factors associated with uncomplicated pregnancy in nulliparous women: prospective cohort study. <i>BMJ, The</i> , 2013, 347, f6398-f6398.	6.0	45
18	An altered pattern of circulating apolipoprotein E3 isoforms is implicated in preeclampsia. <i>Journal of Lipid Research</i> , 2009, 50, 71-80.	4.2	43

#	ARTICLE	IF	CITATIONS
19	Prophylactic and therapeutic enoxaparin during pregnancy: Indications, outcomes and monitoring. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2003, 43, 123-128.	1.0	40
20	Transabdominal scanning of the cervix at the 20-week morphology scan: Comparison with transvaginal cervical measurements in a healthy nulliparous population. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2010, 50, 523-527.	1.0	40
21	Patterns of Change in Uterine Artery Doppler Studies Between 20 and 24 Weeks of Gestation and Pregnancy Outcomes. Obstetrics and Gynecology, 2009, 113, 332-338.	2.4	39
22	Clinical Prediction in Early Pregnancy of Infants Small for Gestational Age by Customised Birthweight Centiles: Findings from a Healthy Nulliparous Cohort. PLoS ONE, 2013, 8, e70917.	2.5	36
23	Prediction of Small for Gestational Age Infants in Healthy Nulliparous Women Using Clinical and Ultrasound Risk Factors Combined with Early Pregnancy Biomarkers. PLoS ONE, 2017, 12, e0169311.	2.5	35
24	Evaluation of Ambulatory and Self-Initiated Blood Pressure Monitors by Pregnant and Postpartum Women. Hypertension in Pregnancy, 2001, 20, 25-33.	1.1	34
25	Pregnancy outcome in women with reflux nephropathy and the inheritance of vesico-ureteric reflux. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2000, 40, 280-285.	1.0	29
26	Maternal serum IGF-1, IGFBP-1 and 3, and placental growth hormone at 20 weeks gestation in pregnancies complicated by preeclampsia. Pregnancy Hypertension, 2017, 10, 149-154.	1.4	17
27	Survey of maternal sleep practices in late pregnancy in a multi-ethnic sample in South Auckland, New Zealand. BMC Pregnancy and Childbirth, 2017, 17, 190.	2.4	15
28	The Effect of Interactions between Folic Acid Supplementation and One Carbon Metabolism Gene Variants on Small-for-Gestational-Age Births in the Screening for Pregnancy Endpoints (SCOPE) Cohort Study. Nutrients, 2020, 12, 1677.	4.1	15
29	Secretory component of immunoglobulin A in maternal serum and the prediction of preterm delivery. American Journal of Obstetrics and Gynecology, 1998, 178, 535-539.	1.3	14
30	The Pacific-specific CREBRF rs373863828 allele protects against gestational diabetes mellitus in Māori and Pacific women with obesity. Diabetologia, 2020, 63, 2169-2176.	6.3	14
31	Maternal serum placental growth hormone, insulin-like growth factors and their binding proteins at 20 weeks gestation in pregnancies complicated by gestational diabetes mellitus. Hormones, 2017, 16, 282-290.	1.9	13
32	Maternal serum activin A is not elevated before preeclampsia in women who are at high risk. American Journal of Obstetrics and Gynecology, 2003, 188, 807-811.	1.3	10
33	A randomised controlled demonstration trial of multifaceted nutritional intervention and or probiotics: the healthy mums and babies (HUMBA) trial. BMC Pregnancy and Childbirth, 2016, 16, 373.	2.4	8
34	Human placental growth hormone is increased in maternal serum at 20 weeks of gestation in pregnancies with large-for-gestational-age babies. Growth Factors, 2016, 34, 203-209.	1.7	8
35	Detection of small for gestational age babies and perinatal outcomes following implementation of the Growth Assessment Protocol at a New Zealand tertiary facility: An observational intervention study. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2021, 61, 339-346.	1.0	8
36	postpartum haemorrhage of unknown origin and maternal cigarette smoking beyond the first trimester. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 161-166.	1.0	7

#	ARTICLE	IF	CITATIONS
37	Folic acid supplementation is associated with size at birth in the Screening for Pregnancy Endpoints (SCOPE) international prospective cohort study. <i>Early Human Development</i> , 2020, 147, 105058.	1.8	7
38	Serum levels of endothelial glycocalyx constituents in women at 20 weeks' gestation who later develop gestational diabetes mellitus compared to matched controls: a pilot study. <i>BMJ Open</i> , 2016, 6, e011244.	1.9	7
39	The relationship of smoking, preeclampsia, and secretory component. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 136-139.	1.3	6
40	Maternal serum placental growth hormone, insulin-like growth factors and their binding proteins at 20 weeks' gestation in pregnancies complicated by gestational diabetes mellitus. <i>Hormones</i> , 2017, 13, 282-290.	1.9	6
41	Caring for pregnant women with diabetes. <i>British Journal of Midwifery</i> , 2002, 10, 434-439.	0.4	5
42	Case-Control study of prolactin and placental lactogen in SGA pregnancies. <i>Reproduction and Fertility</i> , 2021, 2, 244-250.	1.8	4
43	Accuracy of point-of-care HbA1c testing in pregnant women. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018, 58, 643-647.	1.0	2
44	Modification of maternal late pregnancy sleep position: a survey evaluation of a New Zealand public health campaign. <i>BMJ Open</i> , 2021, 11, e047681.	1.9	2
45	Exploration and confirmation of factors associated with uncomplicated pregnancy in nulliparous women: prospective cohort study. <i>British Journal of Sports Medicine</i> , 2015, 49, 136-136.	6.7	1
46	Circulating serine peptidase inhibitor Kunitz type 1 (SPINT1) in the second trimester is reduced among pregnancies that end in low birthweight neonates: cohort study of 2006 pregnancies. <i>American Journal of Obstetrics & Gynecology</i> MFM, 2022, 4, 100618.	2.6	1
47	An analysis of omega-3 fatty acid status in a population of pregnant women with obesity, at higher risk of preterm birth. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 1478-1482.	2.9	0