

# GwenolÃ© Loas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8004237/publications.pdf>

Version: 2024-02-01

65  
papers

1,191  
citations

394421

19  
h-index

434195

31  
g-index

67  
all docs

67  
docs citations

67  
times ranked

1644  
citing authors

#	ARTICLE	IF	CITATIONS
1	Anhedonia is associated with suicidal ideation independently of depression: A meta-analysis. <i>Depression and Anxiety</i> , 2018, 35, 382-392.	4.1	147
2	Confirmatory Factor Analysis of the French Translation of the 20-Item Toronto Alexithymia Scale. <i>Perceptual and Motor Skills</i> , 1997, 85, 1018-1018.	1.3	68
3	Relationships between anhedonia, alexithymia, impulsivity, suicidal ideation, recent suicide attempt, C-reactive protein and serum lipid levels among 122 inpatients with mood or anxious disorders. <i>Psychiatry Research</i> , 2016, 246, 296-302.	3.3	66
4	Eating Disorders in Schizophrenia: Implications for Research and Management. <i>Schizophrenia Research and Treatment</i> , 2014, 2014, 1-7.	1.5	54
5	The measurement of alexithymia in children and adolescents: Psychometric properties of the Alexithymia Questionnaire for Children and the twenty-item Toronto Alexithymia Scale in different non-clinical and clinical samples of children and adolescents. <i>PLoS ONE</i> , 2017, 12, e0177982.	2.5	51
6	Alexithymia in adolescents with borderline personality disorder. <i>Journal of Psychosomatic Research</i> , 2012, 72, 147-152.	2.6	49
7	Relationships between anhedonia, suicidal ideation and suicide attempts in a large sample of physicians. <i>PLoS ONE</i> , 2018, 13, e0193619.	2.5	49
8	Advanced glycation end products and schizophrenia: A systematic review. <i>Journal of Psychiatric Research</i> , 2015, 66-67, 112-117.	3.1	43
9	Prevalence and risk factors of type 2 diabetes in insomnia sufferers: a study on 1311 individuals referred for sleep examinations. <i>Sleep Medicine</i> , 2018, 46, 37-45.	1.6	32
10	Prevalence and risk factors of excessive daytime sleepiness in major depression: A study with 703 individuals referred for polysomnography. <i>Journal of Affective Disorders</i> , 2019, 243, 23-32.	4.1	32
11	Similar polysomnographic pattern in primary insomnia and major depression with objective insomnia: a sign of common pathophysiology?. <i>BMC Psychiatry</i> , 2017, 17, 273.	2.6	28
12	Prevalence and risk factors of moderate to severe obstructive sleep apnea syndrome in insomnia sufferers: a study on 1311 subjects. <i>Respiratory Research</i> , 2017, 18, 135.	3.6	27
13	Anhedonia and Suicide: A 6.5-Yr. Follow-up Study of Patients Hospitalised for a Suicide Attempt. <i>Psychological Reports</i> , 2007, 100, 183-190.	1.7	26
14	Objective sleep alterations and long-term use of short or intermediate half-life benzodiazepine receptor agonists are risk factors for high blood pressure in individuals with insomnia: a study in 1272 individuals referred for sleep examinations. <i>Sleep Medicine</i> , 2019, 53, 115-123.	1.6	25
15	Dependent personality disorder and physical abuse. <i>Psychiatry Research</i> , 2011, 185, 167-170.	3.3	24
16	Prevalence and risk factors of moderate to severe obstructive sleep apnea syndrome in major depression: a observational and retrospective study on 703 subjects. <i>BMC Pulmonary Medicine</i> , 2017, 17, 165.	2.0	24
17	Association between Functional Inhibitors of Acid Sphingomyelinase (FIASMs) and Reduced Risk of Death in COVID-19 Patients: A Retrospective Cohort Study. <i>Pharmaceuticals</i> , 2021, 14, 226.	3.8	24
18	Suicidal ideations among medical students: The role of anhedonia and type D personality. <i>PLoS ONE</i> , 2019, 14, e0217841.	2.5	21

#	ARTICLE	IF	CITATIONS
19	Anhedonia in endogenomorphic depression. <i>Psychiatry Research</i> , 1996, 60, 57-65.	3.3	20
20	Prevalence and risk factors of excessive daytime sleepiness in insomnia sufferers: A study with 1311 individuals. <i>Journal of Psychosomatic Research</i> , 2017, 103, 63-69.	2.6	20
21	Rule-Based Insensitivity and Delusion Maintenance in Schizophrenia. <i>Psychological Record</i> , 2014, 64, 329-338.	0.9	19
22	Self-Report of Empathy: A Shortened French Adaptation of the Interpersonal Reactivity Index (IRI) Using Two Large Belgian Samples. <i>Psychological Reports</i> , 2015, 117, 735-753.	1.7	19
23	Hyperarousal during sleep in untreated primary insomnia sufferers: A polysomnographic study. <i>Psychiatry Research</i> , 2017, 253, 71-78.	3.3	19
24	Hyperarousal during sleep in untreated, major depressed subjects with prodromal insomnia: A polysomnographic study. <i>Psychiatry Research</i> , 2017, 258, 387-395.	3.3	19
25	Disordered eating behaviors as a potential obesogenic factor in schizophrenia. <i>Psychiatry Research</i> , 2018, 269, 450-454.	3.3	18
26	Type D personality: Application of DS14 French version in general and clinical populations. <i>Journal of Health Psychology</i> , 2017, 22, 1075-1083.	2.3	16
27	Risk of resistant hypertension associated with restless legs syndrome and periodic limb movements during sleep: a study on 673 treated hypertensive individuals. <i>Sleep Medicine</i> , 2019, 63, 46-56.	1.6	16
28	Repurposing functional inhibitors of acid sphingomyelinase (fiasmas): an opportunity against SARS-CoV-2 infection?. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021, 46, 1213-1219.	1.5	16
29	Prevalence and Risk Factors of Type 2 Diabetes in Major Depression: A Study on 703 Individuals Referred for Sleep Examinations. <i>Psychosomatics</i> , 2018, 59, 144-157.	2.5	14
30	Cannabis Use, Psychotic Like Experiences and Aberrant Salience in a Sample of Belgian Students. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 493-500.	1.0	13
31	Alterations of neural network organisation during rapid eye movement sleep and slow-wave sleep in major depression: Implications for diagnosis, classification, and treatment. <i>Psychiatry Research - Neuroimaging</i> , 2019, 291, 71-78.	1.8	13
32	Risk of high blood pressure associated with objective insomnia and self-reported insomnia complaints in major depression: A study on 703 individuals. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 538-547.	1.3	12
33	Update on Functional Inhibitors of Acid Sphingomyelinase (FIASMAS) in SARS-CoV-2 Infection. <i>Pharmaceuticals</i> , 2021, 14, 691.	3.8	12
34	The dichotomy between low frequency and delta waves in human sleep: A reappraisal. <i>Journal of Neuroscience Methods</i> , 2018, 293, 234-246.	2.5	11
35	Impulsivity and its Therapeutic Management in Borderline Personality Disorder: a Systematic Review. <i>Psychiatric Quarterly</i> , 2020, 91, 1333-1362.	2.1	11
36	Relationship between Type D Personality and Anhedonia: A Dimensional Study of University Students. <i>Psychological Reports</i> , 2015, 116, 855-860.	1.7	10

#	ARTICLE	IF	CITATIONS
37	Relationship between alexithymia and dependent personality disorder: A dimensional analysis. <i>Psychiatry Research</i> , 2015, 225, 484-488.	3.3	10
38	French Adaptation of the Narcissistic Personality Inventory in a Belgian French-Speaking Sample. <i>Frontiers in Psychology</i> , 2016, 7, 1980.	2.1	9
39	Skin autofluorescence (a marker for advanced glycation end products) and erectile dysfunction in diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 108-113.	2.3	8
40	Research into an Association between Anhedonia and Decreased REM Latency in Moderately to Severely Depressed Patients. <i>Sleep Disorders</i> , 2018, 2018, 1-6.	1.4	8
41	Risk of Excessive Daytime Sleepiness Associated to Major Depression in Adolescents. <i>Psychiatric Quarterly</i> , 2021, 92, 1473-1488.	2.1	8
42	Sleep ultradian cycling: Statistical distribution and links with other sleep variables, depression, insomnia and sleepinessâ€”A retrospective study on 2,312 polysomnograms. <i>Psychiatry Research</i> , 2019, 279, 140-147.	3.3	7
43	Anhedonia and Risk of Suicide: An Overview. , 2014, , 247-253.		7
44	Association of Amlodipine with the Risk of In-Hospital Death in Patients with COVID-19 and Hypertension: A Reanalysis on 184 COVID-19 Patients with Hypertension. <i>Pharmaceuticals</i> , 2022, 15, 380.	3.8	7
45	The association between type 2 diabetes and anhedonic subtype of major depression in hypertensive individuals. <i>Journal of Clinical Hypertension</i> , 2022, 24, 156-166.	2.0	6
46	Difficulty in Repurposing Selective Serotonin Reuptake Inhibitors and Other Antidepressants with Functional Inhibition of Acid Sphingomyelinase in COVID-19 Infection. <i>Frontiers in Pharmacology</i> , 2022, 13, 849095.	3.5	5
47	Determination of the Cutoff Threshold on the Bermond-Vorst Alexithymia Questionnaireâ€”20 Form B: A Study of 560 Young Adults. <i>Psychological Reports</i> , 2015, 117, 754-762.	1.7	4
48	The sleep network organization during slow-wave sleep is more stable with age and has small-world characteristics more marked than during REM sleep in healthy men. <i>Neuroscience Research</i> , 2019, 145, 30-38.	1.9	4
49	Impact of number of sleep ultradian cycles on polysomnographic parameters related to REM sleep in major depression: Implications for future sleep research in psychiatry. <i>Psychiatry Research</i> , 2020, 285, 112818.	3.3	4
50	Polysomnographic markers of suicidal ideation in untreated unipolar major depressed individuals. <i>International Journal of Psychophysiology</i> , 2021, 166, 19-24.	1.0	4
51	Excessive daytime sleepiness in adolescents: current treatment strategies. <i>Sleep Science</i> , 2020, 13, 157-171.	1.0	4
52	Risk of current suicidal ideations associated with lifelong anhedonia and recent change of anhedonia in individuals with insomnia: A cross-sectional study. <i>Journal of Psychiatric Research</i> , 2022, 150, 338-345.	3.1	4
53	Psychometric properties of the Arabic version of the Alexithymia Questionnaire for Children (AQC) in children and adolescents. <i>International Journal of Culture and Mental Health</i> , 2018, 11, 705-711.	0.6	3
54	Alterations of neural network organization during REM sleep in women: implication for sex differences in vulnerability to mood disorders. <i>Biology of Sex Differences</i> , 2020, 11, 22.	4.1	3

#	ARTICLE	IF	CITATIONS
55	Cardiovascular risk associated with co-morbid insomnia and sleep apnoea (COMISA) in type 2 diabetics. <i>Sleep Science</i> , 2022, 15, 184-194.	1.0	3
56	A marsupialized retrovermian arachnoid cyst and psychotic symptoms. <i>Journal of Surgical Case Reports</i> , 2017, 2017, rjx162.	0.4	2
57	La th�orie interpersonnelle du suicide. Pr�sentation et application dans la compr�hension des id�es suicidaires chez lâ�tudiant en m�decine�: �tude dans un groupe de 178�tudiants. <i>Annales Medico-Psychologiques</i> , 2021, 179, 14-20.	0.4	2
58	The association between type 2 diabetes and major depression in apnoeic individuals. <i>Sleep and Biological Rhythms</i> , 2022, 20, 219.	1.0	2
59	Risk of Cardiovascular Disease in Apnoeic Individuals: Role of Comorbid Insomnia Disorder. <i>Life</i> , 2022, 12, 944.	2.4	2
60	Relationship Between Recent Change of Anhedonia and Suicidal Ideation Taking Into Account the Severity and the Acuteness of Suicidal Ideation As Well As the Specific Roles of Loss of Pleasure and Loss of Interest in People: A Study on Medical Students. <i>Omega: Journal of Death and Dying</i> , 2023, 87, 1280-1292.	1.0	1
61	The Interpersonal�Psychological Theory of Suicide in Medical Students: Comparisons of Individuals without Suicidality, Ideators, and Planners. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11526.	2.6	1
62	Comment on �Comparison of losartan and amlodipine effects on the outcomes of patient with COVID�19 and primary hypertension: A randomised clinical trial�. <i>International Journal of Clinical Practice</i> , 2021, 75, e14957.	1.7	1
63	S99. CANNABIS USE, PSYCHOTIC-LIKE EXPERIENCES AND ABERRANT SALIENCE IN A SAMPLE OF BELGIAN STUDENTS. <i>Schizophrenia Bulletin</i> , 2018, 44, S363-S364.	4.3	0
64	Compatibility of FIASMA Pharmacokinetics With Study End Points?. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 111, 353-353.	4.7	0
65	Impact of Alexithymia on the Lipid Profile in Major Depressed Individuals. <i>Journal of Lipids</i> , 2022, 2022, 1-11.	4.8	0