

GwenolÃ© Loas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8004237/publications.pdf>

Version: 2024-02-01

65
papers

1,191
citations

394421

19
h-index

434195

31
g-index

67
all docs

67
docs citations

67
times ranked

1644
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship Between Recent Change of Anhedonia and Suicidal Ideation Taking Into Account the Severity and the Acuteness of Suicidal Ideation As Well As the Specific Roles of Loss of Pleasure and Loss of Interest in People: A Study on Medical Students. <i>Omega: Journal of Death and Dying</i> , 2023, 87, 1280-1292.	1.0	1
2	Compatibility of FIASMA Pharmacokinetics With Study End Points?. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 111, 353-353.	4.7	0
3	Risk of current suicidal ideations associated with lifelong anhedonia and recent change of anhedonia in individuals with insomnia: A cross-sectional study. <i>Journal of Psychiatric Research</i> , 2022, 150, 338-345.	3.1	4
4	The association between type 2 diabetes and anhedonic subtype of major depression in hypertensive individuals. <i>Journal of Clinical Hypertension</i> , 2022, 24, 156-166.	2.0	6
5	The association between type 2 diabetes and major depression in apnoeic individuals. <i>Sleep and Biological Rhythms</i> , 2022, 20, 219.	1.0	2
6	Cardiovascular risk associated with co-morbid insomnia and sleep apnoea (COMISA) in type 2 diabetics. <i>Sleep Science</i> , 2022, 15, 184-194.	1.0	3
7	Difficulty in Repurposing Selective Serotonin Reuptake Inhibitors and Other Antidepressants with Functional Inhibition of Acid Sphingomyelinase in COVID-19 Infection. <i>Frontiers in Pharmacology</i> , 2022, 13, 849095.	3.5	5
8	Association of Amlodipine with the Risk of In-Hospital Death in Patients with COVID-19 and Hypertension: A Reanalysis on 184 COVID-19 Patients with Hypertension. <i>Pharmaceuticals</i> , 2022, 15, 380.	3.8	7
9	Impact of Alexithymia on the Lipid Profile in Major Depressed Individuals. <i>Journal of Lipids</i> , 2022, 2022, 1-11.	4.8	0
10	Risk of Cardiovascular Disease in Apnoeic Individuals: Role of Comorbid Insomnia Disorder. <i>Life</i> , 2022, 12, 944.	2.4	2
11	La théorie interpersonnelle du suicide. Présentation et application dans la compréhension des idées suicidaires chez l'étudiant en médecine: Étude dans un groupe de 178 étudiants. <i>Annales Medico-Psychologiques</i> , 2021, 179, 14-20.	0.4	2
12	Association between Functional Inhibitors of Acid Sphingomyelinase (FIASMs) and Reduced Risk of Death in COVID-19 Patients: A Retrospective Cohort Study. <i>Pharmaceuticals</i> , 2021, 14, 226.	3.8	24
13	Repurposing functional inhibitors of acid sphingomyelinase (fiasmas): an opportunity against SARS-CoV-2 infection?. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021, 46, 1213-1219.	1.5	16
14	Risk of Excessive Daytime Sleepiness Associated to Major Depression in Adolescents. <i>Psychiatric Quarterly</i> , 2021, 92, 1473-1488.	2.1	8
15	Update on Functional Inhibitors of Acid Sphingomyelinase (FIASMs) in SARS-CoV-2 Infection. <i>Pharmaceuticals</i> , 2021, 14, 691.	3.8	12
16	Polysomnographic markers of suicidal ideation in untreated unipolar major depressed individuals. <i>International Journal of Psychophysiology</i> , 2021, 166, 19-24.	1.0	4
17	The Interpersonal Psychological Theory of Suicide in Medical Students: Comparisons of Individuals without Suicidality, Ideators, and Planners. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11526.	2.6	1
18	Comment on "Comparison of losartan and amlodipine effects on the outcomes of patient with COVID-19 and primary hypertension: A randomised clinical trial". <i>International Journal of Clinical Practice</i> , 2021, 75, e14957.	1.7	1

#	ARTICLE	IF	CITATIONS
19	Impulsivity and its Therapeutic Management in Borderline Personality Disorder: a Systematic Review. <i>Psychiatric Quarterly</i> , 2020, 91, 1333-1362.	2.1	11
20	Impact of number of sleep ultradian cycles on polysomnographic parameters related to REM sleep in major depression: Implications for future sleep research in psychiatry. <i>Psychiatry Research</i> , 2020, 285, 112818.	3.3	4
21	Alterations of neural network organization during REM sleep in women: implication for sex differences in vulnerability to mood disorders. <i>Biology of Sex Differences</i> , 2020, 11, 22.	4.1	3
22	Excessive daytime sleepiness in adolescents: current treatment strategies. <i>Sleep Science</i> , 2020, 13, 157-171.	1.0	4
23	The sleep network organization during slow-wave sleep is more stable with age and has small-world characteristics more marked than during REM sleep in healthy men. <i>Neuroscience Research</i> , 2019, 145, 30-38.	1.9	4
24	Alterations of neural network organisation during rapid eye movement sleep and slow-wave sleep in major depression: Implications for diagnosis, classification, and treatment. <i>Psychiatry Research - Neuroimaging</i> , 2019, 291, 71-78.	1.8	13
25	Suicidal ideations among medical students: The role of anhedonia and type D personality. <i>PLoS ONE</i> , 2019, 14, e0217841.	2.5	21
26	Risk of resistant hypertension associated with restless legs syndrome and periodic limb movements during sleep: a study on 673 treated hypertensive individuals. <i>Sleep Medicine</i> , 2019, 63, 46-56.	1.6	16
27	Prevalence and risk factors of excessive daytime sleepiness in major depression: A study with 703 individuals referred for polysomnography. <i>Journal of Affective Disorders</i> , 2019, 243, 23-32.	4.1	32
28	Sleep ultradian cycling: Statistical distribution and links with other sleep variables, depression, insomnia and sleepinessâ€”A retrospective study on 2,312 polysomnograms. <i>Psychiatry Research</i> , 2019, 279, 140-147.	3.3	7
29	Risk of high blood pressure associated with objective insomnia and self-reported insomnia complaints in major depression: A study on 703 individuals. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 538-547.	1.3	12
30	Objective sleep alterations and long-term use of short or intermediate half-life benzodiazepine receptor agonists are risk factors for high blood pressure in individuals with insomnia: a study in 1272 individuals referred for sleep examinations. <i>Sleep Medicine</i> , 2019, 53, 115-123.	1.6	25
31	S99. CANNABIS USE, PSYCHOTIC-LIKE EXPERIENCES AND ABERRANT SALIENCE IN A SAMPLE OF BELGIAN STUDENTS. <i>Schizophrenia Bulletin</i> , 2018, 44, S363-S364.	4.3	0
32	Prevalence and risk factors of type 2 diabetes in insomnia sufferers: a study on 1311 individuals referred for sleep examinations. <i>Sleep Medicine</i> , 2018, 46, 37-45.	1.6	32
33	The dichotomy between low frequency and delta waves in human sleep: A reappraisal. <i>Journal of Neuroscience Methods</i> , 2018, 293, 234-246.	2.5	11
34	Anhedonia is associated with suicidal ideation independently of depression: A meta-analysis. <i>Depression and Anxiety</i> , 2018, 35, 382-392.	4.1	147
35	Prevalence and Risk Factors of Type 2 Diabetes in Major Depression: A Study on 703 Individuals Referred for Sleep Examinations. <i>Psychosomatics</i> , 2018, 59, 144-157.	2.5	14
36	Psychometric properties of the Arabic version of the Alexithymia Questionnaire for Children (AQC) in children and adolescents. <i>International Journal of Culture and Mental Health</i> , 2018, 11, 705-711.	0.6	3

#	ARTICLE	IF	CITATIONS
37	Disordered eating behaviors as a potential obesogenic factor in schizophrenia. <i>Psychiatry Research</i> , 2018, 269, 450-454.	3.3	18
38	Research into an Association between Anhedonia and Decreased REM Latency in Moderately to Severely Depressed Patients. <i>Sleep Disorders</i> , 2018, 2018, 1-6.	1.4	8
39	Cannabis Use, Psychotic Like Experiences and Aberrant Saliency in a Sample of Belgian Students. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 493-500.	1.0	13
40	Relationships between anhedonia, suicidal ideation and suicide attempts in a large sample of physicians. <i>PLoS ONE</i> , 2018, 13, e0193619.	2.5	49
41	Type D personality: Application of DS14 French version in general and clinical populations. <i>Journal of Health Psychology</i> , 2017, 22, 1075-1083.	2.3	16
42	Hyperarousal during sleep in untreated primary insomnia sufferers: A polysomnographic study. <i>Psychiatry Research</i> , 2017, 253, 71-78.	3.3	19
43	Prevalence and risk factors of excessive daytime sleepiness in insomnia sufferers: A study with 1311 individuals. <i>Journal of Psychosomatic Research</i> , 2017, 103, 63-69.	2.6	20
44	Hyperarousal during sleep in untreated, major depressed subjects with prodromal insomnia: A polysomnographic study. <i>Psychiatry Research</i> , 2017, 258, 387-395.	3.3	19
45	Skin autofluorescence (a marker for advanced glycation end products) and erectile dysfunction in diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 108-113.	2.3	8
46	Prevalence and risk factors of moderate to severe obstructive sleep apnea syndrome in major depression: a observational and retrospective study on 703 subjects. <i>BMC Pulmonary Medicine</i> , 2017, 17, 165.	2.0	24
47	Prevalence and risk factors of moderate to severe obstructive sleep apnea syndrome in insomnia sufferers: a study on 1311 subjects. <i>Respiratory Research</i> , 2017, 18, 135.	3.6	27
48	Similar polysomnographic pattern in primary insomnia and major depression with objective insomnia: a sign of common pathophysiology?. <i>BMC Psychiatry</i> , 2017, 17, 273.	2.6	28
49	A marsupialized retrovermian arachnoid cyst and psychotic symptoms. <i>Journal of Surgical Case Reports</i> , 2017, 2017, rjx162.	0.4	2
50	The measurement of alexithymia in children and adolescents: Psychometric properties of the Alexithymia Questionnaire for Children and the twenty-item Toronto Alexithymia Scale in different non-clinical and clinical samples of children and adolescents. <i>PLoS ONE</i> , 2017, 12, e0177982.	2.5	51
51	French Adaptation of the Narcissistic Personality Inventory in a Belgian French-Speaking Sample. <i>Frontiers in Psychology</i> , 2016, 7, 1980.	2.1	9
52	Relationships between anhedonia, alexithymia, impulsivity, suicidal ideation, recent suicide attempt, C-reactive protein and serum lipid levels among 122 inpatients with mood or anxious disorders. <i>Psychiatry Research</i> , 2016, 246, 296-302.	3.3	66
53	Self-Report of Empathy: A Shortened French Adaptation of the Interpersonal Reactivity Index (IRI) Using Two Large Belgian Samples. <i>Psychological Reports</i> , 2015, 117, 735-753.	1.7	19
54	Advanced glycation end products and schizophrenia: A systematic review. <i>Journal of Psychiatric Research</i> , 2015, 66-67, 112-117.	3.1	43

#	ARTICLE	IF	CITATIONS
55	Relationship between Type D Personality and Anhedonia: A Dimensional Study of University Students. Psychological Reports, 2015, 116, 855-860.	1.7	10
56	Determination of the Cutoff Threshold on the Bermond-Vorst Alexithymia Questionnaireâ€“20 Form B: A Study of 560 Young Adults. Psychological Reports, 2015, 117, 754-762.	1.7	4
57	Relationship between alexithymia and dependent personality disorder: A dimensional analysis. Psychiatry Research, 2015, 225, 484-488.	3.3	10
58	Eating Disorders in Schizophrenia: Implications for Research and Management. Schizophrenia Research and Treatment, 2014, 2014, 1-7.	1.5	54
59	Rule-Based Insensitivity and Delusion Maintenance in Schizophrenia. Psychological Record, 2014, 64, 329-338.	0.9	19
60	Anhedonia and Risk of Suicide: An Overview. , 2014, , 247-253.		7
61	Alexithymia in adolescents with borderline personality disorder. Journal of Psychosomatic Research, 2012, 72, 147-152.	2.6	49
62	Dependent personality disorder and physical abuse. Psychiatry Research, 2011, 185, 167-170.	3.3	24
63	Anhedonia and Suicide: A 6.5-Yr. Follow-up Study of Patients Hospitalised for a Suicide Attempt. Psychological Reports, 2007, 100, 183-190.	1.7	26
64	Confirmatory Factor Analysis of the French Translation of the 20-Item Toronto Alexithymia Scale. Perceptual and Motor Skills, 1997, 85, 1018-1018.	1.3	68
65	Anhedonia in endogenomorphic depression. Psychiatry Research, 1996, 60, 57-65.	3.3	20