

Xian-Rang Song

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8005651/publications.pdf>

Version: 2024-02-01

35
papers

1,001
citations

516561

16
h-index

454834

30
g-index

38
all docs

38
docs citations

38
times ranked

1543
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasma <i>SNORD83A</i> as a potential biomarker for early diagnosis of non-small-cell lung cancer. <i>Future Oncology</i> , 2022, 18, 821-832.	1.1	6
2	Serum exosomal miR-377-3p and miR-381-3p as diagnostic biomarkers in colorectal cancer. <i>Future Oncology</i> , 2022, 18, 793-805.	1.1	11
3	Liensinine Inhibits Cell Growth and Blocks Autophagic Flux in Nonsmall-Cell Lung Cancer. <i>Journal of Oncology</i> , 2022, 2022, 1-17.	0.6	8
4	SNORD63 and SNORD96A as the non-invasive diagnostic biomarkers for clear cell renal cell carcinoma. <i>Cancer Cell International</i> , 2021, 21, 56.	1.8	13
5	TEP linc-GTF2H2-1, RP3-466P17.2, and linc-ST8SIA4-12 as novel biomarkers for lung cancer diagnosis and progression prediction. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1609-1622.	1.2	17
6	Tumor-educated platelet <i>SNORD55</i> as a potential biomarker for the early diagnosis of non-small cell lung cancer. <i>Thoracic Cancer</i> , 2021, 12, 659-666.	0.8	21
7	Tumor-educated leukocytes mRNA as a diagnostic biomarker for non-small cell lung cancer. <i>Thoracic Cancer</i> , 2021, 12, 737-745.	0.8	7
8	TIPE1 Suppresses Growth and Metastasis of Ovarian Cancer. <i>Journal of Oncology</i> , 2021, 2021, 1-10.	0.6	2
9	tRNA-derived fragments: tRF ^{Gly} CCC, tRF ^{Tyr} GTA and tRF ^{Pro} TGG as novel diagnostic biomarkers for breast cancer. <i>Thoracic Cancer</i> , 2021, 12, 2314-2323.	0.8	22
10	Plasma miR-1247-5p, miR-301b-3p and miR-105-5p as potential biomarkers for early diagnosis of non-small cell lung cancer. <i>Thoracic Cancer</i> , 2021, 12, 539-548.	0.8	21
11	Tumor-Derived Exosomal miRNAs as Diagnostic Biomarkers in Non-Small Cell Lung Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 560025.	1.3	28
12	Circulating serum exosomal miR-20b-5p and miR-3187-5p as efficient diagnostic biomarkers for early-stage non-small cell lung cancer. <i>Experimental Biology and Medicine</i> , 2020, 245, 1428-1436.	1.1	20
13	Small Nuclear RNAs (U1, U2, U5) in Tumor-Educated Platelets Are Downregulated and Act as Promising Biomarkers in Lung Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 1627.	1.3	28
14	Tumor-Derived Exosomal miR-620 as a Diagnostic Biomarker in Non-Small-Cell Lung Cancer. <i>Journal of Oncology</i> , 2020, 2020, 1-9.	0.6	21
15	Tumor-derived exosomal miRNA-320d as a biomarker for metastatic colorectal cancer. <i>Journal of Clinical Laboratory Analysis</i> , 2019, 33, e23004.	0.9	63
16	Saliva-derived cfDNA is applicable for <i>EGFR</i> mutation detection but not for quantitation analysis in non-small cell lung cancer. <i>Thoracic Cancer</i> , 2019, 10, 1973-1983.	0.8	21
17	A three-platelet mRNA set: MAX, MTURN and HLA-B as biomarker for lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 2713-2723.	1.2	19
18	Neoadjuvant chemotherapy and timing of sentinel lymph node biopsy in different molecular subtypes of breast cancer with clinically negative axilla. <i>Breast Cancer</i> , 2019, 26, 373-377.	1.3	17

#	ARTICLE	IF	CITATIONS
19	NEO212 induces mitochondrial apoptosis and impairs autophagy flux in ovarian cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 239.	3.5	23
20	The diagnostic accuracy of circulating free DNA for the detection of KRAS mutation status in colorectal cancer: A meta-analysis. <i>Cancer Medicine</i> , 2019, 8, 1218-1231.	1.3	15
21	Physiological functions of Wilms tumor 1-associated protein and its role in tumorigenesis. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 10884-10892.	1.2	17
22	Circulating Exosomal miR-150-5p and miR-99b-5p as Diagnostic Biomarkers for Colorectal Cancer. <i>Frontiers in Oncology</i> , 2019, 9, 1129.	1.3	55
23	Tumor-derived exosomal proteins as diagnostic biomarkers in non-small cell lung cancer. <i>Cancer Science</i> , 2019, 110, 433-442.	1.7	90
24	Temozolomide-perillyl alcohol conjugate downregulates O6-methylguanine DNA methyltransferase via inducing ubiquitination-dependent proteolysis in non-small cell lung cancer. <i>Cell Death and Disease</i> , 2018, 9, 202.	2.7	5
25	Circulating tumor DNA measurement provides reliable mutation detection in mice with human lung cancer xenografts. <i>Laboratory Investigation</i> , 2018, 98, 935-946.	1.7	7
26	Circulating exosomes contain protein biomarkers of metastatic non-small cell lung cancer. <i>Cancer Science</i> , 2018, 109, 1701-1709.	1.7	102
27	Identification of potential tumor-educated platelets (TEPs) RNA biomarkers in non-small cell lung cancer by integrated bioinformatical analysis. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, e22450.	0.9	22
28	Temozolomide-Perillyl alcohol conjugate impairs Mitophagy flux by inducing lysosomal dysfunction in non-small cell lung Cancer cells and sensitizes them to irradiation. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 250.	3.5	12
29	Serum heat shock protein 90 α have an advantage in diagnosis of colorectal cancer at early stage. <i>Biomarkers in Medicine</i> , 2018, 12, 881-890.	0.6	23
30	An extraction-free method for quantifying cell-free DNA in the serum of cancer patients. <i>Journal of Chemical Technology and Biotechnology</i> , 2018, 93, 3590-3596.	1.6	0
31	Detection of PIK3CA Mutations in Plasma DNA of Colorectal Cancer Patients by an Ultra-Sensitive PNA-Mediated PCR. <i>Molecular Diagnosis and Therapy</i> , 2017, 21, 443-451.	1.6	13
32	Therapeutic effect of TMZ-POH on human nasopharyngeal carcinoma depends on reactive oxygen species accumulation. <i>Oncotarget</i> , 2016, 7, 1651-1662.	0.8	11
33	Temozolomide-perillyl alcohol conjugate induced reactive oxygen species accumulation contributes to its cytotoxicity against non-small cell lung cancer. <i>Scientific Reports</i> , 2016, 6, 22762.	1.6	18
34	Preparation study of indocyanine green-rituximab: A new receptor-targeted tracer for sentinel lymph node in breast cancer. <i>Oncotarget</i> , 2016, 7, 47526-47535.	0.8	8
35	Hypoxia-induced resistance to cisplatin and doxorubicin in non-small cell lung cancer is inhibited by silencing of HIF-1 α gene. <i>Cancer Chemotherapy and Pharmacology</i> , 2006, 58, 776-784.	1.1	229