

Andrew Toby Prevost

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8005787/andrew-toby-prevost-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

5,133
citations

42
h-index

67
g-index

147
ext. papers

5,994
ext. citations

5.3
avg, IF

5.35
L-index

#	Paper	IF	Citations
140	Multicenter Evaluation of Diagnostic Circulating Biomarkers to Detect Sight-Threatening Diabetic Retinopathy.. <i>JAMA Ophthalmology</i> , 2022 ,	3.9	1
139	Randomised controlled trial of a just-in-time adaptive intervention (JITAI) smoking cessation smartphone app: the Quit Sense feasibility trial protocol. <i>BMJ Open</i> , 2021 , 11, e048204	3	2
138	Cost Effectiveness of Ranibizumab vs Aflibercept vs Bevacizumab for the Treatment of Macular Oedema Due to Central Retinal Vein Occlusion: The LEAVO Study. <i>Pharmacoeconomics</i> , 2021 , 39, 913-924	4.4	2
137	The feasibility of the IPAM intervention to support treatment-adherence in people with hypertension in primary care: a randomised clinical controlled trial. <i>Scientific Reports</i> , 2021 , 11, 8897	4.9	1
136	Intravitreal ranibizumab versus aflibercept versus bevacizumab for macular oedema due to central retinal vein occlusion: the LEAVO non-inferiority three-arm RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-196	4.4	2
135	Development and validation of resource-driven risk prediction models for incident chronic kidney disease in type 2 diabetes. <i>Scientific Reports</i> , 2021 , 11, 13654	4.9	3
134	Ethnic Disparities in the Development of Sight-Threatening Diabetic Retinopathy in a UK Multi-Ethnic Population with Diabetes: An Observational Cohort Study. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	2
133	Who will benefit from bariatric surgery for diabetes? A protocol for an observational cohort study. <i>BMJ Open</i> , 2021 , 11, e042355	3	1
132	Defining phenotypes and treatment effect heterogeneity to inform acute respiratory distress syndrome and sepsis trials: secondary analyses of three RCTs. <i>Efficacy and Mechanism Evaluation</i> , 2021 , 8, 1-104	1.7	0
131	Feasibility of Comparative Health Research Outcome of Novel Surgery in prostate cancer (IP4-CHRONOS): statistical analysis plan for the randomised feasibility phase of the CHRONOS study. <i>Trials</i> , 2021 , 22, 547	2.8	
130	Improving the Interpretation of Afternoon Cortisol Levels and SSTs to Prevent Misdiagnosis of Adrenal Insufficiency. <i>Journal of the Endocrine Society</i> , 2021 , 5, bvab147	0.4	0
129	Evaluation of a very brief pedometer-based physical activity intervention delivered in NHS Health Checks in England: The VBI randomised controlled trial. <i>PLoS Medicine</i> , 2020 , 17, e1003046	11.6	6
128	A Highly Tailored Text and Voice Messaging Intervention to Improve Medication Adherence in Patients With Either or Both Hypertension and Type 2 Diabetes in a UK Primary Care Setting: Feasibility Randomized Controlled Trial of Clinical Effectiveness. <i>Journal of Medical Internet Research</i> , 2020 , 20, e19442	7.6	8
127	Assessment of the Effectiveness and Cost-Effectiveness of Tailored Web- and Text-Based Smoking Cessation Support in Primary Care (iQuit in Practice II): Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020 , 9, e17160	2	2
126	Protocol on a multicentre statistical and economic modelling study of risk-based stratified and personalised screening for diabetes and its complications in India (SMART India). <i>BMJ Open</i> , 2020 , 10, e039657	3	4
125	Comparative Healthcare Research Outcomes of Novel Surgery in prostate cancer (IP4-CHRONOS): A prospective, multi-centre therapeutic phase II parallel Randomised Control Trial. <i>Contemporary Clinical Trials</i> , 2020 , 93, 105999	2.3	9
124	Evaluation of a very brief pedometer-based physical activity intervention delivered in NHS Health Checks in England: The VBI randomised controlled trial 2020 , 17, e1003046		

123	Evaluation of a very brief pedometer-based physical activity intervention delivered in NHS Health Checks in England: The VBI randomised controlled trial 2020 , 17, e1003046		
122	Evaluation of a very brief pedometer-based physical activity intervention delivered in NHS Health Checks in England: The VBI randomised controlled trial 2020 , 17, e1003046		
121	Evaluation of a very brief pedometer-based physical activity intervention delivered in NHS Health Checks in England: The VBI randomised controlled trial 2020 , 17, e1003046		
120	Evaluation of a very brief pedometer-based physical activity intervention delivered in NHS Health Checks in England: The VBI randomised controlled trial 2020 , 17, e1003046		
119	Clinical Effectiveness of Intravitreal Therapy With Ranibizumab vs Aflibercept vs Bevacizumab for Macular Edema Secondary to Central Retinal Vein Occlusion: A Randomized Clinical Trial. <i>JAMA Ophthalmology</i> , 2019 , 137, 1256-1264	3.9	39
118	Combined GLP-1, Oxyntomodulin, and Peptide YY Improves Body Weight and Glycemia in Obesity and Prediabetes/Type 2 Diabetes: A Randomized, Single-Blinded, Placebo-Controlled Study. <i>Diabetes Care</i> , 2019 , 42, 1446-1453	14.6	47
117	Heterogeneity of treatment effect by baseline risk of mortality in critically ill patients: re-analysis of three recent sepsis and ARDS randomised controlled trials. <i>Critical Care</i> , 2019 , 23, 156	10.8	14
116	Correction of Defective T-Regulatory Cells From Patients With Crohn's Disease by Ex Vivo Ligation of Retinoic Acid Receptor- α <i>Gastroenterology</i> , 2019 , 156, 1775-1787	13.3	21
115	Arthritis prevention in the pre-clinical phase of RA with abatacept (the APIPPRA study): a multi-centre, randomised, double-blind, parallel-group, placebo-controlled clinical trial protocol. <i>Trials</i> , 2019 , 20, 429	2.8	39
114	Electronically delivered interventions to reduce antibiotic prescribing for respiratory infections in primary care: cluster RCT using electronic health records and cohort study. <i>Health Technology Assessment</i> , 2019 , 23, 1-70	4.4	11
113	Lightmasks that prevent dark adaptation for non-central diabetic macular oedema: the CLEOPATRA RCT. <i>Efficacy and Mechanism Evaluation</i> , 2019 , 6, 1-78	1.7	
112	Effectiveness and safety of electronically delivered prescribing feedback and decision support on antibiotic use for respiratory illness in primary care: REDUCE cluster randomised trial. <i>BMJ, The</i> , 2019 , 364, l236	5.9	54
111	A systematic review identifying common data items in neonatal trials and assessing their completeness in routinely recorded United Kingdom national neonatal data. <i>Trials</i> , 2019 , 20, 731	2.8	2
110	Clinical efficacy and safety of a light mask for prevention of dark adaptation in treating and preventing progression of early diabetic macular oedema at 24 months (CLEOPATRA): a multicentre, phase 3, randomised controlled trial. <i>Lancet Diabetes and Endocrinology, the</i> , 2018 , 6, 382-391	18.1	20
109	Intravitreal aflibercept compared with panretinal photocoagulation for proliferative diabetic retinopathy: the CLARITY non-inferiority RCT. <i>Efficacy and Mechanism Evaluation</i> , 2018 , 5, 1-112	1.7	6
108	Mechanistic Evaluation of Panretinal Photocoagulation Versus Aflibercept in Proliferative Diabetic Retinopathy: CLARITY Substudy 2018 , 59, 4277-4284		21
107	Clinical efficacy of intravitreal aflibercept versus panretinal photocoagulation for best corrected visual acuity in patients with proliferative diabetic retinopathy at 52 weeks (CLARITY): a multicentre, single-blinded, randomised, controlled, phase 2b, non-inferiority trial. <i>Lancet, The</i> , 2017 , 389, 2193-2203	40	182
106	Costs and Outcomes of Increasing Access to Bariatric Surgery: Cohort Study and Cost-Effectiveness Analysis Using Electronic Health Records. <i>Value in Health</i> , 2017 , 20, 85-92	3.3	58

105	Intravitreal aflibercept for proliferative diabetic retinopathy - AuthorsReply. <i>Lancet, The</i> , 2017 , 390, 2141-2142	40	
104	Objectively measured sedentary time, physical activity and kidney function in people with recently diagnosed Type 2 diabetes: a prospective cohort analysis. <i>Diabetic Medicine</i> , 2016 , 33, 1222-9	3.5	18
103	Safety of reduced antibiotic prescribing for self limiting respiratory tract infections in primary care: cohort study using electronic health records. <i>BMJ, The</i> , 2016 , 354, i3410	5.9	74
102	Electronically delivered, multicomponent intervention to reduce unnecessary antibiotic prescribing for respiratory infections in primary care: a cluster randomised trial using electronic health records-REDUCE Trial study original protocol. <i>BMJ Open</i> , 2016 , 6, e010892	3	9
101	A randomised controlled trial of three very brief interventions for physical activity in primary care. <i>BMC Public Health</i> , 2016 , 16, 1033	4.1	69
100	A systematic review of randomised controlled trials in rheumatoid arthritis: the reporting and handling of missing data in composite outcomes. <i>Trials</i> , 2016 , 17, 272	2.8	16
99	The clinical and cost effectiveness of a Breathlessness Intervention Service for patients with advanced non-malignant disease and their informal carers: mixed findings of a mixed method randomised controlled trial. <i>Trials</i> , 2016 , 17, 185	2.8	66
98	Effect of Contemporary Bariatric Surgical Procedures on Type 2 Diabetes Remission. A Population-Based Matched Cohort Study. <i>Obesity Surgery</i> , 2016 , 26, 2308-15	3.7	14
97	Costs and outcomes of increasing access to bariatric surgery for obesity: cohort study and cost-effectiveness analysis using electronic health records. <i>Health Services and Delivery Research</i> , 2016 , 4, 1-120	1.5	10
96	The impact of communicating genetic risks of disease on risk-reducing health behaviour: systematic review with meta-analysis. <i>BMJ, The</i> , 2016 , 352, i1102	5.9	270
95	Effectiveness and cost-effectiveness of a very brief physical activity intervention delivered in NHS Health Checks (VBI Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 303	2.8	4
94	Unbiased estimation in seamless phase II/III trials with unequal treatment effect variances and hypothesis-driven selection rules. <i>Statistics in Medicine</i> , 2016 , 35, 3907-22	2.3	13
93	Accounting for selection and correlation in the analysis of two-stage genome-wide association studies. <i>Biostatistics</i> , 2016 , 17, 634-49	3.7	10
92	Changing Epidemiology of Bariatric Surgery in the UK: Cohort Study Using Primary Care Electronic Health Records. <i>Obesity Surgery</i> , 2016 , 26, 1900-5	3.7	29
91	Long-term effect of population screening for diabetes on cardiovascular morbidity, self-rated health, and health behavior. <i>Annals of Family Medicine</i> , 2015 , 13, 149-57	2.9	12
90	Impact of bariatric surgery on clinical depression. Interrupted time series study with matched controls. <i>Journal of Affective Disorders</i> , 2015 , 174, 644-9	6.6	41
89	Clinical efficacy and mechanistic evaluation of aflibercept for proliferative diabetic retinopathy (acronym CLARITY): a multicentre phase IIb randomised active-controlled clinical trial. <i>BMJ Open</i> , 2015 , 5, e008405	3	13
88	Which behavior change techniques are associated with changes in physical activity, diet and body mass index in people with recently diagnosed diabetes?. <i>Annals of Behavioral Medicine</i> , 2015 , 49, 7-17	4.5	71

87	Fildes et al. Respond. <i>American Journal of Public Health</i> , 2015 , 105, e3-4	5.1	
86	Probability of an Obese Person Attaining Normal Body Weight: Cohort Study Using Electronic Health Records. <i>American Journal of Public Health</i> , 2015 , 105, e54-9	5.1	186
85	Impact of community based peer support in type 2 diabetes: a cluster randomised controlled trial of individual and/or group approaches. <i>PLoS ONE</i> , 2015 , 10, e0120277	3.7	56
84	Access to weight reduction interventions for overweight and obese patients in UK primary care: population-based cohort study. <i>BMJ Open</i> , 2015 , 5, e006642	3	61
83	Sleep duration and cardiometabolic risk factors among individuals with type 2 diabetes. <i>Sleep Medicine</i> , 2015 , 16, 119-25	4.6	13
82	Correcting for bias in the selection and validation of informative diagnostic tests. <i>Statistics in Medicine</i> , 2015 , 34, 1417-37	2.3	2
81	Hospitalisation among patients with diabetes associated with a Diabetes Integrated Care Initiative: a mixed methods case study. <i>Future Hospital Journal</i> , 2015 , 2, 92-98		6
80	Does electronic monitoring influence adherence to medication? Randomized controlled trial of measurement reactivity. <i>Annals of Behavioral Medicine</i> , 2014 , 48, 293-9	4.5	46
79	Multiple behaviour change intervention and outcomes in recently diagnosed type 2 diabetes: the ADDITION-Plus randomised controlled trial. <i>Diabetologia</i> , 2014 , 57, 1308-19	10.3	23
78	Predicting adverse drug reactions in older adults; a systematic review of the risk prediction models. <i>Clinical Interventions in Aging</i> , 2014 , 9, 1581-93	4	39
77	Adolescent Type 1 Diabetes Cardio-Renal Intervention Trial (AdDIT): urinary screening and baseline biochemical and cardiovascular assessments. <i>Diabetes Care</i> , 2014 , 37, 805-13	14.6	49
76	Development and validation of a family history screening questionnaire in Australian primary care. <i>Annals of Family Medicine</i> , 2014 , 12, 241-9	2.9	20
75	Impact of body mass index on prevalence of multimorbidity in primary care: cohort study. <i>Family Practice</i> , 2014 , 31, 38-43	1.9	86
74	Psychological impact of family history risk assessment in primary care: a mixed methods study. <i>Family Practice</i> , 2014 , 31, 409-18	1.9	7
73	Incidence of type 2 diabetes after bariatric surgery: population-based matched cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 963-8	18.1	53
72	A multicentre phase III randomised controlled single-masked clinical trial evaluating the clinical efficacy and safety of light-masks at preventing dark-adaptation in the treatment of early diabetic macular oedema (CLEOPATRA): study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 458	2.8	15
71	Is a specialist breathlessness service more effective and cost-effective for patients with advanced cancer and their carers than standard care? Findings of a mixed-method randomised controlled trial. <i>BMC Medicine</i> , 2014 , 12, 194	11.4	120
70	Randomized controlled trial to assess the short-term effectiveness of tailored web- and text-based facilitation of smoking cessation in primary care (iQuit in practice). <i>Addiction</i> , 2014 , 109, 1184-93	4.6	61

69	Study protocol for iQuit in Practice: a randomised controlled trial to assess the feasibility, acceptability and effectiveness of tailored web- and text-based facilitation of smoking cessation in primary care. <i>BMC Public Health</i> , 2013 , 13, 324	4.1	16
68	The cost-effectiveness of a novel SIAscopic diagnostic aid for the management of pigmented skin lesions in primary care: a decision-analytic model. <i>Value in Health</i> , 2013 , 16, 356-66	3.3	19
67	Effectiveness of interventions to promote healthy diet in primary care: systematic review and meta-analysis of randomised controlled trials. <i>BMC Public Health</i> , 2013 , 13, 1203	4.1	40
66	Constructing multiplicative measures of beliefs in the theory of planned behaviour. <i>British Journal of Health Psychology</i> , 2013 , 18, 122-38	8.3	7
65	Testing a peer support intervention for people with type 2 diabetes: a pilot for a randomised controlled trial. <i>BMC Family Practice</i> , 2013 , 14, 5	2.6	30
64	Validation of clinical examination versus magnetic resonance imaging and arthroscopy for the detection of rotator cuff lesions. <i>Clinical Rheumatology</i> , 2013 , 32, 1283-91	3.9	17
63	Using the 7-point checklist as a diagnostic aid for pigmented skin lesions in general practice: a diagnostic validation study. <i>British Journal of General Practice</i> , 2013 , 63, e345-53	1.6	34
62	Epidemiology of clinical body mass index recording in an obese population in primary care: a cohort study. <i>Journal of Public Health</i> , 2013 , 35, 67-74	3.5	16
61	Validity of smoking prevalence estimates from primary care electronic health records compared with national population survey data for England, 2007 to 2011. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1357-61	2.6	40
60	Development and evaluation of a brief self-completed family history screening tool for common chronic disease prevention in primary care. <i>British Journal of General Practice</i> , 2013 , 63, e393-400	1.6	18
59	Phase 2 study of sorafenib in malignant mesothelioma previously treated with platinum-containing chemotherapy. <i>Journal of Thoracic Oncology</i> , 2013 , 8, 783-7	8.9	64
58	Vitreous attachment in age-related macular degeneration, diabetic macular edema, and retinal vein occlusion: a systematic review and metaanalysis. <i>Retina</i> , 2013 , 33, 1099-108	3.6	55
57	Integration of lyoplate based flow cytometry and computational analysis for standardized immunological biomarker discovery. <i>PLoS ONE</i> , 2013 , 8, e65485	3.7	14
56	Screening for type 2 diabetes and population mortality over 10 years (ADDITION-Cambridge): a cluster-randomised controlled trial. <i>Lancet, The</i> , 2012 , 380, 1741-8	4.0	154
55	An explanatory randomised controlled trial of a nurse-led, consultation-based intervention to support patients with adherence to taking glucose lowering medication for type 2 diabetes. <i>BMC Family Practice</i> , 2012 , 13, 30	2.6	41
54	Adherence to hypoglycaemic medication among people with type 2 diabetes in primary care. <i>Primary Care Diabetes</i> , 2012 , 6, 27-33	2.4	14
53	Effect on adherence to nicotine replacement therapy of informing smokers their dose is determined by their genotype: a randomised controlled trial. <i>PLoS ONE</i> , 2012 , 7, e35249	3.7	35
52	Bladder cancer diagnosis and identification of clinically significant disease by combined urinary detection of Mcm5 and nuclear matrix protein 22. <i>PLoS ONE</i> , 2012 , 7, e40305	3.7	29

51	Randomized controlled trial evaluation of a tailored leaflet and SMS text message self-help intervention for pregnant smokers (MiQuit). <i>Nicotine and Tobacco Research</i> , 2012 , 14, 569-77	4.9	100
50	Effect of communicating DNA based risk assessments for Crohn's disease on smoking cessation: randomised controlled trial. <i>BMJ, The</i> , 2012 , 345, e4708	5.9	22
49	Effect of adding a diagnostic aid to best practice to manage suspicious pigmented lesions in primary care: randomised controlled trial. <i>BMJ, The</i> , 2012 , 345, e4110	5.9	55
48	Can informed choice invitations lead to inequities in intentions to make lifestyle changes among participants in a primary care diabetes screening programme? Evidence from a randomized trial. <i>Public Health</i> , 2011 , 125, 645-52	4	6
47	Study protocol: Phase III single-blinded fast-track pragmatic randomised controlled trial of a complex intervention for breathlessness in advanced disease. <i>Trials</i> , 2011 , 12, 130	2.8	34
46	Predictors of anxiety and depression among people attending diabetes screening: a prospective cohort study embedded in the ADDITION (Cambridge) randomized control trial. <i>British Journal of Health Psychology</i> , 2011 , 16, 213-26	8.3	23
45	Protocol for the OUTREACH trial: a randomised trial comparing delivery of cancer systemic therapy in three different settings: patient's home, GP surgery and hospital day unit. <i>BMC Cancer</i> , 2011 , 11, 467	4.8	7
44	Protocol for the ADDITION-Plus study: a randomised controlled trial of an individually-tailored behaviour change intervention among people with recently diagnosed type 2 diabetes under intensive UK general practice care. <i>BMC Public Health</i> , 2011 , 11, 211	4.1	21
43	Trial Protocol: Communicating DNA-based risk assessments for Crohn's disease: a randomised controlled trial assessing impact upon stopping smoking. <i>BMC Public Health</i> , 2011 , 11, 44	4.1	3
42	Symmetric dimethylarginine, an endogenous marker of glomerular filtration rate, and the risk for microalbuminuria in young people with type 1 diabetes. <i>Archives of Disease in Childhood</i> , 2010 , 95, 119-24	2.2	21
41	A randomized evaluation of loss and gain frames in an invitation to screening for type 2 diabetes: effects on attendance, anxiety and self-rated health. <i>Journal of Health Psychology</i> , 2010 , 15, 196-204	3.1	12
40	Cochlear Rotation and its Relevance to Cochlear Implantation. <i>Cochlear Implants International</i> , 2010 , 11, 57-63	1.7	2
39	Impact of an informed choice invitation on uptake of screening for diabetes in primary care (DICISION): randomised trial. <i>BMJ, The</i> , 2010 , 340, c2138	5.9	39
38	Targeting DNA replication before it starts: Cdc7 as a therapeutic target in p53-mutant breast cancers. <i>American Journal of Pathology</i> , 2010 , 177, 2034-45	5.8	36
37	Developmental changes in cochlear orientation—implications for cochlear implantation. <i>Otology and Neurotology</i> , 2010 , 31, 902-7	2.6	37
36	The influence of duration of fluid abstinence on hypotension during propofol induction. <i>Anesthesia and Analgesia</i> , 2010 , 111, 1373-7	3.9	11
35	Trial Protocol: Using genotype to tailor prescribing of nicotine replacement therapy: a randomised controlled trial assessing impact of communication upon adherence. <i>BMC Public Health</i> , 2010 , 10, 680	4.1	17
34	Protocol for the MoleMate UK Trial: a randomised controlled trial of the MoleMate system in the management of pigmented skin lesions in primary care [ISRCTN 79932379]. <i>BMC Family Practice</i> , 2010 , 11, 36	2.6	12

33	Prevalence of abnormal lipid profiles and the relationship with the development of microalbuminuria in adolescents with type 1 diabetes. <i>Diabetes Care</i> , 2009 , 32, 658-63	14.6	74
32	Are people with negative diabetes screening tests falsely reassured? Parallel group cohort study embedded in the ADDITION (Cambridge) randomised controlled trial. <i>BMJ, The</i> , 2009 , 339, b4535	5.9	29
31	The ADDITION-Cambridge trial protocol: a cluster -- randomised controlled trial of screening for type 2 diabetes and intensive treatment for screen-detected patients. <i>BMC Public Health</i> , 2009 , 9, 136	4.1	71
30	Impact of an informed choice invitation on uptake of screening for diabetes in primary care (DICISION): trial protocol. <i>BMC Public Health</i> , 2009 , 9, 63	4.1	9
29	Completing a postal health questionnaire did not affect anxiety or related measures: randomized controlled trial. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 74-80	5.7	5
28	Self-help smoking cessation interventions in pregnancy: a systematic review and meta-analysis. <i>Addiction</i> , 2008 , 103, 566-79	4.6	45
27	Screening for type 2 diabetes is feasible, acceptable, but associated with increased short-term anxiety: a randomised controlled trial in British general practice. <i>BMC Public Health</i> , 2008 , 8, 350	4.1	48
26	Efficacy of a theory-based behavioural intervention to increase physical activity in an at-risk group in primary care (ProActive UK): a randomised trial. <i>Lancet, The</i> , 2008 , 371, 41-8	4.0	145
25	Explaining behavior change after genetic testing: the problem of collinearity between test results and risk estimates. <i>Genetic Testing and Molecular Biomarkers</i> , 2008 , 12, 381-6		18
24	Investigating theoretical explanations for behaviour change: the case study of ProActive. <i>Psychology and Health</i> , 2008 , 23, 25-39	2.9	44
23	Fidelity of delivery of a physical activity intervention: predictors and consequences. <i>Psychology and Health</i> , 2008 , 23, 11-24	2.9	142
22	Risk of microalbuminuria and progression to macroalbuminuria in a cohort with childhood onset type 1 diabetes: prospective observational study. <i>BMJ, The</i> , 2008 , 336, 697-701	5.9	133
21	Management of lower limb complex regional pain syndrome type 1: an evaluation of percutaneous radiofrequency thermal lumbar sympathectomy versus phenol lumbar sympathetic neurolysis--a pilot study. <i>Anesthesia and Analgesia</i> , 2008 , 106, 647-9, table of contents	3.9	56
20	Evaluation of an informed choice invitation for type 2 diabetes screening. <i>Patient Education and Counseling</i> , 2008 , 72, 232-8	3.1	24
19	Protocol for SAMS (Support and Advice for Medication Study): a randomised controlled trial of an intervention to support patients with type 2 diabetes with adherence to medication. <i>BMC Family Practice</i> , 2008 , 9, 20	2.6	16
18	Evaluation of the MoleMate training program for assessment of suspicious pigmented lesions in primary care. <i>Journal of Innovation in Health Informatics</i> , 2008 , 16, 41-50		9
17	Perceptions of absolute versus relative differences between personal and comparison health risk. <i>Health Psychology</i> , 2008 , 27, 87-92	5	9
16	Psychological impact of screening for type 2 diabetes: controlled trial and comparative study embedded in the ADDITION (Cambridge) randomised controlled trial. <i>BMJ, The</i> , 2007 , 335, 486	5.9	100

15	Allowing for correlations between correlations in random-effects meta-analysis of correlation matrices. <i>Psychological Methods</i> , 2007 , 12, 434-450	7.1	10
14	Psychological impact of genetic counseling for familial cancer: a systematic review and meta-analysis. <i>Familial Cancer</i> , 2006 , 5, 61-75	3	82
13	Repression of DNA replication licensing in quiescence is independent of geminin and may define the cell cycle state of progenitor cells. <i>Experimental Cell Research</i> , 2005 , 309, 56-67	4.2	42
12	DNA replication licensing in somatic and germ cells. <i>Journal of Cell Science</i> , 2004 , 117, 5875-86	5.3	63
11	Psychological impact of genetic counseling for familial cancer: a systematic review and meta-analysis. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 122-33	9.7	149
10	The ProActive trial protocol - a randomised controlled trial of the efficacy of a family-based, domiciliary intervention programme to increase physical activity among individuals at high risk of diabetes [ISRCTN61323766]. <i>BMC Public Health</i> , 2004 , 4, 48	4.1	55
9	Allowing for imprecision of the intracluster correlation coefficient in the design of cluster randomized trials. <i>Statistics in Medicine</i> , 2004 , 23, 1195-214	2.3	45
8	Derivation and identification of questions that act as predictors of abdominal pain of musculoskeletal origin. <i>European Journal of Gastroenterology and Hepatology</i> , 2003 , 15, 1021-7	2.2	12
7	Diagnosis of genito-urinary tract cancer by detection of minichromosome maintenance 5 protein in urine sediments. <i>Journal of the National Cancer Institute</i> , 2002 , 94, 1071-9	9.7	91
6	A cross-sectional study of dietary patterns with glucose intolerance and other features of the metabolic syndrome. <i>British Journal of Nutrition</i> , 2000 , 83, 257-66	3.6	185
5	The Huntingdon Day Hospital Trial: secondary outcome measures. <i>Clinical Rehabilitation</i> , 2000 , 14, 447-53	3.3	7
4	A randomized controlled trial of day hospital and day centre therapy. <i>Clinical Rehabilitation</i> , 1999 , 13, 105-12	3.3	24
3	Longitudinal dietary changes between 1984-5 and 1991-2 in British adults: association with socio-demographic, lifestyle and health factors. <i>British Journal of Nutrition</i> , 1997 , 78, 873-88	3.6	33
2	Randomized trial to evaluate the clinical benefits of serum alpha-glutathione S-transferase concentration monitoring after liver transplantation. <i>Transplantation</i> , 1997 , 64, 1446-52	1.8	29
1	Dietary patterns and their associations with demographic, lifestyle and health variables in a random sample of British adults. <i>British Journal of Nutrition</i> , 1996 , 76, 17-30	3.6	88