Jos M. Palma

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/800838/jose-m-palma-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers7,618
citations48
h-index86
g-index117
ext. papers8,689
ext. citations5.8
avg, IF6.28
L-index

#	Paper	IF	Citations
110	Potassium (K) Starvation-Induced Oxidative Stress Triggers a General Boost of Antioxidant and NADPH-Generating Systems in the Halophyte <i>Antioxidants</i> , 2022 , 11,	7.1	3
109	Nitric oxide-releasing nanomaterials: from basic research to potential biotechnological applications in agriculture <i>New Phytologist</i> , 2022 ,	9.8	2
108	Thiol-Based Oxidative Posttranslational Modifications (oxiPTMs) of Plant Proteins <i>Plant and Cell Physiology</i> , 2022 ,	4.9	3
107	Nitric Oxide (NO) Differentially Modulates the Ascorbate Peroxidase (APX) Isozymes of Sweet Pepper (L.) Fruits <i>Antioxidants</i> , 2022 , 11,	7.1	5
106	H2S in Horticultural Plants: Endogenous Detection by an Electrochemical Sensor, Emission by a Gas Detector, and Its Correlation with L-Cysteine Desulfhydrase (LCD) Activity. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5648	6.3	O
105	Transcriptomic Profiling of Fruits from Pepper (Capsicum annuum L.), Variety Padr (Mild Hot), at Two Ripening States. <i>Biology and Life Sciences Forum</i> , 2021 , 3, 16		
104	NO source in higher plants: present and future of an unresolved question. <i>Trends in Plant Science</i> , 2021 ,	13.1	5
103	Influence of metallic, metallic oxide, and organic nanoparticles on plant physiology <i>Chemosphere</i> , 2021 , 290, 133329	8.4	5
102	The of Hydrogen Sulfide(HS)-Dependent Protein Persulfidation in Higher Plants. <i>Antioxidants</i> , 2021 , 10,	7.1	2
101	Loss of function of the chloroplast membrane K/H antiporters AtKEA1 and AtKEA2 alters the ROS and NO metabolism but promotes drought stress resilience. <i>Plant Physiology and Biochemistry</i> , 2021 , 160, 106-119	5.4	10
100	Identification of Compounds with Potential Therapeutic Uses from Sweet Pepper (L.) Fruits and Their Modulation by Nitric Oxide (NO). <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5
99	Multifaceted roles of nitric oxide in tomato fruit ripening: NO-induced metabolic rewiring and consequences for fruit quality traits. <i>Journal of Experimental Botany</i> , 2021 , 72, 941-958	7	21
98	Nitric oxide and hydrogen sulfide modulate the NADPH-generating enzymatic system in higher plants. <i>Journal of Experimental Botany</i> , 2021 , 72, 830-847	7	22
97	Nitric Oxide (NO) Scaffolds the Peroxisomal Protein-Protein Interaction Network in Higher Plants. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
96	Inhibition of NADP-malic enzyme activity by H S and NO in sweet pepper (Capsicum annuum L.) fruits. <i>Physiologia Plantarum</i> , 2020 , 168, 278-288	4.6	21
95	Plant catalases as NO and HS targets. <i>Redox Biology</i> , 2020 , 34, 101525	11.3	70
94	Superoxide Radical Metabolism in Sweet Pepper (L.) Fruits Is Regulated by Ripening and by a NO-Enriched Environment. <i>Frontiers in Plant Science</i> , 2020 , 11, 485	6.2	24

93	Plant Peroxisomes: A Factory of Reactive Species. Frontiers in Plant Science, 2020, 11, 853	6.2	32
92	Regulating the regulator: nitric oxide control of post-translational modifications. <i>New Phytologist</i> , 2020 , 227, 1319-1325	9.8	48
91	HS signaling in plants and applications in agriculture. <i>Journal of Advanced Research</i> , 2020 , 24, 131-137	13	78
90	Recommendations on terminology and experimental best practice associated with plant nitric oxide research. <i>New Phytologist</i> , 2020 , 225, 1828-1834	9.8	38
89	Appraisal of HS metabolism in Arabidopsis thaliana: In silico analysis at the subcellular level. <i>Plant Physiology and Biochemistry</i> , 2020 , 155, 579-588	5.4	19
88	Antioxidant Profile of Pepper (L.) Fruits Containing Diverse Levels of Capsaicinoids. <i>Antioxidants</i> , 2020 , 9,	7.1	8
87	Reactive Oxygen Species (ROS) Metabolism and Nitric Oxide (NO) Content in Roots and Shoots of Rice (Oryza sativa L.) Plants under Arsenic-Induced Stress. <i>Agronomy</i> , 2020 , 10, 1014	3.6	14
86	NADPH as a quality footprinting in horticultural crops marketability. <i>Trends in Food Science and Technology</i> , 2020 , 103, 152-161	15.3	16
85	Nitric oxide: A radical molecule with potential biotechnological applications in fruit ripening. <i>Journal of Biotechnology</i> , 2020 , 324, 211-219	3.7	15
84	Sweet Pepper (L.) Fruits Contain an Atypical Peroxisomal Catalase That is Modulated by Reactive Oxygen and Nitrogen Species. <i>Antioxidants</i> , 2019 , 8,	7.1	31
83	A forty year journey: The generation and roles of NO in plants. <i>Nitric Oxide - Biology and Chemistry</i> , 2019 , 93, 53-70	5	108
82	Hydrogen sulfide: A novel component in Arabidopsis peroxisomes which triggers catalase inhibition. <i>Journal of Integrative Plant Biology</i> , 2019 , 61, 871-883	8.3	48
81	Nitric oxide and hydrogen sulfide in plants: which comes first?. <i>Journal of Experimental Botany</i> , 2019 , 70, 4391-4404	7	139
80	Nitric oxide-dependent regulation of sweet pepper fruit ripening. <i>Journal of Experimental Botany</i> , 2019 , 70, 4557-4570	7	49
79	Impact of Nitric Oxide (NO) on the ROS Metabolism of Peroxisomes. <i>Plants</i> , 2019 , 8,	4.5	25
78	NADPH Oxidase (Rboh) Activity is Up Regulated during Sweet Pepper (L.) Fruit Ripening. <i>Antioxidants</i> , 2019 , 8,	7.1	34
77	Arsenate disrupts ion balance, sulfur and nitric oxide metabolisms in roots and leaves of pea (Pisum sativum L.) plants. <i>Environmental and Experimental Botany</i> , 2019 , 161, 143-156	5.9	52
76	Pomegranate (Punica granatum L.) Fruits: Characterization of the Main Enzymatic Antioxidants (Peroxisomal Catalase and SOD Isozymes) and the NADPH-Regenerating System. <i>Agronomy</i> , 2019 , 9-338	3.6	4

Nitric oxide in the physiology and quality of fleshy fruits. Journal of Experimental Botany, 2019, 70, 4405-4417 36 75 Plant peroxisomes at the crossroad of NO and HO metabolism. Journal of Integrative Plant Biology, 8.3 40 74 2019, 61, 803-816 A Simple and Useful Method to Apply Exogenous NO Gas to Plant Systems: Bell Pepper Fruits as a 1.4 7 73 Model. Methods in Molecular Biology, 2018, 1747, 3-11 Nitro-oxidative metabolism during fruit ripening. Journal of Experimental Botany, 2018, 69, 3449-3463 72 67 Plant Superoxide Dismutases: Function Under Abiotic Stress Conditions 2018, 1-26 71 22 Mechanical wounding promotes local and long distance response in the halophyte Cakile maritima through the involvement of the ROS and RNS metabolism. Nitric Oxide - Biology and Chemistry, 70 25 2018, 74, 93-101 Alperujo Compost Improves the Ascorbate (Vitamin C) Content in Pepper (Capsicum annuum L.) 69 3.6 3 Fruits and Influences Their Oxidative Metabolism. Agronomy, 2018, 8, 82 68 Assessing Nitric Oxide (NO) in Higher Plants: An Outline. Nitrogen, 2018, 1, 3 1.8 26 Nitric oxide on/off in fruit ripening. Plant Biology, 2018, 20, 805-807 67 3.7 49 The Proteome of Fruit Peroxisomes: Sweet Pepper (Capsicum annuum L.) as a Model. Sub-Cellular 66 16 5.5 Biochemistry, 2018, 89, 323-341 Endogenous hydrogen sulfide (HS) is up-regulated during sweet pepper (Capsicum annuum L.) fruit ripening. In vitro analysis shows that NADP-dependent isocitrate dehydrogenase (ICDH) activity is 65 5 58 inhibited by HS and NO. Nitric Oxide - Biology and Chemistry, 2018, 81, 36-45 S-nitrosoglutathione reductase (GSNOR) activity is down-regulated during pepper (Capsicum 64 annuum L.) fruit ripening. Nitric Oxide - Biology and Chemistry, 2017, 68, 51-55 Arsenic-induced stress activates sulfur metabolism in different organs of garlic (Allium sativum L.) 63 plants accompanied by a general decline of the NADPH-generating systems in roots. Journal of 3.6 44 Plant Physiology, 2017, 211, 27-35 Characterization of the galactono-1,4-lactone dehydrogenase from pepper fruits and its 62 63 11.3 modulation in the ascorbate biosynthesis. Role of nitric oxide. Redox Biology, 2017, 12, 171-181 Immunological evidence for the presence of peroxiredoxin in pea leaf peroxisomes and response to 61 2.6 10 oxidative stress conditions. Acta Physiologiae Plantarum, 2017, 39, 1 60 Plant peroxisomes: A nitro-oxidative cocktail. Redox Biology, 2017, 11, 535-542 118 11.3 Glyphosate-induced oxidative stress in Arabidopsis thaliana affecting peroxisomal metabolism and triggers activity in the oxidative phase of the pentose phosphate pathway (OxPPP) involved in 3.6 59 51 NADPH generation. Journal of Plant Physiology, 2017, 218, 196-205 Separation of Plant 6-Phosphogluconate Dehydrogenase (6PGDH) Isoforms by Non-denaturing Gel 58 0.9 Electrophoresis. *Bio-protocol*, **2017**, 7, e2399

(2013-2017)

57	Detection of Protein -nitrosothiols (SNOs) in Plant Samples on Diaminofluorescein (DAF) Gels. <i>Bio-protocol</i> , 2017 , 7, e2559	0.9	2
56	Modulation of superoxide dismutase (SOD) isozymes by organ development and high long-term salinity in the halophyte Cakile maritima. <i>Protoplasma</i> , 2016 , 253, 885-894	3.4	42
55	Peroxisomal NADP-isocitrate dehydrogenase is required for Arabidopsis stomatal movement. <i>Protoplasma</i> , 2016 , 253, 403-15	3.4	38
54	Redox State as a Central Regulator of Plant-Cell Stress Responses 2016 ,		10
53	Zinc induces distinct changes in the metabolism of reactive oxygen and nitrogen species (ROS and RNS) in the roots of two Brassica species with different sensitivity to zinc stress. <i>Annals of Botany</i> , 2015 , 116, 613-25	4.1	81
52	Ripening of pepper (Capsicum annuum) fruit is characterized by an enhancement of protein tyrosine nitration. <i>Annals of Botany</i> , 2015 , 116, 637-47	4.1	117
51	Spatial and temporal regulation of the metabolism of reactive oxygen and nitrogen species during the early development of pepper (Capsicum annuum) seedlings. <i>Annals of Botany</i> , 2015 , 116, 679-93	4.1	39
50	Production Sites of Reactive Oxygen Species (ROS) in Organelles from Plant Cells 2015 , 1-22		16
49	Physiology of pepper fruit and the metabolism of antioxidants: chloroplasts, mitochondria and peroxisomes. <i>Annals of Botany</i> , 2015 , 116, 627-36	4.1	54
48	Reactive Oxygen Species and Oxidative Damage in Plants Under Stress 2015 ,		25
47	Proteomic identification of mitochondrial carbonylated proteins in two maturation stages of pepper fruits. <i>Proteomics</i> , 2015 , 15, 2634-42	4.8	21
46	Arbuscular mycorrhizal fungi alleviate oxidative stress induced by ADOR and enhance antioxidant responses of tomato plants. <i>Journal of Plant Physiology</i> , 2014 , 171, 421-8	3.6	26
45	Function of Peroxisomes as a Cellular Source of Nitric Oxide and Other Reactive Nitrogen Species 2014 , 33-55		4
44	Heavy Metal Stress in Plants 2013 ,		27
43	Antioxidant systems from Pepper (Capsicum annuum L.): involvement in the response to temperature changes in ripe fruits. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 9556-80	6.3	59
42	Inhibition of peroxisomal hydroxypyruvate reductase (HPR1) by tyrosine nitration. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 4981-9	4	48
41	Protein tyrosine nitration in pea roots during development and senescence. <i>Journal of Experimental Botany</i> , 2013 , 64, 1121-34	7	141
40	Protein tyrosine nitration in higher plants grown under natural and stress conditions. <i>Frontiers in Plant Science</i> , 2013 , 4, 29	6.2	94

39	Metalloenzymes Involved in the Metabolism of Reactive Oxygen Species and Heavy Metal Stress 2013 , 1-17		6
38	Arsenic triggers the nitric oxide (NO) and S-nitrosoglutathione (GSNO) metabolism in Arabidopsis. <i>Environmental Pollution</i> , 2012 , 166, 136-43	9.3	160
37	Function of Nitric Oxide Under Environmental Stress Conditions 2012 , 99-113		16
36	NADP-dependent isocitrate dehydrogenase from Arabidopsis roots contributes in the mechanism of defence against the nitro-oxidative stress induced by salinity. <i>Scientific World Journal, The</i> , 2012 , 2012, 694740	2.2	46
35	Cytosolic NADP-isocitrate dehydrogenase in Arabidopsis leaves and roots. <i>Biologia Plantarum</i> , 2012 , 56, 705-710	2.1	26
34	Metabolism of reactive oxygen species and reactive nitrogen species in pepper (Capsicum annuum L.) plants under low temperature stress. <i>Plant, Cell and Environment,</i> 2012 , 35, 281-95	8.4	233
33	Function of S-nitrosoglutathione reductase (GSNOR) in plant development and under biotic/abiotic stress. <i>Plant Signaling and Behavior</i> , 2011 , 6, 789-93	2.5	127
32	Nitric oxide imbalance provokes a nitrosative response in plants under abiotic stress. <i>Plant Science</i> , 2011 , 181, 604-11	5.3	237
31	Role of peroxisomes in the oxidative injury induced by 2,4-dichlorophenoxyacetic acid in leaves of pea plants. <i>Biologia Plantarum</i> , 2011 , 55, 485-492	2.1	22
30	Influence of fruit ripening stage and harvest period on the antioxidant content of sweet pepper cultivars. <i>Plant Foods for Human Nutrition</i> , 2011 , 66, 416-23	3.9	41
29	Organ-specific effects of the auxin herbicide 2,4-D on the oxidative stress and senescence-related parameters of the stems of pea plants. <i>Acta Physiologiae Plantarum</i> , 2011 , 33, 2239-2247	2.6	7
28	Detection and quantification of S-nitrosoglutathione (GSNO) in pepper (Capsicum annuum L.) plant organs by LC-ES/MS. <i>Plant and Cell Physiology</i> , 2011 , 52, 2006-15	4.9	95
27	Proteomics as an approach to the understanding of the molecular physiology of fruit development and ripening. <i>Journal of Proteomics</i> , 2011 , 74, 1230-43	3.9	115
26	Growth, yield, and fruit quality of pepper plants amended with two sanitized sewage sludges. Journal of Agricultural and Food Chemistry, 2010 , 58, 6951-9	5.7	36
25	Protein targets of tyrosine nitration in sunflower (Helianthus annuus L.) hypocotyls. <i>Journal of Experimental Botany</i> , 2009 , 60, 4221-34	7	158
24	Proteome of plant peroxisomes: new perspectives on the role of these organelles in cell biology. <i>Proteomics</i> , 2009 , 9, 2301-12	4.8	78
23	NADP-dehydrogenases from pepper fruits: effect of maturation. <i>Physiologia Plantarum</i> , 2009 , 135, 130)-9 4.6	51
22	Evidence supporting the existence of L-arginine-dependent nitric oxide synthase activity in plants. <i>New Phytologist</i> , 2009 , 184, 9-14	9.8	203

(1998-2009)

Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2009 , 149, 440-7	3.2	39
Peroxisomal xanthine oxidoreductase: characterization of the enzyme from pea (Pisum sativum L.) leaves. <i>Journal of Plant Physiology</i> , 2008 , 165, 1319-30	3.6	95
Metabolism of reactive nitrogen species in pea plants under abiotic stress conditions. <i>Plant and Cell Physiology</i> , 2008 , 49, 1711-22	4.9	254
Peroxisomal membrane manganese superoxide dismutase: characterization of the isozyme from watermelon (Citrullus lanatus Schrad.) cotyledons. <i>Journal of Experimental Botany</i> , 2007 , 58, 2417-27	7	31
Roles for redox regulation in leaf senescence of pea plants grown on different sources of nitrogen nutrition. <i>Journal of Experimental Botany</i> , 2006 , 57, 1735-45	7	74
Antioxidative enzymes from chloroplasts, mitochondria, and peroxisomes during leaf senescence of nodulated pea plants. <i>Journal of Experimental Botany</i> , 2006 , 57, 1747-58	7	76
Glutathione reductase from pea leaves: response to abiotic stress and characterization of the peroxisomal isozyme. <i>New Phytologist</i> , 2006 , 170, 43-52	9.8	136
Reactive oxygen species and reactive nitrogen species in peroxisomes. Production, scavenging, and role in cell signaling. <i>Plant Physiology</i> , 2006 , 141, 330-5	6.6	475
Constitutive arginine-dependent nitric oxide synthase activity in different organs of pea seedlings during plant development. <i>Planta</i> , 2006 , 224, 246-54	4.7	254
Cellular and subcellular localization of endogenous nitric oxide in young and senescent pea plants. <i>Plant Physiology</i> , 2004 , 136, 2722-33	6.6	334
Reactive oxygen species-mediated enzymatic systems involved in the oxidative action of 2,4-dichlorophenoxyacetic acid*. <i>Plant, Cell and Environment</i> , 2004 , 27, 1135-1148	8.4	100
Plant proteases, protein degradation, and oxidative stress: role of peroxisomes. <i>Plant Physiology and Biochemistry</i> , 2002 , 40, 521-530	5.4	293
Antioxidative enzymes in cultivars of pepper plants with different sensitivity to cadmium. <i>Plant Physiology and Biochemistry</i> , 2002 , 40, 813-820	5.4	137
Cadmium induces senescence symptoms in leaf peroxisomes of pea plants. <i>Plant, Cell and Environment,</i> 2001 , 24, 1065-1073	8.4	102
Localization of nitric-oxide synthase in plant peroxisomes. <i>Journal of Biological Chemistry</i> , 1999 , 274, 36729-33	5.4	284
Peroxisomal NADP-Dependent Isocitrate Dehydrogenase. Characterization and Activity Regulation during Natural Senescence. <i>Plant Physiology</i> , 1999 , 121, 921-928	6.6	120
Peroxisomal manganese superoxide dismutase: Purification and properties of the isozyme from pea leaves. <i>Physiologia Plantarum</i> , 1998 , 104, 720-726	4.6	37
The activated oxygen role of peroxisomes in senescence. <i>Plant Physiology</i> , 1998 , 116, 1195-200	6.6	328
	Peroxisomal Xanthine oxidoreductase: characterization of the enzyme from pea (Pisum sativum L.) leaves. <i>Journal of Plant Physiology</i> , 2008, 165, 1319-30 Metabolism of reactive nitrogen species in pea plants under abiotic stress conditions. <i>Plant and Cell Physiology</i> , 2008, 49, 1711-22 Peroxisomal membrane manganese superoxide dismutase: characterization of the isozyme from watermelon (Citrullus lanatus Schrad.) cotyledons. <i>Journal of Experimental Botany</i> , 2007, 58, 2417-27 Roles for redox regulation in leaf senescence of pea plants grown on different sources of nitrogen nutrition. <i>Journal of Experimental Botany</i> , 2006, 57, 1735-45 Antioxidative enzymes from chloroplasts, mitochondria, and peroxisomes during leaf senescence of nodulated pea plants. <i>Journal of Experimental Botany</i> , 2006, 57, 1747-58 Glutathione reductase from pea leaves: response to abiotic stress and characterization of the peroxisomal isozyme. <i>New Phytologist</i> , 2006, 170, 43-52 Reactive oxygen species and reactive nitrogen species in peroxisomes. Production, scavenging, and role in cell signaling. <i>Plant Physiology</i> , 2006, 141, 330-5 Constitutive arginine-dependent nitric oxide synthase activity in different organs of pea seedlings during plant development. <i>Planta</i> , 2006, 224, 246-54 Cellular and subcellular localization of endogenous nitric oxide in young and senescent pea plants. <i>Plant Physiology</i> , 2004, 136, 2722-33 Reactive oxygen species-mediated enzymatic systems involved in the oxidative action of 2,4-dichlorophenoxyacetic acid*. <i>Plant, Cell and Environment</i> , 2004, 27, 1135-1148 Plant proteases, protein degradation, and oxidative stress: role of peroxisomes. <i>Plant Physiology and Biochemistry</i> , 2002, 40, 813-820 Cadmium induces senescence symptoms in leaf peroxisomes of pea plants. <i>Plant, Cell and Environment</i> , 2001, 24, 1065-1073 Localization of nitric-oxide synthase in plant peroxisomes. <i>Journal of Biological Chemistry</i> , 1999, 274, 36729-33 Peroxisomal NADP-Dependent Isocitrate Dehydrogenase. Characterization an	Peroxisomal xanthine oxidoreductase: characterization of the enzyme from pea (Pisum sativum L.) 1.

3	Society Transactions, 1996 , 24, 434-8	5.1	77
2	Metabolism of oxygen radicals in peroxisomes and cellular implications. <i>Free Radical Biology and Medicine</i> , 1992 , 13, 557-80	7.8	207
1	Nitric Oxide and Abiotic Stress in Higher Plants51-63		2