

Riccardo Frisenda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8008481/publications.pdf>

Version: 2024-02-01

81
papers

5,147
citations

87723

38
h-index

88477

70
g-index

88
all docs

88
docs citations

88
times ranked

7058
citing authors

#	ARTICLE	IF	CITATIONS
1	Bandgap engineering of two-dimensional semiconductor materials. Npj 2D Materials and Applications, 2020, 4, .	3.9	528
2	Recent progress in the assembly of nanodevices and van der Waals heterostructures by deterministic placement of 2D materials. Chemical Society Reviews, 2018, 47, 53-68.	18.7	473
3	Atomically thin p-n junctions based on two-dimensional materials. Chemical Society Reviews, 2018, 47, 3339-3358.	18.7	231
4	Signatures of Quantum Interference Effects on Charge Transport Through a Single Benzene Ring. Angewandte Chemie - International Edition, 2013, 52, 3152-3155.	7.2	204
5	Biaxial strain tuning of the optical properties of single-layer transition metal dichalcogenides. Npj 2D Materials and Applications, 2017, 1, .	3.9	191
6	Mechanically controlled quantum interference in individual π -stacked dimers. Nature Chemistry, 2016, 8, 1099-1104.	6.6	190
7	Large negative differential conductance in single-molecule break junctions. Nature Nanotechnology, 2014, 9, 830-834.	15.6	170
8	The role of traps in the photocurrent generation mechanism in thin InSe photodetectors. Materials Horizons, 2020, 7, 252-262.	6.4	164
9	A strain tunable single-layer MoS ₂ photodetector. Materials Today, 2019, 27, 8-13.	8.3	161
10	Thickness-Dependent Differential Reflectance Spectra of Monolayer and Few-Layer MoS ₂ , MoSe ₂ , WS ₂ and WSe ₂ . Nanomaterials, 2018, 8, 725.	1.9	156
11	Thickness-Dependent Refractive Index of 1L, 2L, and 3L MoS ₂ , MoSe ₂ , WS ₂ , and WSe ₂ . Advanced Optical Materials, 2019, 7, 1900239.	3.6	155
12	Single-Molecule Spin Switch Based on Voltage-Triggered Distortion of the Coordination Sphere. Angewandte Chemie - International Edition, 2015, 54, 13425-13430.	7.2	138
13	Micro-reflectance and transmittance spectroscopy: a versatile and powerful tool to characterize 2D materials. Journal Physics D: Applied Physics, 2017, 50, 074002.	1.3	125
14	Kondo Effect in a Neutral and Stable All Organic Radical Single Molecule Break Junction. Nano Letters, 2015, 15, 3109-3114.	4.5	117
15	Stretching-Induced Conductance Increase in a Spin-Crossover Molecule. Nano Letters, 2016, 16, 4733-4737.	4.5	96
16	Localized and Dispersive Electronic States at Ordered FePc and CoPc Chains on Au(110). Journal of Physical Chemistry C, 2010, 114, 21638-21644.	1.5	91
17	Naturally occurring van der Waals materials. Npj 2D Materials and Applications, 2020, 4, .	3.9	75
18	Electrical properties and mechanical stability of anchoring groups for single-molecule electronics. Beilstein Journal of Nanotechnology, 2015, 6, 1558-1567.	1.5	69

#	ARTICLE	IF	CITATIONS
19	Polarization-sensitive and Broadband Photodetection Based on a Mixed-Dimensionality TiS ₃ /Si ⁿ Junction. <i>Advanced Optical Materials</i> , 2018, 6, 1800351.	3.6	64
20	InSe: a two-dimensional semiconductor with superior flexibility. <i>Nanoscale</i> , 2019, 11, 9845-9850.	2.8	64
21	Strain engineering in single-, bi- and tri-layer MoS ₂ , MoSe ₂ , WS ₂ and WSe ₂ . <i>Nano Research</i> , 2021, 14, 1698-1703.	5.8	63
22	Revisiting the Buckling Metrology Method to Determine the Young's Modulus of 2D Materials. <i>Advanced Materials</i> , 2019, 31, e1807150.	11.1	59
23	A reference-free clustering method for the analysis of molecular break-junction measurements. <i>Applied Physics Letters</i> , 2019, 114, .	1.5	57
24	Statistical analysis of single-molecule breaking traces. <i>Physica Status Solidi (B): Basic Research</i> , 2013, 250, 2431-2436.	0.7	56
25	A Comprehensive Study of Extended Tetrathiafulvalene Cruciform Molecules for Molecular Electronics: Synthesis and Electrical Transport Measurements. <i>Journal of the American Chemical Society</i> , 2014, 136, 16497-16507.	6.6	55
26	Gate tunable photovoltaic effect in MoS ₂ vertical homostructures. <i>Journal of Materials Chemistry C</i> , 2017, 5, 854-861.	2.7	50
27	Toward Air Stability of Thin GaSe Devices: Avoiding Environmental and Laser-Induced Degradation by Encapsulation. <i>Advanced Functional Materials</i> , 2018, 28, 1805304.	7.8	49
28	Quantum interference effects at room temperature in OPV-based single-molecule junctions. <i>Nanoscale Research Letters</i> , 2013, 8, 234.	3.1	48
29	Superlattices based on van der Waals 2D materials. <i>Chemical Communications</i> , 2019, 55, 11498-11510.	2.2	48
30	Thickness determination of MoS ₂ , MoSe ₂ , WS ₂ and WSe ₂ on transparent stamps used for deterministic transfer of 2D materials. <i>Nano Research</i> , 2019, 12, 1691-1695.	5.8	46
31	Effect of Metal Complexation on the Conductance of Single-Molecular Wires Measured at Room Temperature. <i>Journal of the American Chemical Society</i> , 2014, 136, 8314-8322.	6.6	45
32	Characterization of highly crystalline lead iodide nanosheets prepared by room-temperature solution processing. <i>Nanotechnology</i> , 2017, 28, 455703.	1.3	45
33	Progress on Black Phosphorus Photonics. <i>Advanced Optical Materials</i> , 2018, 6, 1800365.	3.6	44
34	InSe Schottky Diodes Based on Van Der Waals Contacts. <i>Advanced Functional Materials</i> , 2020, 30, 2001307.	7.8	44
35	Highly responsive UV-photodetectors based on single electrospun TiO ₂ nanofibres. <i>Journal of Materials Chemistry C</i> , 2016, 4, 10707-10714.	2.7	41
36	Quantum Transport through a Single Conjugated Rigid Molecule, a Mechanical Break Junction Study. <i>Accounts of Chemical Research</i> , 2018, 51, 1359-1367.	7.6	40

#	ARTICLE	IF	CITATIONS
37	Large birefringence and linear dichroism in TiS ₃ nanosheets. <i>Nanoscale</i> , 2018, 10, 12424-12429.	2.8	40
38	Mechanical and liquid phase exfoliation of cylindrite: a natural van der Waals superlattice with intrinsic magnetic interactions. <i>2D Materials</i> , 2019, 6, 035023.	2.0	38
39	Tracking molecular resonance forms of donor-acceptor-pull molecules by single-molecule conductance experiments. <i>Nature Communications</i> , 2015, 6, 10233.	5.8	36
40	Transition from Strong to Weak Electronic Coupling in a Single-Molecule Junction. <i>Physical Review Letters</i> , 2016, 117, 126804.	2.9	36
41	Ultra-broad spectral photo-response in FePS ₃ air-stable devices. <i>Npj 2D Materials and Applications</i> , 2021, 5, .	3.9	35
42	MoS ₂ -on-paper optoelectronics: drawing photodetectors with van der Waals semiconductors beyond graphite. <i>Nanoscale</i> , 2020, 12, 19068-19074.	2.8	34
43	In-plane anisotropic optical and mechanical properties of two-dimensional MoO ₃ . <i>Npj 2D Materials and Applications</i> , 2021, 5, .	3.9	33
44	Gate-Switchable Photovoltaic Effect in BP/MoTe ₂ van der Waals Heterojunctions for Self-Driven Logic Optoelectronics. <i>Advanced Optical Materials</i> , 2021, 9, 2001802.	3.6	32
45	Biaxial versus uniaxial strain tuning of single-layer MoS ₂ . <i>Nano Materials Science</i> , 2022, 4, 44-51.	3.9	30
46	Anisotropic buckling of few-layer black phosphorus. <i>Nanoscale</i> , 2019, 11, 12080-12086.	2.8	29
47	Microheater Actuators as a Versatile Platform for Strain Engineering in 2D Materials. <i>Nano Letters</i> , 2020, 20, 5339-5345.	4.5	29
48	Charge transport through conjugated azomethine-based single molecules for optoelectronic applications. <i>Organic Electronics</i> , 2016, 34, 38-41.	1.4	28
49	Optical contrast and refractive index of natural van der Waals heterostructure nanosheets of franckeite. <i>Beilstein Journal of Nanotechnology</i> , 2017, 8, 2357-2362.	1.5	27
50	Symmetry Breakdown in Franckeite: Spontaneous Strain, Rippling, and Interlayer Moiré. <i>Nano Letters</i> , 2020, 20, 1141-1147.	4.5	25
51	An inexpensive system for the deterministic transfer of 2D materials. <i>JPhys Materials</i> , 2020, 3, 016001.	1.8	25
52	A Versatile Scanning Photocurrent Mapping System to Characterize Optoelectronic Devices based on 2D Materials. <i>Small Methods</i> , 2017, 1, 1700119.	4.6	24
53	Dielectrophoretic assembly of liquid-phase-exfoliated TiS ₃ nanoribbons for photodetecting applications. <i>Chemical Communications</i> , 2017, 53, 6164-6167.	2.2	22
54	Giant Piezoresistive Effect and Strong Bandgap Tunability in Ultrathin InSe upon Biaxial Strain. <i>Advanced Science</i> , 2020, 7, 2001645.	5.6	22

#	ARTICLE	IF	CITATIONS
55	A system for the deterministic transfer of 2D materials under inert environmental conditions. 2D Materials, 2020, 7, 025034.	2.0	21
56	Scalable and low-cost fabrication of flexible WS ₂ photodetectors on polycarbonate. Npj Flexible Electronics, 2022, 6, .	5.1	21
57	Biaxial strain tuning of interlayer excitons in bilayer MoS ₂ . JPhys Materials, 2020, 3, 015003.	1.8	20
58	High Throughput Characterization of Epitaxially Grown Single-Layer MoS ₂ . Electronics (Switzerland), 2017, 6, 28.	1.8	16
59	Strongly Anisotropic Strain-Tunability of Excitons in Exfoliated ZrSe ₃ . Advanced Materials, 2022, 34, e2103571.	11.1	16
60	Direct growth of graphene-MoS ₂ heterostructure: Tailored interface for advanced devices. Applied Surface Science, 2022, 581, 151858.	3.1	16
61	Drawing WS ₂ thermal sensors on paper substrates. Nanoscale, 2020, 12, 22091-22096.	2.8	14
62	Tunable Photodetectors via In Situ Thermal Conversion of TiS ₃ to TiO ₂ . Nanomaterials, 2020, 10, 711.	1.9	14
63	Probing the local environment of a single OPE3 molecule using inelastic tunneling electron spectroscopy. Beilstein Journal of Nanotechnology, 2015, 6, 2477-2484.	1.5	12
64	Robotic assembly of artificial nanomaterials. Nature Nanotechnology, 2018, 13, 441-442.	15.6	12
65	Single-Molecule Break Junctions Based on a Perylene-Diimide Cyano-Functionalized (PDI8-CN ₂) Derivative. Nanoscale Research Letters, 2015, 10, 1011.	3.1	11
66	Enhanced Separation Concept (ESC): Removing the Functional Subunit from the Electrode by Molecular Design. European Journal of Organic Chemistry, 2019, 2019, 5334-5343.	1.2	11
67	Thickness Identification of Thin InSe by Optical Microscopy Methods. Advanced Photonics Research, 2020, 1, 2000025.	1.7	11
68	Optical microscopy-based thickness estimation in thin GaSe flakes. Materials Today Advances, 2021, 10, 100143.	2.5	9
69	Integrating van der Waals materials on paper substrates for electrical and optical applications. Applied Materials Today, 2021, 23, 101012.	2.3	9
70	Lithography-free electrical transport measurements on 2D materials by direct microprobing. Journal of Materials Chemistry C, 2017, 5, 11252-11258.	2.7	6
71	Integrating superconducting van der Waals materials on paper substrates. Materials Advances, 2021, 2, 3274-3281.	2.6	6
72	Stretching ReS ₂ along different crystal directions: Anisotropic tuning of the vibrational and optical responses. Applied Physics Letters, 2022, 120, .	1.5	6

#	ARTICLE	IF	CITATIONS
73	Photodiodes based in La _{0.7} Sr _{0.3} MnO ₃ /single layer MoS ₂ hybrid vertical heterostructures. 2D Materials, 2017, 4, 034002.	2.0	5
74	A system to test 2D optoelectronic devices in high vacuum. JPhys Materials, 2020, 3, 036001.	1.8	5
75	Strain creates a trion factory. Nature Photonics, 2020, 14, 269-270.	15.6	4
76	Biaxial strain in atomically thin transition metal dichalcogenides. , 2017, , .		4
77	Paper-supported WS ₂ strain gauges. Sensors and Actuators A: Physical, 2021, 332, 113204.	2.0	4
78	Strain induced lifting of the charged exciton degeneracy in monolayer MoS ₂ on a GaAs nanomembrane. 2D Materials, 2022, 9, 045006.	2.0	4
79	Direct Transformation of Crystalline MoO ₃ into Few-Layers MoS ₂ . Materials, 2020, 13, 2293.	1.3	2
80	Fiber-coupled light-emitting diodes (LEDs) as safe and convenient light sources for the characterization of optoelectronic devices. Open Research Europe, 0, 1, 98.	2.0	2
81	Fiber-coupled light-emitting diodes (LEDs) as safe and convenient light sources for the characterization of optoelectronic devices. Open Research Europe, 0, 1, 98.	2.0	0